



RASD

Patricia Abbud
Maddalena Andreoli Andreoni
Paolo Cudrano

Contents

1 Introduction

1.1 Description of the given problem

The system we are going to develop is a carsharing service called *PowerEnJoy*. The system allows registered users to locate and reserve a car to use.

1.2 Goals

- **G1** The system charges the user for a predefined amount of money per minute.
- **G2** The system starts charging the user as soon as the car ignites.
- **G3** The system stops charging the user when the car is parked in a safe area and the user exits the car. The user must confirm the operation, otherwise the system keeps charging them.
- **G4** A screen on the car notifies the user of the current charges.
- **G5** The system locks the car automatically when the user exits the car.
- **G6** The system allows the user to open the car through a bluetooth system when the user has reserved it.
- **G8** If the user has chosen to keep being charged, the system allows them to exit and close and re-open the car through a bluetooth system.
- **G9** If the user has chosen to stop being charged, the system keeps a 10minutes window of time when they are allowed to re-open the car if it has not already been reserved by someone else.
- **G10** The set of safe parking areas is predefined by the management system.
- **G11** The system allows the user to earn a 10% discount on the current ride if there are at least two other passengers in the car.

1.3 Domain properties

1.4 Glossary

1.5 Assumptions

1.6 Constrains

1.7 Proposed system

1.8 Identifying Stakeholders

1.9 Reference documents

2 Actors Identifying

3 Requirements

4 Scenario identifying

5 UML models

6 Alloy modeling

7 Appendix

List of Figures

List of Tables