

Cucumber Report

Nov 28, 2022, 2:53:09 PM

Start : Nov 28, 1:46:48.433 PM

End : Nov 28, 2:53:08.972 PM

Duration : 66 m 20.539 s

Features





PASSED - 0
FAILED - 59
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 268
SKIPPED - 0

Steps

PASSED - 3
FAILED - 239
SKIPPED - 829




Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Validating the text fields on the Registration page</u>	4 m 22.504 s	26	0	26	0	104	0	22	82	
<u>Header Validation</u>	60 m 59.531 s	5	0	5	0	16	0	5	11	
<u>Login Button</u>	4.279 s	2	0	2	0	8	0	1	7	
<u>Sign Up Button</u>	1.680 s	1	0	1	0	3	0	1	2	
<u>Footer validation</u>	3.021 s	1	0	1	0	3	0	1	2	
<u>Forgot Password</u>	55.851 s	4	0	4	0	17	0	4	13	
<u>Login button</u>	17.954 s	1	0	1	0	4	0	1	3	
<u>Login-Invalid Credentials</u>	43.185 s	6	0	6	0	24	0	5	19	
<u>Login-Valid Credentials</u>	36.135 s	2	0	2	0	8	0	2	6	
<u>Reset password</u>	1 m 33.664 s	7	0	7	0	27	0	7	20	
<u>Paginator validation</u>	1 m 18.629 s	5	0	5	0	19	0	5	14	
<u>Add A New Program Functionality</u>	2 m 17.030 s	8	0	8	0	32	0	8	24	
<u>Title of your feature</u>	9 m 10.999 s	5	0	5	0	20	0	5	15	
<u>Ascending order Functionality</u>	14 m 41.905 s	8	0	8	0	32	0	8	24	
<u>CheckBox Functionality</u>	13 m 46.755 s	2	0	2	0	8	0	0	8	
<u>Delete Functionality</u>	48 m 22.030 s	14	0	14	0	60	0	12	48	
<u>Descending order Functionality</u>	43 m 19.274 s	12	0	12	0	48	0	11	37	


Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Edit Functionality</u>	48 m 21.715 s	22	0	22	0	97	0	19	78	
<u>Footer Validation</u>	47 m 17.639 s	4	0	4	0	13	0	4	9	
<u>Delete Multiple Records Functionality</u>	17 m 40.711 s	14	0	14	0	60	0	14	46	
<u>Paginator Validation</u>	45 m 37.543 s	8	0	8	0	27	0	7	20	
<u>Search TextBox Functionality</u>	13 m 43.722 s	10	0	10	0	39	1	10	28	
<u>Add A New Batch Functionality</u>	3 m 30.546 s	12	0	12	0	49	0	10	39	
<u>Number of rows in a Table</u>	18.320 s	1	0	1	0	3	0	0	3	
<u>Ascending Order Functionality</u>	1 m 15.522 s	4	0	4	0	16	0	3	13	
<u>Add New User Functionality</u>	37.779 s	2	0	2	0	8	0	2	6	
<u>Address2 button</u>	18.887 s	1	0	1	0	4	0	1	3	
<u>Cancel button</u>	5.617 s	2	0	2	0	8	0	2	6	
<u>Cancel(x) icon</u>	37.761 s	2	0	2	0	8	0	2	6	
<u>Delete Icon</u>	1 m 39.939 s	7	0	7	0	28	1	6	21	
<u>Drop down</u>	37.834 s	2	0	2	0	8	0	2	6	
<u>Edit/Delete icon in each row</u>	56.077 s	3	0	3	0	12	1	2	9	
<u>Email Id</u>	19.005 s	1	0	1	0	4	0	1	3	
<u>ID</u>	2.055 s	1	0	1	0	4	0	0	4	

Feature		Duration	Scenario				Step			
			T	P	F	S	T	P	F	S
<u>input fields</u>		18.884 s	1	0	1	0	4	0	1	3
<u>Label Text</u>		18.934 s	1	0	1	0	4	0	1	3
<u>Name field</u>		18.924 s	1	0	1	0	4	0	1	3
<u>Page Validation</u>		18.830 s	1	0	1	0	4	0	1	3
<u>Pagination</u>		2 m 38.226 s	10	0	10	0	40	0	9	31
<u>PhoneNumber</u>		18.850 s	1	0	1	0	4	0	1	3
<u>Postal Code</u>		18.820 s	1	0	1	0	4	0	1	3
<u>Search</u>		59.812 s	4	0	4	0	16	0	4	12
<u>State</u>		19.230 s	1	0	1	0	4	0	1	3
<u>Submit button</u>		18.902 s	1	0	1	0	4	0	1	3
<u>Submit button functionality</u>		37.830 s	2	0	2	0	8	0	2	6
<u>Table header</u>		59.261 s	4	0	4	0	16	0	3	13
<u>UG Program</u>		18.881 s	1	0	1	0	4	0	1	3
<u>"User Details" Window</u>		19.178 s	1	0	1	0	4	0	1	3
<u>Validating Address line</u>		2.785 s	1	0	1	0	4	0	1	3
<u>Add New Assignment Functionality</u>		1 m 1.189 s	7	0	7	0	28	0	6	22
<u>Assignment Google form</u>		1 m 53.249 s	6	0	6	0	24	0	5	19


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checkbox Functionality</u>	1 m 13.985 s	4	0	4	0	16	0	4	12
<u>Delete Assignment Functionality</u>	1 m 31.208 s	5	0	5	0	20	0	3	17
<u>Delete Multiple Assignment Functionality</u>	41.033 s	4	0	4	0	16	0	3	13
<u>Header validation</u>	18.839 s	1	0	1	0	3	0	1	2
<u>Absent Functionality</u>	18.910 s	1	0	1	0	4	0	1	3
<u>Verify the Edit Button</u>	1 m 55.697 s	2	0	2	0	8	0	2	6
<u>Present Functionality</u>	18.992 s	1	0	1	0	4	0	1	3
<u>LogOut button</u>	1.875 s	1	0	1	0	3	0	1	2




#	Feature Name	T	P	F	S	Duration
1	<u>Validating the text fields on the Registration page</u>	26	0	26	0	4 m 22.504 s
2	<u>Header Validation</u>	5	0	5	0	60 m 59.531 s
3	<u>Login Button</u>	2	0	2	0	4.279 s
4	<u>Sign Up Button</u>	1	0	1	0	1.680 s
5	<u>Footer validation</u>	1	0	1	0	3.021 s
6	<u>Forgot Password</u>	4	0	4	0	55.851 s
7	<u>Login button</u>	1	0	1	0	17.954 s
8	<u>Login-Invalid Credentials</u>	6	0	6	0	43.185 s
9	<u>Login-Valid Credentials</u>	2	0	2	0	36.135 s
10	<u>Reset password</u>	7	0	7	0	1 m 33.664 s




#	Feature Name	T	P	F	S	Duration
11	<u>Paginator validation</u>	5	0	5	0	1 m 18.629 s
12	<u>Add A New Program Functionality</u>	8	0	8	0	2 m 17.030 s
13	<u>Title of your feature</u>	5	0	5	0	9 m 10.999 s
14	<u>Ascending order Functionality</u>	8	0	8	0	14 m 41.905 s
15	<u>CheckBox Functionality</u>	2	0	2	0	13 m 46.755 s
16	<u>Delete Functionality</u>	14	0	14	0	48 m 22.030 s
17	<u>Descending order Functionality</u>	12	0	12	0	43 m 19.274 s
18	<u>Edit Functionality</u>	22	0	22	0	48 m 21.715 s
19	<u>Footer Validation</u>	4	0	4	0	47 m 17.639 s
20	<u>Delete Multiple Records Functionality</u>	14	0	14	0	17 m 40.711 s




#	Feature Name	T	P	F	S	Duration
21	<u>Paginator Validation</u>	8	0	8	0	45 m 37.543 s
22	<u>Search TextBox Functionality</u>	10	0	10	0	13 m 43.722 s
23	<u>Add A New Batch Functionality</u>	12	0	12	0	3 m 30.546 s
24	<u>Number of rows in a Table</u>	1	0	1	0	18.320 s
25	<u>Ascending Order Functionality</u>	4	0	4	0	1 m 15.522 s
26	<u>Add New User Functionality</u>	2	0	2	0	37.779 s
27	<u>Address2 button</u>	1	0	1	0	18.887 s
28	<u>Cancel button</u>	2	0	2	0	5.617 s
29	<u>Cancel(x) icon</u>	2	0	2	0	37.761 s
30	<u>Delete Icon</u>	7	0	7	0	1 m 39.939 s




#	Feature Name	T	P	F	S	Duration
31	<u>Drop down</u>	2	0	2	0	37.834 s
32	<u>Edit/Delete icon in each row</u>	3	0	3	0	56.077 s
33	<u>Email Id</u>	1	0	1	0	19.005 s
34	<u>ID</u>	1	0	1	0	2.055 s
35	<u>input fields</u>	1	0	1	0	18.884 s
36	<u>Label Text</u>	1	0	1	0	18.934 s
37	<u>Name field</u>	1	0	1	0	18.924 s
38	<u>Page Validation</u>	1	0	1	0	18.830 s
39	<u>Pagination</u>	10	0	10	0	2 m 38.226 s
40	<u>PhoneNumber</u>	1	0	1	0	18.850 s




#	Feature Name	T	P	F	S	Duration
41	<u>Postal Code</u>	1	0	1	0	18.820 s
42	<u>Search</u>	4	0	4	0	59.812 s
43	<u>State</u>	1	0	1	0	19.230 s
44	<u>Submit button</u>	1	0	1	0	18.902 s
45	<u>Submit button functionality</u>	2	0	2	0	37.830 s
46	<u>Table header</u>	4	0	4	0	59.261 s
47	<u>UG Program</u>	1	0	1	0	18.881 s
48	<u>"User Details" Window</u>	1	0	1	0	19.178 s
49	<u>Validating Address line</u>	1	0	1	0	2.785 s
50	<u>Add New Assignment Functionality</u>	7	0	7	0	1 m 1.189 s




#	Feature Name	T	P	F	S	Duration
51	<u>Assignment Google form</u>	6	0	6	0	1 m 53.249 s
52	<u>Checkbox Functionality</u>	4	0	4	0	1 m 13.985 s
53	<u>Delete Assignment Functionality</u>	5	0	5	0	1 m 31.208 s
54	<u>Delete Multiple Assignment Functionalty</u>	4	0	4	0	41.033 s
55	<u>Header validation</u>	1	0	1	0	18.839 s
56	<u>Absent Functionality</u>	1	0	1	0	18.910 s
57	<u>Verify the Edit Button</u>	2	0	2	0	1 m 55.697 s
58	<u>Present Functionality</u>	1	0	1	0	18.992 s
59	<u>LogOut button</u>	1	0	1	0	1.875 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating the text fields on the Registration page</u>	<u>Enter the First Name field</u>	4	0	1	3	19.528 s
2	<u>Validating the text fields on the Registration page</u>	<u>Enter the Last Name Field</u>	4	0	1	3	18.207 s
3	<u>Validating the text fields on the Registration page</u>	<u>Enter the Address Field</u>	4	0	1	3	18.322 s
4	<u>Validating the text fields on the Registration page</u>	<u>Enter the Street Name Field</u>	4	0	1	3	2.006 s
5	<u>Validating the text fields on the Registration page</u>	<u>Enters the Zip field</u>	4	0	0	4	2.300 s
6	<u>Validating the text fields on the Registration page</u>	<u>Enters the City field</u>	4	0	1	3	1.745 s
7	<u>Validating the text fields on the Registration page</u>	<u>Selects the State field</u>	4	0	0	4	18.341 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Validating the text fields on the Registration page</u>	<u>Enter the Phone Number</u>	4	0	1	3	17.939 s
9	<u>Validating the text fields on the Registration page</u>	<u>Selects the Birth Date</u>	4	0	1	3	17.964 s
10	<u>Validating the text fields on the Registration page</u>	<u>Enter valid Password</u>	4	0	1	3	1.794 s
11	<u>Validating the text fields on the Registration page</u>	<u>Enter Valid UserName</u>	4	0	1	3	17.963 s
12	<u>Validating the text fields on the Registration page</u>	<u>Enter Valid Email</u>	4	0	1	3	1.881 s
13	<u>Validating the text fields on the Registration page</u>	<u>Validating the Sign Up form with all fields empty</u>	4	0	1	3	17.977 s
14	<u>Validating the text fields on the Registration page</u>	<u>Validating the First Name field on Registration Page</u>	4	0	1	3	1.811 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Validating the text fields on the Registration page</u>	<u>Validating the Last Name field on Registration Page</u>	4	0	1	3	2.017 s
16	<u>Validating the text fields on the Registration page</u>	<u>Validating the Address field on Registration Page</u>	4	0	1	3	18.243 s
17	<u>Validating the text fields on the Registration page</u>	<u>Validating the Street Name field on Registration Page</u>	4	0	1	3	1.707 s
18	<u>Validating the text fields on the Registration page</u>	<u>Validating the Zip field on Registration Page</u>	4	0	1	3	18.191 s
19	<u>Validating the text fields on the Registration page</u>	<u>Validating the City field on Registration Page</u>	4	0	1	3	17.858 s
20	<u>Validating the text fields on the Registration page</u>	<u>Validating the State field on Registration Page</u>	4	0	0	4	2.270 s
21	<u>Validating the text fields on the Registration page</u>	<u>Validating the Phone Number field on Registration Page</u>	4	0	0	4	2.154 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Validating the text fields on the Registration page</u>	<u>Validating the BirthDate field on Registration Page</u>	4	0	1	3	1.715 s
23	<u>Validating the text fields on the Registration page</u>	<u>Validating the UserName field on Registration Page</u>	4	0	1	3	1.789 s
24	<u>Validating the text fields on the Registration page</u>	<u>Validating the Password field on Registration Page</u>	4	0	1	3	2.111 s
25	<u>Validating the text fields on the Registration page</u>	<u>Validating Sign Up form with valid data</u>	4	0	1	3	17.910 s
26	<u>Validating the text fields on the Registration page</u>	<u>Validating the signup form with existing name</u>	4	0	1	3	17.905 s
27	<u>Header Validation</u>	<u>Validating the heading of Registration form</u>	3	0	1	2	18.336 s
28	<u>Header Validation</u>	<u>Validating the Manage Program Header</u>	3	0	1	2	18.963 s
29	<u>Header Validation</u>	<u>Validating the Manage Batch Header</u>	3	0	1	2	19.173 s


#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
30	<u>Header Validation</u>	<u>Validate the Manage page heading</u>	4	0	1	3	2.761 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Header Validation</u>	<u>Validating the Attendance Header</u>	3	0	1	2	18.943 s
32	<u>Login Button</u>	<u>Validating the Login button functionality</u>	4	0	1	3	2.098 s
33	<u>Login Button</u>	<u>Validating the Login button visibility</u>	4	0	0	4	2.156 s
34	<u>Sign Up Button</u>	<u>Validating the Sign Up button visibility</u>	3	0	1	2	1.680 s
35	<u>Footer validation</u>	<u>Validating Assignment Footer</u>	3	0	1	2	3.021 s
36	<u>Forgot Password</u>	<u>Validate forgot password link</u>	4	0	1	3	1.708 s
37	<u>Forgot Password</u>	<u>Validate forgot password with email id</u>	5	0	1	4	17.927 s
38	<u>Forgot Password</u>	<u>Validate verification code</u>	4	0	1	3	18.199 s
39	<u>Forgot Password</u>	<u>Validate click here link in verification code page</u>	4	0	1	3	17.930 s
40	<u>Login button</u>	<u>Validation of the login url</u>	4	0	1	3	17.954 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Login-Invalid Credentials</u>	<u>User login with valid username and invalid password</u>	4	0	1	3	17.887 s
42	<u>Login-Invalid Credentials</u>	<u>User login with invalid username and valid password</u>	4	0	1	3	1.711 s
43	<u>Login-Invalid Credentials</u>	<u>User login with invalid username and invalid password</u>	4	0	1	3	1.619 s
44	<u>Login-Invalid Credentials</u>	<u>User login with valid username and leaves password empty</u>	4	0	1	3	1.727 s
45	<u>Login-Invalid Credentials</u>	<u>Admin/Staff with valid username, invalid password and code</u>	4	0	1	3	17.936 s
46	<u>Login-Invalid Credentials</u>	<u>Admin/Staff with invalid username and invalid password without code</u>	4	0	0	4	2.172 s
47	<u>Login-Valid Credentials</u>	<u>Login with valid credentials</u>	4	0	1	3	18.160 s
48	<u>Login-Valid Credentials</u>	<u>Admin/staff login with valid credentials</u>	4	0	1	3	17.934 s
49	<u>Reset password</u>	<u>Validate Reset password</u>	4	0	1	3	18.218 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>Reset password</u>	<u>Validate Reset password on mismatch</u>	4	0	1	3	1.618 s
51	<u>Reset password</u>	<u>Validate Reset password with less than 8 characters</u>	3	0	1	2	17.855 s
52	<u>Reset password</u>	<u>Validate Reset password without capital letter</u>	4	0	1	3	17.907 s
53	<u>Reset password</u>	<u>Validate Reset password without number</u>	4	0	1	3	18.143 s
54	<u>Reset password</u>	<u>Validate Reset password without special character</u>	4	0	1	3	17.971 s
55	<u>Reset password</u>	<u>Validate Reset password with cancel button</u>	4	0	1	3	1.762 s
56	<u>Paginator validation</u>	<u>Validating Assignment Paginator</u>	3	0	1	2	18.891 s
57	<u>Paginator validation</u>	<u>Verify paginator -next button on the Assignment page</u>	4	0	1	3	18.941 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	Paginator validation	Verify paginator -previous button on the Assignment page	4	0	1	3	18.988 s
59	Paginator validation	Verify paginator -last button on the Assignment page	4	0	1	3	18.989 s
60	Paginator validation	Verify paginator -first button on the Program page	4	0	1	3	2.690 s
61	Add A New Program Functionality	Validate Add A New Program button	4	0	1	3	18.985 s
62	Add A New Program Functionality	No details Entered in Program Details window	4	0	1	3	18.995 s
63	Add A New Program Functionality	Enters All details in Program Details window	4	0	1	3	18.960 s
64	Add A New Program Functionality	Enters Only Name in Program Details window	4	0	1	3	19.216 s
65	Add A New Program Functionality	Enters Only Description in Program Details window	4	0	1	3	18.947 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
66	<u>Add A New Program Functionality</u>	<u>Selects Only Status in Program Details window</u>	4	0	1	3	3.328 s
67	<u>Add A New Program Functionality</u>	<u>Click on Cancel button in Program Details window</u>	4	0	1	3	19.127 s
68	<u>Add A New Program Functionality</u>	<u>Verify Added New Program Name</u>	4	0	1	3	19.282 s
69	<u>Title of your feature</u>	<u>User/Staff Validate Add A New Program button</u>	4	0	1	3	18.929 s
70	<u>Title of your feature</u>	<u>Verify paginator -next button on the Program page</u>	4	0	1	3	2.719 s
71	<u>Title of your feature</u>	<u>Verify paginator -prevoius button on the Program page</u>	4	0	1	3	2.721 s
72	<u>Title of your feature</u>	<u>Verify paginator -last button on the Program page</u>	4	0	1	3	18.991 s
73	<u>Title of your feature</u>	<u>Verify paginator -first button on the Program page</u>	4	0	1	3	18.942 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
74	<u>Ascending order Functionality</u>	<u>Verify Program Name are displayed in Ascending order</u>	4	0	1	3	18.959 s
75	<u>Ascending order Functionality</u>	<u>Verify Program Description are displayed in Ascending order</u>	4	0	1	3	18.960 s
76	<u>Ascending order Functionality</u>	<u>Verify Program Status are displayed in Ascending order</u>	4	0	1	3	19.310 s
77	<u>Ascending order Functionality</u>	<u>Verify Batch Name are displayed in Ascending order</u>	4	0	1	3	18.927 s
78	<u>Ascending order Functionality</u>	<u>Verify Batch Description are displayed in Ascending order</u>	4	0	1	3	18.905 s
79	<u>Ascending order Functionality</u>	<u>Verify Batch Status are displayed in Ascending order</u>	4	0	1	3	19.329 s
80	<u>Ascending order Functionality</u>	<u>Verify No Of Classes are displayed in Ascending order</u>	4	0	1	3	19.368 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
81	<u>Ascending order Functionality</u>	<u>Verify Program Name are displayed in Ascending order</u>	4	0	1	3	18.868 s
82	<u>CheckBox Functionality</u>	<u>Verify Checkbox Functionality</u>	4	0	0	4	18.437 s
83	<u>CheckBox Functionality</u>	<u>Verifies Checkbox Functionality</u>	4	0	0	4	2.135 s
84	<u>Delete Functionality</u>	<u>Validate Deleted Program Name</u>	4	0	1	3	18.968 s
85	<u>Delete Functionality</u>	<u>Verify Delete Functionality</u>	4	0	1	3	18.979 s
86	<u>Delete Functionality</u>	<u>Click on Yes button in Delete Confirm window</u>	5	0	1	4	18.939 s
87	<u>Delete Functionality</u>	<u>Click on No button in Delete Confirm window</u>	5	0	1	4	2.847 s
88	<u>Delete Functionality</u>	<u>User/Staff Validates Delete button</u>	4	0	1	3	18.881 s
89	<u>Delete Functionality</u>	<u>Verify Delete Functionality</u>	4	0	1	3	18.869 s
90	<u>Delete Functionality</u>	<u>Click on Yes button in Delete Confirm window</u>	5	0	1	4	2.731 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
91	<u>Delete Functionality</u>	<u>Clicks on No button in Delete Confirm window</u>	5	0	0	5	18.317 s
92	<u>Delete Functionality</u>	<u>User/Staff Validates Delete button</u>	4	0	1	3	18.839 s
93	<u>Delete Functionality</u>	<u>Validate Deleted Program Name</u>	4	0	0	4	18.252 s
94	<u>Delete Functionality</u>	<u>Verify the Delete Functionality</u>	4	0	1	3	18.793 s
95	<u>Delete Functionality</u>	<u>Click on "Yes" button in Delete Confirm window</u>	4	0	1	3	18.915 s
96	<u>Delete Functionality</u>	<u>Click on "No" button in Delete Confirm window</u>	4	0	1	3	18.826 s
97	<u>Delete Functionality</u>	<u>Admin Verify the Delete Functionality</u>	4	0	1	3	18.907 s
98	<u>Descending order Functionality</u>	<u>Verify Program Name are displayed in Descending order</u>	4	0	1	3	18.914 s
99	<u>Descending order Functionality</u>	<u>Verify Program Description are displayed in Descending order</u>	4	0	1	3	18.876 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-0	<u>Descending order Functionality</u>	<u>Verify Program Status are displayed in Descending order</u>	4	0	0	4	18.337 s
10-1	<u>Descending order Functionality</u>	<u>Verify Batch Name are displayed in Descending order</u>	4	0	1	3	18.846 s
10-2	<u>Descending order Functionality</u>	<u>Verify Batch Description are displayed in Descending order</u>	4	0	1	3	18.918 s
10-3	<u>Descending order Functionality</u>	<u>Verify Batch Status are displayed in Descending order</u>	4	0	1	3	18.857 s
10-4	<u>Descending order Functionality</u>	<u>Verify No Of Classess are displayed in Descending order</u>	4	0	1	3	2.676 s
10-5	<u>Descending order Functionality</u>	<u>Verify Program Name are displayed in Descending order</u>	4	0	1	3	19.169 s
10-6	<u>Descending order Functionality</u>	<u>Verify Assignment Name are displayed in Descending order</u>	4	0	1	3	2.671 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>Descending order Functionality</u>	<u>Verify Assignment Description are displayed in Descending order</u>	4	0	1	3	18.929 s
10-8	<u>Descending order Functionality</u>	<u>Verify Assignment DueDate are displayed in Descending order</u>	4	0	1	3	19.250 s
10-9	<u>Descending order Functionality</u>	<u>Verify Assignment Grade are displayed in Descending order</u>	4	0	1	3	18.847 s
11-0	<u>Edit Functionality</u>	<u>Validates Edit button in Program Details window</u>	4	0	1	3	2.791 s
11-1	<u>Edit Functionality</u>	<u>Edit Program Name in Program Details window</u>	5	0	1	4	18.981 s
11-2	<u>Edit Functionality</u>	<u>Edit Program Description in Program Details window</u>	5	0	0	5	18.268 s
11-3	<u>Edit Functionality</u>	<u>Edit Program Status in Program Details window</u>	5	0	1	4	2.727 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4	<u>Edit Functionality</u>	<u>Click on Cancel button in Program Details window</u>	5	0	1	4	2.983 s
11-5	<u>Edit Functionality</u>	<u>User/Staff Validate Edit button</u>	4	0	0	4	18.306 s
11-6	<u>Edit Functionality</u>	<u>Verifys Edited Program Name/Program Description</u>	4	0	1	3	18.898 s
11-7	<u>Edit Functionality</u>	<u>Verifys Edited Batch Name/BatchDescription</u>	4	0	1	3	3.167 s
11-8	<u>Edit Functionality</u>	<u>User/Staff Validate Edit button</u>	4	0	1	3	3.188 s
11-9	<u>Edit Functionality</u>	<u>Admin/User/Staff Validate Edit button</u>	4	0	1	3	18.987 s
12-0	<u>Edit Functionality</u>	<u>Staff Validates Edit button</u>	4	0	1	3	17.887 s
12-1	<u>Edit Functionality</u>	<u>Staff Edit Assignment Name in Assignment Details window</u>	4	0	1	3	17.928 s
12-2	<u>Edit Functionality</u>	<u>Staff Edit Assignment Description in Assignment Details window</u>	4	0	1	3	17.870 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-3	<u>Edit Functionality</u>	<u>Staff Edit Assignment Grade in Assignment Details window</u>	4	0	1	3	17.877 s
12-4	<u>Edit Functionality</u>	<u>Staff Edit Assignment DueDate in Assignment Details window</u>	4	0	1	3	18.239 s
12-5	<u>Edit Functionality</u>	<u>Staff Click Cancel in Assignment Details window</u>	4	0	1	3	1.687 s
12-6	<u>Edit Functionality</u>	<u>Edit ProgramName in Attendance Details window</u>	5	0	1	4	18.779 s
12-7	<u>Edit Functionality</u>	<u>Edit User Name Attendance Details window</u>	5	0	1	4	18.950 s
12-8	<u>Edit Functionality</u>	<u>Edit Present in Attendance Details window</u>	5	0	0	5	18.327 s
12-9	<u>Edit Functionality</u>	<u>Edit Absent in Attendance Details window</u>	5	0	1	4	18.865 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-0	<u>Edit Functionality</u>	<u>Click on Cancel button in Attendance Details window</u>	5	0	1	4	18.921 s
13-1	<u>Edit Functionality</u>	<u>Admin Verify the Edit Button</u>	4	0	1	3	18.883 s
13-2	<u>Footer Validation</u>	<u>Validating the Manage Program Footer</u>	3	0	1	2	19.350 s
13-3	<u>Footer Validation</u>	<u>Validating the Manage Batch Footer</u>	3	0	1	2	18.896 s
13-4	<u>Footer Validation</u>	<u>Validating table footer</u>	4	0	1	3	19.005 s
13-5	<u>Footer Validation</u>	<u>Validating the Attendance Footer</u>	3	0	1	2	19.027 s
13-6	<u>Delete Multiple Records Functionality</u>	<u>Verify the state of Delete button on left hand side</u>	3	0	1	2	19.355 s
13-7	<u>Delete Multiple Records Functionality</u>	<u>Validates Multiple Program Selection</u>	4	0	1	3	19.322 s
13-8	<u>Delete Multiple Records Functionality</u>	<u>Verify Deleted Program Names</u>	4	0	1	3	19.093 s


#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
13-9	<u>Delete Multiple Records Functionality</u>	<u>Deletion of Multiple Records</u>	4	0	1	3	2.715 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
14-0	<u>Delete Multiple Records Functionality</u>	<u>Verifys Deletion of Multiple Records</u>	5	0	1	4	18.973 s
14-1	<u>Delete Multiple Records Functionality</u>	<u>Click on Yes button in Delete Confirm window</u>	5	0	1	4	19.329 s
14-2	<u>Delete Multiple Records Functionality</u>	<u>Click on No button in Delete Confirm window</u>	5	0	1	4	19.280 s
14-3	<u>Delete Multiple Records Functionality</u>	<u>Verify the state of Delete button on left hand side</u>	3	0	1	2	18.899 s
14-4	<u>Delete Multiple Records Functionality</u>	<u>Verify Deletion of Multiple Records</u>	5	0	1	4	19.263 s
14-5	<u>Delete Multiple Records Functionality</u>	<u>Click on Yes button in Delete Confirm window</u>	5	0	1	4	18.976 s
14-6	<u>Delete Multiple Records Functionality</u>	<u>Click on No button in Delete Confirm window</u>	5	0	1	4	18.824 s
14-7	<u>Delete Multiple Records Functionality</u>	<u>Verify Deleted Batch Names</u>	4	0	1	3	19.004 s
14-8	<u>Delete Multiple Records Functionality</u>	<u>User/Staff Verifys Deletion of Multiple Records</u>	4	0	1	3	18.812 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
14-9	<u>Delete Multiple Records Functionality</u>	<u>Validates Multiple Program Selection</u>	4	0	1	3	18.861 s
15-0	<u>Paginator Validation</u>	<u>Validating the Manage Program Paginator</u>	3	0	1	2	18.965 s
15-1	<u>Paginator Validation</u>	<u>Validate Number of rows in a table</u>	3	0	1	2	19.090 s
15-2	<u>Paginator Validation</u>	<u>Verify paginator -next button on the Program page</u>	4	0	1	3	19.261 s
15-3	<u>Paginator Validation</u>	<u>Verify paginator -last button on the Program page</u>	4	0	1	3	2.726 s
15-4	<u>Paginator Validation</u>	<u>Verify paginator -first button on the Program page</u>	4	0	1	3	18.956 s
15-5	<u>Paginator Validation</u>	<u>Validating the Manage Batch Paginator</u>	3	0	1	2	18.877 s
15-6	<u>Paginator Validation</u>	<u>Validating the Attendance Paginator</u>	3	0	1	2	19.151 s
15-7	<u>Paginator Validation</u>	<u>Verify All paginator button on the Attendance page</u>	3	0	0	3	18.356 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-8	<u>Search TextBox Functionality</u>	<u>Search by Program Name</u>	4	0	1	3	18.996 s
15-9	<u>Search TextBox Functionality</u>	<u>Search by Program Description</u>	4	0	1	3	2.731 s
16-0	<u>Search TextBox Functionality</u>	<u>Search by Program Status</u>	4	0	1	3	18.912 s
16-1	<u>Search TextBox Functionality</u>	<u>Validate Search Feature</u>	4	0	1	3	3.025 s
16-2	<u>Search TextBox Functionality</u>	<u>Validate Search Feature</u>	3	1	1	1	18.904 s
16-3	<u>Search TextBox Functionality</u>	<u>Search by Batch Name</u>	4	0	1	3	18.955 s
16-4	<u>Search TextBox Functionality</u>	<u>Search by Batch Description</u>	4	0	1	3	18.977 s
16-5	<u>Search TextBox Functionality</u>	<u>Search by Batch Status</u>	4	0	1	3	18.901 s
16-6	<u>Search TextBox Functionality</u>	<u>Search by No Of Classes</u>	4	0	1	3	18.919 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
16-7	<u>Search TextBox Functionality</u>	<u>Search by Program Name</u>	4	0	1	3	2.741 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-8	<u>Add A New Batch Functionality</u>	<u>Validate Add A New Batch button</u>	4	0	1	3	18.842 s
16-9	<u>Add A New Batch Functionality</u>	<u>No details Entered in Batch Details window</u>	4	0	1	3	18.921 s
17-0	<u>Add A New Batch Functionality</u>	<u>Enters Only Name in Batch Details window</u>	4	0	1	3	18.856 s
17-1	<u>Add A New Batch Functionality</u>	<u>Enters Only Description in Batch Details window</u>	4	0	1	3	18.847 s
17-2	<u>Add A New Batch Functionality</u>	<u>Verify Program Name Dropdown in Batch Details window</u>	4	0	0	4	18.377 s
17-3	<u>Add A New Batch Functionality</u>	<u>Selects only a Program name from Dropdown in Batch Details window</u>	5	0	1	4	2.735 s
17-4	<u>Add A New Batch Functionality</u>	<u>Selects Status only in Batch Details window</u>	4	0	1	3	19.248 s
17-5	<u>Add A New Batch Functionality</u>	<u>Enters Only Number Of Classes in Batch Details window</u>	4	0	1	3	19.209 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-6	<u>Add A New Batch Functionality</u>	<u>Enter All details in Batch Details window</u>	4	0	1	3	18.948 s
17-7	<u>Add A New Batch Functionality</u>	<u>Click on Cancel button in Batch Details window</u>	4	0	1	3	18.968 s
17-8	<u>Add A New Batch Functionality</u>	<u>Admin/User/Staff Verify Added New Batch Name</u>	4	0	1	3	18.946 s
17-9	<u>Add A New Batch Functionality</u>	<u>User/Staff Validate Add A New Batch button</u>	4	0	0	4	18.366 s
18-0	<u>Number of rows in a Table</u>	<u>Validate Number of rows in a table</u>	3	0	0	3	18.320 s
18-1	<u>Ascending Order Functionality</u>	<u>Verify Assignment Name are displayed in Ascending order</u>	4	0	1	3	19.281 s
18-2	<u>Ascending Order Functionality</u>	<u>Verify Assignment Description are displayed in Ascending order</u>	4	0	0	4	18.314 s
18-3	<u>Ascending Order Functionality</u>	<u>Verify Assignment Due date are displayed in Ascending order</u>	4	0	1	3	18.878 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
18-4	<u>Ascending Order Functionality</u>	<u>Verify Assignment Grade are displayed in Ascending order</u>	4	0	1	3	18.979 s
18-5	<u>Add New User Functionality</u>	<u>Validate the presence of Add new user button</u>	4	0	1	3	18.817 s
18-6	<u>Add New User Functionality</u>	<u>Verify the functionality of Add new user button</u>	4	0	1	3	18.939 s
18-7	<u>Address2 button</u>	<u>Validating the presence of Address2 button</u>	4	0	1	3	18.887 s
18-8	<u>Cancel button</u>	<u>Verify the presence of Cancel button in User Details window</u>	4	0	1	3	3.030 s
18-9	<u>Cancel button</u>	<u>Validate Fucntionality of Cancel button</u>	4	0	1	3	2.565 s
19-0	<u>Cancel(x) icon</u>	<u>Verify the presence of Cancel(x) icon in user detais window</u>	4	0	1	3	18.905 s
19-1	<u>Cancel(x) icon</u>	<u>Functionality of Cancel(x) icon</u>	4	0	1	3	18.834 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19-2	<u>Delete Icon</u>	<u>Verify the presence of Delete icon in manage user page</u>	4	0	1	3	18.968 s
19-3	<u>Delete Icon</u>	<u>Behaviour of Delete icon when no rows unchecked</u>	4	0	1	3	18.842 s
19-4	<u>Delete Icon</u>	<u>Behaviour of Delete icon when rows checked</u>	4	0	1	3	18.941 s
19-5	<u>Delete Icon</u>	<u>Behaviour of Delete icon when rows checked</u>	4	1	1	2	2.776 s
19-6	<u>Delete Icon</u>	<u>Validating Confirm dialog box by selecting No</u>	4	0	0	4	18.306 s
19-7	<u>Delete Icon</u>	<u>Validating Confirm dialog box by selecting Yes</u>	4	0	1	3	18.854 s
19-8	<u>Delete Icon</u>	<u>Validating Confirm dialog box by clicking close(x) icon</u>	4	0	1	3	3.111 s
19-9	<u>Drop down</u>	<u>Verify drop down menu for state</u>	4	0	1	3	18.924 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20-0	<u>Drop down</u>	<u>Verify drop down menu for user role</u>	4	0	1	3	18.880 s
20-1	<u>Edit/Delete icon in each row</u>	<u>Validate the presence of Edit/Delete icon</u>	4	0	1	3	18.838 s
20-2	<u>Edit/Delete icon in each row</u>	<u>Validate Functionality of delete button</u>	4	1	1	2	18.903 s
20-3	<u>Edit/Delete icon in each row</u>	<u>Updating with Edit button</u>	4	0	0	4	18.286 s
20-4	<u>Email Id</u>	<u>Validating the Email address</u>	4	0	1	3	19.005 s
20-5	<u>ID</u>	<u>Verify ID functionality</u>	4	0	0	4	2.055 s
20-6	<u>input fields</u>	<u>Verify the presence of input fields</u>	4	0	1	3	18.884 s
20-7	<u>Label Text</u>	<u>Verify the presence of Label Texts</u>	4	0	1	3	18.934 s
20-8	<u>Name field</u>	<u>Validating the User Details window with few fields empty</u>	4	0	1	3	18.924 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
20-9	<u>Page Validation</u>	<u>Validate landing in Manage page</u>	4	0	1	3	18.830 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21-0	<u>Pagination</u>	<u>Validate the presence of pagination</u>	4	0	1	3	19.307 s
21-1	<u>Pagination</u>	<u>Validate the Pagination control with less rows</u>	4	0	1	3	19.379 s
21-2	<u>Pagination</u>	<u>Validate the Pagination control with more than 5 rows</u>	4	0	1	3	18.881 s
21-3	<u>Pagination</u>	<u>Verify pagination next link</u>	4	0	1	3	19.299 s
21-4	<u>Pagination</u>	<u>Verify pagination next link after last record of user table</u>	4	0	1	3	18.938 s
21-5	<u>Pagination</u>	<u>Verify pagination Previous link</u>	4	0	1	3	19.312 s
21-6	<u>Pagination</u>	<u>Verify pagination previous link in first page of user table</u>	4	0	1	3	2.753 s
21-7	<u>Pagination</u>	<u>Verify button with << icon</u>	4	0	0	4	18.401 s
21-8	<u>Pagination</u>	<u>Verify button with >> icon</u>	4	0	1	3	19.021 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21-9	<u>Pagination</u>	<u>Verify the entry details below data table</u>	4	0	1	3	2.696 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22-0	<u>PhoneNumber</u>	<u>Validating the Phone number</u>	4	0	1	3	18.850 s
22-1	<u>Postal Code</u>	<u>Validating Postal Code</u>	4	0	1	3	18.820 s
22-2	<u>Search</u>	<u>Verify the presence of Input field for searching</u>	4	0	1	3	18.854 s
22-3	<u>Search</u>	<u>Verify the presence of search icon and text in the search input filed</u>	4	0	1	3	18.836 s
22-4	<u>Search</u>	<u>Verify the functionality of search</u>	4	0	1	3	18.930 s
22-5	<u>Search</u>	<u>Verify the functionality of search</u>	4	0	1	3	3.116 s
22-6	<u>State</u>	<u>Validating State dropdown</u>	4	0	1	3	19.230 s
22-7	<u>Submit button</u>	<u>Verify the presence of Submit button in User Details window</u>	4	0	1	3	18.902 s
22-8	<u>Submit button functionality</u>	<u>Validating the User Details window with all fields empty</u>	4	0	1	3	18.909 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
22-9	<u>Submit button functionality</u>	<u>Adding new User</u>	4	0	1	3	18.894 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
23-0	<u>Table header</u>	<u>Validating Table header</u>	4	0	1	3	18.950 s
23-1	<u>Table header</u>	<u>Verify the functionality of sort icon present in table header</u>	4	0	0	4	2.170 s
23-2	<u>Table header</u>	<u>Check box in table header</u>	4	0	1	3	18.856 s
23-3	<u>Table header</u>	<u>Check box in table header</u>	4	0	1	3	19.205 s
23-4	<u>UG Program</u>	<u>Validating UG Program Dropdown</u>	4	0	1	3	18.881 s
23-5	<u>"User Details" Window</u>	<u>Verify the heading of User Details window</u>	4	0	1	3	19.178 s
23-6	<u>Validating Address line</u>	<u>Validating Address line in User Details window</u>	4	0	1	3	2.785 s
23-7	<u>Add New Assignment Functionality</u>	<u>Validate Add New Assignment button</u>	4	0	1	3	1.699 s
23-8	<u>Add New Assignment Functionality</u>	<u>validate New assignment</u>	4	0	0	4	18.245 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
23-9	<u>Add New Assignment Functionality</u>	<u>Validate Add New Assignment button</u>	4	0	1	3	17.812 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24-0	<u>Add New Assignment Functionality</u>	<u>No details Entered in Assignment Details window</u>	4	0	1	3	1.740 s
24-1	<u>Add New Assignment Functionality</u>	<u>Staff Validate Assignment Details window with entering all fields</u>	4	0	1	3	1.901 s
24-2	<u>Add New Assignment Functionality</u>	<u>Staff Click Cancel in Assignment Details window</u>	4	0	1	3	17.833 s
24-3	<u>Add New Assignment Functionality</u>	<u>Validate Manage button in Assignment Grade</u>	4	0	1	3	1.803 s
24-4	<u>Assignment Google form</u>	<u>Admin clicks Assignment Name</u>	4	0	1	3	19.217 s
24-5	<u>Assignment Google form</u>	<u>Admin/User/Staff clicks Assignment Name</u>	4	0	1	3	18.932 s
24-6	<u>Assignment Google form</u>	<u>Admin/User/Staff validate assignment Google form with entering all fields</u>	4	0	1	3	18.947 s
24-7	<u>Assignment Google form</u>	<u>Admin/User/Staff validate assignment Google form leaving empty</u>	4	0	1	3	18.845 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24-8	<u>Assignment Google form</u>	<u>Admin/User/Staff Validate Assignment google form after clicking clear button</u>	4	0	0	4	18.278 s
24-9	<u>Assignment Google form</u>	<u>Admin/User/Staff clicks Switch account</u>	4	0	1	3	18.908 s
25-0	<u>Checkbox Functionality</u>	<u>Admin validate check box on the left side to the Assignment Name</u>	4	0	1	3	18.274 s
25-1	<u>Checkbox Functionality</u>	<u>Admin validate individual checkbox</u>	4	0	1	3	17.854 s
25-2	<u>Checkbox Functionality</u>	<u>Admin/User/Staff validate check box on the left side to the Assignment Name</u>	4	0	1	3	18.870 s
25-3	<u>Checkbox Functionality</u>	<u>User/Staff validate individual checkbox</u>	4	0	1	3	18.914 s
25-4	<u>Delete Assignment Functionality</u>	<u>Admin clicks delete button</u>	4	0	1	3	18.207 s
25-5	<u>Delete Assignment Functionality</u>	<u>Admin/User/Staff clicks Assignment Name</u>	4	0	0	4	18.423 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
25-6	<u>Delete Assignment Functionality</u>	<u>Staff clicks delete button</u>	4	0	1	3	18.255 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
25-7	<u>Delete Assignment Functionality</u>	<u>Staff click Yes in Delete confirmation window</u>	4	0	1	3	17.908 s
25-8	<u>Delete Assignment Functionality</u>	<u>Staff clicks No button in Delete confirmation window</u>	4	0	0	4	18.304 s
25-9	<u>Delete Multiple Assignment Functionality</u>	<u>Admin/User/Staff Validate Disabled delete button</u>	4	0	1	3	18.973 s
26-0	<u>Delete Multiple Assignment Functionality</u>	<u>Staff validate delete button on the top left</u>	4	0	1	3	1.695 s
26-1	<u>Delete Multiple Assignment Functionality</u>	<u>Staff click Yes in Delete confirmation window</u>	4	0	0	4	18.278 s
26-2	<u>Delete Multiple Assignment Functionality</u>	<u>Staff click No in Delete confirmation window</u>	4	0	1	3	2.009 s
26-3	<u>Header validation</u>	<u>Validating Assignment Heading</u>	3	0	1	2	18.839 s
26-4	<u>Absent Functionality</u>	<u>Verifying the Functionality of a Absent button</u>	4	0	1	3	18.910 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
26-5	<u>Verify the Edit Button</u>	<u>Verify the Edit Button</u>	4	0	1	3	2.835 s
26-6	<u>Verify the Edit Button</u>	<u>Verify the Edit Button</u>	4	0	1	3	18.848 s
26-7	<u>Present Functionality</u>	<u>Verifying the Functionality of a Present button</u>	4	0	1	3	18.992 s
26-8	<u>LogOut button</u>	<u>Validating LogOut Button</u>	3	0	1	2	1.875 s

Validating the text fields on the Registration page




Enter the First Name field




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.048 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff Enters the First Name "FirstName" in Alphabets only	SKIPPED	0.000 s
4	Then The First Name will be displayed	SKIPPED	0.001 s

Enter the Last Name Field



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.011 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff Enters the Last Name "LastName" in Alphabets only	SKIPPED	0.002 s
4	Then The Last Name will be displayed	SKIPPED	0.001 s


Enter the Address Field



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146)	FAILED	0.010 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 		
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff Enters the Address "365 milton place" in Alpha Numerics and /or Symbols	SKIPPED	0.001 s
4	Then The Address will be displayed	SKIPPED	0.000 s

Enter the Street Name Field




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.013 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff Enters the Street name "xyz123" using Alpha Numerics and or Symbols	SKIPPED	0.001 s
4	Then The Street Name will be displayed	SKIPPED	0.001 s

Enters the Zip field




#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.368 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57e76b9a7cd104abc941dbed4cb63326, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:56393}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56393/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 57e76b9a7cd104abc941dbed4cb63326 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)	FAILED	1.992 s
1	Given Admin/User/Staff is on to LMS website	SKIPPED	0.001 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff Enters the five digit Zip code "12345" using Numbers only	SKIPPED	0.002 s
4	Then The Zip code will be displayed	SKIPPED	0.001 s

Enters the City field



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[//LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.012 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff Enters the City Name "Abc" in Alphabets only	SKIPPED	0.001 s
4	Then The City will be displayed	SKIPPED	0.001 s


Selects the State field



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.362 (Session info: chrome=107.0.5304.122)	FAILED	1.907 s


#	Step / Hook Details	Status	Duration
	<pre>Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6602796e4cde749815a7de97e94b559e, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56429}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56429/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6602796e4cde749815a7de97e94b559e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)</pre>		
1	Given Admin/User/Staff is on to LMS website	SKIPPED	0.001 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff selects the respective State Name from the DropBox	SKIPPED	0.002 s
4	Then The State Name will be displayed	SKIPPED	0.002 s

Enter the Phone Number




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.011 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff Enters the valid ten digit Mobile number "1234567898" in Numerics	SKIPPED	0.001 s
4	Then The Mobile Number will be displayed	SKIPPED	0.001 s

Selects the Birth Date




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.013 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff Selects the Date of Birth from the Calender	SKIPPED	0.001 s
4	Then Birth Date will be Displayed	SKIPPED	0.000 s

Enter valid Password



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.011 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff Enters the valid Password with one Upper case, one Numeric , one special character , eight characters "S1@wertyui0"	SKIPPED	0.001 s
4	Then Admin/User/Staff Password will be displayed	SKIPPED	0.001 s


Enter Valid UserName



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]>	FAILED	0.018 s


#	Step / Hook Details	Status	Duration
	at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff Enters the valid UserName "Test user"	SKIPPED	0.001 s
4	Then Admin/User/Staff UsesrName will be displayed	SKIPPED	0.001 s

Enter Valid Email




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website <org.junit.comparisonfailure:]><br="" but="" dsportalapp.herokuapp.com="" expected:<[="" lms.com]>="" was:<[https:=""></org.junit.comparisonfailure:> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.021 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff Enters the valid Email "testuser@abc.com"	SKIPPED	0.001 s
4	Then Admin/User/Staff Email will be displayed	SKIPPED	0.001 s

Validating the Sign Up form with all fields empty



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.011 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff enters submit button with all fields empty	SKIPPED	0.000 s
4	Then Admin/User/Staff should get a message for empty fields as "Enters all fields"	SKIPPED	0.001 s


Validating the First Name field on Registration Page



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146)	FAILED	0.015 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 		
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff clicks Sign Up button with invalid First Name as "re4354@@"	SKIPPED	0.002 s
4	Then Admin/User/Staff should get a Message "Enter valid First Name"	SKIPPED	0.001 s

Validating the Last Name field on Registration Page




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Sign Up button with invalid Last Name as "@@@@@"	SKIPPED	0.000 s
4	Then Admin/User/Staff should get a message as "Enter valid Last Name"	SKIPPED	0.000 s

Validating the Address field on Registration Page



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.009 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.000 s
3	When Admin/User/Staff clicks Sign Up button with invalid Address by not Providing House Number as "@@^^@@@"	SKIPPED	0.001 s
4	Then Admin/User/Staff should get a invalid address message as "Enter valid Address"	SKIPPED	0.000 s


Validating the Street Name field on Registration Page



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146)	FAILED	0.009 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 		
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Sign Up button with invalid Street Name as "****"	SKIPPED	0.001 s
4	Then Admin/User/Staff should get a message "Enter valid Street Name"	SKIPPED	0.001 s

Validating the Zip field on Registration Page




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff clicks Sign Up button with invalid Zip as "@@13\$\$*"	SKIPPED	0.001 s
4	Then Admin/User/Staff should get a message for zip as "Enter valid Zip"	SKIPPED	0.000 s

Validating the City field on Registration Page



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.012 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff clicks Sign Up button with invalid City as "as@@@13\$\$*"	SKIPPED	0.001 s
4	Then Admin/User/Staff should get a message for city as "Enter valid City"	SKIPPED	0.001 s


Validating the State field on Registration Page



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.342 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	1.975 s


#	Step / Hook Details	Status	Duration																						
	[cc0b4dd23ab4228ac338d28e9dd9b9d2, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...}, userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56740}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56740/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cc0b4dd23ab4228ac338d28e9dd9b9d2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)																								
1	Given Admin/User/Staff is on to LMS website	SKIPPED	0.001 s																						
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s																						
3	When Admin/User/Staff clicks Sign Up button without selecting State	SKIPPED	0.010 s																						
	<table border="1"> <thead> <tr> <th>Fields</th><th>Values</th></tr> </thead> <tbody> <tr> <td>First Name</td><td>Jerry</td></tr> <tr> <td>Last Name</td><td>Win</td></tr> <tr> <td>Address</td><td>365 milton place</td></tr> <tr> <td>Street Name</td><td>xyz123</td></tr> <tr> <td>city</td><td>abcd</td></tr> <tr> <td>zipcode</td><td>12345</td></tr> <tr> <td>username</td><td>Test user</td></tr> <tr> <td>Email Address</td><td>testuser@abc.com</td></tr> <tr> <td>phonenumber</td><td>1234567898</td></tr> <tr> <td>Password</td><td>Password1</td></tr> </tbody> </table>	Fields	Values	First Name	Jerry	Last Name	Win	Address	365 milton place	Street Name	xyz123	city	abcd	zipcode	12345	username	Test user	Email Address	testuser@abc.com	phonenumber	1234567898	Password	Password1		
Fields	Values																								
First Name	Jerry																								
Last Name	Win																								
Address	365 milton place																								
Street Name	xyz123																								
city	abcd																								
zipcode	12345																								
username	Test user																								
Email Address	testuser@abc.com																								
phonenumber	1234567898																								
Password	Password1																								
4	Then Admin/User/Staff should get a message for state field as "State is required"	SKIPPED	0.000 s																						

Validating the Phone Number field on Registration Page




#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.372 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3de814a066fb1304197afdfbc1bd, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:56759}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56759/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f3de814a066fb1304197afdfbc1bd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)	FAILED	1.907 s
1	Given Admin/User/Staff is on to LMS website	SKIPPED	0.001 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Sign Up button with invalid Phone Number as "123456@#4"	SKIPPED	0.001 s
4	Then Admin/User/Staff should get a message for phone number as "Enter valid Phone Number"	SKIPPED	0.001 s

Validating the BirthDate field on Registration Page




#	Step / Hook Details	Status	Duration																						
1	<p>Given Admin/User/Staff is on to LMS website</p> <pre>org.junit.ComparisonFailure: expected:<[//LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.015 s																						
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s																						
3	<p>When Admin/User/Staff clicks Sign Up button without selecting BirthDate</p> <table border="1"> <thead> <tr> <th>Fields</th><th>Values</th></tr> </thead> <tbody> <tr> <td>First Name</td><td>Tom</td></tr> <tr> <td>Last Name</td><td>Jerry</td></tr> <tr> <td>Address</td><td>365 milton place</td></tr> <tr> <td>Street Name</td><td>xyz123</td></tr> <tr> <td>city</td><td>abcd</td></tr> <tr> <td>zipcode</td><td>12345</td></tr> <tr> <td>username</td><td>Test user</td></tr> <tr> <td>Email Address</td><td>testuser@abc.com</td></tr> <tr> <td>phonenumber</td><td>1234567898</td></tr> <tr> <td>Password</td><td>Password1</td></tr> </tbody> </table>	Fields	Values	First Name	Tom	Last Name	Jerry	Address	365 milton place	Street Name	xyz123	city	abcd	zipcode	12345	username	Test user	Email Address	testuser@abc.com	phonenumber	1234567898	Password	Password1	SKIPPED	0.004 s
Fields	Values																								
First Name	Tom																								
Last Name	Jerry																								
Address	365 milton place																								
Street Name	xyz123																								
city	abcd																								
zipcode	12345																								
username	Test user																								
Email Address	testuser@abc.com																								
phonenumber	1234567898																								
Password	Password1																								
4	Then Admin/User/Staff should get a message for birthdate as "BirthDate is required"	SKIPPED	0.000 s																						

Validating the UserName field on Registration Page



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.016 s
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff clicks Sign Up button with invalid Admin/User/Staff Name as "@@##"	SKIPPED	0.002 s
4	Then Admin/User/Staff should get a message for name as "Please Enter valid Admin/User/Staff Name"	SKIPPED	0.001 s


Validating the Password field on Registration Page



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 		
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Sign Up button with invalid Password as "22@@@#**12#"	SKIPPED	0.001 s
4	Then Admin/User/Staff should get a message for password as "Enter valid Password"	SKIPPED	0.001 s


Validating Sign Up form with valid data



#	Step / Hook Details	Status	Duration														
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s														
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s														
3	When Admin/User/Staff Clicks on Sign Up button after entering all valid details <table border="1"> <tr> <th>Fields</th> <th>Values</th> </tr> <tr> <td>First Name</td> <td>Jerry</td> </tr> <tr> <td>Last Name</td> <td>Tom</td> </tr> <tr> <td>Address</td> <td>365 milton place</td> </tr> <tr> <td>Street Name</td> <td>xyz123</td> </tr> <tr> <td>city</td> <td>abcd</td> </tr> <tr> <td>zipcode</td> <td>12345</td> </tr> </table>	Fields	Values	First Name	Jerry	Last Name	Tom	Address	365 milton place	Street Name	xyz123	city	abcd	zipcode	12345	SKIPPED	0.004 s
Fields	Values																
First Name	Jerry																
Last Name	Tom																
Address	365 milton place																
Street Name	xyz123																
city	abcd																
zipcode	12345																

#	Step / Hook Details	Status	Duration								
	<table border="1"> <tr><td>username</td><td>Test user</td></tr> <tr><td>Email Address</td><td>testuser@abc.com</td></tr> <tr><td>phononenumber</td><td>1234567898</td></tr> <tr><td>Password</td><td>Password1</td></tr> </table>	username	Test user	Email Address	testuser@abc.com	phononenumber	1234567898	Password	Password1		
username	Test user										
Email Address	testuser@abc.com										
phononenumber	1234567898										
Password	Password1										
4	Then Admin/User/Staff should get a success message "Registration successful"	SKIPPED	0.001 s								


Validating the signup form with existing name




#	Step / Hook Details	Status	Duration																		
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Fields.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.012 s																		
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s																		
3	When User clicks Sign Up button with existing Admin/User/Staff name <table border="1"> <tr><td>Fields</td><td>Values</td></tr> <tr><td>First Name</td><td>Jerry</td></tr> <tr><td>Last Name</td><td>Tom</td></tr> <tr><td>Address</td><td>365 milton place</td></tr> <tr><td>Street Name</td><td>xyz123</td></tr> <tr><td>city</td><td>abcd</td></tr> <tr><td>zipcode</td><td>12345</td></tr> <tr><td>username</td><td>Test user</td></tr> <tr><td>Email Address</td><td>testuser@abc.com</td></tr> </table>	Fields	Values	First Name	Jerry	Last Name	Tom	Address	365 milton place	Street Name	xyz123	city	abcd	zipcode	12345	username	Test user	Email Address	testuser@abc.com	SKIPPED	0.004 s
Fields	Values																				
First Name	Jerry																				
Last Name	Tom																				
Address	365 milton place																				
Street Name	xyz123																				
city	abcd																				
zipcode	12345																				
username	Test user																				
Email Address	testuser@abc.com																				

#	Step / Hook Details	Status	Duration
	phonenumer 1234567898 Password Password1		
4	Then Admin/User/Staff should see the message "Admin/User/Staff name already exist"	SKIPPED	0.000 s

Header Validation




Validating the heading of Registration form



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_Header.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.008 s
2	When Admin/User/Staff lands on Registration page	SKIPPED	0.001 s
3	Then Admin/User/Staff see header text "Registration Form"	SKIPPED	0.000 s


Validating the Manage Program Header



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b69105bfc592b29163a43250a17a9512, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58374}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58374/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b69105bfc592b29163a43250a17a9512 at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Header.feature:4) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	Then Admin/User/Staff see header text "Manage Program"	SKIPPED	0.002 s


Validating the Manage Batch Header



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2c78f3f0139aeea914bbcbbff192019d5, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59827}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59827/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c78f3f0139aeea914bbcbbff192019d5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Header.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin/User/Staff clicks on Batch button	SKIPPED	0.000 s
3	Then Admin/User/Staff see header text "Manage Batch"	SKIPPED	0.001 s


Validate the Manage page heading



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css</p>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre> selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0e4dbbd26aad7104c3a972c3aeee83e58, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:60907}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60907/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0e4dbbd26aad7104c3a972c3aeee83e58 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_HeaderValidation.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on any page after Login	SKIPPED	0.000 s
3	When Admin/User/Staff is on the Manage user page after clicking User Tab	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the page heading as Manage User	SKIPPED	0.000 s

Validating the Attendance Header




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 426 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9cfbde09b89000e9194dd9e3bd65a93f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:63160}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63160/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9cfbde09b89000e9194dd9e3bd65a93f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_Header.feature:4) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff Clicks on Attendance button	SKIPPED	0.000 s
3	Then Admin/User/Staff see header text "Manage Attendance"	SKIPPED	0.001 s

Login Button




Validating the Login button functionality



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_LoginButton.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
2	Given Admin/User/Staff is on the Registration Page	SKIPPED	0.002 s
3	When Admin/User/Staff selects the Log in button	SKIPPED	0.000 s
4	Then Admin/User/Staff lands on Log in page	SKIPPED	0.000 s

Validating the Login button visibility




#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.367 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8485b4925a4f59c87a9570ad022aa365, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56936}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56936/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8485b4925a4f59c87a9570ad022aa365 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56)</pre>	FAILED	1.915 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.Hooks.setUp(Hooks.java:13)		
1	Given Admin/User/Staff is on to LMS website	SKIPPED	0.001 s
2	Given Admin/User/Staff is on to LMS website	SKIPPED	0.001 s
3	When Admin/User/Staff lands on Registration page	SKIPPED	0.000 s
4	Then Admin/User/Staff sees a button with text "Log in" on the form	SKIPPED	0.001 s

Sign Up Button



Validating the Sign Up button visibility




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals Assert.java:117) at org.junit.Assert.assertEquals Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/1Registration_SignUpButton.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.009 s
2	When Admin/User/Staff lands on Registration page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Admin/User/Staff sees a button with text as "Sign Up" on the form	SKIPPED	0.000 s

Footer validation




Validating Assignment Footer




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" style="margin-top: 5px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p style="margin-top: 10px;"> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d5be9f189bfa2a4642dbbe8a287ce182, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56972}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56972/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d5be9f189bfa2a4642dbbe8a287ce182 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </p>	username	Password	xyz1234	kk12kk12	FAILED	1.016 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Assignment_Footer.feature:4) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks on Assignment Page	SKIPPED	0.002 s
3	Then Admin/User/Staff Should see a Footer text "In Total there are 3 assignments"	SKIPPED	0.001 s

Forgot Password




Validate forgot password link



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ForgotPassword.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
2	Given Admin/User/Staff is on Login Page	SKIPPED	0.000 s
3	When Admin/User/Staff clicks Forgot password link	SKIPPED	0.001 s
4	Then Admin/User/Staff should redirected to forgot Password page	SKIPPED	0.001 s


Validate forgot password with email id



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146)	FAILED	0.011 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ForgotPassword.feature:4) * Not displayable characters are replaced by '?'. Given Admin/User/Staff is on Forgot Password Page		
2	Given Admin/User/Staff is on Forgot Password Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks continue button after entering valid email address	SKIPPED	0.001 s
4	Then Admin/User/Staff should be redirected to enter verification code page	SKIPPED	0.001 s
5	And verification code will be sent to email	SKIPPED	0.000 s

Validate verification code



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[//LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ForgotPassword.feature:4) * Not displayable characters are replaced by '?'. Given Admin/User/Staff is on Enter verification code Page	FAILED	0.008 s
2	Given Admin/User/Staff is on Enter verification code Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks continue button after entering verification code as "12345"	SKIPPED	0.000 s
4	Then Admin/User/Staff should be redirected to reset password page	SKIPPED	0.001 s

Validate click here link in verification code page




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[//LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ForgotPassword.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
2	Given Admin/User/Staff is on Enter verification code Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks "Click here" link to resend	SKIPPED	0.001 s
4	Then The verification code should be resend to email	SKIPPED	0.000 s

Login button




Validation of the login url




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_LoginButton.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
2	Given Admin/User/Staff is on the Registration page	SKIPPED	0.002 s
3	When Admin/User/Staff clicks on the login button	SKIPPED	0.001 s
4	Then Admin/User/Staff should be navigated to login page	SKIPPED	0.001 s

Login-Invalid Credentials




User login with valid username and invalid password



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_LoginInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
2	Given user is on login page	SKIPPED	0.001 s
3	When user clicks on login button after entering valid username as "test123" and invalid password as "abcxyz"	SKIPPED	0.001 s
4	Then user should see an error message "Entered invalid password"	SKIPPED	0.001 s


User login with invalid username and valid password



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146)	FAILED	0.012 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_LoginInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'. 2 Given user is on login page 3 When user clicks on login button after entering invalid username as "testnew" and valid password as "abctest" 4 Then user should see an error message "Entered invalid username"		
2	Given user is on login page	SKIPPED	0.001 s
3	When user clicks on login button after entering invalid username as "testnew" and valid password as "abctest"	SKIPPED	0.000 s
4	Then user should see an error message "Entered invalid username"	SKIPPED	0.000 s

User login with invalid username and invalid password




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_LoginInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'. 2 Given user is on login page 3 When user clicks on login button after entering invalid username as "testnew" and invalid password as "abcxyz" 4 Then user should see an error message "The username and password are incorrect"	FAILED	0.009 s
2	Given user is on login page	SKIPPED	0.001 s
3	When user clicks on login button after entering invalid username as "testnew" and invalid password as "abcxyz"	SKIPPED	0.001 s
4	Then user should see an error message "The username and password are incorrect"	SKIPPED	0.001 s

User login with valid username and leaves password empty



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_LoginInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.016 s
2	Given user is on login page	SKIPPED	0.000 s
3	When user clicks on login button after entering valid username as "testnew" and leaves password empty	SKIPPED	0.000 s
4	Then user should see an error message "enter valid password"	SKIPPED	0.000 s


Admin/Staff with valid username, invalid password and code



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146)	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_LoginInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'. 2 Given admin/staff is on login page 3 When Admin/Staff user clicks on login button after entering valid username as "Abcsrs", invalid password as "abc123", and invalid code as "2345" 4 Then Admin/Staff should see an error message "Entered invalid username"		
2	Given admin/staff is on login page	SKIPPED	0.002 s
3	When Admin/Staff user clicks on login button after entering valid username as "Abcsrs", invalid password as "abc123", and invalid code as "2345"	SKIPPED	0.002 s
4	Then Admin/Staff should see an error message "Entered invalid username"	SKIPPED	0.001 s


Admin/Staff with invalid username and invalid password without code




#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.361 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [88a1a90a48cd7601de85a9ebf9fc71a1, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57229}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57229/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 88a1a90a48cd7601de85a9ebf9fc71a1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	FAILED	1.971 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)		
1	Given Admin/User/Staff is on to LMS website	SKIPPED	0.001 s
2	Given admin/staff is on login page	SKIPPED	0.001 s
3	When Admin/Staff user clicks on login button after entering invalid username as "Abcsrs", invalid password as "welcomeabc", and leaves code empty	SKIPPED	0.001 s
4	Then Admin/Staff should see an error message "The code is required"	SKIPPED	0.001 s

Login-Valid Credentials




Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117)	FAILED	0.010 s


#	Step / Hook Details	Status	Duration
	at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_LoginValidCredentials.feature:5) * Not displayable characters are replaced by '?'. Given user is on login page When user clicks on login button after entering username as "gfteuryt" and password as "ddfsasda" Then user should see header text as "Manage Program"	SKIPPED	0.000 s
2	Given user is on login page	SKIPPED	0.000 s
3	When user clicks on login button after entering username as "gfteuryt" and password as "ddfsasda"	SKIPPED	0.000 s
4	Then user should see header text as "Manage Program"	SKIPPED	0.001 s

Admin/staff login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_LoginValidCredentials.feature:5) * Not displayable characters are replaced by '?'. Given admin/staff is on login page When admin/staff clicks on login button after entering username as "xyz1234" and password as "kk12kk12" Then admin/staff should see header text as "Manage Program"	FAILED	0.012 s
2	Given admin/staff is on login page	SKIPPED	0.001 s
3	When admin/staff clicks on login button after entering username as "xyz1234" and password as "kk12kk12"	SKIPPED	0.001 s
4	Then admin/staff should see header text as "Manage Program"	SKIPPED	0.001 s

Reset password




Validate Reset password




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[//LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ResetPassword.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
2	Given Admin/User/Staff is on Reset Password Page	SKIPPED	0.001 s
3	When Admin/User/staff clicks submit button after entering new password as "abc123" and retype password as "abc123"	SKIPPED	0.001 s
4	Then Admin/User/Staff should be redirected to login page	SKIPPED	0.000 s

Validate Reset password on mismatch



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ResetPassword.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
2	Given Admin/User/Staff is on Reset Password Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks submit button after entering new password ""abc123" and retype password "abc1233"	SKIPPED	0.000 s
4	Then Admin/User/Staff should see an error message "password and retype password are mismatched"	SKIPPED	0.001 s


Validate Reset password with less than 8 characters



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146)	FAILED	0.009 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ResetPassword.feature:5) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff clicks submit button after entering password "abc123" with less than eight characters Step undefined	SKIPPED	0.003 s
3	Then It should display an error message "The password must contain 8 characters"	SKIPPED	0.001 s

Validate Reset password without capital letter




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[//LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ResetPassword.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.011 s
2	Given Admin/User/Staff is on Reset Password Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks submit button after entering password "abc123" without Capital letter Step undefined	SKIPPED	0.001 s
4	Then It should display an error message "The password must contain one Capital letter"	SKIPPED	0.001 s

Validate Reset password without number



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ResetPassword.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
2	Given Admin/User/Staff is on Reset Password Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks submit button after entering password "abcjohn" without Number	SKIPPED	0.001 s
4	Then It should display an error message "The password must contain one Number"	SKIPPED	0.001 s


Validate Reset password without special character



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:<[https://dsportalapp.herokuapp.com/]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146)	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ResetPassword.feature:5) * Not displayable characters are replaced by '?'. 		
2	Given Admin/User/Staff is on Reset Password Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks submit button after entering password "abcjohn" without Special character Step undefined	SKIPPED	0.001 s
4	Then It should display an error message "The password must contain one Special character"	SKIPPED	0.000 s

Validate Reset password with cancel button




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff is on to LMS website org.junit.ComparisonFailure: expected:<[/LMS.com]> but was:< https://dsportalapp.herokuapp.com/ > at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.LoginUsers.admin_user_staff_is_on_to_lms_website(LoginUsers.java:44) at ?.Admin/User/Staff is on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/2Login_ResetPassword.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.009 s
2	Given Admin/User/Staff is on Reset Password Page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks cancel button after leaving password and retype password empty	SKIPPED	0.001 s
4	Then Admin/User/Staff should see a refreshed reset password page with empty fields	SKIPPED	0.001 s

Paginator validation




Validating Assignment Paginator



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6403edf9d0e508aaab243d8b9b6b3c93, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57473}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57473/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6403edf9d0e508aaab243d8b9b6b3c93 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.022 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Assignment_Paginator01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin/User/Staff clicks on Assignment Page	SKIPPED	0.001 s
3	Then Admin/User/Staff see Paginator text as "Showing 1 to 3 of 3 entries"	SKIPPED	0.001 s


Verify paginator -next button on the Assignment page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.</p>	username	Password	xyz1234	kk12kk12	FAILED	1.018 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<p>ChromeDriver Command: [26f284bbcfa1f4076c3f4615ea4bd18f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57501}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57501/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 26f284bbcfa1f4076c3f4615ea4bd18f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Assignment_Paginator03.feature:4)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Enabled paginator-next button	SKIPPED	0.001 s
4	Then Admin/User/Staff Should be navigated to next page	SKIPPED	0.001 s


Verify paginator -previous button on the Assignment page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cff5d25fc2c59fdd1b746c1d227d2a96, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57528}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57528/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cff5d25fc2c59fdd1b746c1d227d2a96 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.070 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Assignment_Paginator03.feature:4) * Not displayable characters are replaced by '?'		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.004 s
3	When Admin/User/Staff Clicks on Enabled paginator -previous button	SKIPPED	0.000 s
4	Then Admin/User/Staff Should be navigated to previous page	SKIPPED	0.001 s


Verify paginator -last button on the Assignment page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9548103054ee48b989bb4decc2b287f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57556}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57556/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f9548103054ee48b989bb4decc2b287f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.072 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Assignment_Paginator03.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Enabled paginator-last button	SKIPPED	0.001 s
4	Then Admin/User/Staff Should be navigated to Last page	SKIPPED	0.001 s

Verify paginator -first button on the Program page




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.068 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1168cb681652b84cac1e88d86ba9ec2b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57583}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57583/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1168cb681652b84cac1e88d86ba9ec2b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Assignment_Paginator03.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Enabled paginator -first button	SKIPPED	0.000 s
4	Then Admin/User/Staff Should be navigated to First page	SKIPPED	0.000 s

Add A New Program Functionality




Validate Add A New Program button



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ee1afdec459761eed5a3a863e6f5289a, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:57602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57602/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ee1afdec459761eed5a3a863e6f5289a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.077 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin is on Manage Program page	SKIPPED	0.001 s
3	When Admin Clicks on A New Program button	SKIPPED	0.001 s
4	Then Admin see header text as "Program Details"	SKIPPED	0.000 s


No details Entered in Program Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1f7686e6cb879aeed8f775ec480db1e6, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57629}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57629/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1f7686e6cb879aeed8f775ec480db1e6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram01.feature:4) * Not displayable characters are replaced by '?'. at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram01.feature:4)		
2	Given Admin Clicks on A New Program button	SKIPPED	0.001 s
3	When Admin Clicks on Save button with out entering details	SKIPPED	0.000 s
4	Then Admin see Error message "Name is required"	SKIPPED	0.001 s


Enters All details in Program Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c4faa2110946b6941bb6e1d908f2610c, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57657}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57657/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c4faa2110946b6941bb6e1d908f2610c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram01.feature:4) * Not displayable characters are replaced by '?'		
2	Given Admin Clicks on A New Program button	SKIPPED	0.001 s
3	When Admin Clicks on Save Button after entering all details as "SDETTesting" and "Testing"	SKIPPED	0.000 s
4	Then Admin see Success message "New Program Created"	SKIPPED	0.000 s


Enters Only Name in Program Details window



#	Step / Hook Details	Status	Duration				
1	Given Admin Logged on to LMS Website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07c47563194162855305b485c571fccf, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57684}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57684/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 07c47563194162855305b485c571fccf at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin Clicks on A New Program button	SKIPPED	0.001 s
3	When Admin Clicks on Save Button after entering Name as "SDETTest"	SKIPPED	0.001 s
4	Then Admin see Error message "Description is required"	SKIPPED	0.001 s


Enters Only Description in Program Details window



#	Step / Hook Details	Status	Duration				
1	Given Admin Logged on to LMS Website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [48c805670460596b854c7754c09407f2, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57711}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57711/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 48c805670460596b854c7754c09407f2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram01.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin Clicks on A New Program button	SKIPPED	0.001 s
3	When Admin Clicks on Save Button after entering Description as "Testing"	SKIPPED	0.000 s
4	Then Admin see Error message "Name is required"	SKIPPED	0.000 s


Selects Only Status in Program Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b80bc0aa1f7a61da85632d6722373b22, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57738}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57738/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b80bc0aa1f7a61da85632d6722373b22 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.072 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram01.feature:4) * Not displayable characters are replaced by '?'		
2	Given Admin Clicks on A New Program button	SKIPPED	0.001 s
3	When Admin Clicks on Save Button after selecting Status alone	SKIPPED	0.002 s
4	Then Admin see Error message "Name is required"	SKIPPED	0.001 s


Click on Cancel button in Program Details window



#	Step / Hook Details	Status	Duration				
1	Given Admin Logged on to LMS Website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [46e352a21833e5b2feca74efa7675543, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57757/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 46e352a21833e5b2feca74efa7675543 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.067 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin Clicks on A New Program button	SKIPPED	0.001 s
3	When Admin Clicks on Cancel button	SKIPPED	0.000 s
4	Then Admin see a Program Details window getting closed	SKIPPED	0.000 s

Verify Added New Program Name




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7caf608008ce0ecedb49102ae8cdb9d4, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57786}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57786/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7caf608008ce0ecedb49102ae8cdb9d4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram02.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.002 s
3	When Admin/User/Staff Enters newly added Program Name in Search as "SDETTesting"	SKIPPED	0.001 s
4	Then Entry for the newly added Program Name is shown	SKIPPED	0.000 s

Title of your feature




User/Staff Validate Add A New Program button



#	Step / Hook Details	Status	Duration				
1	<p>Given User/Staff Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [353d41da3a6102d3525eec5e583b0f35, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57813}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57813/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 353d41da3a6102d3525eec5e583b0f35 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AddNewProgram03.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When User/Staff Clicks on A New Program button	SKIPPED	0.001 s
4	Then User/Staff see a Error message as "Only Admin have Access"	SKIPPED	0.001 s


Verify paginator -next button on the Program page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.064 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b1797214c6f47fb41347a4ea721b0afe, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58647}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58647/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b1797214c6f47fb41347a4ea721b0afe at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Paginator02.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Paginator02.feature:4)		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Enabled paginator-next button	SKIPPED	0.000 s
4	Then Admin/User/Staff see Paginator text as "Showing 6 to 9 of 9 entries"	SKIPPED	0.002 s


Verify paginator -previouus button on the Program page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8646eee6b270cb29205ed536082ae7e6, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58666}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58666/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8646eee6b270cb29205ed536082ae7e6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.010 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Paginator02.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Enabled paginator -previous button	SKIPPED	0.001 s
4	Then Admin/User/Staff see Paginator text as "Showing 1 to 5 of 9 entries"	SKIPPED	0.001 s


Verify paginator -last button on the Program page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76adf6076ffa3c75d32d58c1254ac59f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58685}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58685/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 76adf6076ffa3c75d32d58c1254ac59f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.067 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Paginator02.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Enabled paginator-last button	SKIPPED	0.001 s
4	Then Admin/User/Staff should see last page	SKIPPED	0.001 s

Verify paginator -first button on the Program page




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [831b1f92b38d96c4860c7ee1b6d0591e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58712}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58712/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 831b1f92b38d96c4860c7ee1b6d0591e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Paginator02.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Enabled paginator -first button	SKIPPED	0.001 s
4	Then Admin/User/Staff should see first page	SKIPPED	0.000 s

Ascending order Functionality




Verify Program Name are displayed in Ascending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce60bfa4d781e33f0b9d1bd92053674d, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:57840}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57840/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ce60bfa4d781e33f0b9d1bd92053674d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Program Name Ascending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff see the Program Name displayed in Ascending order	SKIPPED	0.001 s


Verify Program Description are displayed in Ascending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6a86a125df633e742ca665e9959d9618, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57869}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57869/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6a86a125df633e742ca665e9959d9618 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'. at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AscendingOrder.feature:4)		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Program Description Ascending Arrow	SKIPPED	0.000 s
4	Then Admin/User/Staff see the Program Description displayed in Ascending order	SKIPPED	0.000 s


Verify Program Status are displayed in Ascending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c843d0dcbe901726552acea6680bd482, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57913}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57913/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c843d0dcbe901726552acea6680bd482 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.025 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Program Status Ascending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff see the Program Status displayed in Ascending order	SKIPPED	0.000 s


Verify Batch Name are displayed in Ascending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6e06f170df842965c16a0777b7d00499, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59152}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59152/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6e06f170df842965c16a0777b7d00499 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.016 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given User/Staff/Admin is on Manage Batch page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Batch Name Ascending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff see the Batch Name displayed in Ascending order	SKIPPED	0.000 s


Verify Batch Description are displayed in Ascending order



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.026 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ac5c8ad21825104717422c3b9b2a7abd, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59179}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59179/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ac5c8ad21825104717422c3b9b2a7abd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given User/Admin/Staff is on Manage Batch page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Batch Description Ascending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff see the Batch Description displayed in Ascending order	SKIPPED	0.000 s


Verify Batch Status are displayed in Ascending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f6b01bf7ad5056d78094eb8e01eb9589, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59206}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59206/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f6b01bf7ad5056d78094eb8e01eb9589 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.066 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff on Managebatch page	SKIPPED	0.000 s
3	When Admin/User/Staff Clicks on Batch Status Ascending Arrow	SKIPPED	0.000 s
4	Then Admin/User/Staff see the Batch Status displayed in Ascending order	SKIPPED	0.000 s


Verify No Of Classes are displayed in Ascending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1560ef4dd9fcc34b3057d60242e276d1, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59233}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59233/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1560ef4dd9fcc34b3057d60242e276d1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.011 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on ManageBatchpage	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on No Of Classess Ascending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff see the No Of Classes displayed in Ascending order	SKIPPED	0.001 s

Verify Program Name are displayed in Ascending order




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8cc8f23473f26d1dcc9ecc9d2d5a9eab, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59260}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59260/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8cc8f23473f26d1dcc9ecc9d2d5a9eab at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on ManageBatchPage	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Batch Program Name Ascending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff see the Program Name displayed in Ascending order	SKIPPED	0.000 s

CheckBox Functionality




Verify Checkbox Functionality



#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.332 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f2fe57da9a0d63147d014a420f402173, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:57942}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57942/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f2fe57da9a0d63147d014a420f402173 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)}</pre>	FAILED	2.035 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinations.Hooks.setUp(Hooks.java:13)						
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.003 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s				
3	When Admin/User/Staff Selects First checkbox left to Program Name	SKIPPED	0.001 s				
4	Then Admin/User/Staff see all the checkboxes in the Program page get selected	SKIPPED	0.001 s				

Verifies Checkbox Functionality




#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinations.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.299 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [62d59af803540fb2be5c0822eafb6d48, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDatadir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:59287}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59287/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 62d59af803540fb2be5c0822eafb6d48 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	1.950 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinations.Hooks.setUp(Hooks.java:13)						
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.002 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff lands on Manage batch page	SKIPPED	0.001 s				
3	When Admin/User/Staff Selects First checkbox left to Batch Name	SKIPPED	0.000 s				
4	Then Admin/User/Staff see all the checkboxes in the Batch page get selected	SKIPPED	0.000 s				

Delete Functionality




Validate Deleted Program Name



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 190 415 262"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36d1c346d73e5faf5f411aab7d65a13b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57969/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 36d1c346d73e5faf5f411aab7d65a13b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Delete.feature:4) * Not displayable characters are replaced by '?'.</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.000 s				
3	When Admin/User/Staff Enters deleted Program Name in Search as "SDETTesting"	SKIPPED	0.000 s				
4	Then Admin/User/Staff finds no results	SKIPPED	0.000 s				


Verify Delete Functionality



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d8151be642128bf6171734719766e01a, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57998}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57998/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d8151be642128bf6171734719766e01a at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.064 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Delete01.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin is on Manage Program page	SKIPPED	0.000 s
3	When Admin Clicks on any Delete button located on the right side	SKIPPED	0.000 s
4	Then Admin see header text of delete as "Delete Confirm"	SKIPPED	0.000 s


Click on Yes button in Delete Confirm window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [785a4a794121fc4de3e9bde2fa5725a8, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58025}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58025/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 785a4a794121fc4de3e9bde2fa5725a8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.008 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Delete02.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin is on Manage Program page	SKIPPED	0.001 s
3	Given Admin Clicks on any Delete button located on the right side	SKIPPED	0.001 s
4	When Admin Clicks on Yes button	SKIPPED	0.000 s
5	Then Admin see Success message "Program Deleted Succesfully"	SKIPPED	0.001 s


Click on No button in Delete Confirm window



#	Step / Hook Details	Status	Duration
1	Given Admin Logged on to LMS Website	FAILED	1.068 s

#	Step / Hook Details	Status	Duration				
	<table border="1" data-bbox="179 150 422 219"> <tr> <td>username</td><td>Password</td></tr> <tr> <td>xyz1234</td><td>kk12kk12</td></tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2c60ec570425f270c787669e0b8d107b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58053}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58053/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c60ec570425f270c787669e0b8d107b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program _Delete02.feature:4) * Not displayable characters are replaced by '?'.</pre>	username	Password	xyz1234	kk12kk12		
username	Password						
xyz1234	kk12kk12						
2	When Admin is on Manage Program page	SKIPPED	0.000 s				
3	Given Admin Clicks on any Delete button located on the right side	SKIPPED	0.000 s				
4	When Admin Clicks on No button	SKIPPED	0.000 s				
5	Then Admin can see Program Name not deleted	SKIPPED	0.000 s				


User/Staff Validates Delete button



#	Step / Hook Details	Status	Duration				
1	<p>Given User/Staff Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [14136c516dbe1da123d15ec3bcb08244, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58071}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58071/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 14136c516dbe1da123d15ec3bcb08244 at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.010 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Delete03.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When User/Staff Clicks on Delete button	SKIPPED	0.000 s
4	Then User/Staff see a Error message as "Only Admin have Access"	SKIPPED	0.000 s


Verify Delete Functionality



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30a8b9bace79ee05383a0075e7ebcded, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59305}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59305/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30a8b9bace79ee05383a0075e7ebcded at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.065 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Delete01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin is on ManageBatchpage	SKIPPED	0.001 s
3	When Admin Clicks on any Delete button located on the right side	SKIPPED	0.001 s
4	Then Admin see header text of delete as "Delete Confirm"	SKIPPED	0.000 s


Click on Yes button in Delete Confirm window



#	Step / Hook Details	Status	Duration
1	Given Admin Logged on to LMS Website <input type="text"/> username <input type="password"/> Password	FAILED	1.016 s

#	Step / Hook Details	Status	Duration
	xyz1234 kk12kk12		
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [240773714473227d7d18017e30f8ff72, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59337}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59337/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 240773714473227d7d18017e30f8ff72 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Delete02.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin is on ManageBatchpage	SKIPPED	0.001 s
3	Given Admin Clicks on any Delete button on the right side	SKIPPED	0.000 s
4	When Admin Clicks on Yes button	SKIPPED	0.001 s
5	Then Admin see a Successmessage "Program Deleted Succesfully"	SKIPPED	0.000 s


Clicks on No button in Delete Confirm window



#	Step / Hook Details	Status	Duration				
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.356 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a755c323449fdf4589b41b057e09e0ba, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:59356}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59356/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a755c323449fdf4589b41b057e09e0ba at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)	FAILED	1.929 s				
1	Given Admin Logged on to LMS Website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.002 s
username	Password						
xyz1234	kk12kk12						
2	When Admin is on ManageBatchpage	SKIPPED	0.000 s				
3	Given Admin Clicks on any Delete button located on right side	SKIPPED	0.001 s				

#	Step / Hook Details	Status	Duration
4	When Admin Clicks on No button	SKIPPED	0.001 s
5	Then Admin can see Batch Name not deleted	SKIPPED	0.001 s


User/Staff Validates Delete button



#	Step / Hook Details	Status	Duration				
1	<p>Given User/Staff Logged on to LMS Website</p> <table border="1" style="margin-left: 10px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6c785822f69499da3712baff4e5b934b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:59383}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59383/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6c785822f69499da3712baff4e5b934b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.016 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Delete04.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given User/Staff on Manage Batch page	SKIPPED	0.001 s
3	When User/Staff Clicks on Delete button	SKIPPED	0.000 s
4	Then User/Staff will see an Error message "Only Admin have Access"	SKIPPED	0.001 s


Validate Deleted Program Name



#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre> org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.382 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [addbe74d9576d2d816cf9448e1298bf8, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60202}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60202/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: addbe74d9576d2d816cf9448e1298bf8 </pre>	FAILED	1.875 s

#	Step / Hook Details	Status	Duration				
	<pre>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)</pre>						
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.002 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/Staff/User on to manage batch page	SKIPPED	0.001 s				
3	When Admin/User/Staff Enters deleted batch Program Name in Search	SKIPPED	0.001 s				
4	Then Admin/User/Staff finds no results	SKIPPED	0.000 s				


Verify the Delete Functionality



#	Step / Hook Details	Status	Duration				
1	Given User/Staff Logged on to LMS Website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [389fc59fbb704c8fb4fe82c7d687a85, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:62803}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62803/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 389fc59fbb704c8fb4fe82c7d687a85 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_DeleteFunctionality01.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given User/Staff will be on Manage Attendance page	SKIPPED	0.001 s
3	When User/Staff Clicks on Delete button	SKIPPED	0.000 s
4	Then Admin see header text of delete as "Delete Confirm"	SKIPPED	0.000 s


Click on "Yes" button in Delete Confirm window



#	Step / Hook Details	Status	Duration				
1	<p>Given User/Staff Logged on to LMS Website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8842fcdf5f948af4d10d58c9f15accaa9, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62831}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62831/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8842fcdf5f948af4d10d58c9f15accaa9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.030 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_DeleteFunctionality01.feature:4) * Not displayable characters are replaced by '?'		
2	Given User/Staff Clicks on Delete button	SKIPPED	0.001 s
3	When User/Staff clicks on to the Yes button	SKIPPED	0.000 s
4	Then User/Staff see Successmessage "Program Deleted Successfully"	SKIPPED	0.000 s


Click on "No" button in Delete Confirm window



#	Step / Hook Details	Status	Duration				
1	Given User/Staff Logged on to LMS Website <table border="1" data-bbox="179 976 415 1040"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ef180edbb209faab358f5d2a950da64, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62858}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62858/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ef180edbb209faab358f5d2a950da64 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_DeleteFunctionality01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given User/Staff Clicks on Delete button	SKIPPED	0.001 s
3	When Staff/User Clicks the button No button	SKIPPED	0.000 s
4	Then User/Staff see the "Program Name not deleted"	SKIPPED	0.000 s

Admin Verify the Delete Functionality




#	Step / Hook Details	Status	Duration				
1	Given Admin Logged on to LMS Website <table border="1" data-bbox="179 1381 426 1445"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.064 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32b8d9259c9a282a4464550ff97026e8, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62885}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62885/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 32b8d9259c9a282a4464550ff97026e8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_DeleteFunctionality02.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin on Manage AttendancePage	SKIPPED	0.000 s
3	When Admin Clicks on the Delete Button	SKIPPED	0.001 s
4	Then Admin see Error Message as "Admin Has View Only Permission"	SKIPPED	0.000 s

Descending order Functionality




Verify Program Name are displayed in Descending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3666d6a93e1df8d1db21c071414f9b49, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58099}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58099/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3666d6a93e1df8d1db21c071414f9b49 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Program Name Descending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff see the Program Name displayed in Descending order	SKIPPED	0.002 s


Verify Program Description are displayed in Descending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.010 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f2c3eaf1409fd8f77e8809b95d3613cc, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58127}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58127/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f2c3eaf1409fd8f77e8809b95d3613cc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'. at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_DescendingOrder.feature:4)		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Program Description Descending Arrow	SKIPPED	0.000 s
4	Then Admin/User/Staff see the Program Description displayed in Descending order	SKIPPED	0.000 s


Verify Program Status are displayed in Descending order



#	Step / Hook Details	Status	Duration				
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.359 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d7f2d796db8e8bd05999f56b62835745, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:58155}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58155/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d7f2d796db8e8bd05999f56b62835745 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)	FAILED	1.897 s				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.004 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s				
3	When Admin/User/Staff Clicks on Program Status Descending Arrow	SKIPPED	0.001 s				

#	Step / Hook Details	Status	Duration
4	Then Admin/User/Staff see the Program Status displayed in Descending order	SKIPPED	0.001 s


Verify Batch Name are displayed in Descending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aaedeffd0e4a33f0d01fde0290a71465, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59628}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59628/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aaedeffd0e4a33f0d01fde0290a71465 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.019 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/Staff/User is on Manage Batch page	SKIPPED	0.000 s
3	When Admin/User/Staff Clicks on Batch Name Descending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff see the Batch Name displayed in Descending order	SKIPPED	0.000 s


Verify Batch Description are displayed in Descending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b0a08f8a381e1860d1be80c70e742ff3, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59656}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59656/devtoo. </pre>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						


#	Step / Hook Details	Status	Duration
	.., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b0a08f8a381e1860d1be80c70e742ff3 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqaqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqaqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqaqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqaqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'.		
2	Given User/Admin/Staff is on the Manage Batch page	SKIPPED	0.000 s
3	When Admin/User/Staff Clicks on Batch Description Descending Arrow	SKIPPED	0.000 s
4	Then Admin/User/Staff see the Batch Description displayed in Descending order	SKIPPED	0.001 s

Verify Batch Status are displayed in Descending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 190 415 262"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2f40483964b4d269316cbefa444d8e7e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59682}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59682/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2f40483964b4d269316cbefa444d8e7e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DescendingOrder.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	username	Password	xyz1234	kk12kk12	FAILED	1.011 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on to the Manage Batch page	SKIPPED	0.001 s				
3	When Admin/User/Staff Clicks on Batch Status Descending Arrow	SKIPPED	0.000 s				
4	Then Admin/User/Staff see the Batch Status displayed in Descending order	SKIPPED	0.001 s				


Verify No Of Classes are displayed in Descending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-top: 5px; border-collapse: collapse;"> <tr> <td style="padding: 2px;">username</td> <td style="padding: 2px;">Password</td> </tr> <tr> <td style="padding: 2px;">xyz1234</td> <td style="padding: 2px;">kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d5e9249bbae5cf72cedc43f4b840d30f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59709}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59709/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d5e9249bbae5cf72cedc43f4b840d30f</p> <pre style="font-family: monospace; margin-top: 10px;"> at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) </pre>	username	Password	xyz1234	kk12kk12	FAILED	1.019 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff on ManageBatchpage	SKIPPED	0.000 s
3	When Admin/User/Staff Clicks on No Of Classess Descending Arrow	SKIPPED	0.002 s
4	Then Admin/User/Staff see the No Of Classes displayed in Descending order	SKIPPED	0.001 s


Verify Program Name are displayed in Descending order



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [584abd126059271bb8d76aef8c940062, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59728/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 584abd126059271bb8d76aef8c940062 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on managebatch page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Program Name Descending Arrow	SKIPPED	0.000 s
4	Then Admin/User/Staff see the Program Name displayed in Descending order	SKIPPED	0.000 s


Verify Assignment Name are displayed in Descending order



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff Logged on to LMS website <input type="text"/> username <input type="password"/> Password	FAILED	1.016 s

#	Step / Hook Details	Status	Duration
	xyz1234 kk12kk12		
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5364aa4ba853c9f3e681dd3b7fd9ffd, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:62470}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62470/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a5364aa4ba853c9f3e681dd3b7fd9ffd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Assignment Name Descending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff should see the Assignment Name displayed in Descending order	SKIPPED	0.000 s


Verify Assignment Description are displayed in Descending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [049df9567c1be02979860b58b69ecae4, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62489}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62489/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 049df9567c1be02979860b58b69ecae4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.021 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Assignment Description Descending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff should see the Assignment Description displayed in Descending order	SKIPPED	0.000 s


Verify Assignment DueDate are displayed in Descending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f597ac74ace2c10262a08bc0bfa3cf44, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62515}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62515/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f597ac74ace2c10262a08bc0bfa3cf44 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Assignment Due Date Descending Arrow	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the Assignment Due Date displayed in Descending order	SKIPPED	0.000 s

Verify Assignment Grade are displayed in Descending order




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.016 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9dad86c0370ff19a8ae7e36512603f6b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a57..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62542}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62542/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9dad86c0370ff19a8ae7e36512603f6b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_DescendingOrder.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Assignment Grade Descending Arrow	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the Assignment Grade displayed in Descending orde	SKIPPED	0.000 s

Edit Functionality




Validates Edit button in Program Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c25f9040caef6a2c5d7cb9e647561a0d, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:58182}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58182/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c25f9040caef6a2c5d7cb9e647561a0d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Edit01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin is on Manage Program page	SKIPPED	0.001 s
3	When Admin clicks on Edit Button	SKIPPED	0.001 s
4	Then Admin see header text as "Program Details"	SKIPPED	0.001 s


Edit Program Name in Program Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.014 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d1b4b749c395f698c49f9f56730dea33, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58201}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58201/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d1b4b749c395f698c49f9f56730dea33 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Edit02.feature:4) * Not displayable characters are replaced by '?'.		
2	When Admin is on Manage Program page	SKIPPED	0.000 s
3	Given Admin clicks on Edit Button	SKIPPED	0.000 s
4	When Admin Clicks on Save Button after updating Name as "QATester"	SKIPPED	0.000 s
5	Then Admin see Success message "Updated Program Name"	SKIPPED	0.000 s


Edit Program Description in Program Details window



#	Step / Hook Details	Status	Duration				
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.334 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [825f533441dc30a93fd70162c405a3e5, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:58229}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58229/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 825f533441dc30a93fd70162c405a3e5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)	FAILED	1.879 s				
1	Given Admin Logged on to LMS Website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.004 s
username	Password						
xyz1234	kk12kk12						
2	When Admin is on Manage Program page	SKIPPED	0.001 s				
3	Given Admin clicks on Edit Button	SKIPPED	0.001 s				

#	Step / Hook Details	Status	Duration
4	When Admin Clicks on Save Button after updating Description as "Testers"	SKIPPED	0.001 s
5	Then Admin see Success message "Updated Description"	SKIPPED	0.001 s


Edit Program Status in Program Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa758a538a23b866355306d4f906c518, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec040d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58255}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58255/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fa758a538a23b866355306d4f906c518 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.068 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Edit02.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin is on Manage Program page	SKIPPED	0.001 s
3	Given Admin clicks on Edit Button	SKIPPED	0.002 s
4	When Admin Clicks on Save Button after Changing status	SKIPPED	0.000 s
5	Then Admin see Success message "Updated Status"	SKIPPED	0.000 s


Click on Cancel button in Program Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e75ef3715eb39f7e1d83c09edf435da9, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 </pre>	username	Password	xyz1234	kk12kk12	FAILED	1.016 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>(1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58274}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58274/devtoo... se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e75ef3715eb39f7e1d83c09edf435da9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Edit02.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin is on Manage Program page	SKIPPED	0.001 s
3	Given Admin clicks on Edit Button	SKIPPED	0.001 s
4	When Admin Clicks on Cancel button	SKIPPED	0.001 s
5	Then Admin see a Program Details window getting closed	SKIPPED	0.000 s


User/Staff Validate Edit button



#	Step / Hook Details	Status	Duration				
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.361 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ae4a8a46321d0f0db66bfaf5a6fb7fff, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58293}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58293/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ae4a8a46321d0f0db66bfaf5a6fb7fff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)	FAILED	1.853 s				
1	Given User/Staff Logged on to LMS Website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.004 s
username	Password						
xyz1234	kk12kk12						
2	Given User/Staff is on Manage Program page	SKIPPED	0.001 s				
3	When User/Staff Clicks on Edit button	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
4	Then User/Staff see a Error message as "Only Admin have Access"	SKIPPED	0.001 s


Verifys Edited Program Name/Program Description



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" style="margin-top: 5px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b67456796749126ad5675a48a8d1046d, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b67456796749126ad5675a48a8d1046d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.025 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Edit04.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff Enters edited Program Name in Search "QATester"	SKIPPED	0.000 s
4	Then Entry for the edited Program Name is shown	SKIPPED	0.000 s


Verifies Edited Batch Name/BatchDescription



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 1127 415 1198"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [42bc2d4e0843f22e6385f0e7f231d07f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59762}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59762/devtoo. </pre>	username	Password	xyz1234	kk12kk12	FAILED	1.066 s
username	Password						
xyz1234	kk12kk12						


#	Step / Hook Details	Status	Duration
	.., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 42bc2d4e0843f22e6385f0e7f231d07f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqaqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqaqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqaqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqaqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Edit01.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on the ManageBatch page	SKIPPED	0.017 s
3	When Admin/User/Staff Enters edited Batch Name/Batch Description in Search	SKIPPED	0.003 s
4	Then Entry for the edited Batch Name/Batch Description is shown	SKIPPED	0.001 s

User/Staff Validate Edit button



#	Step / Hook Details	Status	Duration				
1	<p>Given User/Staff Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f58251a472641e4a32b6be2be8cd2e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59781}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59781/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f5f58251a472641e4a32b6be2be8cd2e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Edit02.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						
2	Given User/Staff on Manage Batch page	SKIPPED	0.001 s				
3	When User/Staff Clicks on Edit button	SKIPPED	0.001 s				
4	Then User/Staff will see Error message "Only Admin have Access"	SKIPPED	0.000 s				


Admin/User/Staff Validate Edit button



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 10px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">username</td> <td style="width: 15%;">Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> </div> <pre style="font-family: monospace; font-size: 0.8em; color: red; margin-top: 10px;"> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1cc07ae888f0009ec627010fcda8e8b0e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62570}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62570/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1cc07ae888f0009ec627010fcda8e8b0e at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) </pre>	username	Password	xyz1234	kk12kk12	FAILED	1.065 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_EditFunctionalityAll.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Manage Assignment page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Edit button	SKIPPED	0.000 s
4	Then Admin/User/Staff should see a message "Staff only have access to Edit Assignment"	SKIPPED	0.000 s


Staff Validates Edit button



#	Step / Hook Details	Status	Duration				
1	<p>Given Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions.Assignment.staff_Logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.004 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Manage Assignment page	SKIPPED	0.001 s
3	When Staff clicks an edit Assignment button	SKIPPED	0.000 s
4	Then Staff should see a Assignment details window	SKIPPED	0.001 s


Staff Edit Assignment Name in Assignment Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions. Assignment.staff_Logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.004 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Assignment Details page	SKIPPED	0.001 s
3	When Staff clicks Save button after edits Assignment Name	SKIPPED	0.000 s
4	Then Staff should see a message "Assignment Name Updated"	SKIPPED	0.000 s


Staff Edit Assignment Description in Assignment Details window



#	Step / Hook Details	Status	Duration				
1	Given Staff Logged on to LMS website <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions'. Assignment.staff_Logged_on_to_LMS_website(). However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)	username	Password	xyz1234	kk12kk12	FAILED	0.003 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Assignment Details page	SKIPPED	0.001 s
3	When Staff clicks Save button after edits Assignment Description	SKIPPED	0.000 s
4	Then Staff should see a message "Assignment Description Updated"	SKIPPED	0.000 s


Staff Edit Assignment Grade in Assignment Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions. Assignment.staff_Logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.003 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Assignment Details page	SKIPPED	0.001 s
3	When Staff clicks Save button After edits Assignment Grade	SKIPPED	0.001 s
4	Then Staff should see a message "Assignment Grade Updated"	SKIPPED	0.001 s


Staff Edit Assignment DueDate in Assignment Details window



#	Step / Hook Details	Status	Duration				
1	Given Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions'. Assignment.staff_Logged_on_to_LMS_website(). However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)	username	Password	xyz1234	kk12kk12	FAILED	0.002 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Assignment Details page	SKIPPED	0.001 s
3	When Staff clicks Save button After edits Assignment DueDate	SKIPPED	0.000 s
4	Then Staff should see a message "Assignment Due Date Updated"	SKIPPED	0.000 s


Staff Click Cancel in Assignment Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions. Assignment.staff_Logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.004 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Assignment Details page	SKIPPED	0.002 s
3	When Staff clicks cancel button	SKIPPED	0.001 s
4	Then Staff Should see a Assignment Details Page is closed	SKIPPED	0.001 s


Edit ProgramName in Attendance Details window



#	Step / Hook Details	Status	Duration				
1	Given User/Staff Logged on to LMS Website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [888a32554840ae2698ebda37ca00f92e, findElement {using=id, value=id_username}] Capabilities	username	Password	xyz1234	kk12kk12	FAILED	1.010 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>{acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62930}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62930/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 888a32554840ae2698ebda37ca00f92e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_EditFunctionality02.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When User/Staff must be on Manage Attendence Page	SKIPPED	0.001 s
3	Given User/Staff Clicks on Edit buttton	SKIPPED	0.001 s
4	When User/Staff clicks on Save button after changing Program Name	SKIPPED	0.000 s
5	Then User/Staff see the success message "Updated Successfully"	SKIPPED	0.001 s


Edit User Name Attendance Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given User/Staff Logged on to LMS Website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ded43c1cae9f2610ebfcfa323d63ec79, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62959}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62959/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ded43c1cae9f2610ebfcfa323d63ec79 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.010 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_EditFunctionality02.feature:4) * Not displayable characters are replaced by '?'</pre>		
2	When User/Staff must be on Manage Attendance Page	SKIPPED	0.000 s
3	Given User/Staff Clicks on Edit button	SKIPPED	0.000 s
4	When User/Staff clicks on Save button after changing User name	SKIPPED	0.000 s
5	Then User/Staff see the success message "Updated Successfully"	SKIPPED	0.000 s


Edit Present in Attendance Details window



#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.376 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [020af1a25b692ffa410bea97a34508aa, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:62988}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62988/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 020af1a25b692ffa410bea97a34508aa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	1.875 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)						
1	Given User/Staff Logged on to LMS Website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.003 s
username	Password						
xyz1234	kk12kk12						
2	When User/Staff must be on Manage Attendance Page	SKIPPED	0.001 s				
3	Given User/Staff Clicks on Edit button	SKIPPED	0.001 s				
4	When User/Staff clicks on Save button after disabling Present details	SKIPPED	0.001 s				
5	Then User/Staff see the success message "Updated Successfully"	SKIPPED	0.000 s				


Edit Absent in Attendance Details window



#	Step / Hook Details	Status	Duration				
1	Given User/Staff Logged on to LMS Website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8004a35a424de7a59e2e9f80bb6e2628, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62}</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.014 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	(1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:63015}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63015/devtoo... se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8004a35a424de7a59e2e9f80bb6e2628 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqaqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqaqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqaqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqaqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_EditFunctionality02.feature:4) * Not displayable characters are replaced by '?'.		
2	When User/Staff must be on Manage Attendance Page	SKIPPED	0.001 s
3	Given User/Staff Clicks on Edit button	SKIPPED	0.002 s
4	When User/Staff clicks on Save button after enabling Absent details	SKIPPED	0.008 s
5	Then User/Staff see the success message "Updated Successfully"	SKIPPED	0.000 s


Click on Cancel button in Attendance Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given User/Staff Logged on to LMS Website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b02bb012d4a8653833b7c638c3eae59, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:63042}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63042/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4b02bb012d4a8653833b7c638c3eae59 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.029 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_EditFunctionality02.feature:4) * Not displayable characters are replaced by '?'.		
2	When User/Staff must be on Manage Attendance Page	SKIPPED	0.000 s
3	Given User/Staff Clicks on Edit button	SKIPPED	0.000 s
4	When User/Staff clicks on Cancel button after entering details	SKIPPED	0.001 s
5	Then User/Staff see a Attendance Details window getting closed	SKIPPED	0.000 s


Admin Verify the Edit Button




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [15fd52beec5f7893e7195157a9a01de9, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:63104}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63104/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 15fd52beec5f7893e7195157a9a01de9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_EditFunctionality04.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin must be on the Manage Attendance Page	SKIPPED	0.001 s
3	When Admin clicks on Edit Button	SKIPPED	0.001 s
4	Then Admin see Error Message "Admin Has View Only Permission"	SKIPPED	0.001 s

Footer Validation




Validating the Manage Program Footer



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d5a1e10b33b893fd58fca9d722da240f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58345}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58345/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d5a1e10b33b893fd58fca9d722da240f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.060 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Footer.feature:4) * Not displayable characters are replaced by '?'		
2	When Admin/User/Staff is on Manage Program page	SKIPPED	0.000 s
3	Then Admin/User/Staff see Footer text as "In total there are 9 programs"	SKIPPED	0.000 s


Validating the Manage Batch Footer



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6f6eec9ddcd373def1af09579dfc22c2, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59800}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59800/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6f6eec9ddcd373def1af09579dfc22c2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.021 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Footer.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin/User/Staff is on Manage Batch Page	SKIPPED	0.000 s
3	Then Admin/User/Staff see Footer text as "In total there are 21 batches."	SKIPPED	0.000 s


Validating table footer



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: <a href="https://selenium.</p>	username	Password	xyz1234	kk12kk12	FAILED	1.070 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fe0d8ce1bc84547da864f555b79d940e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:60880}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60880/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fe0d8ce1bc84547da864f555b79d940e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_FooterValidation.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff lands on Manage User page	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the table footer as "In total there are 4 users".	SKIPPED	0.001 s

Validating the Attendance Footer




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="190 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a30cc302dd76b40c314316e58a4abea4, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:63131}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63131/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a30cc302dd76b40c314316e58a4abea4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.071 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_Footer.feature:4) * Not displayable characters are replaced by '?'</pre>		
2	When Admin/User/Staff is on Manage Attandance page	SKIPPED	0.000 s
3	Then Admin/User/Staff see Footer text as "In total there are 5 entries."	SKIPPED	0.000 s

Delete Multiple Records Functionality




Verify the state of Delete button on left hand side



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.</p>	username	Password	xyz1234	kk12kk12	FAILED	1.009 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<p>ChromeDriver Command: [788d456f252e3bcde96f50f1a3dc3a57, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:58401}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58401/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 788d456f252e3bcde96f50f1a3dc3a57</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_MultiRecordDelete01.feature:4)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Admin/User/Staff is on Manage Program page	SKIPPED	0.000 s
3	Then Admin/User/Staff see the Delete button on the top left hand side as Disabled	SKIPPED	0.000 s


Validates Multiple Program Selection



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="190 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ac97347a53582b2f1572f1cfe1602503, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58428}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58428/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ac97347a53582b2f1572f1cfe1602503 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.019 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_MultiRecordDelete02.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff selects more than one Program Name using checkbox	SKIPPED	0.000 s
4	Then Admin/User/Staff see the Delete button on the top left hand side as Enabled	SKIPPED	0.001 s


Verify Deleted Program Names



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 976 415 1040"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [904bcd69f701616cc68f59524a0a6e72, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58455}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58455/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 904bcd69f701616cc68f59524a0a6e72 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.072 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_MultiRecordDelete02.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.000 s
3	When Admin/User/Staff Enters deleted Program Names in Search as "SDETTesting"	SKIPPED	0.001 s
4	Then Admin/User/Staff finds no results	SKIPPED	0.001 s


Deletion of Multiple Records



#	Step / Hook Details	Status	Duration				
1	Given User/Staff Logged on to LMS Website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.023 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8cb40b4093eaef9655e229e667b41569, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a57..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58482}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58482/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8cb40b4093eaef9655e229e667b41569 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_MultiRecordDelete03.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given User/Staff selects more than one Program Name using checkbox	SKIPPED	0.001 s
3	When User/Staff Clicks on Enabled Delete button on the top left hand side	SKIPPED	0.001 s
4	Then User/Staff see a Error message as "Only Admin have Access"	SKIPPED	0.000 s


Verifys Deletion of Multiple Records



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7dc13a3e4180a1cd3f57a0eb48c1d494, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58501}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58501/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7dc13a3e4180a1cd3f57a0eb48c1d494 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.074 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_MultiRecordDelete04.feature:4) * Not displayable characters are replaced by '?'</pre>		
2	When Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	Given Admin selects more than one Program Name using checkbox	SKIPPED	0.001 s
4	When Admin Clicks on Enabled Delete button on the top left hand side	SKIPPED	0.001 s
5	Then Admin see header text of delete as "Delete Confirm"	SKIPPED	0.001 s


Click on Yes button in Delete Confirm window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr><td>username</td><td>Password</td></tr> <tr><td>xyz1234</td><td>kk12kk12</td></tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5588336dd8ab36600a999b91c75416ad, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58528}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58528/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5588336dd8ab36600a999b91c75416ad at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.018 s
username	Password						
xyz1234	kk12kk12						


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_MultiRecordDelete04.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	Given Admin Clicks on Enabled Delete button after selecting more than one Program Name	SKIPPED	0.000 s
4	When Admin Clicks on Yes button	SKIPPED	0.005 s
5	Then Admin see Success message "Program Deleted Succesfully"	SKIPPED	0.001 s

Click on No button in Delete Confirm window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6ad84c409ea5eb31ee324742ef0c9484, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58556}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58556/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6ad84c409ea5eb31ee324742ef0c9484 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_MultiRecordDelete04.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	username	Password	xyz1234	kk12kk12	FAILED	1.011 s
username	Password						
xyz1234	kk12kk12						
2	When Admin/User/Staff is on Manage Program page	SKIPPED	0.000 s				
3	Given Admin Clicks on Enabled Delete button after selecting more than one Program Name	SKIPPED	0.000 s				
4	When Admin Clicks on No button	SKIPPED	0.000 s				
5	Then Admin can see Program Names not deleted	SKIPPED	0.001 s				


Verify the state of Delete button on left hand side



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-top: 5px; border-collapse: collapse;"> <tr> <td style="padding: 2px;">username</td> <td style="padding: 2px;">Password</td> </tr> <tr> <td style="padding: 2px;">xyz1234</td> <td style="padding: 2px;">kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [203a257897a3476bb000517288db3d5a, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59411}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59411/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 203a257897a3476bb000517288db3d5a</p> <pre style="font-family: monospace; margin-top: 10px;"> at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) </pre>	username	Password	xyz1234	kk12kk12	FAILED	1.011 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DeleteMultipleRecord01.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin/User/Staff is on Manage batch page	SKIPPED	0.001 s
3	Then Admin/User/Staff see the Delete button on the top left hand side as Disabled	SKIPPED	0.001 s


Verify Deletion of Multiple Records



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [09ca4eaa595f0b0746bd103f30193b9a, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59485}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59485/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 09ca4eaa595f0b0746bd103f30193b9a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.067 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DeleteMultipleRecord03.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin/User/Staff is on Manage Batch page	SKIPPED	0.000 s
3	Given Admin selects more than one Batch Name using checkbox	SKIPPED	0.001 s
4	When Admin Clicks on Enabled Delete button on the top left hand side	SKIPPED	0.001 s
5	Then Admin see header text of delete as "Delete Confirm"	SKIPPED	0.001 s


Click on Yes button in Delete Confirm window



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff Logged on to LMS website username Password	FAILED	1.068 s

#	Step / Hook Details	Status	Duration
	xyz1234 kk12kk12		
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9ae5a4d0c662b388e1bd23481b83589b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59514}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59514/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9ae5a4d0c662b388e1bd23481b83589b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DeleteMultipleRecord03.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin/User/Staff is on Manage Batch page	SKIPPED	0.000 s
3	Given Admin Clicks on Enabled Delete button after selecting more than one Batch Name	SKIPPED	0.001 s
4	When Admin Clicks on Yes button	SKIPPED	0.000 s
5	Then Admin will be seeing the Success message as "Program Deleted Succesfully"	SKIPPED	0.000 s


Click on No button in Delete Confirm window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [37af1b8861d8d25f7d54443e6c4baf223, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59541}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59541/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 37af1b8861d8d25f7d54443e6c4baf223 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DeleteMultipleRecord03.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin/User/Staff is on Manage Batch page	SKIPPED	0.000 s
3	Given Admin Clicks on Enabled button delete after selecting more than one Batch Name	SKIPPED	0.001 s
4	When Admin Clicks on Yes button	SKIPPED	0.001 s
5	Then Admin can see Program Names not deleted	SKIPPED	0.000 s


Verify Deleted Batch Names



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr><td>username</td><td>Password</td></tr> <tr><td>xyz1234</td><td>kk12kk12</td></tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ba4b82a5566932bb4937f21f5b262086, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59568}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59568/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ba4b82a5566932bb4937f21f5b262086</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p>	username	Password	xyz1234	kk12kk12	FAILED	1.070 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DeleteMultipleRecord04.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on manageBatch page	SKIPPED	0.001 s
3	When Admin/User/Staff Enters deleted Program Names in Search	SKIPPED	0.001 s
4	Then Admin/User/Staff finds results as no results	SKIPPED	0.000 s


User/Staff Verifys Deletion of Multiple Records



#	Step / Hook Details	Status	Duration
1	Given User/Staff Logged on to LMS Website	FAILED	1.011 s

#	Step / Hook Details	Status	Duration				
	<table border="1" data-bbox="179 150 422 219"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [10f99c211d122fd90be09e34eccb18d8, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59600}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59600/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 10f99c211d122fd90be09e34eccb18d8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_DeleteMultipleRecord05.feature:4) * Not displayable characters are replaced by '?'.</pre>	username	Password	xyz1234	kk12kk12		
username	Password						
xyz1234	kk12kk12						
2	Given User/Staff selects more than one Batch Name using checkbox	SKIPPED	0.001 s				
3	When User/Staff Clicks on Enabled Delete button on the top left hand side	SKIPPED	0.001 s				
4	Then User/Staff will see a ErrorMessage as "Only Admin have Access"	SKIPPED	0.001 s				

Validates Multiple Program Selection




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="190 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b506efaceae8db75b042fcbe2f62e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60236}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60236/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8b506efaceae8db75b042fcbe2f62e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4batch_DeleteMultipleRecor02.feature:4) * Not displayable characters are replaced by '?'		
2	Given Admin/User/Staff is on the ManageBatchpage	SKIPPED	0.002 s
3	When Admin/User/Staff selects more than one Batch Name using checkbox	SKIPPED	0.001 s
4	Then Admin/User/Staff see the Delete button on the top left hand side as Enabled	SKIPPED	0.001 s

Paginator Validation




Validating the Manage Program Paginator



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" data-bbox="190 1298 422 1367"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:	username	Password	xyz1234	kk12kk12	FAILED	1.027 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3bc5c05b51e53d3aa654e1dd03a55fe, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58587}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58587/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b3bc5c05b51e53d3aa654e1dd03a55fe at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Paginator01.feature:4) * Not displayable characters are replaced by '?'.		
2	When Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	Then Admin/User/Staff see the text as "Showing 1 to 5 of 9 entries"	SKIPPED	0.001 s


Validate Number of rows in a table



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a98ef0181026f79eeda693dd86309858, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58617}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58617/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a98ef0181026f79eeda693dd86309858 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.069 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Paginator01.feature:11) * Not displayable characters are replaced by '?'</pre>		
2	When Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	Then Admin/User/Staff counts number of rows as 5 in a table	SKIPPED	0.001 s


Verify paginator -next button on the Program page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e64f088b1e6f966b7ae703f17d099e7c, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59884}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59884/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e64f088b1e6f966b7ae703f17d099e7c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Paginator01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on to Manage Batch page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Enabled paginator-next button	SKIPPED	0.001 s
4	Then Admin/User/Staff see Paginator text as "Showing 6 to 10 of 21 batches."	SKIPPED	0.000 s


Verify paginator -last button on the Program page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css</p>	username	Password	xyz1234	kk12kk12	FAILED	1.024 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bc0ee7cd69f3cc881cb01134eb1a8ae6, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:59970}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59970/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bc0ee7cd69f3cc881cb01134eb1a8ae6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Paginator01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage Batch	SKIPPED	0.002 s
3	When Admin/User/Staff Clicks on Enabled paginator-last button	SKIPPED	0.000 s
4	Then Admin/User/Staff should see last page	SKIPPED	0.001 s


Verify paginator -first button on the Program page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cc176ca59823431732449697c27abde1, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59989}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59989/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cc176ca59823431732449697c27abde1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.036 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Paginator01.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff on Manage Batch page	SKIPPED	0.000 s
3	When Admin/User/Staff Clicks on Enabled paginator -first button	SKIPPED	0.001 s
4	Then Admin/User/Staff should see first page	SKIPPED	0.000 s


Validating the Manage Batch Paginator



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fc67a6deb7110c414684c6d51958781c, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60019/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fc67a6deb7110c414684c6d51958781c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.066 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_Paginator02.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin/User/Staff is on the Manage Batch page	SKIPPED	0.001 s
3	Then Admin/User/Staff see the text as "Showing 1 to 5 of 21 batches."	SKIPPED	0.002 s


Validating the Attendance Paginator



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css</p>	username	Password	xyz1234	kk12kk12	FAILED	1.009 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5cba5b0a51160eb55c88762d497a711e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:63187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63187/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5cba5b0a51160eb55c88762d497a711e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_Paginator.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin/User/Staff is on Manage Attendance page	SKIPPED	0.002 s
3	Then Admin/User/Staff see the text as "Showing 1 to 5 of 5 entries."	SKIPPED	0.000 s

Verify All paginator button on the Attendance page




#	Step / Hook Details	Status	Duration				
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.277 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8cdeb938f41e56ac23e0ca8c3d58fd3d, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:63214}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63214/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8cdeb938f41e56ac23e0ca8c3d58fd3d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)	FAILED	1.928 s				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.002 s
username	Password						
xyz1234	kk12kk12						
2	When Admin/User/Staff is on Manage Attendance	SKIPPED	0.001 s				
3	Then Admin/User/Staff see all paginator buttons are Disabled	SKIPPED	0.000 s				

Search TextBox Functionality




Search by Program Name



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>username</td><td>Password</td></tr> <tr><td>xyz1234</td><td>kk12kk12</td></tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a815044f0e940134a7a947f1fe230e53, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58739}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58739/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a815044f0e940134a7a947f1fe230e53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Search.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff enters Program Name as "SDETtest" to be searched	SKIPPED	0.000 s
4	Then Entries for the searched Program Name are shown	SKIPPED	0.000 s


Search by Program Description



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: <a href="https://selenium.</p>	username	Password	xyz1234	kk12kk12	FAILED	1.029 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [343e9068409878bb12a9c74a5112e1c0, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:58766}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58766/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 343e9068409878bb12a9c74a5112e1c0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Search.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.001 s
3	When Admin/User/Staff enters Program Description as "machine learning" to be searched	SKIPPED	0.001 s
4	Then Entries for the searched Program Description are shown	SKIPPED	0.002 s


Search by Program Status



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa103ade6302416fa569f2638f549ad9, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58785}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58785/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fa103ade6302416fa569f2638f549ad9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.024 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/3Program_Search.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on Manage Program page	SKIPPED	0.002 s
3	When Admin/User/Staff enters Program Status as "Active" to be searched	SKIPPED	0.002 s
4	Then Entries for the searched Program Status are shown	SKIPPED	0.000 s


Validate Search Feature



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f369ff5234a0c6275e4371a0a472dc8d, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58812}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58812/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f369ff5234a0c6275e4371a0a472dc8d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.008 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Assignment_SearchTextBox.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff Logged on to LMS website	SKIPPED	0.000 s
3	When Admin/User/Staff clicks Search bar after entering Assignment name as "Assignment Name"	SKIPPED	0.000 s
4	Then The requested assignment details should be displayed	SKIPPED	0.001 s


Validate Search Feature



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0a1ad74167fa87ab40db8e22a7e30483, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60046}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60046/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0a1ad74167fa87ab40db8e22a7e30483 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_SearchTextBox02.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin/User/Staff on to Batch page	SKIPPED	0.002 s
3	Then Admin/User/Staff see the Search Text box has text as "Search"	PASSED	0.000 s


Search by Batch Name



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [99f06284f0fd4abd96f96e84182858a4, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60075}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60075/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 99f06284f0fd4abd96f96e84182858a4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.011 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_SearchTextbox01.feature:4) * Not displayable characters are replaced by '?'		
2	Given Admin/User/Staff is onto the Manage Batch page	SKIPPED	0.001 s
3	When Admin/User/Staff enters Batch Name to be searched	SKIPPED	0.000 s
4	Then Entries for the searched BatchName are shown.	SKIPPED	0.000 s


Search by Batch Description



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9d82e126687ceccdd31fd86bb43818157, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60103}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60103/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9d82e126687ceccdd31fd86bb43818157 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.020 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_SearchTextbox01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on ManageBatch page	SKIPPED	0.001 s
3	When Admin/User/Staff enters Batch Description to be searched	SKIPPED	0.001 s
4	Then Entries for the searched Batch Description are shown.	SKIPPED	0.000 s


Search by Batch Status



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.067 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8df17095c91e938b92b7d5fc50dfbca5, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60130}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60130/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8df17095c91e938b92b7d5fc50dfbca5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_SearchTextbox01.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on ManageBatch	SKIPPED	0.000 s
3	When Admin/User/Staff enters Batch Status to be searched	SKIPPED	0.000 s
4	Then Entries for the searched Batch status are shown.	SKIPPED	0.000 s


Search by No Of Classes



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d579b63fdab4b1760096adc7128e46b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60157}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60157/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6d579b63fdab4b1760096adc7128e46b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.020 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_SearchTextbox01.feature:4) * Not displayable characters are replaced by '?'</pre>		
2	Given Admin/Staff/User on Manage Batch page	SKIPPED	0.001 s
3	When Admin/User/Staff enters No Of Classes to be searched	SKIPPED	0.000 s
4	Then Entries for the searched No Of Classes are shown.	SKIPPED	0.000 s

Search by Program Name




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c6aca8b067c25af8448141f002391134, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60183}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60183/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c6aca8b067c25af8448141f002391134 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.022 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_SearchTextbox01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage Batch page	SKIPPED	0.000 s
3	When Admin/User/Staff enters Program Name to be searched	SKIPPED	0.000 s
4	Then Entries for the searched Batch program Name are shown	SKIPPED	0.001 s

Add A New Batch Functionality




Validate Add A New Batch button



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4ce573b98698b1a7a325c1d5daa285e8, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58831}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58831/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4ce573b98698b1a7a325c1d5daa285e8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.008 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch01.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin is on Manage Batch page	SKIPPED	0.001 s
3	When Admin clicks + A New Batch button	SKIPPED	0.001 s
4	Then Admin see header text as "Batch Details"	SKIPPED	0.000 s


No details Entered in Batch Details window



#	Step / Hook Details	Status	Duration				
1	Given Admin Logged on to LMS Website <table border="1" data-bbox="179 968 426 1032"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [232b34c9b23db857b4f314f616238f10, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58858}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58858/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 232b34c9b23db857b4f314f616238f10 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.067 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin Clicks on " + A New Batch" button	SKIPPED	0.001 s
3	When Admin Clicks on Save Button with out entering details	SKIPPED	0.001 s
4	Then Admin sees Errormessage "Name is required"	SKIPPED	0.000 s


Enters Only Name in Batch Details window



#	Step / Hook Details	Status	Duration
1	Given Admin Logged on to LMS Website username Password xyz1234 kk12kk12	FAILED	1.012 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [66b666fb2c224b5ecc34bde31f43920b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58884}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58884/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 66b666fb2c224b5ecc34bde31f43920b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch01.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin Clicks on to the + A New Batch	SKIPPED	0.000 s
3	When Admin Clicks on Save Button after entering Name alone	SKIPPED	0.000 s
4	Then Admin see Errormessage "Description is required"	SKIPPED	0.001 s


Enters Only Description in Batch Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1" data-bbox="190 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18abd79502a5530700526fcb58a80b42, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58910}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58910/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 18abd79502a5530700526fcb58a80b42 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.018 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch01.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin clicks on the + A New Batch button	SKIPPED	0.001 s
3	When Admin Clicks on Save Button after entering Description alone	SKIPPED	0.000 s
4	Then Admin will see Errormessage "Name is required"	SKIPPED	0.001 s


Verify Program Name Dropdown in Batch Details window



#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.344 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [55c1eb8a8be3d423e3d4f9f069fda5ae, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...}, userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 55c1eb8a8be3d423e3d4f9f069fda5ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	FAILED	1.959 s

#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)</pre>						
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.002 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin clicks + A New Batch button	SKIPPED	0.001 s				
3	When Admin Clicks on DropDown Menu	SKIPPED	0.000 s				
4	Then Admin see list of all Program Names	SKIPPED	0.001 s				


Selects only a Program name from Dropdown in Batch Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [95f11d72ed4df3f986179bd1c3c3097e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58969/devtoo.</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.019 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	.., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 95f11d72ed4df3f986179bd1c3c3097e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqaqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqaqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqaqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqaqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch01.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27)		
2	Given Admin clicks + A New Batch button	SKIPPED	0.001 s
3	And Clicks on DropDown Menu in Batch Details window	SKIPPED	0.001 s
4	When Admin Clicks on Save button after selecting a Program Name only from the dropdown	SKIPPED	0.000 s
5	Then Admin will see Errormessage as "Name is required"	SKIPPED	0.001 s


Selects Status only in Batch Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [feb389d1b4074a6d150722eb8029a34e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58988}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58988/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: feb389d1b4074a6d150722eb8029a34e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.065 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch01.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin clicks + A New Batch button	SKIPPED	0.001 s
3	When Admin Clicks on Save Button after selecting Status alone	SKIPPED	0.001 s
4	Then Admin will be seeing the Error message "Name is required"	SKIPPED	0.000 s


Enters Only Number Of Classes in Batch Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4c1e41a5e862cebd7527b77de70e4df, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59015}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59015/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4c1e41a5e862cebd7527b77de70e4df at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch01.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin Clicks on the button " + A New Batch"	SKIPPED	0.001 s
3	When Admin Clicks on Save Button after entering only Number Of Classes	SKIPPED	0.000 s
4	Then Admin will see Errormessage "Name is required"	SKIPPED	0.001 s


Enter All details in Batch Details window



#	Step / Hook Details	Status	Duration				
1	Given Admin Logged on to LMS Website <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.014 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb90eb9d90a4ada89d9ba4a9a0b52b1f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59043}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59043/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb90eb9d90a4ada89d9ba4a9a0b52b1f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch01.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin Clicks on the button " + A New Batch"	SKIPPED	0.001 s
3	When Admin Clicks on Save Button after entering all details	SKIPPED	0.000 s
4	Then Admin see Successmessage as "New Batch Created"	SKIPPED	0.000 s


Click on Cancel button in Batch Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cc96933ebd19eb0b10cb09154d4b5c1e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59070}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59070/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cc96933ebd19eb0b10cb09154d4b5c1e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch01.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin clicks + A New Batch button	SKIPPED	0.001 s
3	When Admin Clicks on Cancel button	SKIPPED	0.000 s
4	Then Admin see a Batch Details window getting closed	SKIPPED	0.000 s


Admin/User/Staff Verify Added New Batch Name



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [091b4480c533023dde8f08e9beb516e0, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59098}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59098/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 091b4480c533023dde8f08e9beb516e0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/4Batch_AddNewBatch02.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on to the ManageprogramPage	SKIPPED	0.000 s
3	When Admin/User/Staff Enters newly added Batch program Name in Search	SKIPPED	0.000 s
4	Then Entry for the newly added Batch Name is shown	SKIPPED	0.001 s

User/Staff Validate Add A New Batch button




#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <p>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.336 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:</p>	FAILED	1.948 s

#	Step / Hook Details	Status	Duration				
	[fed8f388657799a24af648ceed966481, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:59125}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59125/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fed8f388657799a24af648ceed966481 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)						
1	Given User/Staff Logged on to LMS Website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.003 s
username	Password						
xyz1234	kk12kk12						
2	Given User/Staff is on Manage Batch page	SKIPPED	0.001 s				
3	When User/Staff Clicks on + A New Program button	SKIPPED	0.001 s				
4	Then User/Staff will see Error message "Only Admin have Access"	SKIPPED	0.002 s				

Number of rows in a Table



Validate Number of rows in a table




#	Step / Hook Details	Status	Duration				
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.350 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cc29b6dace70c1d69728933d13246d35, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:59855}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59855/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cc29b6dace70c1d69728933d13246d35 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)	FAILED	1.933 s				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.008 s
username	Password						
xyz1234	kk12kk12						
2	When Staff/Admin/User/ is on Manage Batch page	SKIPPED	0.001 s				
3	Then Admin/User/Staff counts number of rows as 5 in a table	SKIPPED	0.001 s				

Ascending Order Functionality




Verify Assignment Name are displayed in Ascending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d70097cae4466224032165750eb6452d, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60263}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60263/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d70097cae4466224032165750eb6452d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.008 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5Assignment_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Assignment Name Ascending Arrow	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the Assignment Name displayed in Ascending order	SKIPPED	0.001 s


Verify Assignment Description are displayed in Ascending order



#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre> org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.343 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2c800765f34207aa41ea6b9fddf5e871, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: </pre>	FAILED	1.914 s


#	Step / Hook Details	Status	Duration				
	C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:60289}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60289/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c800765f34207aa41ea6b9fddf5e871 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)						
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.003 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.000 s				
3	When Admin/User/Staff Clicks on Assignment Description Ascending Arrow	SKIPPED	0.000 s				
4	Then Admin/User/Staff should see the Assignment Description displayed in Ascending order	SKIPPED	0.000 s				

Verify Assignment Due date are displayed in Ascending order



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 190 415 262"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [534a130229f39371466485e806905d32, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60316}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60316/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 534a130229f39371466485e806905d32 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5Assignment_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'.</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.022 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s				
3	When Admin/User/Staff Clicks on Assignment Due Date Ascending Arrow	SKIPPED	0.001 s				
4	Then Admin/User/Staff should see the Assignment Due Date displayed in Ascending order	SKIPPED	0.000 s				


Verify Assignment Grade are displayed in Ascending order




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-top: 5px; width: 100%;"> <tr> <td style="width: 5%;">username</td> <td style="width: 5%;">Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre style="font-family: monospace; margin-top: 10px;"> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dc3c713466d57e47255e02b000024858, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60344}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60344/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dc3c713466d57e47255e02b000024858 at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) </pre>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5Assignment_AscendingOrder.feature:4) * Not displayable characters are replaced by '?'. 2 Given Admin/User/Staff is on Assignment Page 3 When Admin/User/Staff Clicks on Assignment Grade Ascending Arrow 4 Then Admin/User/Staff should see the Assignment Grade displayed in Ascending order		
2	Given Admin/User/Staff is on Assignment Page	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Assignment Grade Ascending Arrow	SKIPPED	0.001 s
4	Then Admin/User/Staff should see the Assignment Grade displayed in Ascending order	SKIPPED	0.001 s

Add New User Functionality




Validate the presence of Add new user button



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff Logged on to LMS website username Password xyz1234 kk12kk12 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.	FAILED	1.017 s

#	Step / Hook Details	Status	Duration
	<pre>dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e90079a59023e972bd0737976a0efe32, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:60371}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60371/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e90079a59023e972bd0737976a0efe32 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_AddNewUserFunctionality.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on any page after Login	SKIPPED	0.001 s
3	When Admin/User/Staff is on the Manage user page after clicking User Tab	SKIPPED	0.001 s
4	Then Admin/User/Staff should see the button with text "+" icon and Add New User"	SKIPPED	0.001 s

Verify the functionality of Add new user button




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57a0e3eca4195ff2d6f9ed1144859496, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60398}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60398/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 57a0e3eca4195ff2d6f9ed1144859496 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.071 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_AddNewUserFunctionality.feature:4) * Not displayable characters are replaced by '?'		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Add New User	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the "User details" dialog box	SKIPPED	0.001 s

Address2 button



Validating the presence of Address2 button




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" data-bbox="190 1294 415 1365"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:	username	Password	xyz1234	kk12kk12	FAILED	1.010 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9e0b8804968a5405502e55e183284d1, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60425/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d9e0b8804968a5405502e55e183284d1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Address2Button.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Address2Button.feature:4)		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Add new user button	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the button with text "+ Add C/O, Apt, Suite, Unit"	SKIPPED	0.000 s

Cancel button




Verify the presence of Cancel button in User Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [035fe7ce7e4c76f921104d305432dbd6, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:60452}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60452/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 035fe7ce7e4c76f921104d305432dbd6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.010 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_CancelButton.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Add new user button	SKIPPED	0.001 s
4	Then Admin/User/Staff should see a button with text as Cancel in User Details window	SKIPPED	0.001 s

Validate Fucntionality of Cancel button




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.023 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [24dae3f75de3330b3b1b20927551bd78, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60470}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60470/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 24dae3f75de3330b3b1b20927551bd78 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_CancelButton.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_CancelButton.feature:4)		
2	Given Admin/User/Staff is on User Details window	SKIPPED	0.001 s
3	When Admin/User/Staff clicks cancel button	SKIPPED	0.001 s
4	Then Admin/User/Staff see User Details window getting closed	SKIPPED	0.000 s

Cancel(x) icon




Verify the presence of Cancel(x) icon in user details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a486e3415bb646e1b54eb4abcfced4a8, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60489}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60489/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a486e3415bb646e1b54eb4abcfced4a8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.072 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_CancelxButton.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Add new user button	SKIPPED	0.001 s
4	Then Admin/User/Staff should see a cancel icon	SKIPPED	0.001 s

Functionality of Cancel(x) icon




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.016 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d77aaa6441b23bd3bfd077814b93c46, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60518}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60518/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5d77aaa6441b23bd3bfd077814b93c46 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_CancelxButton.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_CancelxButton.feature:4)		
2	Given Admin/User/Staff is on User Details window	SKIPPED	0.000 s
3	When Admin/User/Staff clicks cancel icon	SKIPPED	0.002 s
4	Then User Details window should be closed	SKIPPED	0.001 s

Delete Icon




Verify the presence of Delete icon in manage user page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d1a8db75db99c8a507a02c38ba74ee69, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60544}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60544/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d1a8db75db99c8a507a02c38ba74ee69 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.066 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_DeleteIcon.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on any page after Login	SKIPPED	0.001 s
3	When Admin/User/Staff is on the Manage user page after clicking User Tab	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the delete icon at the top left corner of the user table	SKIPPED	0.001 s


Behaviour of Delete icon when no rows unchecked



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.011 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cb9bdec74f0d7e39d523a755a6a18e9b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60571}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60571/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb9bdec74f0d7e39d523a755a6a18e9b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_DeleteIcon.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_DeleteIcon.feature:4)		
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s
3	When No rows is checked	SKIPPED	0.000 s
4	Then Delete icon at the top left corner of the user table disabled	SKIPPED	0.001 s


Behaviour of Delete icon when rows checked



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a55d47a6c1275c1c9cf599e5476920de, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60598/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a55d47a6c1275c1c9cf599e5476920de at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.051 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_DeleteIcon.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff checks the rows in user table	SKIPPED	0.000 s
4	Then Delete icon at the top left corner of the user table enabled	SKIPPED	0.000 s


Behaviour of Delete icon when rows checked



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8849095154b72f685d626daa8ff03537, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60625/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8849095154b72f685d626daa8ff03537</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</p>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_DeleteIcon.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff checks the rows in user table	SKIPPED	0.000 s
3	When Admin/User/Staff clicks the delete icon at the top left corner of user table	SKIPPED	0.000 s
4	Then Confirm dialog box should be displayed with Text "Are you sure you want to delete the selected Admin/User/Staffs?" , button with text No , the button with text yes and close icon	PASSED	0.000 s


Validating Confirm dialog box by selecting No



#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <p>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.376 (Session info: chrome=107.0.5304.122)</p>	FAILED	1.874 s


#	Step / Hook Details	Status	Duration				
	<p>Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05d05a5a40cd21e8aaf13f4bee0deedc, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60644}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60644/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 05d05a5a40cd21e8aaf13f4bee0deedc</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13) </pre>						
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.002 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is in confirm dialog box after clicking delete icon	SKIPPED	0.002 s				
3	When Admin/User/Staff clicks button with text "No"	SKIPPED	0.000 s				
4	Then Selected rows should not be deleted and dialog box should be closed	SKIPPED	0.000 s				

Validating Confirm dialog box by selecting Yes



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1021725486d79843c1158c80e0b63c56, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60670}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60670/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1021725486d79843c1158c80e0b63c56 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_DeleteIcon.feature:4) * Not displayable characters are replaced by '?'.</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is in confirm dialog box after clicking delete icon	SKIPPED	0.000 s				
3	When Admin/User/Staff clicks button with text "Yes"	SKIPPED	0.000 s				
4	Then Selected rows should be deleted and popup should be shown with success message "User deleted"	SKIPPED	0.001 s				


Validating Confirm dialog box by clicking close(x) icon




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-top: 5px; width: 100px; border-collapse: collapse;"> <tr> <td style="width: 50px;">username</td> <td style="width: 50px;">Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7fce2843d770c2b82dc15d02d20b0dd6, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60697}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60697/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7fce2843d770c2b82dc15d02d20b0dd6</p> <pre style="font-family: monospace; margin-top: 10px;"> at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) </pre>	username	Password	xyz1234	kk12kk12	FAILED	1.018 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_DeleteIcon.feature:4) * Not displayable characters are replaced by '?'. 2 Given Admin/User/Staff is in confirm dialog box after clicking delete icon 3 When Admin/User/Staff clicks the close icon 4 Then Confirm dialog box should be closed		
2	Given Admin/User/Staff is in confirm dialog box after clicking delete icon	SKIPPED	0.001 s
3	When Admin/User/Staff clicks the close icon	SKIPPED	0.000 s
4	Then Confirm dialog box should be closed	SKIPPED	0.000 s

Drop down




Verify drop down menu for state



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff Logged on to LMS website username Password xyz1234 kk12kk12 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.	FAILED	1.021 s

#	Step / Hook Details	Status	Duration
	<pre>dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [927dec584913dac4f2bfbaf720e0e3e4, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:60716}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60716/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 927dec584913dac4f2bfbaf720e0e3e4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_DropDown.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on User Details window	SKIPPED	0.001 s
3	When Admin/User/Staff clicks the drop down icon for state	SKIPPED	0.001 s
4	Then Admin/User/Staff should select from the drop down menu for state	SKIPPED	0.000 s

Verify drop down menu for user role




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="190 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [430bf1ee8f40aa36185352b48148223a, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60746}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60746/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 430bf1ee8f40aa36185352b48148223a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_DropDown.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on User Details window	SKIPPED	0.001 s
3	When Admin/User/Staff clicks the drop down icon for User Role	SKIPPED	0.001 s
4	Then Admin/User/Staff should select from the drop down menu for user role	SKIPPED	0.000 s

Edit/Delete icon in each row




Validate the presence of Edit/Delete icon



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" data-bbox="190 1294 415 1373"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:	username	Password	xyz1234	kk12kk12	FAILED	1.018 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a4cfab58e7fe3e95ff3807edd57ee311, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60773}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60773/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a4cfab58e7fe3e95ff3807edd57ee311 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_EditOrDeleteIconInEachRow.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_EditOrDeleteIconInEachRow.feature:4)		
2	Given Admin/User/Staff is on any page after Login	SKIPPED	0.000 s
3	When Admin/User/Staff is on the Manage user page after clicking User Tab	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the buttons with edit/delete icon in each row of Edit/Delete coulmn	SKIPPED	0.001 s


Validate Functionality of delete button



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [15a6567d0cfda8678c972dfe4a05ecdf, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60799}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60799/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 15a6567d0cfda8678c972dfe4a05ecdf at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.070 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_EditOrDeleteIconInEachRow.feature:4) * Not displayable characters are replaced by '?'		
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks delete button	SKIPPED	0.000 s
4	Then Confirm dialog box should be displayed with Text "Are you sure you want to delete (selected user name)" , button with text No , the button with text yes and close icon	PASSED	0.000 s

Updating with Edit button




#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.352 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [748127486ba4dd668aef2e773a369371, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:60826}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60826/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 748127486ba4dd668aef2e773a369371 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	1.862 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)						
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.003 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s				
3	When Admin/User/Staff clicks Edit button	SKIPPED	0.001 s				
4	Then User Details dialog box should be displayed for editing	SKIPPED	0.000 s				


Email Id



Validating the Email address




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2b3272d00eed413cc8a7ba50ff9047e7, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60852}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60852/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2b3272d00eed413cc8a7ba50ff9047e7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_EmailID.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	username	Password	xyz1234	kk12kk12	FAILED	1.020 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on User Details window	SKIPPED	0.001 s				
3	When Admin/User/Staff clicks on Submit button after entering wrong email address	SKIPPED	0.000 s				
4	Then Admin/User/Staff see error message Invalid Email Address	SKIPPED	0.001 s				

ID**Verify ID functionality**


#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.376 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9959cbb16bbb4d4566393803cbe1b129, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:60925}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60925/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9959cbb16bbb4d4566393803cbe1b129 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</pre>	FAILED	1.869 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)						
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.003 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.000 s				
3	When Admin/User/Staff clicks ID in any row	SKIPPED	0.000 s				
4	Then Admin/User/Staff see dialog box displayed with user information	SKIPPED	0.000 s				

input fields



Verify the presence of input fields




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57dbe8f2540eebf820e8e71ae307ad95, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a57..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60944}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60944/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 57dbe8f2540eebf820e8e71ae307ad95 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_InputFields.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Add new user button	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the input fields for First Name, Middle Name, Last Name, Email Adress, Phone No, Address, City, State, Postal Code, Program, UG Program, PG Program, Skill, Experience, Admin/User/Staff Role, Visa Status, Batch, Comments corresponding to their labels	SKIPPED	0.001 s

Label Text




Verify the presence of Label Texts




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db5811b2deb601c38fd26b093f455f9d, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:60972}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60972/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: db5811b2deb601c38fd26b093f455f9d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.009 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_LabelText.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Add new user button	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the placeholders with Text As First name,Middle name, Lastname,Email Adress,Phone No, Address,City, State, Postal Code, Program, UG Program, PG Program, Skill, Experience, Admin/User/Staff Role, Visa Status, Batch, Comments	SKIPPED	0.001 s

Name field



Validating the User Details window with few fields empty




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="190 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [68a3b9336625e90b196375f8b00cd5c7, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60999}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60999/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 68a3b9336625e90b196375f8b00cd5c7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_NameField.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on User Details window	SKIPPED	0.000 s
3	When Admin/User/Staff clicks on Submit button after entering Few Field details	SKIPPED	0.000 s
4	Then Admin/User/Staff see error message Name Is Required	SKIPPED	0.001 s

Page Validation



Validate landing in Manage page




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:	username	Password	xyz1234	kk12kk12	FAILED	1.016 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7ec5758f3a611a81b8ea59ead2d8b657, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61025}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61025/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7ec5758f3a611a81b8ea59ead2d8b657 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_PageValidation.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_PageValidation.feature:4)		
2	Given Admin/User/Staff is on any page after Login	SKIPPED	0.001 s
3	When Admin/User/Staff clicks the Tab User	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the Manage user page	SKIPPED	0.000 s

Pagination




Validate the presence of pagination



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d60ae47776f8a14b3345858a87f80172, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61052/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d60ae47776f8a14b3345858a87f80172 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.008 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on any page after Login	SKIPPED	0.001 s
3	When Admin/User/Staff is on the Manage user page after clicking User Tab	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the text "Showing 1 to 4 of 4 entries" below the user table	SKIPPED	0.002 s


Validate the Pagination control with less rows



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.069 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e63a3a5443f29935fb59014f76cce25, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61080}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61080/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e63a3a5443f29935fb59014f76cce25 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4)		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Manage user table has less than or equal to 5 rows	SKIPPED	0.000 s
4	Then Pagination control should be disabled	SKIPPED	0.001 s


Validate the Pagination control with more than 5 rows



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbeef7f22b4c1383bd2906cb315d951a9, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61112}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61112/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bbeef7f22b4c1383bd2906cb315d951a9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Manage user table has more than 5 rows	SKIPPED	0.001 s
4	Then Pagination control should be enabled	SKIPPED	0.000 s


Verify pagination next link



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d1dca9707d7fa653315f991cefa1a9d9, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61140}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61140/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d1dca9707d7fa653315f991cefa1a9d9</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</p>	username	Password	xyz1234	kk12kk12	FAILED	1.066 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks next link of pagination	SKIPPED	0.000 s
4	Then Next page should be displayed	SKIPPED	0.000 s


Verify pagination next link after last record of user table



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.065 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9aca2734ea1c0e00d56542e0dc2fb09f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61192}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61192/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9aca2734ea1c0e00d56542e0dc2fb09f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given last page of Admin/User/Staff records are displayed	SKIPPED	0.000 s
3	When Admin/User/Staff clicks next link of pagination	SKIPPED	0.000 s
4	Then Next link of pagination should be disabled	SKIPPED	0.001 s


Verify pagination Previous link



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="190 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aea7e0b38d6d34e7e93768033adb8ccc, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61220}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61220/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aea7e0b38d6d34e7e93768033adb8ccc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.067 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks previous link of pagination	SKIPPED	0.000 s
4	Then previous page should be displayed	SKIPPED	0.001 s


Verify pagination previous link in first page of user table



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [82b0dae3ec7a7ad390c71036197fdc73, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61247}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61247/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 82b0dae3ec7a7ad390c71036197fdc73 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.010 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given First page of user table is displayed	SKIPPED	0.002 s
3	When Admin/User/Staff clicks previous link of pagination	SKIPPED	0.001 s
4	Then Previous link of pagination should be disabled	SKIPPED	0.001 s


Verify button with << icon



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.378 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	1.940 s


#	Step / Hook Details	Status	Duration				
	[bfd3430f6c23294a0f775095b41fe216, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61266}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61266/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bfd3430f6c23294a0f775095b41fe216 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)						
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.006 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s				
3	When Admin/User/Staff clicks << icon in pagination	SKIPPED	0.001 s				
4	Then Admin/User/Staff clicks should see the First page of the table	SKIPPED	0.000 s				

Verify button with >> icon



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e4bba7af3aa1f050feb2dac74fae0f8, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61294}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61294/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2e4bba7af3aa1f050feb2dac74fae0f8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4) * Not displayable characters are replaced by '?'.</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.068 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s				
3	When Admin/User/Staff clicks >> icon in pagination	SKIPPED	0.000 s				
4	Then Admin/User/Staff clicks should see the last page of the table	SKIPPED	0.000 s				


Verify the entry details below data table




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-top: 5px; border-collapse: collapse;"> <tr> <td style="padding: 2px;">username</td> <td style="padding: 2px;">Password</td> </tr> <tr> <td style="padding: 2px;">xyz1234</td> <td style="padding: 2px;">kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [91e687bb683fef2f3d3b9c8a63275aa4, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61322}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61322/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 91e687bb683fef2f3d3b9c8a63275aa4</p> <pre style="font-family: monospace; margin-top: 10px;"> at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) </pre>	username	Password	xyz1234	kk12kk12	FAILED	1.056 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Pagination.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.000 s
3	When Admin/User/Staff lands on Manage User page	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the text "Showing 1 to 4 of 4 entries" below the user table	SKIPPED	0.001 s

PhoneNumber



Validating the Phone number




#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff Logged on to LMS website username Password xyz1234 kk12kk12 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.	FAILED	1.019 s

#	Step / Hook Details	Status	Duration
	<pre>dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11a9a61ab635e2021f72e610d9c85bcc, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:61340}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61340/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 11a9a61ab635e2021f72e610d9c85bcc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_PhoneNumber.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff Enters more than 10 digits	SKIPPED	0.000 s
4	Then Admin/User/Staff see error message Invalid Input	SKIPPED	0.001 s

Postal Code



Validating Postal Code




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e07b7b4fb89375c341f210f7556af94b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:61371}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61371/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e07b7b4fb89375c341f210f7556af94b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_PostalCode.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff Enters more than 5 digits	SKIPPED	0.001 s
4	Then Admin/User/Staff see error message Invalid Input	SKIPPED	0.001 s

Search




Verify the presence of Input field for searching



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4e0491bdfe93043bb91729c98fde4960, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61400}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61400/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4e0491bdfe93043bb91729c98fde4960 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.029 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Search.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on any page after Login	SKIPPED	0.001 s
3	When Admin/User/Staff is on the Manage user page after clicking User Tab	SKIPPED	0.001 s
4	Then Admin/User/Staff see the Search Text box has text as "Search".	SKIPPED	0.001 s


Verify the presence of search icon and text in the search input filed



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d826bacb893dced18b25619d9291664c, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61436}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61436/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d826bacb893dced18b25619d9291664c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Search.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on any page after Login	SKIPPED	0.001 s
3	When Admin/User/Staff is on the Manage user page after clicking User Tab	SKIPPED	0.001 s
4	Then Admin/User/Staff should see the search input field with search icon and text as Search	SKIPPED	0.000 s


Verify the functionality of search



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">username</td> <td style="padding: 2px;">Password</td> </tr> <tr> <td style="padding: 2px;">xyz1234</td> <td style="padding: 2px;">kk12kk12</td> </tr> </table> </div>	username	Password	xyz1234	kk12kk12	FAILED	1.067 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [19580902affa07d9ab57173db749de00, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a57..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61469}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61469/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 19580902affa07d9ab57173db749de00 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Search.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff types Name to search	SKIPPED	0.000 s
4	Then Rows with the name should be displayed	SKIPPED	0.002 s

Verify the functionality of search




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="190 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cec6534b2803547a3201d9503e33c10d, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61497}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61497/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cec6534b2803547a3201d9503e33c10d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_Search.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff types random text in search field which has no matching entry	SKIPPED	0.000 s
4	Then No rows is displayed	SKIPPED	0.000 s

State



Validating State dropdown




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:</p>	username	Password	xyz1234	kk12kk12	FAILED	1.019 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f0031ffdfb48194bd25bb04172387c4f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61516}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61516/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f0031ffdfb48194bd25bb04172387c4f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_State.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_State.feature:4)		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks on state dropdown	SKIPPED	0.000 s
4	Then Admin/User/Staff see list of states in Alphabetical Order	SKIPPED	0.001 s

Submit button




Verify the presence of Submit button in User Details window




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b66330cbe38a6783deb7408994e3f23f, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:61545}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61545/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b66330cbe38a6783deb7408994e3f23f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.069 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_SubmitButton.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.000 s
3	When Admin/User/Staff clicks Add new user button	SKIPPED	0.000 s
4	Then Admin/User/Staff should see a button with text as Submit in user details window	SKIPPED	0.000 s

Submit button functionality




Validating the User Details window with all fields empty



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8fcf73d3cd61c55f60cc723b596914ed, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61572}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61572/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8fcf73d3cd61c55f60cc723b596914ed at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_SubmitButtonFunctionality.feature:4) * Not displayable characters are replaced by '?'		
2	Given Admin/User/Staff is on User Details window	SKIPPED	0.000 s
3	When Admin/User/Staff clicks submit button with all details empty	SKIPPED	0.000 s
4	Then Admin/User/Staff should see a Error message Mandatory Fields Cannot Be Empty	SKIPPED	0.001 s

Adding new User




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [620ffcdcc1e0e3f1a55e99c696a207c7, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61598/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 620ffcdcc1e0e3f1a55e99c696a207c7</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</p>	username	Password	xyz1234	kk12kk12	FAILED	1.067 s
username	Password						
xyz1234	kk12kk12						


#	Step / Hook Details	Status	Duration																																				
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_SubmitButtonFunctionality.feature:4) * Not displayable characters are replaced by '?'. </pre>																																						
2	Given Admin/User/Staff is on User Details window	SKIPPED	0.001 s																																				
3	<p>When Admin/User/Staff clicks Submit button by entering all valid values in required fields</p> <table border="1"> <tr> <th>Fields</th><th>Values</th></tr> <tr> <td>First name</td><td>Jerry</td></tr> <tr> <td>Middle name</td><td>John</td></tr> <tr> <td>Last name</td><td>Kris</td></tr> <tr> <td>Email address</td><td>testuser@abc.com</td></tr> <tr> <td>Phone no</td><td>1234567898</td></tr> <tr> <td>Address</td><td>365 milton place</td></tr> <tr> <td>City</td><td>abcd</td></tr> <tr> <td>State</td><td>California</td></tr> <tr> <td>Postal Code</td><td>12345</td></tr> <tr> <td>Program</td><td>abcd123</td></tr> <tr> <td>UG Program</td><td>Hello World</td></tr> <tr> <td>PG Program</td><td>xyz123</td></tr> <tr> <td>Skill</td><td>abc</td></tr> <tr> <td>Experience</td><td>qrst</td></tr> <tr> <td>User Role</td><td>Test user</td></tr> <tr> <td>Visa Status</td><td>1 year</td></tr> <tr> <td>Batch</td><td>plan</td></tr> </table>	Fields	Values	First name	Jerry	Middle name	John	Last name	Kris	Email address	testuser@abc.com	Phone no	1234567898	Address	365 milton place	City	abcd	State	California	Postal Code	12345	Program	abcd123	UG Program	Hello World	PG Program	xyz123	Skill	abc	Experience	qrst	User Role	Test user	Visa Status	1 year	Batch	plan	SKIPPED	0.002 s
Fields	Values																																						
First name	Jerry																																						
Middle name	John																																						
Last name	Kris																																						
Email address	testuser@abc.com																																						
Phone no	1234567898																																						
Address	365 milton place																																						
City	abcd																																						
State	California																																						
Postal Code	12345																																						
Program	abcd123																																						
UG Program	Hello World																																						
PG Program	xyz123																																						
Skill	abc																																						
Experience	qrst																																						
User Role	Test user																																						
Visa Status	1 year																																						
Batch	plan																																						

#	Step / Hook Details	Status	Duration
	Comments Good		
4	Then Admin/User/Staff see Success message New User Created Should be Saved	SKIPPED	0.001 s

Table header




Validating Table header



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a4e70b3d8840e235e5601b60a578b4f0, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61625/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true}</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.014 s
username	Password						
xyz1234	kk12kk12						


#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} Session ID: a4e70b3d8840e235e5601b60a578b4f0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_TableHeader.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on any page after Login	SKIPPED	0.001 s
3	When Admin/User/Staff is on the Manage user page after clicking User	SKIPPED	0.002 s
4	Then Admin/User/Staff should see the table header as "Empty checkbox-icon , ID with sort icon, Name with Sort icon, Email Address with sort icon, Contact Number with sort icon, Batch with sort icon, Skill with Sort icon, Edit/Delete as column names	SKIPPED	0.001 s

Verify the functionality of sort icon present in table header



#	Step / Hook Details	Status	Duration				
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.322 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [06cebef1114fe04b6becd9df466a3fad, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:61662}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61662/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 06cebef1114fe04b6becd9df466a3fad at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)</pre>	FAILED	1.970 s				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.003 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s				
3	When Admin/User/Staff clicks sort icon in table header	SKIPPED	0.001 s				
4	Then Table rows should be sorted	SKIPPED	0.000 s				


Check box in table header



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db567cf70468f29188790d8885144819, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61681}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61681/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: db567cf70468f29188790d8885144819 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_TableHeader.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff checks empty checkbox in header	SKIPPED	0.001 s
4	Then Check box in all the rows of user table should be checked	SKIPPED	0.000 s

Check box in table header




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b04b753d206775821090bbbe57c145b, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61709}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61709/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4b04b753d206775821090bbbe57c145b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.069 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_TableHeader.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff table is displayed in manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff unchecks checkbox in header	SKIPPED	0.001 s
4	Then Check box in all the rows of user table should be unchecked	SKIPPED	0.001 s

UG Program




Validating UG Program Dropdown




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="190 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9bb4e6a78b1ae14101a764dc279f44a, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61737}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61737/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d9bb4e6a78b1ae14101a764dc279f44a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.017 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_UGProgram.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks on UG Program dropdown	SKIPPED	0.001 s
4	Then Admin/User/Staff see list of UG Program	SKIPPED	0.000 s

"User Details" Window



Verify the heading of User Details window




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:	username	Password	xyz1234	kk12kk12	FAILED	1.016 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9c7d3bfa65525f454281b7dff0860ae1, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61765}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61765/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9c7d3bfa65525f454281b7dff0860ae1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_UserDetailsWindow.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_UserDetailsWindow.feature:4)		
2	Given Admin/User/Staff is on Manage user page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Add new user button	SKIPPED	0.000 s
4	Then Admin/User/Staff should see User Details window with text as "User Details"	SKIPPED	0.001 s

Validating Address line




Validating Address line in User Details window




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [570730eebe4aec03291ac9f2b57a4ecb, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:61793}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61793/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 570730eebe4aec03291ac9f2b57a4ecb at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.070 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/5User_ValidatingAddressLine.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on User Details window	SKIPPED	0.001 s
3	When Admin/User/Staff clicks the button Add C/O, Apt, Suite, Unit	SKIPPED	0.000 s
4	Then Admin/User/Staff should see the input field with Label New Address2	SKIPPED	0.000 s

Add New Assignment Functionality




Validate Add New Assignment button



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Admin/User Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions.Assignment.admin_User_Logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Admin/User Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.007 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75) </pre>		
2	Given Admin/User is on Manage Assignment page	SKIPPED	0.001 s
3	When Admin/User clicks a Add New Assignment button	SKIPPED	0.001 s
4	Then Admin/User should see a message "Staff only have access to add New Assignment"	SKIPPED	0.001 s


validate New assignment



#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre> org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.373 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c3001bf882c0528ca149507b11d9cafe, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61833}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61833/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss </pre>	FAILED	1.865 s

#	Step / Hook Details	Status	Duration				
	<pre>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c3001bf882c0528ca149507b11d9cafe at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)</pre>						
1	<p>Given Admin/user/Staff logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.004 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on Assignments page	SKIPPED	0.001 s				
3	When Admin/User/Staff clicks on Assignment	SKIPPED	0.001 s				
4	Then Admin/User/Staff should see a newly added Assignment	SKIPPED	0.001 s				

Validate Add New Assignment button




#	Step / Hook Details	Status	Duration				
1	<p>Given Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	0.003 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions. Assignment.staff_Logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)</pre>		
2	Given Staff is on Manage Assignment page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	When Staff clicks a Add new assignment button	SKIPPED	0.001 s
4	Then Staff should see Assignment details window	SKIPPED	0.000 s


No details Entered in Assignment Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions'. Assignment.staff_Logged_on_to_LMS_website()' . However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.003 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Assignment Details page	SKIPPED	0.002 s
3	When Staff clicks on Save after leaving all the fields empty	SKIPPED	0.001 s
4	Then Staff should see an error message "Name is required"	SKIPPED	0.001 s

Staff Validate Assignment Details window with entering all fields




#	Step / Hook Details	Status	Duration
1	Given Staff Logged on to LMS website username Password	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	xyz1234 kk12kk12 io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions'. Assignment.staff_Logged_on_to_LMS_website(). However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Assignment Details page	SKIPPED	0.001 s
3	When Staff clicks Save button after entering assignment name,assignment description,assignment Grade and DueDate	SKIPPED	0.001 s
4	Then Staff should see a message "New Assignment successfully added"	SKIPPED	0.000 s


Staff Click Cancel in Assignment Details window



#	Step / Hook Details	Status	Duration				
1	<p>Given Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions'. Assignment.staff_Logged_on_to_LMS_website(). However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.004 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Assignment Details page	SKIPPED	0.001 s
3	When Staff clicks cancel button with entering all fields	SKIPPED	0.001 s
4	Then Staff should see a Assignment details window is closed	SKIPPED	0.001 s

Validate Manage button in Assignment Grade




#	Step / Hook Details	Status	Duration				
1	<p>Given Staff Logged on to LMS website</p> <table border="1" data-bbox="179 190 415 262"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <p>io.cucumber.core.exception.CucumberException: Step [Staff Logged on to LMS website] is defined with 0 parameters at 'stepDefinitions. Assignment.staff_Logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff Logged on to LMS website</p> <pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) </pre>	username	Password	xyz1234	kk12kk12	FAILED	0.004 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Assignment Details page	SKIPPED	0.001 s
3	When Staff clicks manage button under Assignment Grade	SKIPPED	0.001 s
4	Then Staff should be navigated to Grade Window	SKIPPED	0.001 s

Assignment Google form




Admin clicks Assignment Name



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin Logged on to LMS Website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6829b7acb7eaeba86fc084fe6a512ca1, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62}</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.012 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	(1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61969/devtoo... se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6829b7acb7eaeba86fc084fe6a512ca1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqaqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqaqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqaqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqaqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_logged_on_to_lms_website(LoginUsers.java:27) at ?.Admin Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_AssignmentGoogleFormAdmin.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin Logged on to LMS Website	SKIPPED	0.002 s
3	When Admin clicks on Assignment Name	SKIPPED	0.000 s
4	Then Admin should see a warning message "you dont have access"	SKIPPED	0.000 s


Admin/User/Staff clicks Assignment Name



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [df237fa507f7c4343e05c7b183ed8fa3, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61996}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61996/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: df237fa507f7c4343e05c7b183ed8fa3 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_AssignmentGoogleFormAll.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Assignment page	SKIPPED	0.000 s
3	When Admin/User/Staff clicks on Assignment Name	SKIPPED	0.000 s
4	Then Admin/User/Staff should be navigated to Assignment Google form page	SKIPPED	0.000 s


Admin/User/Staff validate assignment Google form with entering all fields



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="190 976 415 1040"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a6dc3e6828e9ad137e20af5e9fbe0e58, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62023}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62023/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a6dc3e6828e9ad137e20af5e9fbe0e58 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.065 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_AssignmentGoogleFormAll.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Assignment Google form page	SKIPPED	0.000 s
3	When Admin/User/Staff clicks on submit button after entering all questions and mail id	SKIPPED	0.000 s
4	Then Admin/User/Staff should see a message as "Assignment Google form submitted successfully"	SKIPPED	0.001 s


Admin/User/Staff validate assignment Google form leaving empty



#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" data-bbox="181 1383 422 1446"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	1.009 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3b9a51a48f84d3668dacd9e6cf31ef, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a57..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62050}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62050/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b3b9a51a48f84d3668dacd9e6cf31ef at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_AssignmentGoogleFormAll.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Assignment page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks on submit button after leaving all questions and mail id	SKIPPED	0.000 s
4	Then Admin/User/Staff should get a warning message "Must enter the mandatory fields"	SKIPPED	0.000 s


Admin/User/Staff Validate Assignment google form after clicking clear button



#	Step / Hook Details	Status	Duration				
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.335 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bdb9aad8029643ccb3bcb662e8ceb641, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62080}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62080/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bdb9aad8029643ccb3bcb662e8ceb641 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)	FAILED	1.876 s				
1	Given Admin/User/Staff Logged on to LMS website <table border="1"><tr><td>username</td><td>Password</td></tr><tr><td>xyz1234</td><td>kk12kk12</td></tr></table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.003 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on Assignment page	SKIPPED	0.001 s				
3	When Admin/User/Staff clicks clear form button after entering all questions and mail id	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
4	Then Admin/User/Staff should see a message as "Assignment Google form cleared successfully"	SKIPPED	0.000 s

Admin/User/Staff clicks Switch account




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fc2e97f6dd5635b8a23bb86d8bf52077, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62106/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fc2e97f6dd5635b8a23bb86d8bf52077 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.015 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_AssignmentGoogleFormAll.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin/User/Staff is on Assignment page	SKIPPED	0.001 s
3	When Admin/User/Staff clicks Switch account link	SKIPPED	0.000 s
4	Then Admin/User/Staff should see a message as "Switched over the account Successfully"	SKIPPED	0.000 s

Checkbox Functionality



Admin validate check box on the left side to the Assignment Name




#	Step / Hook Details	Status	Duration
1	Given Admin logged on to LMS website	FAILED	0.002 s

#	Step / Hook Details	Status	Duration				
	<table border="1" data-bbox="179 150 422 222"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Admin logged on to LMS website] is defined with 0 parameters at 'stepDefinitions. Assignment.admin_logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Admin logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85)</pre>	username	Password	xyz1234	kk12kk12		
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Admin is on Manage Assignment page	SKIPPED	0.001 s
3	When Admin clicks check box on the left side to the Assignment Name	SKIPPED	0.000 s
4	Then Admin should see a warning message "Admin dont have access "	SKIPPED	0.000 s


Admin validate individual checkbox



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Admin logged on to LMS website] is defined with 0 parameters at 'stepDefinitions. Assignment.admin_logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Admin logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.004 s
username	Password						
xyz1234	kk12kk12						


#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Admin is on Manage Assignment page	SKIPPED	0.001 s
3	When Admin clicks individual checkbox button	SKIPPED	0.001 s
4	Then Admin should see a warning message "Admin dont have access "	SKIPPED	0.000 s

Admin/User/Staff validate check box on the left side to the Assignment Name



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d01cd435030c7b5e1054a839586dc7ea, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62186}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62186/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d01cd435030c7b5e1054a839586dc7ea at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_CheckboxFunctionalityAll.feature:4) * Not displayable characters are replaced by '?'.</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.010 s
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on Manage Assignment page	SKIPPED	0.001 s				
3	When Admin/User/Staff clicks check box on the left side to the Assignment Name	SKIPPED	0.001 s				
4	Then Admin/User/Staff should see a enabled delete button on the top left	SKIPPED	0.000 s				


User/Staff validate individual checkbox




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2c1395e4b0367a58045bfddea28d35d9, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62213}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62213/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c1395e4b0367a58045bfddea28d35d9 at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.011 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_CheckboxFunctionalityAll.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff is on Assignments page	SKIPPED	0.000 s
3	When Admin/User/Staff clicks individual checkbox button	SKIPPED	0.000 s
4	Then Admin/User/Staff should see a delete button on the top left	SKIPPED	0.001 s

Delete Assignment Functionality



Admin clicks delete button




#	Step / Hook Details	Status	Duration
1	Given Admin logged on to LMS website username Password xyz1234 kk12kk12 io.cucumber.core.exception.CucumberException: Step [Admin logged on to LMS website] is defined with 0 parameters at 'stepDefinitions'. Assignment.admin_logged_on_to_LMS_website()' . However, the gherkin step has 1 arguments: * Table: username Password	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	xyz1234 kk12kk12 Step text: Admin logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Admin is on Manage Assignment page	SKIPPED	0.001 s
3	When Admin clicks on delete button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	Then Admin should see a message "Staff only have access"	SKIPPED	0.000 s


Admin/User/Staff clicks Assignment Name



#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.setUp()</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.275 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6221cb511ec4dfb7290641c2fe418917, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDatadir: C:\Users\Arivoli\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:62267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62267/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6221cb511ec4dfb7290641c2fe418917 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)}</pre>	FAILED	1.974 s
1	Given Admin/User/Staff Logged on to LMS website	SKIPPED	0.003 s

#	Step / Hook Details	Status	Duration				
	<table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12		
username	Password						
xyz1234	kk12kk12						
2	Given Admin/User/Staff is on Manage Assignment page	SKIPPED	0.001 s				
3	When Admin/User/Staff clicks on delete button	SKIPPED	0.001 s				
4	Then Admin/User/Staff should see a message "Staff only have access"	SKIPPED	0.000 s				


Staff clicks delete button



#	Step / Hook Details	Status	Duration				
1	<p>Given Staff logged on to LMS website</p> <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Staff logged on to LMS website] is defined with 0 parameters at 'stepDefinitions. Assignment.staff_logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.003 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Manage Assignment page	SKIPPED	0.001 s
3	When Staff clicks on delete button on the right side	SKIPPED	0.001 s
4	Then Staff should see a Delete Confirmation window as "All Assignment Deleted Successfully"	SKIPPED	0.000 s


Staff click Yes in Delete confirmation window



#	Step / Hook Details	Status	Duration				
1	<p>Given Staff logged on to LMS website</p> <table border="1" data-bbox="179 190 415 262"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Staff logged on to LMS website] is defined with 0 parameters at 'stepDefinitions.Assignment.staff_logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.004 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Delete Confirmation window	SKIPPED	0.001 s
3	When Staff clicks Yes	SKIPPED	0.000 s
4	Then Staff should see a message "Assignment Deleted Successfully"	SKIPPED	0.000 s

Staff clicks No button in Delete confirmation window




#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.329 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9d85ca76235d0c988b4c345aad168da0, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDatadir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:62353}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62353/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9d85ca76235d0c988b4c345aad168da0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)	FAILED	1.921 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)		
1	Given Staff logged on to LMS website username Password xyz1234 kk12kk12	SKIPPED	0.003 s
2	Given Staff is on Delete Confirmation window	SKIPPED	0.001 s
3	When Staff clicks No	SKIPPED	0.001 s
4	Then Confirmation delete window should be closed successfully	SKIPPED	0.000 s

Delete Multiple Assignment Functionality




Admin/User/Staff Validate Disabled delete button



#	Step / Hook Details	Status	Duration
1	Given Admin/User/Staff Logged on to LMS website username Password xyz1234 kk12kk12	FAILED	1.043 s

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e767969137b84349c693b29760087690, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62380}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62380/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e767969137b84349c693b29760087690 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_DeleteMultipleAssignmentFunctionalityAll.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	Given Admin/User/Staff is on Assignments page	SKIPPED	0.000 s
3	When Admin/User/Staff clicks on delete button on the top left	SKIPPED	0.000 s
4	Then Admin/User/Staff/ should see a disabled delete button	SKIPPED	0.001 s


Staff validate delete button on the top left



#	Step / Hook Details	Status	Duration				
1	<p>Given Staff logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step [Staff logged on to LMS website] is defined with 0 parameters at 'stepDefinitions.Assignment.staff_logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</pre>	username	Password	xyz1234	kk12kk12	FAILED	0.003 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	Given Staff is on Manage Assignment page	SKIPPED	0.001 s
3	When Staff clicks delete button on the top after selecting multiple checkbox	SKIPPED	0.000 s
4	Then Staff should see a Delete confirm window	SKIPPED	0.000 s


Staff click Yes in Delete confirmation window



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 0.374 (Session info: chrome=107.0.5304.122) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0376e56b7290ced3deffcb2aeadd974, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...), userDataDir: C:\Users\Arivoli\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:62426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62426/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss	FAILED	1.868 s

#	Step / Hook Details	Status	Duration				
	<pre>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0376e56b7290ced3deffcba2aeadd974 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at baseClass.TestBase.Initialization(TestBase.java:56) at stepDefinitions.Hooks.setUp(Hooks.java:13)</pre>						
1	Given Staff logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	SKIPPED	0.002 s
username	Password						
xyz1234	kk12kk12						
2	Given Staff is on Delete Confirmation window	SKIPPED	0.001 s				
3	When Staff clicks Yes	SKIPPED	0.000 s				
4	Then Staff should see a message "All Assignments are deleted Successfully"	SKIPPED	0.000 s				

Staff click No in Delete confirmation window



#	Step / Hook Details	Status	Duration				
1	Given Staff logged on to LMS website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table>	username	Password	xyz1234	kk12kk12	FAILED	0.003 s
username	Password						
xyz1234	kk12kk12						


#	Step / Hook Details	Status	Duration
	<pre>io.cucumber.core.exception.CucumberException: Step [Staff logged on to LMS website] is defined with 0 parameters at 'stepDefinitions. Assignment.staff_logged_on_to_LMS_website()'. However, the gherkin step has 1 arguments: * Table: username Password xyz1234 kk12kk12 Step text: Staff logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)</pre>		
2	Given Staff is on Delete Confirmation window	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	When Staff clicks No	SKIPPED	0.000 s
4	Then Confirmation delete window should be closed successfully	SKIPPED	0.000 s

Header validation



Validating Assignment Heading




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 1048 426 1111"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bb286dc6fc7034995202b99de2912966, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62751}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62751/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bb286dc6fc7034995202b99de2912966</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.022 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/6Assignment_Header.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin/User/Staff clicks on Assignment Page	SKIPPED	0.001 s
3	Then Admin/User/Staff see header text "Manage Assignment"	SKIPPED	0.000 s

Absent Functionality



Verifying the Functionality of a Absent button




#	Step / Hook Details	Status	Duration				
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c00a5224d98bdf4abc95577d31a5c4ec, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62777}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62777/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c00a5224d98bdf4abc95577d31a5c4ec at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.059 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_AbsentFunctionality.feature:4) * Not displayable characters are replaced by '?'.		
2	Given Admin/User/Staff will be on Manage Attendance Page	SKIPPED	0.000 s
3	When Admin/User/Staff Clicks on Absent	SKIPPED	0.000 s
4	Then Admin/User/Staff see the list of "User Name" who are Absent	SKIPPED	0.000 s

Verify the Edit Button




Verify the Edit Button



#	Step / Hook Details	Status	Duration				
1	Given User/Staff Logged on to LMS Website <table border="1"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:	username	Password	xyz1234	kk12kk12	FAILED	1.088 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0988bb25469a5468c306ef7c372f24df, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62912}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62912/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0988bb25469a5468c306ef7c372f24df at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_EditFunctionality01.feature:4) * Not displayable characters are replaced by '?'.		
2	Given User/Staff is on the Manage Attendance page	SKIPPED	0.001 s
3	When User/Staff Clicks on Edit button	SKIPPED	0.001 s
4	Then Admin see header text as "Attendance Details"	SKIPPED	0.000 s

Verify the Edit Button




#	Step / Hook Details	Status	Duration				
1	<p>Given User/Staff Logged on to LMS Website</p> <table border="1" data-bbox="179 531 415 595"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip: '192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c78034d11dd5f64d7928ae600c304060, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:63069}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63069/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c78034d11dd5f64d7928ae600c304060 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	username	Password	xyz1234	kk12kk12	FAILED	1.013 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.user_staff_logged_on_to_lms_website(LoginUsers.java:35) at ?.User/Staff Logged on to LMS Website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_EditFunctionality03.feature:4) * Not displayable characters are replaced by '?'.		
2	Given User/Staff is on the Manage Attendance page	SKIPPED	0.000 s
3	When User/Staff Clicks on Edit button	SKIPPED	0.000 s
4	Then Admin see header text as "Attendance Details"	SKIPPED	0.001 s

Present Functionality



Verifying the Functionality of a Present button




#	Step / Hook Details	Status	Duration				
1	Given Admin/User/Staff Logged on to LMS website <table border="1" data-bbox="179 1294 415 1365"> <tr> <td>username</td> <td>Password</td> </tr> <tr> <td>xyz1234</td> <td>kk12kk12</td> </tr> </table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_username"} (Session info: chrome=107.0.5304.122) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-EOOD945', ip:	username	Password	xyz1234	kk12kk12	FAILED	1.068 s
username	Password						
xyz1234	kk12kk12						

#	Step / Hook Details	Status	Duration
1	'192.168.1.101', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2c440555b90bb7c1d2dfbf9f21e63a14, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.122, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\Arivoli\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:63240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63240/devtoo..., se:cdpVersion: 107.0.5304.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c440555b90bb7c1d2dfbf9f21e63a14 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.LoginPage.userNameTxt(LoginPage.java:42) at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_PresentFunctionality.feature:4) * Not displayable characters are replaced by '?'. at stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(LoginUsers.java:19) at ?.Admin/User/Staff Logged on to LMS website(file:///C:/Users/Arivoli/eclipse-workspace/LMS-20221128T034204Z-001/LMS/src/test/resources/features/7Attendance_PresentFunctionality.feature:4)		
2	Given Admin/User/Staff will be on ManageAttendancepage	SKIPPED	0.001 s
3	When Admin/User/Staff Clicks on Present	SKIPPED	0.000 s
4	Then Admin/User/Staff see the list of "User Name" who are Present	SKIPPED	0.000 s

LogOut button



Validating LogOut Button



#	Step / Hook Details	Status	Duration
1	<p>Given Admin/User/Staff Logged on to LMS website</p> <pre>io.cucumber.core.exception.CucumberException: Step [Admin\User\Staff Logged on to LMS website] is defined with 1 parameters at 'stepDefinitions.LoginUsers.admin_user_staff_Logged_on_to_lms_website(io.cucumber.datatable.DataTable)'. However, the gherkin step has 0 arguments. Step text: Admin/User/Staff Logged on to LMS website at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:134) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:252) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:141) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:112) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.apache.maven.surefire.util.ReflectionUtils.invokeMethodWithArray(ReflectionUtils.java:189) at org.apache.maven.surefire.booter.ProviderFactory\$ProviderProxy.invoke(ProviderFactory.java:165) at org.apache.maven.surefire.booter.ProviderFactory.invokeProvider(ProviderFactory.java:85) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:115) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:75)		
2	When Admin/User/Staff Clicks on LogOut button	SKIPPED	0.001 s
3	Then Admin/User/Staff should be navigated to Login Screen	SKIPPED	0.001 s