

Bilkent University

Department of Computer Engineering

CS 353 Database Management Systems Term Project Design Report BookHub

Project Group Members

Adil Meriç 21802660 Arda Akça Büyük 21802835

Emin Adem Buran 21703279

Onur Oruç 21702381

April 2, 2021


Table of Contents

1. Revised ER	4
2. Table Schemas:	5
2.1 Quote	5
2.2 Book	6
2.3 Edition	7
2.4 Quiz	8
2.5 Question	9
2.6 Series	10
2.7 Participate_in	11
2.8 Edit_Request	12
2.9 Booklist	13
2.10 Contains	14
2.11 Follows	15
2.12 Recommend_Booklist	16
2.13 Participate	17
2.14 Challenge	18
2.15 Post	19
2.16 Likes_post	20
2.17 Recommend_Book	21
2.18 Replies	22
2.19 Friends	23
2.20 Comment	24
2.21 Likes_qoute	25
2.22 Likes_comment	26
2.23 Reads	27
2.24 User	28
2.25 Librarian	29
2.26 Author	30
2.27 Responds	31
3. User Interface	32

3.1 Login Page	32
3.2 Register Page	33
3.3 Main Page	34
3.4 Challenge Notification	35
3.5 Search Books	36
3.6 Search User	37
3.7 Search Author	38
3.8 Book Page	39
3.9 Add Progress	40
3.10 User Profile	41
3.11 Create Book List	44
3.12 Book List	46
3.13 Author Profile	47
3.14 Create Edition of Book	48
3.15 Publish Book Pop-up	49
3.16 Librarian Profile Page	50
3.17 Request Details Pop-up	51
3.18 Create Challenge Pop-up	53
3.19 Challenge Information Page	54
3.20 Quiz Pop-up	55
3.21 Prepare Quiz	56
3.22 Erroneous Information Request Pop-up	57
3.23 Challenges Page	58
3.24 Post Page	59
3.25 Book Review Page	61
3.26 Quotes Page	62
3.27 Post Review Pop-up	63
3.28 Reply Post	64
3.29 Post Quote Pop-up	65
3.30 Recommend Book	66

5. Website 67

1. Revised ER



2. Table Schemas:

2.1 Quote

Relational Model

Quote(quote_id, text, tag, book_id, user_id)

Foreign Key: book_id references to Book

user_id references to User

Candidate Key: {quote_id}

Table Definition

create table Quote(

quote_id int AUTO INCREMENT,

text varchar(300) NOT NULL,

tag varchar(50) NOT NULL,

book_id int NOT NULL,

user id int NOT NULL,

primary key(quote_id),

foreign key(book_id) references Book,

foreign key(user_id) references User

);

2.2 Book

Relational Model

Book(book_id, book_name, description, author, genre, year, author_id)

Foreign Key: author id references to Author

Candidate Key: {book_id}

Table Definition

create table Book(

book_id int AUTO INCREMENT,

book name varchar(75) NOT NULL,

author varchar(50) NOT NULL,

genre varchar(40) NOT NULL,

year int NOT NULL,

description varchar(600) NOT NULL,

author_id int NOT NULL,

primary key(book_id),

foreign key(author_id) references Author);

2.3 Edition

Relational Model

Edition(edition_no, book_id, page_count, publisher, language, format, cover_photo, translator)

Foreign Key: book_id references to Book

Candidate Key: {(edition_no, book_id)}

Table Definition

create table Edition(

edition_no int AUTO INCREMENT,

book id int NOT NULL,

page_count int NOT NULL,

publisher varchar(40) NOT NULL,

language varchar(15) NOT NULL,

format varchar(30) NOT NULL,

cover photo varbinary(50) NOT NULL,

translator varchar(30),

primary key(edition_no, book_id),

foreign key(book id) references Book

);

2.4 Quiz

Relational Model

Quiz(quiz_id, quiz_name, start_date, end_date, librarian_id)

Foreign Key: librarian id references to Librarian

Candidate Key: {quiz_id}

Table Definition

create table Quiz(

quiz_id int AUTO INCREMENT,

quiz_name varchar(300) NOT NULL,

librarian_id int NOT NULL,

start date date NOT NULL,

end_date date NOT NULL,

primary key(quiz_id),

foreign key(librarian_id) references Librarian);

2.5 Question

Relational Model

Question(<a href="question_id", question_text", answer, option_a, option_b, option_c, option_d, quiz_id", librarian id, points)

Foreign Key: quiz id references to Quiz

librarian id references to Librarian

Candidate Key: {question id}

Table Definition

create table Question(

question_id int AUTO INCREMENT,

quiz id int NOT NULL,

librarian id int NOT NULL,

question_text varchar(300) NOT NULL,

answer char(1) NOT NULL,

option_a varchar(200) NOT NULL,

option_b varchar(200) NOT NULL,

option c varchar(200) NOT NULL,

option_d varchar(200) NOT NULL,

points int NOT NULL,

primary key(question id),

foreign key(quiz id) references Quiz,

foreign key(librarian_id) references Librarian);

2.6 Series

Relational Model

series(sequel_id, original_id, series_name)

Foreign Key: sequel_id references to Book

original_id references to Book

Candidate Key: {(sequel_id, original_id)}

Table Definition

create table Series(

sequel_id int NOT NULL,

original_id int NOT NULL,

series name varchar(30) NOT NULL,

primary key(sequel_id, original_id),

foreign key(original_id) references Book,

foreign key(sequel_id) references Book,

);

2.7 Participate_in

Relational Model

Participate in (<u>quiz id, user id, question id,</u> user answer)

Foreign Key: quiz id references to Quiz

user id references to User

question_id references to Question

Candidate Key: {(quiz id, user id, question id)}

Table Definition

create table Participate in(

quiz_id int NOT NULL,

user id int NOT NULL,

question id int NOT NULL,

user_answer char(1),

primary key(quiz_id, user_id, question_id),

foreign key(quiz_id) references Quiz,

foreign key(user id) references User,

foreign key(question id) references Question);

2.8 Edit Request

Relational Model

Edit_Request(edit_id, new_book_name, new_book_author, new_book_genre, new_book_year, new_book_edition_no, new_book_page_count, new_book_publisher, new_book_language, new_book_format, new_book_cover_photo, new_book_translator, additional_notes, user_id, book_id, date)

Foreign Key: book id references to Book

(new book edition no, book id) references to Edition

user id references to User

Candidate Key: {edit id}

Table Definition

create table Edit_Request(

<u>edit id</u> <u>int AUTO INCREMENT,</u>

new book name varchar(75),

new book author varchar(50),

new book genre varchar(40),

new book year int,

new book page count int,

new book publisher varchar(40),

new book language varchar(40),

new_book_format varchar(30),

new book cover photo varbinary(40),

additional_notes varchar(300),

user_id int NOT NULL,

book id int NOT NULL,

date NOT NULL,

primary key(edit id),

foreign key(new book edition no, book id) references Edition,

foreign key(book id) references Book,

foreign key(user_id) references User);

2.9 Booklist

Relational Model

Booklist (<u>list_id</u>, list_name, description, user_id)

Foreign Key: user_id references to User

Candidate Key: {list_id}

Table Definition

create table Booklist(

list_id int AUTO INCREMENT,

list_name varchar(30) DEFAULT 'Madness',

description varchar(300) DEFAULT 'Description',

user id int NOT NULL,

primary key(list_id),

foreign key(user_id) references User);

2.10 Contains

Relational Model

Contains (<u>list_id</u>, <u>book_id</u>)

Foreign Key: list_id references to Booklist

book_id references to Book

Candidate Key: {(list_id, book_id)}

Table Definition

create table Contains (

list_id int NOT NULL,

book_id int NOT NULL,

primary key(list_id, book_id),

foreign key(list_id) references Booklist,

foreign key(book_id) references Book);

2.11 Follows

Relational Model

Follows (<u>list_id</u>, <u>user_id</u>)

Foreign Key: list_id references to Booklist

user_id references to User

Candidate Key: {(list_id, user_id)}

Table Definition

create table Follows (

list_id int NOT NULL,

user_id int NOT NULL,

primary key(list_id, user_id),

foreign key(list_id) references Booklist,

foreign key(user_id) references User);

2.12 Recommend Booklist

Relational Model

Recommend Booklist(<u>list id</u>, <u>recommended id</u>, <u>recommender id</u>)

Foreign Key: list_id references to Booklist

recommended_id references to User

recommender_id references to User

Candidate Key: {(list id, recommended id, recommender id)}

Table Definition

create table Recommend Booklist (

list id int NOT NULL,

recommended id int NOT NULL,

recommender id int NOT NULL,

primary key(list_id, recommended_id, recommender_id),

foreign key(list id) references Booklist,

foreign key(recommended_id) references User,

foreign key(recommender_id) references User);

2.13 Participate

Relational Model

Participate (<u>list_id</u>, challenge_id, user_id, challenge_progress)

Foreign Key: list id references to Booklist

challenge_id references to Challenge

user_id references to User

Candidate Key: {(list id, challenge id, user id)}

Table Definition

);

create table Participate(

list_id int NOT NULL,
challenge_id int NOT NULL,
user_id int NOT NULL,
challlenge_progress int NOT NULL,
primary key(list_id, challenge_id, user_id),
foreign key(list_id) references Booklist,
foreign key(challenge_id) references Challenge,
foreign key(list_id) references Booklist,

2.14 Challenge

Relational Model

Challenge (challenge_id, challenge name, start_date, end_date, goal, user_id)

Foreign Key: user id references to Librarians

Candidate Key: {challenge_id}

Table Definition

create table Challenge(

challenge_id int AUTO INCREMENT,

challenge_name varchar(40) NOT NULL,

start_date date NOT NULL,

end_date date NOT NULL,

goal int NOT NULL,

user id int NOT NULL,

primary key(challenge_id),

foreign key(user_id) references Librarian);

2.15 Post

Relational Model

Post(post id, book id, date, content, rate, user id, like count, comment count)

Foreign Key: user id references to User

book id references to Book

Candidate Key: {post_id}

Table Definition

create table Post (

post_id int AUTO INCREMENT,

book id int NOT NULL,

date NOT NULL,

content varchar(300) NOT NULL,

rate int NOT NULL,

user_id int NOT NULL,

like_count int NOT NULL,

comment count int NOT NULL,

primary key(post_id),

foreign key(user id) references User,

foreign key(book_id) references Book);

2.16 Likes_post

Relational Model

Likes_post(<u>user_id</u>, <u>post_id</u>)

Foreign Key: user_id references to User

post_id references to Post

Candidate Key: {(user_id, post_id)}

Table Definition

create table Likes_post(

user_id int NOT NULL,
post_id int NOT NULL,

primary key(user_id, post_id),

foreign key(user_id) references User,

foreign key(post_id) references Post,

);

2.17 Recommend_Book

Relational Model

Recommend Booklist(book id, recommended id, recommender id)

Foreign Key: book id references to Book

recommended_id references to User

recommender_id references to User

Candidate Key: {(book id, recommended id, recommender id)}

Table Definition

create table Recommend_Book (

book_id int NOT NULL,

recommended id int NOT NULL,

recommender id int NOT NULL,

primary key(book_id, recommended_id, recommender_id),

foreign key(book id) references Book,

foreign key(recommended_id) references User),

foreign key(recommender_id) references User);

2.18 Replies

Relational Model

Replies(post_id, user_id, reply)

Foreign Key: post_id references to Post

user_id references to Author

Candidate Key: {post_id}

Table Definition

create table Replies(

post_id int NOT NULL,

user_id int NOT NULL,

reply varchar(300) NOT NULL,

primary key(post_id),

foreign key(post_id) references Post),

foreign key(user_id) references Author);

2.19 Friends

Relational Model

Friends(user id, friend id)

Foreign Key: user_id references to User

friend_id references to User

Candidate Key: {(user_id, friend_id)}

Table Definition

create table Friends(

user_id int NOT NULL,

friend_id int NOT NULL,

primary key(user_id, friend_id),

foreign key(user_id) references User),

foreign key(friend_id) references User);

2.20 Comment

Relational Model

Comment (comment id, date, content, user_id, post_id)

Foreign Key: user_id references to User

post_id references to Post

Candidate Key: {comment_id}

Table Definition

create table Comment (

comment_id int AUTO INCREMENT,

date NOT NULL,

content varchar(300) NOT NULL,

user_id int NOT NULL,
post id int NOT NULL,

primary key (comment_id),

foreign key (user_id) references User,

foreign key (post_id) references Post);

2.21 Likes_qoute

Relational Model

Likes_qoute(<u>user_id</u>, <u>qoute_id</u>)

Foreign Key: user_id references to User

qoute_id references to Qoute

Candidate Key: {(user_id, qoute_id)}

Table Definition

create table Likes_qoute(

user_id int NOT NULL,
qoute_id int NOT NULL,
primary key(user_id, qoute_id),
foreign key(user_id) references User,

foreign key(qoute_id) references Qoute,
);

2.22 Likes_comment

Relational Model

Likes_comment(<u>user_id</u>, <u>comment_id</u>)

Foreign Key: user_id references to User

comment_id references to Comment

Candidate Key: {(user_id, comment_id)}

Table Definition

create table Likes_comment(

user id int NOT NULL,

comment_id int NOT NULL,

primary key(user_id, comment_id),

foreign key(user_id) references User,

foreign key(comment_id) references Comment);

2.23 Reads

Relational Model

Reads (book id, user id, edition no, date, progress)

Foreign Key: (book_id, edition no) references to Edition

user_id references to User

book_id references to Book

Candidate Key: {(book id, user id, edition no, date)}

Table Definition

create table Reads (

book_id int NOT NULL,

edition no int NOT NULL,

user_id int NOT NULL,

progress int NOT NULL,

date timestamp NOT NULL,

primary key(book_id, user_id, edition_no, date),

foreign key(book id, edition no) references Edition,

foreign key(user id) references User,

foreign key(book_id) references Book

);

2.24 User

Relational Model

User (<u>user_id</u>, username, email, password, profile_pic, name, surname)

Candidate Key: {user_id}

Table Definition

create table User(

user_id int AUTO INCREMENT,

username varchar(20) NOT NULL,

name varchar(20) NOT NULL,

surname varchar(20) NOT NULL,

email varchar(30) NOT NULL,

password varchar(30) NOT NULL,

profile_pic varbinary(50) NOT NULL,

primary key(user_id),

unique(username)

);

2.25 Librarian

Relational Model

Librarian (<u>librarian_id</u>)

Foreign Key: librarian_id references to User

Candidate Key: {librarian_id}

Table Definition

create table Librarian (

librarian_id int AUTO INCREMENT,

primary key(librarian_id),

foreign key(librarian_id) references User);

2.26 Author

Relational Model

Author (author_id, num_book)

Foreign Key: author_id references to User

Candidate Key: {author_id}

Table Definition

create table Author (

author_id int AUTO INCREMENT,

num_book int NOT NULL DEFAULT 0,

primary key(author_id),

foreign key(author_id) references User);

2.27 Responds

Relational Model

Responds(edit_id, librarian_id, response)

Foreign Key: edit_id references to Edit_request

librarian_id references to Librarian

Candidate Key: {edit_id}

Table Definition

create table Responds(

edit id int NOT NULL,

librarian_id int NOT NULL,

response char(1) NOT NULL,

primary key(edit_id),

foreign key(edit_id) references User,

foreign key(librarian_id) references Librarian);

3. User Interface

3.1 Login Page



Figure 1: Login page

Login query:

Select *

From User

Where username = @username and password = @password

3.2 Register Page







Figure 2: Register page

Sign up query:

Insert into User (username, email, password, profile_pic, name, surname)

Values (@username, @email, @password, @profile_pic, @name, @surname)

3.3 Main Page




Figure 3: Home page

Retrieve friends' posts for feed:

Select *

From Post P, Friends F

Where F.friend_id = P.user_id and F.user_id = @user_id

Order by date DESC

3.4 Challenge Notification




Figure 4: Challenge notification pop-up

Challenge information for participant:

Select challenge id, challenge name, challenge progress

From Challenge natural join Participate

Where user_id = @user_id AND challenge_id = @challenge_id

3.5 Search Books

BookHub		
Search Books		Profile Logout
	Search by Title Night Search Clear	
earch Results		
The Curious Incident of	f the Dea in the Night-Time	
	f the Dog in the Night-Time	
by Mark Haddon, 2003 - 222 editions Average rating	f the Dog in the Night-Time	
by Mark Haddon, 2003 - 222 editions	f the Dog in the Night-Time	Track
by Mark Haddon, 2003 - 222 editions Average rating Rate this book		Track
by Mark Haddon , 2003 - 222 editions Average rating	ıy, #1)	Track
by Mark Haddon, 2003 - 222 editions Average rating Rate this book Night (The Night Trilog	ıy, #1)	Track
by Mark Haddon, 2003 - 222 editions Average rating Rate this book Night (The Night Trilog by Elie Wiesel, Marion Wiesel, 1956 - 18	ıy, #1)	Track
by Mark Haddon, 2003 - 222 editions Average rating Rate this book Night (The Night Trilog by Elie Wiesel, Marion Wiesel, 1956 - 18 Average rating Rate this book	ıy, #1)	
by Mark Haddon, 2003 - 222 editions Average rating Rate this book Night (The Night Trilog by Elie Wiesel, Marion Wiesel, 1956 - 15 Average rating Rate this book The Night Circus	1y, #1) 51 editions	
by Mark Haddon, 2003 - 222 editions Average rating Rate this book Night (The Night Trilog by Elie Wiesel, Marion Wiesel, 1956 - 18 Average rating Rate this book	1y, #1) 51 editions	

Figure 5: Search screen that allows users to search for books by title, author, genre, year

Search book:

Select *

From Book

Where book_name like '%@search%'

3.6 Search User

BookHub		
Search User		Profile Logout
	Search by Name Adil Search Clear	
Search Results		
Adil Meriç Read: 51 books Lists: 13 Ratings: 27 Posts: 2		✓ Friends
Adil Bayramoğlu Read: 2 books Lists: 0 Ratings: 1		
Posts: 0		Add Friend
Adile Kafa Read: 122 books Lists: 23		
Ratings: 78 Posts: 35		Add Friend

Figure 6: Search screen that allows users to search for users by name

Search user:

Select *

From User

Where user_id <> @user_id AND (name like '%@search%' OR surname like '%@search%')

3.7 Search Author




Figure 7: Search author screen that allows users to search for authors by name, book name, genre, and year

Search Author:

Select *

From Author A, User U

Where A.author_id = U.user_id and (U.name like '%@search%' OR U.surname like '%@search%')

3.8 Book Page




Figure 8: Book screen that lists the book description, information about its edition, user progress.

For book information:

Select *

From Book

Where book id = @book id

For edition information:

Select *

From Edition

Where book id = @book id

For progress:

Select *

From Reads

Where book_id = @book_id and user_id = @user_id

3.9 Add Progress




Figure 9: Pop-up window for a user to add his/her progress about a specific book

Progress Insertion:

Insert into Reads

Values(@book_id, @user_id, @edition_no, @progress, @date)

3.10 User Profile




Figure 10: User profile page listing currently reading book(s), read books, user's ratings for books, his/her posts, friends challenges, and booklists

For friends:

Select *

From Friends

Where user id = @user id

For successful challenges:

Select *

From Challenge natural join Participate

Where user_id = @user_id AND goal <= challenge_progress

Currently reading:

Select *

From Reads R

Where R.user_id = @user_id AND progress < (Select page_count

From Edition

Where edition no = R. edition no

AND book id = R.book id)

Finished Books:

From Reads R

Where R.user id = @user id AND progress = (Select page count

From Edition

Where edition no = R. edition no

AND book id = R.book id)

For Posts:

Select *

From Post

Where user_id = @user_id

Order by date DESC;

For Booklist:

Select *

From Booklist

Where user_id = @user_id

3.11 Create Book List

List Name	List Name		
Select Books			
earch by Title	Search by Author	Search by Genre	Search by Year
itle	Author	Genre	Year
	Search	Clear	
Search Results			
752			
The Curious I	ncident of the Dog	in the Night-Time	
The Curious I	ncident of the Dog	in the Night-Time	
	- 222 editions	in the Night-Time	
by Mark Haddon, 2003	- 222 editions e rating	in the Night-Time	Add Book
by Mark Haddon , 2003 ★★★ Averag	- 222 editions e rating	in the Night-Time	Add Book
by Mark Haddon , 2003 Averag Rate th	- 222 editions e rating is book	in the Night-Time	Add Book
by Mark Haddon, 2003 Averag Rate th	- 222 editions e rating	in the Night-Time	Add Book
by Mark Haddon, 2003 Averag Rate th	- 222 editions e rating is book ight Trilogy, #1) Wiesel, 1956 - 151 editions	in the Night-Time	Add Book
by Mark Haddon, 2003 Averag Rate th Night (The Ni by Elie Wiesel, Marion	- 222 editions e rating is book ight Trilogy, #1) Wiesel, 1956 - 151 editions e rating	in the Night-Time	Add Book Add Book
Night (The Niby Elie Wiesel, Marion Averag	- 222 editions e rating is book ight Trilogy, #1) Wiesel, 1956 - 151 editions e rating	in the Night-Time	

Figure 11: The screen thats allows a user to search for books and create a book list with those books

Create book list:

Insert into Booklist (list_name, description, user_id)

Values (@list_name, @description, @user_id)

Add book to book list:

Insert into Contains

Values (@list_id, @book_id)

Search by Title:

select *
from Book

where title like '%@Title%'

Search by Author:

select *
from Book
where author like '%@Author%'

Search by Genre:

select *
from Book
where genre like '%@Genre%'

Search by Year:

select *
from Book
where year = @Year

3.12 Book List




Figure 12: The page that lists books in a user's booklist

Information about the books in the list:

Select *

From Contains C, Book B, Edition E

Where C.list_id = @list_id AND C.book_id = B.book_id

AND e.edition_no = B.edition_no

3.13 Author Profile




Figure 13: Author profile page listing the books published by the author

Retrieve Author's books:

Select *

From Book

Where author_id = @author_id

3.14 Create Edition of Book




Figure 14: Pop-up window that allows librarians to create an edition of a book

Create Edition:

Insert into Edition

Values (@edition_no, @book_id, @page_count, @publisher, @language, @format, @cover_photo, @translator);

3.15 Publish Book Pop-up



Figure 15: The screen that allows authors to publish new books

Publish a book:

Insert into Book (book name, author, description, genre, year, author id)

Values (@book_name, @author, @description, @genre, @year, @author_id)

Update Author

Set num book = num book + 1

Where author id = @author id

Publish a book:

```
Update Author

set book_count = book_count +1

where author_id = ( select author_id

from Book

Where book_id = @book_id)
```

3.16 Librarian Profile Page



Figure 16: Librarian profile page that allows librarians to review erroneous information correction requests and to list and create reading challenges

For edit requests:

Select *

From (Select *

From Edit_Request E, Respond R

Where E.edit id = R.edit id AND R.response \Leftrightarrow "A") as ER,

User U, Book B

Where U.user id = ER.user id AND B.book id = ER.book id

Retrieve created challenges:

Select *

From Challenge

Where user_id = @librarian_id

3.17 Request Details Pop-up




Figure 17: Pop-up window that allows librarians to review details about correction requests

For information:

Select *

From (Select *

From Edit_Request E, Respond R

Where E.edit id = R.edit id AND R.response \Leftrightarrow "A") as ER,

User U, Book B

Where U.user id = ER.user id AND B.book id = ER.book id

If approve:

Update Book

Set book_name = ER.new_book_name, genre = ER.new_book_genre, year = ER.new_book_year

From Edit Request ER

Where ER.book id = @book id AND Book.book id = @book id

Update Edition

Set edition_no = ER.new_book_edition_no, page_count = ER. new_book_page_count, publisher = ER.new_book_publisher, language = ER.new_book_language, format = ER.new_book_format, cover_photo = ER.new_book_cover_photo, translator = ER.new_book_translator

From Edit Request ER

Where Edition.book id = @book id AND ER.book id = @book id

If reject:

Insert Into Respond (edit_id, librarian_id, respond)

Values(@edit id, @librarian id, 'R')

3.18 Create Challenge Pop-up




Figure 18: Pop-up screen that allows librarians to create challenges

Create Challenge:

Insert into Challenge (challenge name, start date, end date, goal, user id)

Values (@challenge_name, @start_date, @end_date, @goal, @user_id)

3.19 Challenge Information Page



Figure 19: Pop-up screen listing a challenge details

Retrieve participants and their names:

Select *

From Challenge C, Participate P, User U

Where C.challenge_id = P.challenge_id AND P.user_id = U.user_id

3.20 Quiz Pop-up




Figure 20: Quiz screen listing the questions related to a book

Retrieving questions:

Select *

From Question Que, Quiz Qui

Where Que.quiz id = Qui.quiz id

Submit Answer:

Insert into Participate in

Values(@quiz id, @user id, @question id1, @user answer1)

3.21 Prepare Quiz




Figure 21: Pop-up window that allows librarians to create quizzes

Create Quiz:

Insert into Quiz (quiz_name, start_date, end_date, librarian_id) Values(@quiz_name, @start_date, @end_date, @librarian_id)

Create Question:

Insert into Question (question_text, answer, option_a, option_a, option_a, option_a, quiz_id, librarian_id)

Values(@question_text, @answer, @option_a, @option_b, @option_c, @option_d, @quiz_id, @librarian_id)

3.22 Erroneous Information Request Pop-up



Figure 22: Pop-up screen that allows users to create erroneous information requests to be reviewed by librarians about books

Create edit request:

Insert into edit_request (new_book_name, new_book_author, new_book_genre, new_book_year, new_book_edition_no, new_book_page_count, new_book_publisher, new_book_language, new_book_format, new_book_cover_photo, new_book_translator, additional_notes, user_id, book_id, date)

Values (@new_book_name, @new_book_author, @new_book_genre, @new_book_year, @new_book_edition_no, @new_book_page_count, @new_book_publisher, @new_book_language, @new_book_format, @new_book_cover_photo, @new_book_translator, @additional_notes, @user_id, @book_id, date)

3.23 Challenges Page




Figure 23: The page listing ongoing challenges and allowing users to join challenges

Retrieve active challenges:

Select *

From Challenge

Where end_date > dateadd(day, 90, getdate())

3.24 Post Page




Figure 24: Post screen that lists a post, its rate, and comments

Retrieve author's reply:

Select *

From Replies

Where post_id = @post_id

Retrieve specific post's comments:

Select *

From Comment C, Post P, (Select user_id, username

From User

where C.user_id = user_id) as CU

Where C.post_id = P.post_id AND P.post_id = @post_id

Like post:

Insert Into Likes_post (user_id, post_id)

Values(@user_id, @post_id)

Update Post

Set like_count = like_count + 1

Where post_id = @post_id

Comment post:

Insert Into Comment (comment_id, date, content, user_id, post_id)

Values (@comment_id, @date, @content, @user_id, @post_id)

Update Post

Set comment_count = comment_count + 1

Where post_id = @post_id

3.25 Book Review Page




Figure 25: The page that lists reviews posted by users about a specific book

Retrieve all posts about the book:

Select *

From Post P, (Select user_id, name

from User) as U

Where P.book_id = @book_id AND U.user_id = P.user_id

Order By date DESC

3.26 Quotes Page




Figure 26: Quotes page that lists quotes posted by librarians

Retrieve all quotes about the book:

Select *

From Quote Q, (Select user_id, name

from User) as U

Where Q.book_id = @book_id AND U.user_id = Q.user_id

Order By date DESC

3.27 Post Review Pop-up



Figure 27: Pop-up screen that allows users to type their reviews about a book and rate the book

Create a review post:

Insert into Post (book_id, date, content, rate, user_id, like_count, comment_count)

Values(@book_id, @date, @content, @rate, @user_id, 0, 0)

3.28 Reply Post



Figure 28: Pop-up screen that allows users to reply to a post

Create an author reply to post:

Insert into Replies

Values(@post_id, @user_id, @reply)

3.29 Post Quote Pop-up



Figure 29: Pop-up screen that allows librarians to post a quote about a book

Create a quote:

Insert into Quote (text, tag, book_id, user_id)

Values(@text, @tag, @book_id, @user_id)

3.30 Recommend Book




Figure 30: Pop-up screen that allows users to recommend a book to his/her friends

For information retrieval:

Select U.name, U.surname

From User U, Friends F

Where U.user id = F.friend id AND F.user id = @user id

AND U.user_id NOT IN (Select R.user_id

From Reads R

Where R.book id = abook id)

For recommend:

Insert into Recommend Book

Values(@book_id, @reccomended_id, @recommender_id)

4. Implementation Details

In this project we will use Java Spring Framework as backend, and MySQL as the database. For front-end, JavaScript and React will be used.

5. Website

Reports can be found at: https://mericadil.github.io/