

LAPORAN ASSESSMENT: SYSADMIN / DEVOPS SUPPORT

Nama Peserta : Waramatja Yuda Putra
Domain : wara.efs.my.id
IP Server (Akses) : 103.30.144.57 (Port: 4422)
URL WordPress : <http://wp.wara.efs.my.id>
URL Laravel : <http://laravel.wara.efs.my.id>
Link GitHub : <https://github.com/ardaputr/assessment-devops-wara.git>

Akses Server (SSH)

- ssh -p 4422 ubuntu@103.30.144.57

```
PS C:\Users\ardap> ssh -p 4422 ubuntu@103.30.144.57
The authenticity of host '[103.30.144.57]:4422 ([103.30.144.57]:4422)' can't be established.
ED25519 key fingerprint is SHA256:xDijmag0qHCDFBJeLhHY/2UoUpxu+QT1srTQgdWCDPw.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[103.30.144.57]:4422' (ED25519) to the list of known hosts.
ubuntu@103.30.144.57's password:
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.8.0-106-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Tue Jul 7 07:11:21 AM UTC 2026

System load:  0.0               Processes:    116
Usage of /:   46.7% of 9.74GB   Users logged in: 0
Memory usage: 13%              IPv4 address for enX0: 103.30.144.57
Swap usage:   0%

Expanded Security Maintenance for Applications is not enabled.

46 updates can be applied immediately.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Failed to connect to https://changelogs.ubuntu.com/meta-release-lts. Check your Internet connection or proxy settings

Last login: Tue Jul 7 03:53:37 2026 from 203.161.185.210
ubuntu@ubuntu:~$
```

Instalasi dan Konfigurasi Server

- sudo su -
- apt update && apt upgrade -y

```
Last login: Tue Jul 7 03:53:37 2026 from 203.161.185.210
ubuntu@ubuntu:~$ sudo su -
root@ubuntu:~# apt update && apt upgrade -y
Hit:1 http://id.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://id.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://id.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:4 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:5 http://id.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1,079 kB]
Get:6 http://id.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [267 kB]
Get:7 http://id.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [180 kB]
Get:8 http://id.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [17.7 kB]
Get:9 http://id.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [1,196 kB]
Get:10 http://id.archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en [271 kB]
Get:11 http://id.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:12 http://id.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 c-n-f Metadata [456 B]
Get:13 http://id.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1,659 kB]
Get:14 http://id.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [327 kB]
Get:15 http://id.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [388 kB]
Get:16 http://id.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [34.9 kB]
Get:17 http://id.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Packages [40.4 kB]
Get:18 http://id.archive.ubuntu.com/ubuntu noble-updates/multiverse Translation-en [11.8 kB]
Get:19 http://id.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Components [940 B]
Get:20 http://id.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 c-n-f Metadata [656 B]
```

- apt install nginx mysql-server php-fpm php-mysql php-xml php-mbstring php-curl php-zip php-bcmath php-intl composer git curl net-tools htop ufw unzip -y

```

root@ubuntu:~# apt install nginx mysql-server php-fpm php-mysql php-xml php-mbstring php-curl php-zip php-bcmath php-intl composer git curl net-tools htop ufw unzip -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
git is already the newest version (1:2.43.0-1ubuntu7.3).
git set to manually installed.
curl is already the newest version (8.5.0-2ubuntu10.10).
curl set to manually installed.
htop is already the newest version (3.3.0-4build1).
htop set to manually installed.
ufw is already the newest version (0.36.2-6).
ufw set to manually installed.
The following additional packages will be installed:
  jsonlint libcgi-fast-perl libcgi-pm-perl libclone-perl libcode-locale-perl libevent-threads-2.1-764 libfcgi-bin libfcgi-perl libfcgi0t64 libhtml-parser-perl libhtml-tagset-perl
  libhtml-template-perl libhttp-date-perl libhttp-message-perl libio-hybrid-perl libio-lwp-perl liblwp-mediatypes-perl libmime-cb2 libprotobuf-lite32t64 libtimedate-perl liburi-perl libzip4t64
  mecab-ipadic mecab-ipadic-utf8 mecab-utilities mysql-client-8.0 mysql-client-core-8.0 mysql-common mysql-server-8.0 mysql-server-core-8.0 nginx-common php-common php-composer-ca-bundle
  php-composer-class-map-generator php-composer-metadata-minifier php-composer-pcre php-composer-secure php-composer-spdx-licenses php-composer-xdebug-handler php-json-schema
  php-psr-container php-psr-log php-react-promise php-seld-signal-handler php-symfony-console php-symfony-deprecation-contracts php-symfony-filesystem php-symfony-finder
  php-symfony-process php-symfony-service-contracts php-symfony-string php8.3-bcmath php8.3-cli php8.3-common php8.3-curl php8.3-fpm php8.3-intl php8.3-mbstring php8.3-mysql
  php8.3-opcache php8.3-readline php8.3-xml php8.3-zip
Suggested packages:
  fossil mercurial subversion libdata-dump-perl libipc-sharedcache-perl libio-compress-brotli-perl libbusiness-isbn-perl librexp-ipv6-perl libwww-perl mailx tinycsa fcgiwrap nginx-doc
  ssl-cert php-pear zip
The following NEW packages will be installed:
  composer jsonlint libcgi-fast-perl libcgi-pm-perl libclone-perl libcode-locale-perl libevent-threads-2.1-764 libfcgi-bin libfcgi-perl libfcgi0t64 libhtml-parser-perl
  libhtml-tagset-perl libhtml-template-perl libhttp-date-perl libhttp-message-perl libio-hybrid-perl libio-lwp-perl liblwp-mediatypes-perl libmime-cb2 libprotobuf-lite32t64 libtimedate-perl liburi-perl
  libzip4t64 mecab-ipadic mecab-ipadic-utf8 mecab-utilities mysql-client-8.0 mysql-client-core-8.0 mysql-common mysql-server mysql-server-core-8.0 mysql-server-core-8.0 net-tools nginx
  nginx-common php-bcmath php-common php-composer-ca-bundle php-composer-class-map-generator php-composer-metadata-minifier php-composer-pcre php-composer-secure php-composer-secure
  php-composer-spdx-licenses php-composer-xdebug-handler php-curl php-fpm php-intl php-json-schema php-mbstring php-mysql php-psr-container php-psr-log php-react-promise
  php-seld-signal-handler php-symfony-console php-symfony-deprecation-contracts php-symfony-filesystem php-symfony-finder php-symfony-process php-symfony-service-contracts
  php-symfony-string php-xml php-zip php8.3-bcmath php8.3-cli php8.3-common php8.3-curl php8.3-fpm php8.3-intl php8.3-mbstring php8.3-mysql php8.3-opcache php8.3-readline php8.3-xml
  php8.3-zip unzip
0 upgraded, 75 newly installed, 0 to remove and 1 not upgraded.
Need to get 37.5 MB of archives.
After this operation, 277 MB of additional disk space will be used.

```

Memastikan Service Berjalan Otomatis (Enable)

- systemctl enable nginx
- systemctl enable mysql
- systemctl enable php8.3-fpm

```
root@ubuntu:~# systemctl enable nginx
Synchronizing state of nginx.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable nginx
root@ubuntu:~# |

root@ubuntu:~# systemctl enable mysql
Synchronizing state of mysql.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable mysql
root@ubuntu:~# |

root@ubuntu:~# systemctl enable php8.3-fpm
Synchronizing state of php8.3-fpm.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable php8.3-fpm
root@ubuntu:~# |
```

- systemctl status nginx
- systemctl status php8.1-fpm
- systemctl status mysql
- php -v
- mysql --version
- nginx -v

- composer --version
- git --version

```

root@ubuntu:~# systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: enabled)
   Active: active (running) since Tue 2026-07-07 07:16:51 UTC; 5min ago
     Docs: man:nginx(8)
  Main PID: 31695 (nginx)
    Tasks: 3 (limit: 2201)
   Memory: 2.4M (peak: 5.3M)
      CPU: 42ms
   CGroup: /system.slice/nginx.service
           └─31695 "nginx: master process /usr/sbin/nginx -g daemon on; master_process on;"
             └─31698 "nginx: worker process"
               └─31699 "nginx: worker process"

Jul 07 07:16:51 ubuntu systemd[1]: Starting nginx.service - A high performance web server and a reverse proxy server...
Jul 07 07:16:51 ubuntu systemd[1]: Started nginx.service - A high performance web server and a reverse proxy server.
root@ubuntu:~# |

root@ubuntu:~# systemctl status php8.3-fpm
● php8.3-fpm.service - The PHP 8.3 FastCGI Process Manager
   Loaded: loaded (/usr/lib/systemd/system/php8.3-fpm.service; enabled; preset: enabled)
   Active: active (running) since Tue 2026-07-07 07:17:49 UTC; 5min ago
     Docs: man:php-fpm8.3(8)
  Main PID: 34636 (php-fpm8.3)
    Status: "Processes active: 0, idle: 2, Requests: 0, slow: 0, Traffic: 0req/sec"
    Tasks: 3 (limit: 2201)
   Memory: 10.4M (peak: 11.0M)
      CPU: 117ms
   CGroup: /system.slice/php8.3-fpm.service
           └─34636 "php-fpm: master process (/etc/php/8.3/fpm/php-fpm.conf)"
             └─34637 "php-fpm: pool www"
               └─34638 "php-fpm: pool www"

Jul 07 07:17:49 ubuntu systemd[1]: Starting php8.3-fpm.service - The PHP 8.3 FastCGI Process Manager...
Jul 07 07:17:49 ubuntu systemd[1]: Started php8.3-fpm.service - The PHP 8.3 FastCGI Process Manager.
root@ubuntu:~# |

root@ubuntu:~# systemctl status mysql
● mysql.service - MySQL Community Server
   Loaded: loaded (/usr/lib/systemd/system/mysql.service; enabled; preset: enabled)
   Active: active (running) since Tue 2026-07-07 07:17:32 UTC; 5min ago
  Main PID: 31384 (mysqld)
    Status: "Server is operational"
    Tasks: 37 (limit: 2201)
   Memory: 363.9M (peak: 378.3M)
      CPU: 3.884s
   CGroup: /system.slice/mysql.service
           └─31384 /usr/sbin/mysqld

Jul 07 07:17:30 ubuntu systemd[1]: Starting mysql.service - MySQL Community Server...
Jul 07 07:17:32 ubuntu systemd[1]: Started mysql.service - MySQL Community Server.
root@ubuntu:~# |

root@ubuntu:~# php -v
PHP 8.3.6 (cli) (built: May 25 2026 13:12:06) (NTS)
Copyright (c) The PHP Group
Zend Engine v4.3.6, Copyright (c) Zend Technologies
    with Zend OPcache v8.3.6, Copyright (c), by Zend Technologies
root@ubuntu:~# mysql --version
mysql Ver 8.0.46-0ubuntu0.24.04.3 for Linux on x86_64 ((Ubuntu))
root@ubuntu:~# nginx -v
nginx version: nginx/1.24.0 (Ubuntu)
root@ubuntu:~# composer --version
Do not run Composer as root/super user! See https://getcomposer.org/root for details
Continue as root/super user [yes]? yes
Composer version 2.7.1 2024-02-09 15:26:28
root@ubuntu:~# git --version
git version 2.43.0
root@ubuntu:~# |

```

Konfigurasi Virtual Host

Buat Folder Root (Document Root):

- mkdir -p /var/www/wp.wara.efs.my.id
- mkdir -p /var/www/laravel.wara.efs.my.id/public

```
root@ubuntu:~# mkdir -p /var/www/wp.wara.efs.my.id
root@ubuntu:~# mkdir -p /var/www/laravel.wara.efs.my.id/public
```

Buat Virtual Host WordPress:

- nano /etc/nginx/sites-available/wp.wara.efs.my.id

```
GNU nano 7.2 /etc/nginx/sites-available/wp.wara.efs.my.id
server {
    listen 80;
    server_name wp.wara.efs.my.id;
    root /var/www/wp.wara.efs.my.id;
    index index.php index.html index.htm;

    location / {
        try_files $uri $uri/ /index.php?$args;
    }

    location ~ \.php$ {
        include snippets/fastcgi-php.conf;
        fastcgi_pass unix:/var/run/php/php8.3-fpm.sock;
    }
}
```

Buat Virtual Host Laravel:

- nano /etc/nginx/sites-available/laravel.wara.efs.my.id

```
GNU nano 7.2 /etc/nginx/sites-available/laravel.wara.efs.my.id
server {
    listen 80;
    server_name laravel.wara.efs.my.id;
    root /var/www/laravel.wara.efs.my.id/public;
    index index.php index.html index.htm;

    location / {
        try_files $uri $uri/ /index.php?$query_string;
    }

    location ~ \.php$ {
        include snippets/fastcgi-php.conf;
        fastcgi_pass unix:/var/run/php/php8.3-fpm.sock;
    }
}
```

Aktifkan Virtual Host dan Test Nginx

- ln -s /etc/nginx/sites-available/wp.wara.efs.my.id /etc/nginx/sites-enabled/
- ln -s /etc/nginx/sites-available/laravel.wara.efs.my.id /etc/nginx/sites-enabled/
- nginx -t
- systemctl reload nginx

```
root@ubuntu:~# ln -s /etc/nginx/sites-available/wp.wara.efs.my.id /etc/nginx/sites-enabled/
root@ubuntu:~# ln -s /etc/nginx/sites-available/laravel.wara.efs.my.id /etc/nginx/sites-enabled/
root@ubuntu:~# nginx -t
nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
nginx: configuration file /etc/nginx/nginx.conf test is successful
root@ubuntu:~# systemctl reload nginx
root@ubuntu:~#
```

- nginx -t
- ls -lah /etc/nginx/sites-enabled/
- curl -I <http://wp.wara.efs.my.id>
- curl -I <http://laravel.wara.efs.my.id>

```
root@ubuntu:~# systemctl reload nginx
root@ubuntu:~# nginx -t
nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
nginx: configuration file /etc/nginx/nginx.conf test is successful
root@ubuntu:~# ls -lah /etc/nginx/sites-enabled/
total 8.0K
drwxr-xr-x 2 root root 4.0K Jul  7 07:27 .
drwxr-xr-x 8 root root 4.0K Jul  7 07:16 ..
lrwxrwxrwx 1 root root  34 Jul  7 07:16 default -> /etc/nginx/sites-available/default
lrwxrwxrwx 1 root root  49 Jul  7 07:27 laravel.wara.efs.my.id -> /etc/nginx/sites-available/laravel.wara.efs.my.id
lrwxrwxrwx 1 root root  44 Jul  7 07:27 wp.wara.efs.my.id -> /etc/nginx/sites-available/wp.wara.efs.my.id
root@ubuntu:~# |

root@ubuntu:~# nginx -t
nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
nginx: configuration file /etc/nginx/nginx.conf test is successful
root@ubuntu:~# systemctl reload nginx
root@ubuntu:~# echo "127.0.0.1 wp.wara.efs.my.id" >> /etc/hosts
root@ubuntu:~# echo "127.0.0.1 laravel.wara.efs.my.id" >> /etc/hosts
root@ubuntu:~# curl -I http://wp.wara.efs.my.id
HTTP/1.1 403 Forbidden
Server: nginx/1.24.0 (Ubuntu)
Date: Tue, 07 Jul 2026 07:32:08 GMT
Content-Type: text/html
Content-Length: 162
Connection: keep-alive

root@ubuntu:~# curl -I http://laravel.wara.efs.my.id
HTTP/1.1 403 Forbidden
Server: nginx/1.24.0 (Ubuntu)
Date: Tue, 07 Jul 2026 07:32:14 GMT
Content-Type: text/html
Content-Length: 162
Connection: keep-alive

root@ubuntu:~# |
```

Persiapan Database MySQL (Untuk WP & Laravel)

- mysql

WordPress

- CREATE DATABASE wp_db;
- CREATE USER 'wp_user'@'localhost' IDENTIFIED BY 'WaraPassWp123!';
- GRANT ALL PRIVILEGES ON wp_db.* TO 'wp_user'@'localhost';

Laravel

- CREATE DATABASE laravel_db;
- CREATE USER 'laravel_user'@'localhost' IDENTIFIED BY 'WaraPassLv123!';
- GRANT ALL PRIVILEGES ON laravel_db.* TO 'laravel_user'@'localhost';
- FLUSH PRIVILEGES;

```
root@ubuntu:~# mysql
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.46-0ubuntu0.24.04.3 (Ubuntu)

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE wp_db;
Query OK, 1 row affected (0.03 sec)

mysql> CREATE USER 'wp_user'@'localhost' IDENTIFIED BY 'WaraPassWp123!';
Query OK, 0 rows affected (0.02 sec)

mysql> GRANT ALL PRIVILEGES ON wp_db.* TO 'wp_user'@'localhost';
Query OK, 0 rows affected (0.01 sec)

mysql> CREATE DATABASE laravel_db;
Query OK, 1 row affected (0.01 sec)

mysql> CREATE USER 'laravel_user'@'localhost' IDENTIFIED BY 'WaraPassLv123!';
Query OK, 0 rows affected (0.01 sec)

mysql> GRANT ALL PRIVILEGES ON laravel_db.* TO 'laravel_user'@'localhost';
Query OK, 0 rows affected (0.00 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.01 sec)

mysql> |
```

```
mysql> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| laravel_db |
| mysql |
| performance_schema |
| sys |
| wp_db |
+-----+
6 rows in set (0.00 sec)

mysql> SELECT user, host FROM mysql.user;
+-----+-----+
| user | host |
+-----+-----+
| debian-sys-maint | localhost |
| laravel_user | localhost |
| mysql.infoschema | localhost |
| mysql.session | localhost |
| mysql.sys | localhost |
| root | localhost |
| wp_user | localhost |
+-----+-----+
7 rows in set (0.00 sec)

mysql> SHOW GRANTS FOR 'wp_user'@'localhost';
+-----+
| Grants for wp_user@localhost |
+-----+
| GRANT USAGE ON *.* TO 'wp_user'@'localhost' |
| GRANT ALL PRIVILEGES ON 'wp_db'.* TO 'wp_user'@'localhost' |
+-----+
2 rows in set (0.00 sec)

mysql> |
```

Instalasi WordPress

- cd /var/www/wp.wara.efs.my.id
- wget https://wordpress.org/latest.tar.gz
- tar -xzf latest.tar.gz
- mv wordpress/* .
- rm -rf wordpress latest.tar.gz

```
root@ubuntu:~# cd /var/www/wp.wara.efs.my.id
root@ubuntu:/var/www/wp.wara.efs.my.id# wget https://wordpress.org/latest.tar.gz
--2026-07-07 07:35:01-- https://wordpress.org/latest.tar.gz
Resolving wordpress.org (wordpress.org)... 66.6.42.252, 2620:109:b00a::4206:2afc
Connecting to wordpress.org (wordpress.org)[66.6.42.252]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 29663483 (28M) [application/octet-stream]
Saving to: 'latest.tar.gz'

latest.tar.gz                               100%[=====] 28.29M  7.22MB/s   in 5.3s

2026-07-07 07:35:07 (5.37 MB/s) - 'latest.tar.gz' saved [29663483/29663483]

root@ubuntu:/var/www/wp.wara.efs.my.id# |
```

```

root@ubuntu:/var/www/wp.wara.efs.my.id# tar -xzvf latest.tar.gz
wordpress/
wordpress/index.php
wordpress/license.txt
wordpress/readme.html
wordpress/wp-activate.php
wordpress/wp-admin/
wordpress/wp-admin/about.php
wordpress/wp-admin/admin-ajax.php
wordpress/wp-admin/admin-footer.php
wordpress/wp-admin/admin-functions.php
wordpress/wp-admin/admin-header.php
wordpress/wp-admin/admin-post.php
wordpress/wp-admin/admin.php
wordpress/wp-admin/async-upload.php
wordpress/wp-admin/authorize-application.php
wordpress/wp-admin/comment.php
wordpress/wp-admin/contribute.php
wordpress/wp-admin/credits.php
wordpress/wp-admin/css/
wordpress/wp-admin/css/about-rtl.css
wordpress/wp-admin/css/about-rtl.min.css
wordpress/wp-admin/css/about.css
wordpress/wp-admin/css/about.min.css
root@ubuntu:/var/www/wp.wara.efs.my.id# mv wordpress/* .
root@ubuntu:/var/www/wp.wara.efs.my.id# rm -rf wordpress latest.tar.gz
root@ubuntu:/var/www/wp.wara.efs.my.id# |

```

Set Permission

- chown -R www-data:www-data /var/www/wp.wara.efs.my.id
- find /var/www/wp.wara.efs.my.id -type d -exec chmod 755 {} \;
- find /var/www/wp.wara.efs.my.id -type f -exec chmod 644 {} \;

Domain ke file Hosts lokal

```

# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
#
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
#
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
#
# For example:
#
#       102.54.94.97       rhino.acme.com          # source server
#       38.25.63.10       x.acme.com              # x client host

# localhost name resolution is handled within DNS itself.
#       127.0.0.1         localhost
#       ::1               localhost

103.30.144.57 wp.wara.efs.my.id
103.30.144.57 laravel.wara.efs.my.id

```

<http://wp.wara.efs.my.id>

Tidak aman

wp.wara.efs.my.id/wp-admin/setup-config.php?step=1



Below you should enter your database connection details. If you are not sure about these, contact your host.

Database Name

wp_db

The name of the database you want to use with WordPress.

Username

wp_user

Your database username.

Password

.....

Show

Your database password.

Database Host

localhost

You should be able to get this info from your web host, if localhost does not work.

Table Prefix

wp_

If you want to run multiple WordPress installations in a single database, change this.

Submit

Tidak aman

wp.wara.efs.my.id/wp-admin/install.php?language=en_US

Welcome

Welcome to the famous five-minute WordPress installation process! Just fill in the information below and you'll be on your way to using the most extendable and powerful personal publishing platform in the world.

Information needed

Please provide the following information. Do not worry, you can always change these settings later.

Site Title

WordPress Wara

Username

wara_admin

Names can have only alphanumeric characters, spaces, underscores, hyphens, periods, and the @ symbol.

Password

WaraAdminWP_20261

Hide

Strong

Important: You will need this password to log in. Please store it in a secure location.

Your Email

ardaputra72@gmail.com


Double-check your email address before continuing.

Search engine visibility

☒ Discourage search engines from indexing this site

It is up to search engines to honor this request.

Install WordPress



Instalasi Laravel

- `cd /var/www/`
- `rm -rf laravel.wara.efs.my.id`
- `composer create-project laravel/laravel laravel.wara.efs.my.id`
- `cd laravel.wara.efs.my.id`

```
root@ubuntu:/var/www/wp.wara.efs.my.id# cd /var/www/
root@ubuntu:/var/www# rm -rf laravel.wara.efs.my.id
root@ubuntu:/var/www# composer create-project laravel/laravel laravel.wara.efs.my.id
Do not run Composer as root/super user! See https://getcomposer.org/root for details
Continue as root/super user [yes]? yes
Creating a "laravel/laravel" project at "./laravel.wara.efs.my.id"
Installing laravel/laravel (v13.8.0)
- Downloading laravel/laravel (v13.8.0)
- Installing laravel/laravel (v13.8.0): Extracting archive
Created project in /var/www/laravel.wara.efs.my.id
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
```

```
root@ubuntu:/var/www# cd laravel.wara.efs.my.id
root@ubuntu:/var/www/laravel.wara.efs.my.id# nano .env
root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan migrate

INFO: Preparing database.

Creating migration table ..... 97.85ms DONE

INFO: Running migrations.

0001_01_01_000000_create_users_table ..... 170.02ms DONE
0001_01_01_000001_create_cache_table ..... 110.80ms DONE
0001_01_01_000002_create_jobs_table ..... 139.19ms DONE

root@ubuntu:/var/www/laravel.wara.efs.my.id# chown -R www-data:www-data /var/www/laravel.wara.efs.my.id
root@ubuntu:/var/www/laravel.wara.efs.my.id# chmod -R 775 /var/www/laravel.wara.efs.my.id/storage
root@ubuntu:/var/www/laravel.wara.efs.my.id# chmod -R 775 /var/www/laravel.wara.efs.my.id/bootstrap/cache
root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan key:generate

INFO: Application key set successfully.

root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan config:cache

INFO: Configuration cached successfully.

root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan route:cache

INFO: Routes cached successfully.

root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan view:cache

INFO: Blade templates cached successfully.

root@ubuntu:/var/www/laravel.wara.efs.my.id#
```

Konfigurasi Database Laravel

- nano .env
- DB_CONNECTION=mysql DB_HOST=127.0.0.1 DB_PORT=3306
DB_DATABASE=laravel_db DB_USERNAME=laravel_user
DB_PASSWORD=WaraPassLv123!

```
GNU nano 7.2
APP_FAKER_LOCALE=en_US

APP_MAINTENANCE_DRIVER=file
# APP_MAINTENANCE_STORE=database

# PHP_CLI_SERVER_WORKERS=4

BCRYPT_ROUNDS=12

LOG_CHANNEL=stack
LOG_STACK=single
LOG_DEPRECATIONS_CHANNEL=null
LOG_LEVEL=debug

DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=laravel_db
DB_USERNAME=laravel_user
DB_PASSWORD=WaraPassLv123!

SESSION_DRIVER=database
SESSION_LIFETIME=120
SESSION_ENCRYPT=false
SESSION_PATH=/
SESSION_DOMAIN=null

BROADCAST_CONNECTION=log
FILESYSTEM_DISK=local
QUEUE_CONNECTION=database

CACHE_STORE=database
# CACHE_PREFIX=

MEMCACHED_HOST=127.0.0.1

REDIS_CLIENT=phpredis
REDIS_HOST=127.0.0.1
REDIS_PASSWORD=null
REDIS_PORT=6379

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line
```

Migrasi, Permission, dan Cache:

- php artisan migrate
- chown -R www-data:www-data /var/www/laravel.wara.efs.my.id
- chmod -R 775 /var/www/laravel.wara.efs.my.id/storage
- chmod -R 775 /var/www/laravel.wara.efs.my.id/bootstrap/cache
- php artisan key:generate
- php artisan config:cache
- php artisan route:cache
- php artisan view:cache

```

root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan migrate

  INFO  Preparing database.

Creating migration table ..... 97.85ms DONE

  INFO  Running migrations.

0001_01_01_000000_create_users_table ..... 170.02ms DONE
0001_01_01_000001_create_cache_table ..... 110.80ms DONE
0001_01_01_000002_create_jobs_table ..... 139.19ms DONE

root@ubuntu:/var/www/laravel.wara.efs.my.id# chown -R www-data:www-data /var/www/laravel.wara.efs.my.id
root@ubuntu:/var/www/laravel.wara.efs.my.id# chmod -R 775 /var/www/laravel.wara.efs.my.id/storage
root@ubuntu:/var/www/laravel.wara.efs.my.id# chmod -R 775 /var/www/laravel.wara.efs.my.id/bootstrap/cache
root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan key:generate

  INFO  Application key set successfully.

root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan config:cache

  INFO  Configuration cached successfully.

root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan route:cache


  INFO  Routes cached successfully.

root@ubuntu:/var/www/laravel.wara.efs.my.id# php artisan view:cache

  INFO  Blade templates cached successfully.

root@ubuntu:/var/www/laravel.wara.efs.my.id# |

```



Konfigurasi PHP

- sed -i 's/upload_max_filesize = 2M/upload_max_filesize = 100M/g' /etc/php/8.1/fpm/php.ini
- sed -i 's/post_max_size = 8M/post_max_size = 100M/g' /etc/php/8.1/fpm/php.ini
- sed -i 's/memory_limit = 128M/memory_limit = 512M/g' /etc/php/8.1/fpm/php.ini
- systemctl restart php8.1-fpm

```

root@ubuntu:/var/www/laravel.wara.efs.my.id# sed -i 's/upload_max_filesize = 2M/upload_max_filesize = 100M/g' /etc/php/8.3/fpm/php.ini
root@ubuntu:/var/www/laravel.wara.efs.my.id# sed -i 's/post_max_size = 8M/post_max_size = 100M/g' /etc/php/8.3/fpm/php.ini
root@ubuntu:/var/www/laravel.wara.efs.my.id# sed -i 's/memory_limit = 128M/memory_limit = 512M/g' /etc/php/8.3/fpm/php.ini
root@ubuntu:/var/www/laravel.wara.efs.my.id# systemctl restart php8.3-fpm
root@ubuntu:/var/www/laravel.wara.efs.my.id# |

```

- php -i | grep upload_max_filesize
- php -i | grep post_max_size
- php -i | grep memory_limit

```

root@ubuntu:/var/www/laravel.wara.efs.my.id# php -i | grep upload_max_filesize
upload_max_filesize => 2M => 2M
root@ubuntu:/var/www/laravel.wara.efs.my.id# php -i | grep post_max_size
post_max_size => 8M => 8M
root@ubuntu:/var/www/laravel.wara.efs.my.id# php -i | grep memory_limit
memory_limit => -1 => -1
root@ubuntu:/var/www/laravel.wara.efs.my.id# |

```

Manajemen Disk / Resize Partisi

- lsblk
- growpart /dev/xvda 2
- resize2fs /dev/xvda2
- df -h

```

root@ubuntu:/var/www/laravel.wara.efs.my.id# lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
sr0          11:0    1 1024M  0 rom
xvda         202:0    0   15G  0 disk
├─xvda1      202:1    0    1M  0 part
└─xvda2      202:2    0   10G  0 part /
root@ubuntu:/var/www/laravel.wara.efs.my.id# growpart /dev/xvda 2
CHANGED: partition=2 start=4096 old: size=20965376 end=20969471 new: size=31453151 end=31457246
root@ubuntu:/var/www/laravel.wara.efs.my.id# growpart /dev/xvda 2
NOCHANGE: partition 2 is size 31453151. it cannot be grown
root@ubuntu:/var/www/laravel.wara.efs.my.id# lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
sr0          11:0    1 1024M  0 rom
xvda         202:0    0   15G  0 disk
├─xvda1      202:1    0    1M  0 part
└─xvda2      202:2    0   15G  0 part /
root@ubuntu:/var/www/laravel.wara.efs.my.id# lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
sr0          11:0    1 1024M  0 rom
xvda         202:0    0   15G  0 disk
├─xvda1      202:1    0    1M  0 part
└─xvda2      202:2    0   15G  0 part /
root@ubuntu:/var/www/laravel.wara.efs.my.id# resize2fs /dev/xvda2
resize2fs 1.47.0 (5-Feb-2023)
Filesystem at /dev/xvda2 is mounted on /; on-line resizing required
old_desc_blocks = 2, new_desc_blocks = 2
The filesystem on /dev/xvda2 is now 3931643 (4k) blocks long.

root@ubuntu:/var/www/laravel.wara.efs.my.id# df -h
Filesystem      Size  Used Avail Use% Mounted on
tmpfs            192M  1016K  191M   1% /run
/dev/xvda2       15G   5.8G   8.2G  42% /
tmpfs            959M    0   959M   0% /dev/shm
tmpfs            5.0M    0   5.0M   0% /run/lock
tmpfs            192M   12K  192M   1% /run/user/1000
root@ubuntu:/var/www/laravel.wara.efs.my.id# |

```

Backup File Website & Database

- mkdir -p /backup
- mysqldump -u root wp_db > /backup/wp_db_backup.sql
- mysqldump -u root laravel_db > /backup/laravel_db_backup.sql
- tar -czf /backup/wordpress-backup.tar.gz /var/www/wp.wara.efs.my.id
- tar -czf /backup/laravel-backup.tar.gz /var/www/laravel.wara.efs.my.id
- ls -lh /backup

```

root@ubuntu:/var/www/laravel.wara.efs.my.id# mkdir -p /backup
root@ubuntu:/var/www/laravel.wara.efs.my.id# mysqldump -u root wp_db > /backup/wp_db_backup.sql
root@ubuntu:/var/www/laravel.wara.efs.my.id# mysqldump -u root laravel_db > /backup/laravel_db_backup.sql
root@ubuntu:/var/www/laravel.wara.efs.my.id# tar -czf /backup/wordpress-backup.tar.gz /var/www/wp.wara.efs.my.id
tar: Removing leading '/' from member names
root@ubuntu:/var/www/laravel.wara.efs.my.id# tar -czf /backup/laravel-backup.tar.gz /var/www/laravel.wara.efs.my.id
tar: Removing leading '/' from member names
root@ubuntu:/var/www/laravel.wara.efs.my.id# ls -lh /backup
total 53M
-rw-r--r-- 1 root root 24M Jul 7 08:01 laravel-backup.tar.gz
-rw-r--r-- 1 root root 9.7K Jul 7 08:01 laravel_db_backup.sql
-rw-r--r-- 1 root root 29M Jul 7 08:01 wordpress-backup.tar.gz
-rw-r--r-- 1 root root 915K Jul 7 08:01 wp_db_backup.sql
root@ubuntu:/var/www/laravel.wara.efs.my.id#

```

Security Hardening

- ufw default deny incoming
- ufw default allow outgoing
- ufw allow ssh
- ufw allow http
- ufw allow https
- ufw allow 4422/tcp
- echo "y" | ufw enable
- ufw status
- ss -tulpn
- ls -lah /var/www/

```

root@ubuntu:/var/www/laravel.wara.efs.my.id# ufw default deny incoming
Default incoming policy changed to 'deny'
(be sure to update your rules accordingly)
root@ubuntu:/var/www/laravel.wara.efs.my.id# ufw default allow outgoing
Default outgoing policy changed to 'allow'
(be sure to update your rules accordingly)
root@ubuntu:/var/www/laravel.wara.efs.my.id# ufw allow ssh
Rule added
Rule added (v6)
root@ubuntu:/var/www/laravel.wara.efs.my.id# ufw allow http
Skipping adding existing rule
Skipping adding existing rule (v6)
root@ubuntu:/var/www/laravel.wara.efs.my.id# ufw allow https
Skipping adding existing rule
Skipping adding existing rule (v6)
root@ubuntu:/var/www/laravel.wara.efs.my.id# ufw allow 4422/tcp
Skipping adding existing rule
Skipping adding existing rule (v6)
root@ubuntu:/var/www/laravel.wara.efs.my.id# echo "y" | ufw enable
Command may disrupt existing ssh connections. Proceed with operation (y|n)? Firewall is active and enabled on system startup
root@ubuntu:/var/www/laravel.wara.efs.my.id#
root@ubuntu:/var/www/laravel.wara.efs.my.id# ufw status
Status: active

To Action From
--
80/tcp ALLOW Anywhere
443 ALLOW Anywhere
4422/tcp ALLOW Anywhere
22/tcp ALLOW Anywhere
80/tcp (v6) ALLOW Anywhere (v6)
443 (v6) ALLOW Anywhere (v6)
4422/tcp (v6) ALLOW Anywhere (v6)
22/tcp (v6) ALLOW Anywhere (v6)

root@ubuntu:/var/www/laravel.wara.efs.my.id# ss -tulpn
Netid State Recv-Q Send-Q Local Address:Port Peer Address:Port Process
udp UNCONN 0 0 127.0.0.54:53 0.0.0.0:* users:((("systemd-resolve",pid=12007,fd=16))
udp UNCONN 0 0 127.0.0.53:53 0.0.0.0:* users:((("systemd-resolve",pid=12007,fd=14))
tcp LISTEN 0 151 127.0.0.1:3306 0.0.0.0:* users:((("mysqld",pid=31384,fd=23))
tcp LISTEN 0 4096 127.0.0.54:53 0.0.0.0:* users:((("systemd-resolve",pid=12007,fd=17))
tcp LISTEN 0 70 127.0.0.1:33060 0.0.0.0:* users:((("mysqld",pid=31384,fd=21))
tcp LISTEN 0 511 0.0.0.0:80 0.0.0.0:* users:((("nginx",pid=35193,fd=5),("nginx",pid=35192,fd=5),("nginx",pid=31695,fd=5))
tcp LISTEN 0 4096 0.0.0.0:4422 0.0.0.0:* users:((("systemd",pid=1,fd=127))
tcp LISTEN 0 4096 127.0.0.53:53 0.0.0.0:* users:((("systemd-resolve",pid=12007,fd=15))
tcp LISTEN 0 511 [::]:80 [::]:* users:((("nginx",pid=35193,fd=6),("nginx",pid=35192,fd=6),("nginx",pid=31695,fd=6))
tcp LISTEN 0 4096 [::]:4422 [::]:* users:((("systemd",pid=1,fd=128))

root@ubuntu:/var/www/laravel.wara.efs.my.id# ls -lah /var/www/
total 28K
drwxr-xr-x 5 root root 4.0K Jul 7 07:50 .
drwxr-xr-x 14 root root 4.0K Jul 7 07:16 ..
drwxr-xr-x 2 root root 4.0K Jul 7 07:16 html
drwxr-xr-x 12 www-data www-data 4.0K Jul 7 07:53 laravel.wara.efs.my.id
drwxr-xr-x 5 www-data www-data 4.0K Jul 7 07:45 wp.wara.efs.my.id
root@ubuntu:/var/www/laravel.wara.efs.my.id#

```

Troubleshooting dan Monitoring

- uptime
- free -m
- df -h
- top -b -n 1
- ss -tulpn
- tail -n 20 /var/log/nginx/access.log
- tail -n 20 /var/log/nginx/error.log

```
root@ubuntu:/var/www/laravel.wara.efs.my.id# uptime
08:03:41 up 4:10, 1 user, load average: 0.02, 0.04, 0.03
root@ubuntu:/var/www/laravel.wara.efs.my.id# free -m
Mem:          1916      866       111       28       1158       1049
Swap:         1898         1       1897
root@ubuntu:/var/www/laravel.wara.efs.my.id# df -h
Filesystem      Size  Used Avail Use% Mounted on
tmpfs           192M 1016K 191M   1% /run
/dev/xvda2      15G  5.9G  8.1G  42% /
tmpfs           959M   0  959M   0% /dev/shm
tmpfs           5.0M   0   5.0M   0% /run/lock
tmpfs           192M  12K  192M   1% /run/user/1000
root@ubuntu:/var/www/laravel.wara.efs.my.id# top -b -n 1
top - 08:03:55 up 4:10, 1 user, load average: 0.02, 0.04, 0.03
Tasks: 126 total, 1 running, 125 sleeping, 0 stopped, 0 zombie
%Cpu(s):  0.0 us,  3.3 sy,  0.0 ni, 83.3 id, 13.3 wa,  0.0 hi,  0.0 si,  0.0 st
MiB Mem : 1916.5 total, 111.2 free, 866.7 used, 1158.7 buff/cache
MiB Swap: 1899.0 total, 1898.0 free, 1.0 used. 1049.8 avail Mem

   PID USER      PR  NI  VIRT  RES  SHR S %CPU  %MEM    TIME+  COMMAND
  41638 root        20   0 11928  5684 3556 R   9.1   0.3   0:00.01 top
      1 root        20   0 22476 13816 9596 S   0.0   0.7   0:20.25 systemd
      2 root        20   0      0     0     0 S   0.0   0.0   0:00.00 kthreadd
      3 root        20   0      0     0     0 S   0.0   0.0   0:00.00 pool_workqueue_release
      4 root         0 -20      0     0     0 I   0.0   0.0   0:00.00 kworker/R-rcu_g
      5 root         0 -20      0     0     0 I   0.0   0.0   0:00.00 kworker/R-rcu_p
      6 root         0 -20      0     0     0 I   0.0   0.0   0:00.00 kworker/R-slub_
      7 root         0 -20      0     0     0 I   0.0   0.0   0:00.00 kworker/R-netns
      9 root         0 -20      0     0     0 I   0.0   0.0   0:00.67 kworker/0:0H-kblockd
     12 root         0 -20      0     0     0 I   0.0   0.0   0:00.00 kworker/R-mm_pe
     13 root        20   0      0     0     0 I   0.0   0.0   0:00.00 rcu_tasks_kthread
     14 root        20   0      0     0     0 I   0.0   0.0   0:00.00 rcu_tasks_rude_kthread
     15 root        20   0      0     0     0 I   0.0   0.0   0:00.00 rcu_tasks_trace_kthread
     16 root        20   0      0     0     0 S   0.0   0.0   0:00.23 ksoftirqd/0
     17 root        20   0      0     0     0 I   0.0   0.0   0:13.73 rcu_preempt
     18 root        rt   0      0     0     0 S   0.0   0.0   0:00.17 migration/0
     19 root       -51   0      0     0     0 S   0.0   0.0   0:00.00 idle_inject/0
     20 root        20   0      0     0     0 S   0.0   0.0   0:00.00 cpuhp/0
     21 root        20   0      0     0     0 S   0.0   0.0   0:00.00 cpuhp/1
     22 root       -51   0      0     0     0 S   0.0   0.0   0:00.00 idle_inject/1
     23 root        rt   0      0     0     0 S   0.0   0.0   0:00.58 migration/1
     24 root        20   0      0     0     0 S   0.0   0.0   0:00.19 ksoftirqd/1

root@ubuntu:/var/www/laravel.wara.efs.my.id# ss -tulpn
Netid  State      Recv-Q   Send-Q   Local Address:Port   Peer Address:Port   Process
udp    UNCONN    0         0         127.0.0.54:53        0.0.0.0:*             users(("systemd-resolve",pid=12807,fd=16))
udp    UNCONN    0         0         127.0.0.53%lo:53     0.0.0.0:*             users(("systemd-resolve",pid=12807,fd=14))
tcp    LISTEN    0         151       127.0.0.1:3306       0.0.0.0:*             users(("mysqld",pid=31384,fd=23))
tcp    LISTEN    0         4096      127.0.0.54:53       0.0.0.0:*             users(("systemd-resolve",pid=12807,fd=17))
tcp    LISTEN    0         70        127.0.0.1:33060     0.0.0.0:*             users(("mysqld",pid=31384,fd=21))
tcp    LISTEN    0         511       0.0.0.0:80          0.0.0.0:*             users(("nginx",pid=35193,fd=5),("nginx",pid=31695,fd=5))
tcp    LISTEN    0         4096      0.0.0.0:4422        0.0.0.0:*             users(("systemd",pid=1,fd=127))
tcp    LISTEN    0         4096      127.0.0.53%lo:53    0.0.0.0:*             users(("systemd-resolve",pid=12807,fd=15))
tcp    LISTEN    0         511       [::]:80             [::]:*                users(("nginx",pid=35193,fd=6),("nginx",pid=35192,fd=6),("nginx",pid=31695,fd=6))
tcp    LISTEN    0         4096      [::]:4422          [::]:*                users(("systemd",pid=1,fd=128))
```

```
root@ubuntu:/var/www/laravel.wara.efs.my.id# tail -n 20 /var/log/nginx/access.log
103.143.244.17 - - [07/Jul/2026:07:49:25 +0000] "GET /wp-includes/js/wplink.min.js?ver=7.0 HTTP/1.1" 200 11317 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:49:25 +0000] "GET /wp-includes/js/jquery/ui/menu.min.js?ver=1.13.3 HTTP/1.1" 200 10199 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:49:25 +0000] "GET /wp-includes/js/jquery/ui/autocomplete.min.js?ver=1.13.3 HTTP/1.1" 200 8536 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:49:25 +0000] "GET /wp-json/wp/v2/users/me?context=edit&locale=user HTTP/1.1" 200 2384 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:49:26 +0000] "GET /wp-admin/admin-ajax.php?action=wp-compression-test&test=1&ajax_nonce=bdfc3f3cbb617834105408594 HTTP/1.1" 200 1126 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:49:26 +0000] "GET /wp-includes/js/thickbox/loadingAnimation.gif HTTP/1.1" 200 15238 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:49:26 +0000] "GET /wp-admin/admin-ajax.php?action=wp-compression-test&test=2&ajax_nonce=bdfc3f3cbb617834105408731 HTTP/1.1" 200 584 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:49:26 +0000] "GET /wp-admin/admin-ajax.php?action=wp-compression-test&test=yes&ajax_nonce=bdfc3f3cbb617834105408799 HTTP/1.1" 200 11 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:49:27 +0000] "POST /wp-admin/admin-ajax.php HTTP/1.1" 200 533 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:49:29 +0000] "GET /wp-admin/admin-ajax.php?action=dashboard-widgets&widget=dashboard_primary&pagenow=dashboard HTTP/1.1" 200 459 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
127.0.0.1 - - [07/Jul/2026:07:50:26 +0000] "POST /wp-cron.php?doing_wp_cron=1783418626.6200320720672607421875 HTTP/1.1" 200 31 "-" "WordPress/7.0; http://wp.wara.efs.my.id"
103.143.244.17 - - [07/Jul/2026:07:50:26 +0000] "POST /wp-admin/admin-ajax.php HTTP/1.1" 200 58 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:52:27 +0000] "POST /wp-admin/admin-ajax.php HTTP/1.1" 200 58 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:54:28 +0000] "POST /wp-admin/admin-ajax.php HTTP/1.1" 200 58 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:55:49 +0000] "GET / HTTP/1.1" 200 17316 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:55:49 +0000] "GET /favicon.ico HTTP/1.1" 200 0 "http://laravel.wara.efs.my.id/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
103.143.244.17 - - [07/Jul/2026:07:56:29 +0000] "POST /wp-admin/admin-ajax.php HTTP/1.1" 200 58 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
5.61.209.92 - - [07/Jul/2026:07:57:42 +0000] "GET /SDK/webLanguage HTTP/1.1" 404 196 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4430.85 Safari/537.36 Edg/90.0.818.46"
103.143.244.17 - - [07/Jul/2026:07:58:31 +0000] "POST /wp-admin/admin-ajax.php HTTP/1.1" 200 58 "http://wp.wara.efs.my.id/wp-admin/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36"
104.194.10.143 - - [07/Jul/2026:08:03:15 +0000] "GET /SDK/webLanguage HTTP/1.1" 404 196 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4430.85 Safari/537.36 Edg/90.0.818.46"
root@ubuntu:/var/www/laravel.wara.efs.my.id# |
.....
root@ubuntu:/var/www/laravel.wara.efs.my.id# tail -n 20 /var/log/nginx/error.log
2026/07/07 07:17:35 [notice] 31695#31695: using inherited sockets from "5.6;"
2026/07/07 07:32:08 [error] 35192#35192: *2 directory index of "/var/www/wp.wara.efs.my.id/" is forbidden, client: 127.0.0.1, server: wp.wara.efs.my.id, request: "HEAD / HTTP/1.1", host: "wp.wara.efs.my.id"
2026/07/07 07:32:14 [error] 35193#35193: *3 directory index of "/var/www/laravel.wara.efs.my.id/public/" is forbidden, client: 127.0.0.1, server: laravel.wara.efs.my.id, request: "HEAD / HTTP/1.1", host: "laravel.wara.efs.my.id"
root@ubuntu:/var/www/laravel.wara.efs.my.id# |
```

Konfigurasi

```
root@ubuntu:/var/www/laravel.wara.efs.my.id# ls -lah /etc/nginx/sites-enabled/
total 8.0K
drwxr-xr-x 2 root root 4.0K Jul  7 07:27 .
drwxr-xr-x 8 root root 4.0K Jul  7 07:16 ..
lrwxrwxrwx 1 root root  34 Jul  7 07:16 default -> /etc/nginx/sites-available/default
lrwxrwxrwx 1 root root 49 Jul  7 07:27 laravel.wara.efs.my.id -> /etc/nginx/sites-available/laravel.wara.efs.my.id
lrwxrwxrwx 1 root root 44 Jul  7 07:27 wp.wara.efs.my.id -> /etc/nginx/sites-available/wp.wara.efs.my.id
root@ubuntu:/var/www/laravel.wara.efs.my.id# |
```


File Script backup.sh

- nano backup.sh

```
GNU nano 7.2 backup.sh
#!/bin/bash
BACKUP_DIR="/backup"
TANGGAL=$(date +%Y%m%d_%H%M%S)
LOG_FILE="/var/log/backup_automation.log"

mkdir -p $BACKUP_DIR
echo "=== MEMULAI PROSES BACKUP: $(date) ===" | tee -a $LOG_FILE

echo "[1/3] Mendumping database MySQL..." | tee -a $LOG_FILE
mysqldump -u root wp_db > $BACKUP_DIR/wp_db_$TANGGAL.sql 2>>$LOG_FILE
mysqldump -u root laravel_db > $BACKUP_DIR/laravel_db_$TANGGAL.sql 2>>$LOG_FILE

echo "[2/3] Mengompres file direktori website..." | tee -a $LOG_FILE
tar -czf $BACKUP_DIR/wordpress-backup-$TANGGAL.tar.gz -C /var/www wp.wara.efs.my.id 2>>$LOG_FILE
tar -czf $BACKUP_DIR/laravel-backup-$TANGGAL.tar.gz -C /var/www laravel.wara.efs.my.id 2>>$LOG_FILE

echo "[3/3] Menjalankan rotasi backup..." | tee -a $LOG_FILE
find $BACKUP_DIR -type f -mtime +7 -name "*.sql" -exec rm {} \;
find $BACKUP_DIR -type f -mtime +7 -name "*.tar.gz" -exec rm {} \;

echo "=== PROSES SELESAI ===" | tee -a $LOG_FILE
ls -lh $BACKUP_DIR | tee -a $LOG_FILE

[ Read 22 lines ]
^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line  M-E Redo
```

Beri Izin (Executable)

- chmod +x backup.sh
- ./backup.sh

```
root@ubuntu:/var/www/laravel.wara.efs.my.id# cd ~
root@ubuntu:~# cd ~
root@ubuntu:~# nano backup.sh
root@ubuntu:~# chmod +x backup.sh
root@ubuntu:~# ./backup.sh
=== MEMULAI PROSES BACKUP: Tue Jul  7 08:15:10 AM UTC 2026 ===
[1/3] Mendumping database MySQL...
[2/3] Mengompres file direktori website...
[3/3] Menjalankan rotasi backup...
=== PROSES SELESAI ===
total 106M
-rw-r--r-- 1 root root 24M Jul  7 08:15 laravel-backup-20260707_081510.tar.gz
-rw-r--r-- 1 root root 24M Jul  7 08:01 laravel-backup.tar.gz
-rw-r--r-- 1 root root 9.7K Jul  7 08:15 laravel_db_20260707_081510.sql
-rw-r--r-- 1 root root 9.7K Jul  7 08:01 laravel_db_backup.sql
-rw-r--r-- 1 root root 29M Jul  7 08:15 wordpress-backup-20260707_081510.tar.gz
-rw-r--r-- 1 root root 29M Jul  7 08:01 wordpress-backup.tar.gz
-rw-r--r-- 1 root root 915K Jul  7 08:15 wp_db_20260707_081510.sql
-rw-r--r-- 1 root root 915K Jul  7 08:01 wp_db_backup.sql
root@ubuntu:~#
```

1. VM vs Container vs Bare Metal: Bare metal adalah server fisik utuh tanpa virtualisasi. VM memvirtualisasi hardware sehingga menjalankan OS penuh (berat). Container memvirtualisasi OS (berbagi kernel), sehingga sangat ringan dan cepat (contoh: Docker).
2. Fungsi Proxmox: Platform manajemen virtualisasi open-source untuk mengelola VM (KVM) dan container (LXC) dalam satu dashboard web pada infrastruktur on-premise.
3. Apa itu Ceph Storage: Sistem penyimpanan terdistribusi (distributed storage) open-source yang menyediakan object, block, dan file storage dalam satu klaster yang scalable dan self-healing.
4. Risiko dimonitor pada Ceph: Kerusakan disk (OSD down), latensi jaringan antar node (sangat mempengaruhi performa), kapasitas penuh (jika >85% klaster bisa berhenti), dan masalah kuorum pada Monitor node.
5. Backup vs Snapshot vs Replication: Backup adalah salinan data utuh yang disimpan terpisah. Snapshot adalah rekaman kondisi disk pada titik waktu tertentu (bergantung pada disk asli). Replication adalah penyalinan data secara real-time ke server lain untuk ketersediaan tinggi (HA).
6. Alur Deployment Laravel Aman: Push code ke Git -> CI/CD memicu build -> Pull code di server -> Jalankan composer install --no-dev -> Jalankan migrasi database -> Atur permission folder -> Jalankan cache config/route -> Reload PHP-FPM.
7. Manfaat CI/CD: Mengurangi human error, mempercepat proses deployment, dan memastikan kode yang naik ke production sudah melalui tahap pengujian (tes) secara otomatis.
8. Laravel Lambat (CPU/RAM Normal): Cek performa query database (lambat/tidak ada indeks), cek koneksi ke API eksternal yang timeout, atau masalah I/O pada disk (misal lambat menulis log atau session).
9. MySQL High Load: Jalankan perintah SHOW FULL PROCESSLIST; untuk melihat query yang nyangkut. Cek slow query log, dan periksa apakah ada table lock atau kekurangan indeks (index).
10. Web Tidak Bisa Diakses (Urutan Troubleshoot): 1. Cek koneksi internet/DNS (ping domain). 2. Cek apakah server hidup (ping IP). 3. Cek firewall (port 80/443 terbuka tidak). 4. Cek status web server (systemctl status nginx). 5. Cek error log Nginx/PHP.