

/**** CREATE DATABASE [HotelManagement] ****/

USE [master]

GO

/***** Object: Database [HotelManagement] Script Date: 11/6/2021 1:35:34 AM *****/

CREATE DATABASE [HotelManagement]

CONTAINMENT = NONE

ON PRIMARY

(NAME = N'HotelManagement', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL15.SQLEXPRESS\MSSQL\DATA\HotelManagement.mdf' , SIZE = 8192KB , MAXSIZE =
UNLIMITED, FILEGROWTH = 65536KB)

LOG ON

(NAME = N'HotelManagement_log', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL15.SQLEXPRESS\MSSQL\DATA\HotelManagement_log.ldf' , SIZE = 8192KB , MAXSIZE =
2048GB , FILEGROWTH = 65536KB)

WITH CATALOG_COLLATION = DATABASE_DEFAULT

GO

ALTER DATABASE [HotelManagement] SET COMPATIBILITY_LEVEL = 150

GO

IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))

begin

EXEC [HotelManagement].[dbo].[sp_fulltext_database] @action = 'enable'

end

GO

ALTER DATABASE [HotelManagement] SET ANSI_NULL_DEFAULT OFF

GO

ALTER DATABASE [HotelManagement] SET ANSI_NULLS OFF

GO

ALTER DATABASE [HotelManagement] SET ANSI_PADDING OFF

GO

ALTER DATABASE [HotelManagement] SET ANSI_WARNINGS OFF

GO

ALTER DATABASE [HotelManagement] SET ARITHABORT OFF

GO

ALTER DATABASE [HotelManagement] SET AUTO_CLOSE OFF

GO

ALTER DATABASE [HotelManagement] SET AUTO_SHRINK OFF

GO

ALTER DATABASE [HotelManagement] SET AUTO_UPDATE_STATISTICS ON

GO

ALTER DATABASE [HotelManagement] SET CURSOR_CLOSE_ON_COMMIT OFF

GO

ALTER DATABASE [HotelManagement] SET CURSOR_DEFAULT GLOBAL

GO

ALTER DATABASE [HotelManagement] SET CONCAT_NULL_YIELDS_NULL OFF

GO

ALTER DATABASE [HotelManagement] SET NUMERIC_ROUNDABORT OFF

GO

ALTER DATABASE [HotelManagement] SET QUOTED_IDENTIFIER OFF

GO

ALTER DATABASE [HotelManagement] SET RECURSIVE_TRIGGERS OFF

GO

ALTER DATABASE [HotelManagement] SET DISABLE_BROKER

GO

ALTER DATABASE [HotelManagement] SET AUTO_UPDATE_STATISTICS_ASYNC OFF

GO

ALTER DATABASE [HotelManagement] SET DATE_CORRELATION_OPTIMIZATION OFF

GO

ALTER DATABASE [HotelManagement] SET TRUSTWORTHY OFF

GO

ALTER DATABASE [HotelManagement] SET ALLOW_SNAPSHOT_ISOLATION OFF

GO

ALTER DATABASE [HotelManagement] SET PARAMETERIZATION SIMPLE

GO

ALTER DATABASE [HotelManagement] SET READ_COMMITTED_SNAPSHOT OFF

GO

ALTER DATABASE [HotelManagement] SET HONOR_BROKER_PRIORITY OFF

GO

ALTER DATABASE [HotelManagement] SET RECOVERY SIMPLE

GO

ALTER DATABASE [HotelManagement] SET MULTI_USER

GO

ALTER DATABASE [HotelManagement] SET PAGE_VERIFY CHECKSUM

GO

ALTER DATABASE [HotelManagement] SET DB_CHAINING OFF

GO

ALTER DATABASE [HotelManagement] SET FILESTREAM(NON_TRANSACTED_ACCESS = OFF)

GO

ALTER DATABASE [HotelManagement] SET TARGET_RECOVERY_TIME = 60 SECONDS

GO

ALTER DATABASE [HotelManagement] SET DELAYED_DURABILITY = DISABLED

GO

ALTER DATABASE [HotelManagement] SET ACCELERATED_DATABASE_RECOVERY = OFF

GO

ALTER DATABASE [HotelManagement] SET QUERY_STORE = OFF

GO

USE [HotelManagement]

GO

/***** Object: Table [dbo].[tbl_Hizmet] Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[tbl_Hizmet](

```

[hizmet_Id] [int] IDENTITY(1,1) NOT NULL,
[hizmet_Ad] [nvarchar](50) NULL,
[hizmet_Ucret] [int] NULL,
CONSTRAINT [PK_tbl_Hizmet] PRIMARY KEY CLUSTERED
(
    [hizmet_Id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
GO

/***** Object: Table [dbo].[tbl_Musteri]  Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[tbl_Musteri](
    [musteri_id] [int] IDENTITY(1,1) NOT NULL,
    [misafir_Ad] [nvarchar](50) NULL,
    [misafir_Soyad] [nvarchar](50) NULL,
    [misafir_TC] [nchar](11) NULL,
    [misafir_Telefon] [nchar](10) NULL,
    CONSTRAINT [PK_tbl_Musteri] PRIMARY KEY CLUSTERED
(
    [musteri_id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY],
    CONSTRAINT [UK_tbl_Musteri] UNIQUE NONCLUSTERED
(
    [misafir_TC] ASC

```

```
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,  
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON  
[PRIMARY]
```

```
) ON [PRIMARY]
```

```
GO
```

```
/***** Object: Table [dbo].[tbl_Sınıf] Script Date: 11/6/2021 1:35:34 AM *****/
```

```
SET ANSI_NULLS ON
```

```
GO
```

```
SET QUOTED_IDENTIFIER ON
```

```
GO
```

```
CREATE TABLE [dbo].[tbl_Sınıf](
```

```
    [sınıf_Id] [int] IDENTITY(1,1) NOT NULL,
```

```
    [sınıf_Ad] [nvarchar](10) NOT NULL,
```

```
    [hizmet_no] [int] NULL,
```

```
CONSTRAINT [PK_tbl_Sınıf] PRIMARY KEY CLUSTERED
```

```
(
```

```
    [sınıf_Id] ASC
```

```
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,  
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON  
[PRIMARY]
```

```
) ON [PRIMARY]
```

```
GO
```

```
/***** Object: Table [dbo].[tbl_oda] Script Date: 11/6/2021 1:35:34 AM *****/
```

```
SET ANSI_NULLS ON
```

```
GO
```

```
SET QUOTED_IDENTIFIER ON
```

```
GO
```

```
CREATE TABLE [dbo].[tbl_oda](
```

```
    [oda_id] [int] IDENTITY(1,1) NOT NULL,
```

```
    [oda_No] [int] NULL,
```

```
    [oda_Kapasite] [int] NULL,
```

```
    [oda_sınıfId] [int] NULL,
```

```
    [oda_Ucret] [int] NULL,
```

```

        [oda_subeld] [int] NULL,

        [oda_Aciklama] [nvarchar](150) NULL,

CONSTRAINT [PK_tbl_oda_1] PRIMARY KEY CLUSTERED

(

        [oda_id] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]

) ON [PRIMARY]

GO

/***** Object: View [dbo].[View_Musteri]  Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE VIEW [dbo].[View_Musteri]

AS

SELECT dbo.tbl_Musteri.misafir_Ad, dbo.tbl_Musteri.misafir_Soyad, dbo.tbl_Hizmet.hizmet_Ad,
dbo.tbl_Oda.oda_Id, dbo.tbl_Sinif.sinif_Ad

FROM    dbo.tbl_Hizmet INNER JOIN

        dbo.tbl_Sinif ON dbo.tbl_Hizmet.hizmet_Id = dbo.tbl_Sinif.hizmet_no INNER JOIN

        dbo.tbl_Oda ON dbo.tbl_Sinif.sinif_Id = dbo.tbl_Oda.oda_SinifId CROSS JOIN

        dbo.tbl_Musteri

GO

/***** Object: Table [dbo].[tbl_sube]  Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[tbl_sube](

        [sube_ID] [int] IDENTITY(1,1) NOT NULL,

        [sube_Sehir] [nvarchar](24) NULL,

```

```

        [sube_KurulusTarih] [date] NULL,
        [sube_adres] [nvarchar](150) NULL,
CONSTRAINT [PK_tbl_subeler] PRIMARY KEY CLUSTERED
(
        [sube_ID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
GO

/***** Object: Table [dbo].[tbl_rezervasyon]  Script Date: 11/6/2021 1:35:34 AM *****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[tbl_rezervasyon](
        [rezervasyon_Id] [int] IDENTITY(1,1) NOT NULL,
        [rezervasyon_MusteriId] [int] NOT NULL,
        [baslangic_Tarih] [date] NULL,
        [bitis_Tarih] [date] NULL,
        [oda_RezId] [int] NOT NULL,
CONSTRAINT [PK_tbl_rezervasyon] PRIMARY KEY CLUSTERED
(
        [rezervasyon_Id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
GO

/***** Object: View [dbo].[View_MusteriSubeBul]  Script Date: 11/6/2021 1:35:34 AM *****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON

```

GO

CREATE VIEW [dbo].[View_MusteriSubeBul] AS

SELECT dbo.tbl_sube.sube_ID, dbo.tbl_rezervasyon.oda_RezId,
dbo.tbl_rezervasyon.rezervasyon_MusteriId, dbo.tbl_Musteri.misafir_TC

FROM dbo.tbl_rezervasyon INNER JOIN

dbo.tbl_oda ON dbo.tbl_rezervasyon.oda_RezId = dbo.tbl_oda.oda_id INNER JOIN

dbo.tbl_sube ON dbo.tbl_oda.oda_subeId = dbo.tbl_sube.sube_ID INNER JOIN

dbo.tbl_Musteri ON dbo.tbl_rezervasyon.rezervasyon_MusteriId =
dbo.tbl_Musteri.musteri_id

GO

/***** Object: Table [dbo].[tbl_Departman] Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[tbl_Departman](

[departman_ID] [int] IDENTITY(1,1) NOT NULL,

[departman_Ad] [nvarchar](25) NULL,

CONSTRAINT [PK_tbl_Departman_1] PRIMARY KEY CLUSTERED

(

[departman_ID] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]

) ON [PRIMARY]

GO

/***** Object: Table [dbo].[tbl_Firma] Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[tbl_Firma](

[firma_id] [int] IDENTITY(1,1) NOT NULL,


```

        [firma_ad] [nvarchar](50) NULL,
        [firma_kurulusTarih] [date] NULL,
CONSTRAINT [PK_tbl_Firma] PRIMARY KEY CLUSTERED
(
        [firma_id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
GO

/***** Object: Table [dbo].[tbl_Kupon]  Script Date: 11/6/2021 1:35:34 AM *****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[tbl_Kupon](
        [kupon_id] [int] IDENTITY(1,1) NOT NULL,
        [kupon_kod] [nvarchar](30) NULL,
        [kupon_anlasmaTarih] [date] NULL,
        [kupon_AnlasmaBitis] [date] NULL,
        [kupon_indirim] [int] NULL,
        [kupon_FirmaId] [int] NULL,
CONSTRAINT [PK_tbl_Kupon] PRIMARY KEY CLUSTERED
(
        [kupon_id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
GO

/***** Object: Table [dbo].[tbl_Odeme]  Script Date: 11/6/2021 1:35:34 AM *****/
SET ANSI_NULLS ON
GO

```

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[tbl_Odeme](

[odeme_id] [int] IDENTITY(1,1) NOT NULL,

[odeme_MusteriTC] [nchar](11) NULL,

[odeme_Tarih] [date] NULL,

[odeme_Sekli] [nvarchar](30) NULL,

[odeme_KuponId] [int] NULL,

[odeme_Hesap] [int] NULL,

CONSTRAINT [PK_tbl_Odeme_1] PRIMARY KEY CLUSTERED

(

[odeme_id] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]

) ON [PRIMARY]

GO

/***** Object: Table [dbo].[tbl_personel] Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[tbl_personel](

[personel_id] [int] IDENTITY(1,1) NOT NULL,

[personel_Ad] [nvarchar](30) NULL,

[personel_Soyad] [nvarchar](30) NULL,

[personel_Telefon] [nchar](18) NULL,

[personel_TC] [nchar](11) NULL,

[personel_IseGiris] [date] NULL,

[personel_Adres] [nvarchar](150) NULL,

[personel_Rol] [int] NULL,

[personel_Subu] [int] NOT NULL,

```
[personel_IsCikis] [date] NULL,  
CONSTRAINT [PK_tbl_personel] PRIMARY KEY CLUSTERED  
(  
    [personel_id] ASC  
)  
WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,  
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON  
[PRIMARY]  
ON [PRIMARY]  
GO
```

/***** Object: Table [dbo].[tbl_personelRol] Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

```
CREATE TABLE [dbo].[tbl_personelRol](  
    [personelRol_id] [int] IDENTITY(1,1) NOT NULL,  
    [personelRol_ad] [nvarchar](40) NULL,  
    [personelRol_maas] [int] NULL,  
    [personelRol_Dept] [int] NULL,  
CONSTRAINT [PK_tbl_personelRol] PRIMARY KEY CLUSTERED  
(  
    [personelRol_id] ASC  
)  
WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,  
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON  
[PRIMARY]  
ON [PRIMARY]  
GO
```

/***** Object: Table [dbo].[tbl_RaporHizmet] Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

```
CREATE TABLE [dbo].[tbl_RaporHizmet](
```

```

[raporHiz_id] [int] IDENTITY(1,1) NOT NULL,
[raporHiz_Ad] [nvarchar](50) NULL,
[raporHiz_Tarih] [smalldatetime] NULL,
[rapor_Sube] [int] NOT NULL,
[raporKayit_id] [int] NOT NULL,
[raporHiz_Aciklama] [nvarchar](150) NULL,
CONSTRAINT [PK_tbl_RaporHizmet] PRIMARY KEY CLUSTERED
(
    [raporHiz_id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
GO

/***** Object: Table [dbo].[tbl_RaporKayit]  Script Date: 11/6/2021 1:35:34 AM *****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[tbl_RaporKayit](
    [raporKayit_Id] [int] IDENTITY(1,1) NOT NULL,
    [musteri_TC] [nchar](11) NOT NULL,
    [RaporKayit_Tur] [int] NOT NULL,
CONSTRAINT [PK_tbl_RaporKayit] PRIMARY KEY CLUSTERED
(
    [raporKayit_Id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
GO

/***** Object: Table [dbo].[tbl_RaporPersonel]  Script Date: 11/6/2021 1:35:34 AM *****/
SET ANSI_NULLS ON

```

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[tbl_RaporPersonel](

[raporPers_id] [int] IDENTITY(1,1) NOT NULL,

[raporPers_Ad] [nvarchar](50) NULL,

[raporPers_Tarih] [smalldatetime] NULL,

[raporKayıt_id] [int] NOT NULL,

[raporPers_Aciklama] [nvarchar](150) NULL,

CONSTRAINT [PK_tbl_RaporPersonel] PRIMARY KEY CLUSTERED

(

[raporPers_id] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]

) ON [PRIMARY]

GO

/***** Object: Table [dbo].[tbl_RaporTur] Script Date: 11/6/2021 1:35:34 AM *****/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[tbl_RaporTur](

[raporTur_id] [int] IDENTITY(1,1) NOT NULL,

[raporTur_ad] [nvarchar](10) NULL,

CONSTRAINT [PK_tbl_RaporTur] PRIMARY KEY CLUSTERED

(

[raporTur_id] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]

) ON [PRIMARY]

GO

```

ALTER TABLE [dbo].[tbl_Kupon] WITH CHECK ADD CONSTRAINT [FK_tbl_Kupon_tbl_Firma] FOREIGN
KEY([kupon_FirmaId])

REFERENCES [dbo].[tbl_Firma] ([firma_id])

GO

ALTER TABLE [dbo].[tbl_Kupon] CHECK CONSTRAINT [FK_tbl_Kupon_tbl_Firma]

GO

ALTER TABLE [dbo].[tbl_oda] WITH CHECK ADD CONSTRAINT [FK_tbl_oda_tbl_Sinif1] FOREIGN
KEY([oda_sinifId])

REFERENCES [dbo].[tbl_Sinif] ([sinif_Id])

GO

ALTER TABLE [dbo].[tbl_oda] CHECK CONSTRAINT [FK_tbl_oda_tbl_Sinif1]

GO

ALTER TABLE [dbo].[tbl_oda] WITH CHECK ADD CONSTRAINT [FK_tbl_oda_tbl_sube] FOREIGN
KEY([oda_subeId])

REFERENCES [dbo].[tbl_sube] ([sube_ID])

GO

ALTER TABLE [dbo].[tbl_oda] CHECK CONSTRAINT [FK_tbl_oda_tbl_sube]

GO

ALTER TABLE [dbo].[tbl_Odeme] WITH CHECK ADD CONSTRAINT [FK_tbl_Odeme_tbl_Kupon1] FOREIGN
KEY([odeme_KuponId])

REFERENCES [dbo].[tbl_Kupon] ([kupon_id])

GO

ALTER TABLE [dbo].[tbl_Odeme] CHECK CONSTRAINT [FK_tbl_Odeme_tbl_Kupon1]

GO

ALTER TABLE [dbo].[tbl_Odeme] WITH CHECK ADD CONSTRAINT [FK_tbl_Odeme_tbl_Musteri1]
FOREIGN KEY([odeme_MusteriTC])

REFERENCES [dbo].[tbl_Musteri] ([misafir_TC])

GO

ALTER TABLE [dbo].[tbl_Odeme] CHECK CONSTRAINT [FK_tbl_Odeme_tbl_Musteri1]

GO

ALTER TABLE [dbo].[tbl_personel] WITH CHECK ADD CONSTRAINT [FK_tbl_personel_tbl_personelRol]
FOREIGN KEY([personel_Rol])

REFERENCES [dbo].[tbl_personelRol] ([personelRol_id])

```

GO

```
ALTER TABLE [dbo].[tbl_personel] CHECK CONSTRAINT [FK_tbl_personel_tbl_personelRol]
```

GO

```
ALTER TABLE [dbo].[tbl_personel] WITH CHECK ADD CONSTRAINT [FK_tbl_personel_tbl_subeler]  
FOREIGN KEY([personel_Subeler])
```

```
REFERENCES [dbo].[tbl_subeler] ([subeler_ID])
```

GO

```
ALTER TABLE [dbo].[tbl_personel] CHECK CONSTRAINT [FK_tbl_personel_tbl_subeler]
```

GO

```
ALTER TABLE [dbo].[tbl_personelRol] WITH CHECK ADD CONSTRAINT  
[FK_tbl_personelRol_tbl_Departman] FOREIGN KEY([personelRol_Dept])
```

```
REFERENCES [dbo].[tbl_Departman] ([departman_ID])
```

GO

```
ALTER TABLE [dbo].[tbl_personelRol] CHECK CONSTRAINT [FK_tbl_personelRol_tbl_Departman]
```

GO

```
ALTER TABLE [dbo].[tbl_RaporHizmet] WITH CHECK ADD CONSTRAINT  
[FK_tbl_RaporHizmet_tbl_RaporKayit] FOREIGN KEY([raporKayit_id])
```

```
REFERENCES [dbo].[tbl_RaporKayit] ([raporKayit_id])
```

GO

```
ALTER TABLE [dbo].[tbl_RaporHizmet] CHECK CONSTRAINT [FK_tbl_RaporHizmet_tbl_RaporKayit]
```

GO

```
ALTER TABLE [dbo].[tbl_RaporKayit] WITH CHECK ADD CONSTRAINT [FK_tbl_RaporKayit_tbl_Musteri]  
FOREIGN KEY([musteri_TC])
```

```
REFERENCES [dbo].[tbl_Musteri] ([misafir_TC])
```

GO

```
ALTER TABLE [dbo].[tbl_RaporKayit] CHECK CONSTRAINT [FK_tbl_RaporKayit_tbl_Musteri]
```

GO

```
ALTER TABLE [dbo].[tbl_RaporKayit] WITH CHECK ADD CONSTRAINT [FK_tbl_RaporKayit_tbl_RaporTur]  
FOREIGN KEY([RaporKayit_Tur])
```

```
REFERENCES [dbo].[tbl_RaporTur] ([raporTur_id])
```

GO

```
ALTER TABLE [dbo].[tbl_RaporKayit] CHECK CONSTRAINT [FK_tbl_RaporKayit_tbl_RaporTur]
```

GO

```
ALTER TABLE [dbo].[tbl_RaporPersonel] WITH CHECK ADD CONSTRAINT  
[FK_tbl_RaporPersonel_tbl_RaporKayit] FOREIGN KEY([raporKayit_id])
```

```
REFERENCES [dbo].[tbl_RaporKayit] ([raporKayit_Id])
```

```
GO
```

```
ALTER TABLE [dbo].[tbl_RaporPersonel] CHECK CONSTRAINT [FK_tbl_RaporPersonel_tbl_RaporKayit]
```

```
GO
```

```
ALTER TABLE [dbo].[tbl_rezervasyon] WITH CHECK ADD CONSTRAINT [FK_tbl_rezervasyon_tbl_Musteri]  
FOREIGN KEY([rezervasyon_MusteriId])
```

```
REFERENCES [dbo].[tbl_Musteri] ([musteri_id])
```

```
GO
```

```
ALTER TABLE [dbo].[tbl_rezervasyon] CHECK CONSTRAINT [FK_tbl_rezervasyon_tbl_Musteri]
```

```
GO
```

```
ALTER TABLE [dbo].[tbl_rezervasyon] WITH CHECK ADD CONSTRAINT [FK_tbl_rezervasyon_tbl_oda1]  
FOREIGN KEY([oda_RezId])
```

```
REFERENCES [dbo].[tbl_oda] ([oda_id])
```

```
GO
```

```
ALTER TABLE [dbo].[tbl_rezervasyon] CHECK CONSTRAINT [FK_tbl_rezervasyon_tbl_oda1]
```

```
GO
```

```
ALTER TABLE [dbo].[tbl_Sinif] WITH CHECK ADD CONSTRAINT [FK_tbl_Sinif_tbl_Hizmet] FOREIGN  
KEY([hizmet_no])
```

```
REFERENCES [dbo].[tbl_Hizmet] ([hizmet_Id])
```

```
GO
```

```
ALTER TABLE [dbo].[tbl_Sinif] CHECK CONSTRAINT [FK_tbl_Sinif_tbl_Hizmet]
```

```
GO
```

```
EXEC sys.sp_addextendedproperty @name=N'MS_DiagramPane1', @value=N'[0E232FF0-B466-11cf-  
A24F-00AA00A3EFFF, 1.00]
```

```
Begin DesignProperties =
```

```
Begin PaneConfigurations =
```

```
Begin PaneConfiguration = 0
```

```
NumPanes = 4
```

```
Configuration = "(H (1[40] 4[20] 2[20] 3) )"
```

```
End
```

```
Begin PaneConfiguration = 1
```



```
NumPanels = 3
Configuration = "(H (1 [50] 4 [25] 3))"
End

Begin PaneConfiguration = 2
NumPanels = 3
Configuration = "(H (1 [50] 2 [25] 3))"
End

Begin PaneConfiguration = 3
NumPanels = 3
Configuration = "(H (4 [30] 2 [40] 3))"
End

Begin PaneConfiguration = 4
NumPanels = 2
Configuration = "(H (1 [56] 3))"
End

Begin PaneConfiguration = 5
NumPanels = 2
Configuration = "(H (2 [66] 3))"
End

Begin PaneConfiguration = 6
NumPanels = 2
Configuration = "(H (4 [50] 3))"
End

Begin PaneConfiguration = 7
NumPanels = 1
Configuration = "(V (3))"
End

Begin PaneConfiguration = 8
NumPanels = 3
Configuration = "(H (1[56] 4[18] 2) )"
End
```

Begin PaneConfiguration = 9

NumPanes = 2

Configuration = "(H (1 [75] 4))"

End

Begin PaneConfiguration = 10

NumPanes = 2

Configuration = "(H (1[66] 2))"

End

Begin PaneConfiguration = 11

NumPanes = 2

Configuration = "(H (4 [60] 2))"

End

Begin PaneConfiguration = 12

NumPanes = 1

Configuration = "(H (1))"

End

Begin PaneConfiguration = 13

NumPanes = 1

Configuration = "(V (4))"

End

Begin PaneConfiguration = 14

NumPanes = 1

Configuration = "(V (2))"

End

ActivePaneConfig = 0

End

Begin DiagramPane =

Begin Origin =

Top = 0

Left = 0

End

Begin Tables =

Begin Table = "tbl_Hizmet"

Begin Extent =

Top = 7

Left = 48

Bottom = 148

Right = 242

End

DisplayFlags = 280

TopColumn = 0

End

Begin Table = "tbl_Musteri"

Begin Extent =

Top = 17

Left = 296

Bottom = 180

Right = 492

End

DisplayFlags = 280

TopColumn = 1

End

Begin Table = "tbl_Oda"

Begin Extent =

Top = 7

Left = 534

Bottom = 170

Right = 728

End

DisplayFlags = 280

TopColumn = 1

End

```
Begin Table = "tbl_Sınıf"
  Begin Extent =
    Top = 7
    Left = 776
    Bottom = 148
    Right = 970
  End
  DisplayFlags = 280
  TopColumn = 0
End
End
End
Begin SQLPane =
End
Begin DataPane =
  Begin ParameterDefaults = ""
End
End
Begin CriteriaPane =
  Begin ColumnWidths = 11
    Column = 1440
    Alias = 900
    Table = 1170
    Output = 720
    Append = 1400
    NewValue = 1170
    SortType = 1350
    SortOrder = 1410
    GroupBy = 1350
    Filter = 1350
    Or = 1350
```

Or = 1350

Or = 1350

End

End

End

', @level0type=N'SCHEMA',@level0name=N'dbo',
@level1type=N'VIEW',@level1name=N'View_Musteri'

GO

EXEC sys.sp_addextendedproperty @name=N'MS_DiagramPaneCount', @value=1 ,
@level0type=N'SCHEMA',@level0name=N'dbo', @level1type=N'VIEW',@level1name=N'View_Musteri'

GO

USE [master]

GO

ALTER DATABASE [HotelManagement] SET READ_WRITE

GO

USE [master]

GO

ALTER DATABASE [HotelManagement]

COLLATE Turkish_CI_AS;

GO