PalmSource™ 99

Latest Handheld APIs: Lab Session

David Fedor
Senior Developer Support Engineer

3Com
More connected.

Overview

PalmSource 99

- The basics
- Demonstration project: Emily-proof
- Customizing the command toolbar in your application

The Basics

PalmSource 99

- Switching your build system to 3.5
  - Copy the CD's contents to the right places
  - (See the readme if necessary!)
- Convert your project to 3.5
  - Include path
  - #include <PalmOS.h>
  - Type changes
- Test in Pose (both new and old roms)

Demo App: Emily-Proof

PalmSource 99

- Goal: demonstrate a few new APIs:
  - Notification Manager
  - FrmCustomResponseAlert
  - UIPickColor

Emily-Proof Setup

- Start with the project template
- Set it up properly
  - Target settings: Target Name “EmilyProof”
  - Access paths: Change to 3.5 support
  - C/C++ Language: remove prefix file
  - PalmRez Post Linker: output “EmilyProof.prc”
  - PalmRez Post Linker: crid “EmPr”
- Remove all of its code and resources, because this isn’t a normal application

Emily-Proof Step 1

- Create the application basics
- Register for the “Late Wakeup” notification, both on reset as well as when the application is launched (for testing convenience)
- Quick check: does it compile?

Emily-Proof Step 2

PalmSource 99

- Handle the notification
  - Launch code sysAppLaunchCmdNotify
- Bring up an alert to say that we're running!
- Time to try it out…

Emily-Proof Step 3

PalmSource 99

- Define the question and answer
- Add the pseudo-password verification callback
- Switch to FrmCustomResponseAlert
- Try it again; now it is getting useful…

Emily-Proof Step 4

PalmSource 99

- Only bring up the alert if the time is during normal work hours, for our convenience
- Add a “Colors…” button which shows the color palette, for Emily’s amusement
- Time to play with it again!

Emily-Proof Wrap-up

PalmSource 99

- Extremely simple application with no globals
- New APIs used
  - Notification Manager
  - FrmCustomResponseAlert
  - UIPickColor
- Ship it!

Command Toolbar

PalmSource 99

- Try it out, to see if the field package already does the right thing
- Now customize the buttons
  - …but don't be gratuitous in real life!

Command Toolbar Code

PalmSource 99

```
case menuCmdBarOpenEvent:
if (whateverConditionYouWantHere) {
    MenuCmdBarAddButton(menuCmdBarOnLeft,
      YourBitmapID,
      menuCmdBarResultMenuItem,
      yourMenuCommandID,
      0);
}
   // Optionally, no cut/copy/paste/undo:
   eventP->data.
   menuCmdBarOpen.preventFieldButtons = 1;
```

PalmSource™ 99

Q&A

3Com
More connected.