PalmSource™ 99

Lab: Interfacing WCAs and Palm OS® Applications

Adam Tow and Scot Stennis

3Com
More connected.

Agenda

PalmSource 99

- Objective: Try your hand at writing C/C++ applications that interface with web clipping applications
- Overview on what you need to know to interface applications with web clipping
- Code walkthrough
- Tutorial

Web Clipping Constants

PalmSource 99

- Creator and type
  - **`sysFileCClipper`** = web clipping app viewer
  - **`sysFileCMessaging`** = iMessenger™
  - **`sysFileTPQA`** = web clipping app file type
- Key codes
  - **`vchrHardAntenna`** = user raised the antenna
  - **`vchrRadioCoverageOK`** = found coverage
  - **`vchrRadioCoverageFail`** = no coverage
- Characters
  - **`chrOta`** = over-the-air icon
  - **`chrOtaSecure`** = secure over-the-air icon

Launch Codes

- **sysAppLaunchCmdURLParams**
  - Parameter block is a pointer to the URL-string
- **sysAppLaunchCmdGoToURL**
  - Sent to Clipper
  - Parameter block is a pointer to a URL-string
- **sysAppLaunchCmdOpenDB**
  - Sent to Clipper
  - Parameter block is a pointer to a SysAppLaunchCmdOpenDBType structure

palm and palmcall

- palm
  - palm:XXXX.appl?YYYY
  - Launches your application with the launch code **`sysAppLaunchCmdNormalLaunch`** with parameter block set to the URL-string
- palmcall
  - palmcall:XXXX.appl?YYYY
  - Sublaunches your application with the launch code **`sysAppLaunchCmdURLParams`** with the parameter block set to the URL-string
  - No global variables
  - Should return to Clipper

Tutorial

PalmSource 99

- Bars
  - Graph data from web clippings
  - Design your first application that interfaces with web clipping
  - Where to find Bars
- Source code for examples used in Session 448 available
- Code Warrior, Release 6
  - Set system path to Palm VII™ Support folder

Code Walkthrough

PalmSource 99

```
DWord PilotMain(Word cmd, Ptr cmdPBP,
                Word flags)
{
   switch(cmd) {
      case sysAppLaunchCmdNormalLaunch:
         // 1. Check cmdPBP for palm
         // 2. Parse input
         // 3. Process data
         break;
      case sysAppLaunchCmdURLParams:
         // 1. Check cmdPBP for palmcall
         // 2. Parse input
         // 3. Process data
         // 4. Return to Clipper
         break;
   }
   return 0;
}
```


PalmSource™ 99
3Com
More connected.