SandgateVP

Operation Manual

12/1/2006 Rev 1.0

Japan: Sophia Systems Co., Ltd
6-2 Minamikurokawa, Asao-Ku, Kawasaki-City,
Kanagawa, 215, Japan
TEL: 81-44-989-7110 FAX: 81-44-989-7014
Email: support@sophia.com
URL: http://www.sophia.com
URL: http://www.sophia-systems.co.jp

DEC. 2006

Sophia Systems Co., Ltd. welcomes any comments about its products and documentation. Please contact Sophia Technical Support 81-44-989-7110.

The products described in this document are furnished under a license agreement and may be used, copied, sent over a network, transmitted, or disclosed only in accordance with the terms of that agreement. No part of this document may be copied, reproduced, or translated in any form without the prior written consent of Sophia Systems Co., Ltd.

Sophia Systems Co., Ltd. may make improvements or changes to the products described in this manual at any time without notice. Sophia provides this document without warranty of any kind.
Sophia Systems Co., Ltd. will not bare any liability for the consequence caused by reliance on any information contained herein.

Index

Index 1
Safety Precautions 2
Product Overview 7
Insert battery 8
Charging eth battery 9
CF Card 10
miniSD card 10
Headset 11
Linux operation 12
Specifications 13

Safety Precautions

To use the product safely, read Safety Precautions before using handset.

Symbols

Make sure you thoroughly understand these symbols before reading on.

Symbols and their meanings are described below.

 **DANGER**	**Great risk of death or serious injury from improper use**
 **WARNING**	**Risk of death or serious injury from improper use**
 **CAUTION**	**Risk of injury or damage to property from improper use**

	**Attention Required**
	**Prohibited Actions**
	**Compulsory Actions**

■Handset

DANGER

- Should there be overheat, smoke, or odour, discontinue handsetuse immediately, remove battery, and contact Sophia Systems.
- If any foreign objects such as metal, water or liquid are inside handset, discontinue handset use immediately, remove battery, and contact Sophia Systems.
  This may cause fire or electric shock.
- Use only the specified battery or AC adapter.
  Using non-specified equipments may cause fire or accidents.
- Do not use handset during thunderstorms.
  There is a risk of lightning strike or electric shock.
- Turn handset power off in any places where handset use is prohibited.
  (ex when boarding aircraft).
- Turn handset power off near a highly accurate electronic equipment.
  The electronic equipment may malfunction due to radio wave.
  (ex: medical equipments such as implanted pacemakers)






CAUTION

- Should skin irritation occur, discontinue handsetuse and consult a doctor immediately. Skin irritation, rashes, or itchiness may result depending on your physical condition.



■Battery

DANGER

- Please observe the following precautions for battery (Lithium ion battery).
  Improper use may cause excessive heat, ignition, or explosion.
  - Avoid leaving the battery in extreme heat (direct sunlight, inside vehicles, or heat sources.)
  - Do not expose the battery to water, or fire. Do not heat it. .
  - Do not short circuit the battery terminal. Keep metal (such as wire) away from terminals.
  - Do not subject the battery to shocks such as driving a nail, beating with a hammer, or tramping down, etc.
  - Do not force the battery into handset. Confirm the direction of battery packing.
  - Do not disassemble, modify, or solder the battery.
  - Use only the specified AC adapter (JOD-SWR-05640) for charging the battery.
    If battery fluid contact eyes, rinse with clean water immediately

  If battery fluid contact eyes, rinse with clean water immediately
- If battery fluid contact eyes, rinse with clean water immediately and consult a doctor.

WARNING

- Please observe the following precautions for battery.
  Improper use may cause excessive heat, ignition, or explosion.
  - Do not place battery in cooking equipments (such as microwave) or pressure containers.
  - If something abnormal occurs (unusual odor, excessive heat, discoloration , or destortion), discontinue the use.
  - Stop battery charge if it is not finished over the expected charging time. (approximately 4.5 hours)
  - If there is battery leakage, or unusual odor, discontinue the use immediately and keep away from fire.

  Avoid dropping battery in water or seawater. Keep battery out of raindrop.
  If it gets wet, discontinue the use immediately.

CAUTION

- Please observe the following precautions for battery.
  Improper use may cause leakage, excessive heat, burst, or ignite.
  - If battery fluid contacts skin or clothes, discontinue the use and rinse with clean water immediately.
  - Charge battery within temperatures of 5 -35 degrees Celsius
  - Please read “Charging battery” for battery charging.



■Precaution to use Wireless LAN

・Certified under Radio Law

The wireless device used in the SandgateVP has received the wireless device certification as a low-power data communication system based on the Radio Law in Japan. Therefore, licensing of this wireless station is not required when using this product.

Do not:

- Disassemble or modify the Wireless LAN module built in handset.
- Peel off the product label.

If you do, you may be punished by law.

・Interference of electromagnetic waves

The frequency band used for this product is 2.4GHz. Under this frequency, the other electronics or wireless stations may affect the electromagnetic waves. (ex: industry/science/medical equipments such as microwaves, similar types of other wireless stations, wireless stations that identify moving objects used in factory product lines(requiring licensing), special low-power wireless stations (requiring no licensing), or amateur wireless stations, etc).


1. Confirm other wireless stations are not operating nearby before using handset.
2. If electromagnetic wave interferes between the handset and the other wireless stations, move to a different place to use or discontinue use at once.
3. Keep handset power off in hospitals or crowded places such as crowded trains. Medical equipment (such as implanted pacemakers) may malfunction due to radio wave interference.

⚠ CAUTION

- This product has been certified under a technology standard of the Ministry of Internal Affairs and Communications in Japan.
- The display on the plaque of this product is the certification mark.
- Do not modify the certification mark without permission of Ministry of Internal Affairs and Communications. If you do, you may be punished by law.


Product Overview

Product overview of SGVP handset is described here.




Insert battery

1. Slide and remove the battery cover from handset.



2. Confirm the direction of the battery, and insert battery into headset.
   Do not force the battery into headset.






※ Use only the specified battery supplied with this handset.
Using non-specified devices may cause danger.


3. Close the battery cover.
4. If you use this product for the first time, please do “Charging the battery” before using.

Charging the battery

1. Connect the miniB USB cable to the USB connector as shown below.




2. When the battery starts charging, LED at the top of the handset illuminates red. When charging is complete, the LED illuminates green. Charging takes approximately 4 hours.



3. Remove the USB cable from handset after charging is complete.


CF Card

Insert the CF card with the label turned up below.




miniSD card

Insert the miniSD card with the label turned up into the miniSD card slot as shown below.



Headset

1. Connect the headset to the headset jack below.



2. The headset available for the following cellular phones can be connected.

Cellular phone type for reference

	Docomo	vodafone	au
Panasonic	P900i		
Mitsubishi	D505iS	V301D	
Fujitsu	F505i		
NEC	N900i	V601N	
SONY	SO505iS		A5404S
SHARP	SH900i	V601SH	
Toshiba		V302T	A5501T
SANYO			A5405SA
Kyocera			A5502K

Linux operation

Linux operation on SGVP requires the development environment.
Refer to the Linux installation manual supplied with the CD in order to build the development environment.

Specifications

Item	Overview
MPU	Intel PXA270 416MHz
Memory	Intel SCSP Flash 128MB、SDRAM 64MB
WLAN	Murata Manufacturing IEEE802.11b/11g module
Camera	Konica Minolta CMOS camera module(VGA)×2
LCD	SHARP 2.2 inch TFT LCD QVGA（320x240）
USB1.1(Client)	miniB connector
CF Slot	Slot for TYPE2
miniSD Slot	miniSD slot
Infrared communication	IrDA（SIR）
Pointer key	Asahikasei hall sensor and magnet
Operation key	25 keys on surface, 2 keys on the side
Key lighting	Yellow-green LED x 15
Speaker output	Micro speaker for incoming calls
Receiver output	Receiver for conversation
Microphone input	Microphone for conversation
Hands-free	Flat type JACK installed earphone microphone for FOMA
LED to indicate incoming calls	Approximately 32000 colors Graduation control available
Vibrator	Vibrator to indicate incoming calls
Litium ion battery	3.7V1300mAh Power supplied via the USB port
AC adapter	Connect to the USB port（5V、1A）
Reset switch	GPIO reset switch
Temperature range	0 - 40 degrees Celsius
Certification	Certified under the technology standard of Radio Law

Sophia Systems Co., Ltd http://www.sophia.com

6-2 Minami Kurokawa Asao-ku,Kawasaki-shi,

Kanagawa,215-8588 JAPAN

TEL. +81-44-989-7110 FAX. +81-44-989-7014