


1. su - user1

```
user1@eltex-practice2-v15:~$ ps -e -o pid,nlwp | awk '$2 > 1' | wc -l
11
```

2. `ps -e -o pid,nlwp | awk '$2 > 1' | wc -l`



```
top - 04:30:10 up 13:22, 1 user, load average: 0.00, 0.00, 0.00
Tasks: 108 total, 1 running, 107 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.0 sy, 0.0 ni,100.0 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 3915.9 total, 3133.1 free, 429.3 used, 580.6 buff/cache
MiB Swap: 3185.0 total, 3185.0 free, 0.0 used. 3486.6 avail Mem

  PID  PPID  UID  USER   RUSER   TTY      TIME+  %CPU  %MEM  S  COMMAND
 2504  2501  1001  user1   user1   pts/0    0:00.01  0.0   0.1  S  bash
 2539  2504  1001  user1   user1   pts/0    0:00.02  0.0   0.2  R  top
 564   1     997  systemd+ systemd+ ?        0:00.13  0.0   0.2  S  systemd-timesyn
 563   1     992  systemd+ systemd+ ?        0:00.08  0.0   0.3  S  systemd-resolve
 549   1     998  systemd+ systemd+ ?        0:00.40  0.0   0.2  S  systemd-network
 717   1     103  syslog  syslog  ?        0:00.04  0.0   0.2  S  rsyslogd
 1     0     0  root    root    ?        0:01.48  0.0   0.3  S  systemd
 2     0     0  root    root    ?        0:00.01  0.0   0.0  S  kthreadd
 3     2     0  root    root    ?        0:00.00  0.0   0.0  S  pool_workqueue_release
 4     2     0  root    root    ?        0:00.00  0.0   0.0  I  kworker/R-rcu_g
 5     2     0  root    root    ?        0:00.00  0.0   0.0  I  kworker/R-rcu_p
 6     2     0  root    root    ?        0:00.00  0.0   0.0  I  kworker/R-slub_
 7     2     0  root    root    ?        0:00.00  0.0   0.0  I  kworker/R-netns
 10    2     0  root    root    ?        0:00.00  0.0   0.0  I  kworker/0:0H-kblockd
 12    2     0  root    root    ?        0:00.00  0.0   0.0  I  kworker/R-mm_pe
 13    2     0  root    root    ?        0:00.00  0.0   0.0  I  rcu_tasks_kthread
 14    2     0  root    root    ?        0:00.00  0.0   0.0  I  rcu_tasks_rude_kthread
 15    2     0  root    root    ?        0:00.00  0.0   0.0  I  rcu_tasks_trace_kthread
 16    2     0  root    root    ?        0:00.01  0.0   0.0  S  ksoftirqd/0
 17    2     0  root    root    ?        0:00.33  0.0   0.0  I  rcu_preempt
 18    2     0  root    root    ?        0:00.19  0.0   0.0  S  migration/0
```

- 3.

```
root@eltex-practice2-v15:~# su - user1
user1@eltex-practice2-v15:~$ passwd
Changing password for user1.
Current password: 
```

- 4.

PID	PPID	UID	USER	RUSER	TTY	TIME+	%CPU	%MEM	S	COMMAND
8772	8762	0	root	user1	pts/1	0:00.00	0.0	0.1	S	passwd

5. Warning: your password will expire in 6
user1@eltex-practice2-v15:~\$ passwd
Changing password for user1.
Current password: Killed

```
user1@eltex-practice2-v15:~$ vim ~/file_task3.txt
```

6. [1]+ Stopped vim ~/file_task3.txt
user1@eltex-practice2-v15:~\$

```

[1]+  Stopped                  vim ~/file_task3.txt
[user1@eltex-practice2-v15:~$ sleep 600
^Z
[2]+  Stopped                  sleep 600
7. [user1@eltex-practice2-v15:~$ █

[1]+  Stopped                  sleep 600
[user1@eltex-practice2-v15:~$ jobs
[1]-  Stopped                  vim ~/file_task3.txt
[2]+  Stopped                  sleep 600
[user1@eltex-practice2-v15:~$ █
[user1@eltex-practice2-v15:~$ bg
[2]+ sleep 600 &
8. [user1@eltex-practice2-v15:~$ █

[1]+  sleep 600 &
[user1@eltex-practice2-v15:~$ pgrep sleep
8780
9. [user1@eltex-practice2-v15:~$ █

```

```

[user1@eltex-practice2-v15:~$ renice 10 -p 8780
8780 (process ID) old priority 0, new priority 10
For more details see ps(1); █
[user1@eltex-practice2-v15:~$ ps -o pid,ni,comm -p 8780
  PID  NI  COMMAND
  8780  10  sleep
10. [user1@eltex-practice2-v15:~$ █

```

```

  8780  10  sleep
[user1@eltex-practice2-v15:~$ fg %1
vim ~/file_task3.txt
11. [user1@eltex-practice2-v15:~$ █

```

```

vim ~/file_task3.txt
[user1@eltex-practice2-v15:~$ kill -15 8780
[2]+  Terminated              sleep 600
[user1@eltex-practice2-v15:~$ jobs
[user1@eltex-practice2-v15:~$ █
12.

```

```

[user1@eltex-practice2-v15:~$ trap 'echo "Меня голыми руками не возьмёшь!"' SIGINT SIGQUIT
Меня голыми руками не возьмёшь!
13. [user1@eltex-practice2-v15:~$ █

```