

my boss app — DevOps & Infrastructure Installation Guide (Docker)

Audience: DevOps / Infrastructure team

Environment: Demo server (1-week event, ~1,500 users/day)

Deploy method: Docker Compose

1. Overview

Backend runs as **5 Docker containers** built from

`infrastructure/docker/Dockerfile.*`.

Dockerfile	Service	Port	Apigee prefix
<code>Dockerfile.auth</code>	auth-service	3001	<code>/auth/api/v1</code>
<code>Dockerfile.user</code>	user-service	3002	<code>/user/api/v1</code>
<code>Dockerfile.config</code>	config-service	3003	<code>/config/api/v1</code>
<code>Dockerfile.squad</code>	squad-service	3004	<code>/squad/api/v1</code>
<code>Dockerfile.survey</code>	survey-service	3005	<code>/survey/api/v1</code>

Optional: `Dockerfile.admin-portal` → port **8081** (direct) or gateway **8090/login**

Compose file: `infrastructure/docker/docker-compose.demo.yml`

2. Server requirements

Item	Minimum
OS	Ubuntu 22.04 LTS
CPU	2 vCPU
RAM	4 GB
Disk	30 GB
Docker	24+ with Compose v2
Network	Ports 3001–3005 from Apigee only

3. Install Docker (one time)

```
curl -fsSL https://get.docker.com | sudo sh
sudo usermod -aG docker $USER
# Log out and back in
docker --version
docker compose version
```

Or use the repo script:

```
git clone <repository-url> /opt/myboss/my_boss_v5
cd /opt/myboss/my_boss_v5
chmod +x infrastructure/scripts/*.sh
./infrastructure/scripts/install-demo-server.sh
```

4. Environment file

```
cd /opt/myboss/my_boss_v5
cp .env.example .env
nano .env
```

Required:

```
NODE_ENV=demo
APP_ENV=demo
JWT_SECRET=<openssl rand -base64 48>
TWO_FA_DEMO_ENABLED=true
CHAT_ENABLED=true
TAWK_PROPERTY_ID=your_tawk_property_id
TAWK_WIDGET_ID=default
```

5. Build and start (Docker Compose)

```
cd /opt/myboss/my_boss_v5
./infrastructure/scripts/start-demo-server.sh
```

This runs:

```
docker compose -f infrastructure/docker/docker-compose.demo.yml up -d --build
```

With admin portal:

```
docker compose -f infrastructure/docker/docker-compose.demo.yml \
  --profile with-admin up -d --build
```

Admin UI: <http://demo-server:8090/login> (gateway) or <http://demo-server:8081> (direct)

6. Verify

```
./infrastructure/scripts/verify-backend.sh
docker compose -f infrastructure/docker/docker-compose.demo.yml ps
docker compose -f infrastructure/docker/docker-compose.demo.yml logs -f auth-s
```

7. Firewall

```
sudo ufw allow OpenSSH
sudo ufw allow from <APIGEE_IP_RANGE> to any port 3001:3005 proto tcp
sudo ufw enable
```

8. Stop / update

```
# Stop
./infrastructure/scripts/stop-demo-server.sh

# Update after git pull
git pull
./infrastructure/scripts/start-demo-server.sh
```

9. Docker files location

```
infrastructure/docker/
├─ Dockerfile.auth
├─ Dockerfile.user
├─ Dockerfile.config
├─ Dockerfile.squad
├─ Dockerfile.survey
├─ Dockerfile.admin-portal
├─ docker-compose.demo.yml    ← demo backend (use this)
├─ docker-compose.yml         ← postgres/redis only
└─ README.md
```

10. Checklist

- ☐ Docker + Compose installed
- ☐ Repo at `/opt/myboss/my_boss_v5`
- ☐ `.env` with `JWT_SECRET`
- ☐ `docker compose ... up -d --build` successful
- ☐ `verify-backend.sh` passes

□ Apigee can reach ports 3001–3005

Orange — my boss app — Docker Deployment

Orange — my boss app — Generated from 01_DEVOPS_INSTALLATION.md