

DeskNest Customer Support Operations Guide

Support intake, issue handling, venue reports, payments, tickets, and research handoff.

DeskNest internal reference

Contents

1. Support intake
2. Issue categorization
3. Search problems
4. Availability complaints
5. Payment questions
6. Cancellation questions
7. Notification questions
8. Venue-quality reports
9. Duplicate contacts
10. Escalation
11. Closing tickets
12. Research handoff

1. Support intake

Support records the customer's message, booking ID when available, account, channel, date, and affected part of the journey.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about support intake may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving support intake usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

2. Issue categorization

Categories help routing and reporting but should not replace the customer's original text.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about issue categorization may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving issue categorization usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

3. Search problems

Support can ask for location, date, filters, and screenshots when search behavior cannot be reproduced.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area

- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about search problems may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving search problems usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

4. Availability complaints

A confirmed booking with no available workspace requires venue and inventory review. A search result disappearing before checkout can be normal availability change.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about availability complaints may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving availability complaints usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

5. Payment questions

Support should distinguish authorization, capture, refund, credit, and bank settlement.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about payment questions may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving payment questions usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

6. Cancellation questions

The stored booking rule and cancellation timestamp determine eligibility.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about cancellation questions may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving cancellation questions usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

7. Notification questions

Booking status and notification delivery are separate. A delayed email does not necessarily mean the booking failed.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about notification questions may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving notification questions usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.

- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

8. Venue-quality reports

Noise, cleanliness, missing amenities, access problems, and staff behavior should be attached to the venue and booking where possible.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about venue-quality reports may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving venue-quality reports usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

9. Duplicate contacts

One incident can create an email, chat, and survey comment. Research analysis should keep source IDs so duplicates can be reviewed.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about duplicate contacts may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving duplicate contacts usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

10. Escalation

Product defects, repeated inventory mismatch, payment inconsistencies, and serious venue issues may require specialist review.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about escalation may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving escalation usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

11. Closing tickets

A resolved support ticket can still contain valuable product feedback. Resolution does not mean the customer experience was good.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID
- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about closing tickets may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving closing tickets usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.

12. Research handoff

Support exports used for research should keep stable ticket IDs, dates, segment, and customer wording while removing unnecessary personal data.

Support language is often more detailed than app reviews because the customer is trying to get a problem solved. The same ticket can contain the original complaint, troubleshooting details, and a final outcome.

What to preserve

- Ticket ID

- Original customer message
- Issue area
- Resolution state
- Important booking or venue reference

Analysis caution

Do not count every internal support note as a new customer mention. Use the customer-facing record or a stable ticket unit when calculating theme frequency.

Example

A ticket about research handoff may be resolved successfully while still indicating repeated friction worth reporting to the product team.

Example from day-to-day use

A normal DeskNest case involving research handoff usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Support record quality

A support ticket may include customer text, internal notes, venue replies, and a final resolution. For customer-feedback analysis, make sure one incident is not accidentally counted several times simply because several internal messages were written.

Resolution status is not the same as sentiment. A successfully resolved ticket may still describe serious product friction, while an open ticket may eventually turn out to be a misunderstanding.