

DeskNest Search, Booking, and Cancellation Reference

Search, availability, checkout, confirmation, cancellation, rescheduling, and venue mismatch.

DeskNest internal reference

Contents

1. Search and location input
2. Filters
3. Map results
4. Workspace types
5. Availability checks
6. Booking hold
7. Confirmation
8. Cancellation windows
9. Rescheduling
10. Duplicate booking
11. Venue mismatch
12. Search recovery

1. Search and location input

Location search accepts city, district, and selected landmark-style queries. Results are sorted using availability, relevance, and product rules. Exact ranking can change as inventory changes.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving search and location input usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

2. Filters

Filters include workspace type, capacity, price, equipment, accessibility, and selected venue features. The usefulness of an amenity filter depends on the completeness of operator listing data.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving filters usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

3. Map results

Map and list views use the same underlying search result set but present it differently. Returning from a venue page should preserve the active search where possible.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving map results usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

4. Workspace types

Common types include hot desk, dedicated desk, meeting room, private room, and day office. Venue naming can vary, so the platform maps operator inventory into these broad types.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving workspace types usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

5. Availability checks

Availability is checked during search and again during checkout. Another customer can complete a booking between those steps.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving availability checks usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

6. Booking hold

Selected inventory may be held briefly during checkout. A hold can expire if checkout takes too long or the payment step fails.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving booking hold usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.

- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

7. Confirmation

Confirmed status is the source of truth for the booking record. Email and push notifications can arrive later.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving confirmation usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

8. Cancellation windows

Cancellation rules are stored with the booking and can vary by venue and rate. The refund outcome depends on the stored rule and cancellation time.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving cancellation windows usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

9. Rescheduling

Some bookings can be changed directly. Others require cancellation and a new booking. Team-room changes may need support when capacity or billing changes.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving rescheduling usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

10. Duplicate booking

Duplicate bookings can happen after repeated checkout or when a customer retries because a notification is delayed. Support should compare timestamps and payment states.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.

- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving duplicate booking usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

11. Venue mismatch

A customer may report a missing amenity, wrong room size, or unavailable reserved space. These cases should preserve venue and booking identifiers.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving venue mismatch usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.

12. Search recovery

When a search returns no suitable result, the product can suggest nearby dates, areas, or workspace types. It should not silently remove critical filters without telling the customer.

Customer reports should preserve the words the customer used even when the internal product term is different. This makes it possible to find semantically similar feedback later without losing the original phrasing.

Common feedback examples

- The customer could not find the filter they expected.
- The customer found a result but the venue details did not match the visit.
- The customer completed checkout but was unsure whether the booking succeeded.

What support can check

Support can compare search parameters, booking status, stored cancellation rule, venue listing data, notification history, and payment state where relevant.

Research note

Several different complaints can share the same broad journey stage. A cancellation-policy complaint, a refund-delay complaint, and a difficult rescheduling flow should not automatically become one theme just because they happen after booking.

Example from day-to-day use

A normal DeskNest case involving search recovery usually contains more context than one short label. The customer may mention the booking date, whether they were booking for themselves or a team, whether support was contacted, and what

happened next. Keeping that context makes later analysis more useful than reducing the record to a single category.

The same visible symptom can come from different underlying situations. When possible, preserve the part of the journey, customer segment, channel, and original wording so a reviewer can distinguish similar-looking complaints.

What to keep with the record

- Stable feedback or source ID.
- Customer segment when known.
- Date and channel.
- Original wording.
- Relevant booking, venue, or account context when available.

Edge cases

Customers do not always use the product in the expected order. They may open several venue tabs, return to an old search, retry checkout, switch account types, or book again after a delayed email. These behaviors can produce feedback that looks inconsistent until the sequence is understood.

When a complaint involves timing, keep the distinction between what the app showed, what the venue knew, and when the customer received a notification.