




Tcl Console x Messages Log ? _ □ ↗

Q 🔍 ⏏ ⏸ ⏴ ⏵ 📄 📁 🗑

```
source C:/Users/Asus/Gates.v/Gates.v.sim/sim_1/behav/xsim/xsim.dir/tb_logic_gates_behav/webtalk/xsim_webtalk.tcl -notrace
INFO: [Common 17-206] Exiting Webtalk at Thu Jun 18 12:24:49 2026...
INFO: [USF-XSim-69] 'elaborate' step finished in '4' seconds
INFO: [USF-XSim-4] XSim::Simulate design
INFO: [USF-XSim-61] Executing 'SIMULATE' step in 'C:/Users/Asus/Gates.v/Gates.v.sim/sim_1/behav/xsim'
INFO: [USF-XSim-98] *** Running xsim
    with args "tb_logic_gates_behav -key {Behavioral:sim_1:Functional:tb_logic_gates} -tclbatch {tb_logic_gates.tcl} -log {simulate.log}"
INFO: [USF-XSim-8] Loading simulator feature
Time resolution is 1 ps
source tb_logic_gates.tcl
# set curr_wave [current_wave_config]
# if { [string length $curr_wave] == 0 } {
#     if { [llength [get_objects]] > 0 } {
#         add_wave /
#         set_property needs_save false [current_wave_config]
#     } else {
#         send_msg_id Add_Wave-1 WARNING "No top level signals found. Simulator will start without a wave window. If you want to open a wave window go to 'File->New Waveform'"
#     }
# }
# run 1000ns
A B | AND OR NOT NAND NOR XOR
0 0 | 0 0 1 1 1 0
0 1 | 0 1 1 1 1 0
1 0 | 0 1 0 1 0 1
1 1 | 1 1 0 0 0 0
$finish called at time : 40 ns : File "C:/Users/Asus/Gates.v/Gates.v.srscs/sim_1/new/gates_tb.v" Line 46
xsim: Time (s): cpu = 00:00:06 ; elapsed = 00:00:07 . Memory (MB): peak = 1453.215 ; gain = 0.000
INFO: [USF-XSim-96] XSim completed. Design snapshot 'tb_logic_gates_behav' loaded.
INFO: [USF-XSim-97] XSim simulation ran for 1000ns
launch_simulation: Time (s): cpu = 00:00:08 ; elapsed = 00:00:16 . Memory (MB): peak = 1453.215 ; gain = 0.000
```

< >

Type a Tcl command here

