




```
Tcl Console | Messages | Log
? - □ □

source C:/Users/Asus/sequential -notrace
couldn't read file "C:/Users/Asus/sequential": permission denied
INFO: [Common 17-206] Exiting Webtalk at Thu Jun 25 16:37:55 2026...
run_program: Time (s): cpu = 00:00:02 ; elapsed = 00:00:20 . Memory (MB): peak = 2172.789 ; gain = 20.449
INFO: [USF-XSim-69] 'elaborate' step finished in '20' seconds
INFO: [USF-XSim-4] XSim::Simulate design
INFO: [USF-XSim-61] Executing 'SIMULATE' step in 'C:/Users/Asus/sequential circuit/sequential circuit.sim/sim_1/behav/xsim'
INFO: [USF-XSim-98] *** Running xsim
    with args "dff_behav -key {Behavioral:sim_1:Functional:dff} -tclbatch {dff.tcl} -log {simulate.log}"
INFO: [USF-XSim-8] Loading simulator feature
Time resolution is 1 ps
source dff.tcl
# set curr_wave [current_wave_config]
# if { [string length $curr_wave] == 0 } {
#     if { [llength [get_objects]] > 0 } {
#         add_wave /
#         set_property needs_save false [current_wave_config]
#     } else {
#         send_msg_id Add_Wave-1 WARNING "No top level signals found. Simulator will start without a wave window. If you want to open a wave window go to 'File->New Waveform'"
#     }
# }
# run 1000ns
xsim: Time (s): cpu = 00:00:10 ; elapsed = 00:00:06 . Memory (MB): peak = 2194.406 ; gain = 21.617
INFO: [USF-XSim-96] XSim completed. Design snapshot 'dff_behav' loaded.
INFO: [USF-XSim-97] XSim simulation ran for 1000ns
launch_simulation: Time (s): cpu = 00:00:14 ; elapsed = 00:00:39 . Memory (MB): peak = 2194.406 ; gain = 42.781
close_sim
INFO: [Simtcl 6-16] Simulation closed
close_project
create_project jk_filp-flop C:/Users/Asus/jk_filp-flop -part xc7z010iclg225-1L
INFO: [IP_Flow 19-234] Refreshing IP repositories
INFO: [IP_Flow 19-1704] No user IP repositories specified
INFO: [IP_Flow 19-2313] Loaded Vivado IP repository 'C:/vivado/Vivado/2021.1/data/ip'.
create_project: Time (s): cpu = 00:00:10 ; elapsed = 00:00:06 . Memory (MB): peak = 2212.102 ; gain = 0.000
set_property platform.extensible true [current_project]
file mkdir C:/Users/Asus/jk_filp-flop/jk_filp-flop.srcs/sources_1/new
close [ open C:/Users/Asus/jk_filp-flop/jk_filp-flop.srcs/sources_1/new/jk.v w ]
add_files C:/Users/Asus/jk_filp-flop/jk_filp-flop.srcs/sources_1/new/jk.v
update_compile_order -fileset sources_1
```

