

**Adopted Levels, Gammas**

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	D. De Frenne and A. Negret		NDS 109, 943 (2008)	1-May-2007

$Q(\beta^-)=-6524$  13;  $S(n)=10869.5$  18;  $S(p)=7350$  5;  $Q(\alpha)=-1626$  3    2012Wa38

Note: Current evaluation has used the following Q record.

$Q(\beta^-)=-6526$  11;  $S(n)=10874$  12;  $S(p)=7353$  12;  $Q(\alpha)=-1632$  7    2003Au03

 **$^{106}\text{Cd}$  Levels****Cross Reference (XREF) Flags**

A	$^{106}\text{Ag}$ $\beta^-$ decay (23.96 min)	E	$^{106}\text{Cd}(n,n'\gamma)$	I	$^{106}\text{Cd}(\alpha,\alpha),(\alpha,\alpha')$
B	$^{106}\text{In}$ $\varepsilon$ decay (6.2 min)	F	$^{106}\text{Cd}(p,p')$	J	Coulomb excitation
C	$^{106}\text{In}$ $\varepsilon$ decay (5.2 min)	G	$^{106}\text{Cd}(p,p'\gamma)$	K	(HI,xny)
D	$^{104}\text{Pd}(\alpha,2n\gamma)$	H	$^{107}\text{Ag}(p,2n\gamma)$		

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
0.0 632.64 4	0 <sup>+</sup> 2 <sup>+</sup>	stable 7.27 ps 8	ABCDEFGHIJK BCDEFGHIJK	rms charge radius: 4.5340 fm 45 (2004An14). $\mu=+0.80$ 20 (1989Ra17) $Q=-0.28$ 8 (1989Ra17) Q: Based on reorientation effect. Others: see Coul. ex. $T_{1/2}$ : from B(E2)=0.384 4 (1976Es02). $J^\pi$ : E2 $\gamma$ to 0 <sup>+</sup> .
1493.78 <sup>d</sup> 5	4 <sup>+</sup>	0.87 ps 11	ABCDEFGHIJK	$T_{1/2}$ : from B[E2;2+(632 keV) to 4+(1493 keV)]=0.247 31 Coul. ex. (1969Mi07). $J^\pi$ : $\Delta J(861\gamma,E2)=2$ . $J=4$ preferred above $J=0$ because member of a $\Delta J=2$ band.
1716.53 8	2 <sup>+</sup>	0.31 ps 5	CDEFGHIJK	$T_{1/2}$ : from B(E2)=0.036 5 (1969Mi07), if $I\gamma(1716\gamma)$ branching=59% 5 Coul. ex. $J^\pi$ : L=2 (p,p').
1795.25 11	0 <sup>+</sup>		C E GHI	$J^\pi$ : from excitation function and $\gamma(\theta)$ of 1162 $\gamma$ in (p,p' $\gamma$ ).
2104.53 6	4 <sup>+</sup>	$\leq 2^{\#}$ ps	BCDEFGHI K	$J^\pi$ : L=4 (p,p'); Coul. ex.
2144.06 4	0 <sup>+</sup>		C E GH	$J^\pi$ : from E0 to g.s. in $^{106}\text{In}$ $\varepsilon$ decay (5.2 min).
2252.2 6	(4 <sup>+</sup> ) <sup>@</sup>		C E GH	
2254.0 5	(2 <sup>+</sup> ,3 <sup>+</sup> )		C E GH	$J^\pi$ : from (p,2n) excitation functions for deexciting 536.2 $\gamma$ and 1621.6 $\gamma$ .
2304.92 12	4 <sup>+</sup> <sup>@</sup>		B E GHI K	
2330.56 6	5 <sup>+</sup>	0.6 <sup>‡</sup> ns 2	B DE GH K	$J^\pi$ : J=5 from $\Delta J(226\gamma,D+Q)=-1$ to 4 <sup>+</sup> level at 2104 keV.
2338.55 21	(4 <sup>+</sup> )		K	$J^\pi$ : $\Delta J(844\gamma)=0$ to 4 <sup>+</sup> state; deexcites to 2 <sup>+</sup> state.
2347.55 11	(2) <sup>+</sup> <sup>@</sup>		C E GH	$J^\pi$ : from log $ft=5.79$ ; M1 to 2 <sup>+</sup> from (2 <sup>+</sup> ).
2370.62 4	2 <sup>+</sup>		C EFGH	From E2 to 0 <sup>+</sup> in ((p,p' $\gamma$ ). After discussions with authors of (n,n' $\gamma$ ) data (1988BeYC) from which $J=1$ was suggested, they cannot exclude $J=2$ for this level.
2378.50 4	3 <sup>-</sup>		CDE GHI	$J^\pi$ : L(p,p')=3 for 2366-keV level which is probably the same level; E1 to 2 <sup>+</sup> , $\Delta J=1$ from negative $A_{22}$ $\gamma(\theta)$ coefficient. J=3 from (p,2n) excitation function.
2468.42 4	(4) <sup>+</sup> <sup>@</sup>		B E	$J^\pi$ : J=4 from (n,n' $\gamma$ ).
2485.72 14	2 <sup>+,3<sup>+,4<sup>+</sup></sup></sup>		B DE I	$J^\pi$ : E2 to 2 <sup>+</sup> allows $J^\pi=0^+,1^+,2^+,3^+,4^+$ . $\gamma$ to 4 <sup>+</sup> eliminates 0 <sup>+</sup> ,1 <sup>+</sup> .
2491.66 6	6 <sup>+</sup>		B E K	$J^\pi$ : $\Delta J(997.87\gamma,E2)=-2$ to 4 <sup>+</sup> .
2503.08 <sup>d</sup> 7	6 <sup>+</sup>		B DE K	$J^\pi$ : $\Delta J(1009.27\gamma,E2)=-2$ to 4 <sup>+</sup> .
2521.9 3	(4,5 <sup>+</sup> )		K	$J^\pi$ : from $\Delta J=0$ or -1 for 1028 $\gamma$ to 4 <sup>+</sup> 1493-keV level and $\Delta\pi=\text{no}$ if $J=5$ in $^{97}\text{Mo}({}^{12}\text{C},3n\gamma)$ .
2561.37? 6	0 <sup>+</sup> <sup>@</sup>		C E I	
2566.26 11	2 <sup>+</sup> <sup>@</sup>		C E	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{106}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF			Comments	
			BCDE	I K			
2629.20 7	5 <sup>-</sup>	5 <sup>#</sup> ps	+4-2	C E		$J^\pi: \Delta J(524.65\gamma, E1) = -1$ to 4 <sup>+</sup> .	
2630.08 5	2 <sup>+</sup> @			C E			
2717.86 4	2 <sup>+,3</sup> @			C E	I		
2720.56 4	1,2 <sup>+,3</sup> @			E			
2824.58 5	1 @			C E			
2889.57 21	2,3 <sup>+</sup> @			C E			
2918.2 3	1 @			C E			
2920.14 8	5 <sup>-</sup>			K	$J^\pi: \Delta J(1426) = -1$ to 4 <sup>+</sup> .		
2924.80 9	6 <sup>+</sup>		B	K	$J^\pi: \Delta J(433.14\gamma, E2) = 0, -2$ to 6 <sup>+</sup> . $\gamma$ to 4 <sup>+</sup> excludes 8 <sup>+</sup> .		
2933.65 6	2 <sup>+,3<sup>+</sup> @</sup>			E			
2936.15 6	2 <sup>+,3<sup>+</sup> @</sup>			C E			
2973.33 9	2,3 <sup>+,4<sup>+</sup> @</sup>			E			
3015.35? 6	2 <sup>+,3<sup>+</sup> @</sup>			E			
3018.80 5	3 <sup>+,5<sup>+</sup> @</sup>			E			
3020.74 7	2,3 <sup>+</sup> @			E			
3044.13 7	8 <sup>+</sup>	0.39 <sup>#</sup> ns	I 7	B D	K	T <sub>1/2</sub> : weighted average of 0.4 ns I ( <a href="#">1985An27</a> ) and 0.38 ns I 4 ( <a href="#">1983Gu14</a> ). $J^\pi: \pi=+$ from allowed $\beta$ transition ( $\log ft=5.1$ ) from $J^\pi(\text{initial})=(7)^+$ . J=8 from $\Delta J(541\gamma, E2)=-2$ and $\Delta J(552\gamma, E2)=-2$ to 6 <sup>+</sup> levels.	
3059.84 6	3 @			E			
3072.82 11	2,3 <sup>+,4</sup> @			E			
3084.38 7	7 <sup>+</sup>		B D	K	$J^\pi: \pi=+$ from M1+E2 to 6 <sup>+</sup> . J=7 from $\Delta J(581\gamma, M1+E2)=-1$ to 6 <sup>+</sup> 2503 keV level, $\Delta J(753.8\gamma, E2)=-2$ to 5 <sup>+</sup> 2331 keV level.		
3092.88 11	(2 <sup>+</sup> ) @			E			
3094	(8)			K	$J^\pi:$ from $\gamma(\theta)$ and band structure in $^{82}\text{Se}(^{30}\text{Si}, 6n\gamma)$ .		
3118.80? 6	2 <sup>+,3<sup>+,4<sup>+</sup> @</sup></sup>			C E			
3119.72 15	1 @			E			
3126.18 15	7 <sup>+</sup>		B	K	$J^\pi: \pi=+$ from M1+E2 to 6 <sup>+</sup> . J=7 from $\Delta J(624\gamma, D+Q)=-1$ to 6 <sup>+</sup> 2503 keV level.		
3222.65 20	1 @			C E			
3235.24? 15	2,3 <sup>+</sup> @			E			
3245.43? 13	(2 <sup>+</sup> ) @			E			
3283.97 16	+		B		$J^\pi: E2$ to 6 <sup>+</sup> .		
3320.15 7	6 <sup>-</sup>		D	K	$J^\pi: \Delta J(828.55\gamma, E1+M2)=0$ to 6 <sup>+</sup> ; $\Delta J(400\gamma)=-1$ to 5 <sup>-</sup> 2492 level.		
3322.69 10	1 <sup>+,2<sup>+,3</sup> @</sup>			E			
3328.15 11	1,2 <sup>+</sup> @			C E			
3329.28 8	3 <sup>+</sup> @			E			
3354.2 5	7 <sup>+</sup>			K			
3367.16 7	8 <sup>+</sup>		B D	K	$J^\pi: \Delta J(875.44\gamma, E2)=-2$ to 6 <sup>+</sup> ; $\Delta J(323\gamma, E2)=0$ and $\Delta J(283\gamma, M1+E2)=-1$ to 7 <sup>+</sup> 3085 keV level.		
3394.2 3	2 <sup>+</sup> @			E			
3409.65 7	7 <sup>-</sup>		D	K	$J^\pi: \Delta J(780.45\gamma, Q)=-2$ to 5 <sup>-</sup> .		
3426.90 20	2,3 <sup>+,4<sup>+</sup> @</sup>			C E			
3462.0 6	(6 <sup>-</sup> )			K	$J^\pi:$ from $\gamma(\theta)$ and linear pol. in $^{97}\text{Mo}(^{12}\text{C}, 3n\gamma)$ .		
3472.81 13			B				
3485.92? 25	1,2 <sup>+</sup> @			E			
3494.7 4	1,2 <sup>+</sup>		C E		$J^\pi:$ from $\gamma$ to 0 <sup>+</sup> g.s. and 2 <sup>+</sup> .		
3507.79 4	8 <sup>-</sup>	1.5 <sup>#</sup> ns	+I-5	D	K	$J^\pi: \Delta J(187.71\gamma, E2)=-2$ to 6 <sup>-</sup> .	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{106}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
3543.6 2	7		K	T <sub>1/2</sub> : other: 1.2 ns 4 ( <a href="#">1985An27</a> ). J <sup>π</sup> : ΔJ(1040.4γ,D+Q)=1 to 6 <sup>+</sup> .
3547.60 14	+		B	J <sup>π</sup> : π=+ from E2 to 7 <sup>+</sup> .
3641.82 12	(8 <sup>+</sup> )		B	J <sup>π</sup> : ΔJ(1149γ,Q)=−2 to 6 <sup>+</sup> . Note inconsistency with 1138(M1) to 6 <sup>+</sup> .
3678.88 7	9 <sup>−</sup>	0.7 <sup>‡</sup> ns +I−3	D	J <sup>π</sup> : ΔJ(171.10γ,M1+E2)=−1 to 8 <sup>−</sup> . T <sub>1/2</sub> : from ( <sup>13</sup> C,3nγ). Other: 0.15 ns +8−2 ( <a href="#">1983Gu14</a> ). Systematics of B(E2)(W.u.) values in this region suggest that this value is not correct ( <a href="#">1985An27</a> ).
3679.29? 17	2 <sup>+,3</sup> @		E	
3698.3 5	(7 <sup>−</sup> )		K	J <sup>π</sup> : from ΔJ=−2 for 1069γ to 2629-keV level and band structure in <sup>97</sup> Mo( <sup>12</sup> C,3nγ).
3787.39 <sup>d</sup> 15			B	K
3902	(10)		K	J <sup>π</sup> : from γ(θ) and band structure in <sup>82</sup> Si( <sup>30</sup> Si,6nγ).
4106.33 9	10 <sup>−</sup>	≤4 <sup>#</sup> ps	D	J <sup>π</sup> : ΔJ(427.64γ,D+Q)=−1 to 5 <sup>−</sup> 3678 keV level; ΔJ(598γ,E2)=−2 to 8 <sup>−</sup> 3508 keV level.
4113.86 18			K	
4120.95 15	9 <sup>+</sup>		K	J <sup>π</sup> : ΔJ(1076.79γ,D+Q)=−1 to 8 <sup>+</sup> .
4179.5 4			K	
4183.04 19			D	
4193.8 6			B	K
4243.57 15			D	J <sup>π</sup> : 9 <sup>+</sup> suggested by <a href="#">1994Je05</a> without any argumentation.
4324.42 8	11(−)		B	K
4436.02 9	10 <sup>(+)</sup>	#	D	J <sup>π</sup> : ΔJ(645.55γ,Q)=−2 to 9 <sup>(−)</sup> .
4574.3 4	10 <sup>(+)</sup>		D	J <sup>π</sup> : ΔJ(315.06,D+Q)=−1 to 9 <sup>(+)</sup> . Member of ΔJ=2 g.s. band.
4659.71 9	12 <sup>(+)</sup>	62 ns 6	D	J <sup>π</sup> : ΔJ(1530.2γ,Q)=−2 to 8 <sup>+</sup> . T <sub>1/2</sub> : α,γ(t) pulsed beam ( <a href="#">1977Da08</a> ): average of 65 ns 8, 73 ns 16, 55 ns 10, 53 ns 16 for (335,646,1069,875γ)(t), respectively. J <sup>π</sup> : ΔJ(223.61γ,E2)=−2 to 10 <sup>(+)</sup> .
4794	(12)		K	J <sup>π</sup> : from γ(θ) and band structure in <sup>82</sup> Si( <sup>30</sup> Si,6nγ) and <sup>97</sup> Mo( <sup>12</sup> C,3nγ).
4816.3 <sup>d</sup> 6	10 <sup>+</sup>		K	
4902.8 4			K	
4967.55 18	12 <sup>−</sup>		K	J <sup>π</sup> : from γ(θ) and band structure in <sup>82</sup> Si( <sup>30</sup> Si,6nγ) and <sup>97</sup> Mo( <sup>12</sup> C,3nγ).
5130.76 13			B	
5214.06 11	13 <sup>(−)</sup>	≤9 <sup>#</sup> ps	K	J <sup>π</sup> : ΔJ(889.64γ,E2)=−2 to 11 <sup>(−)</sup> .
5241.0 3	12 <sup>+</sup>		K	J <sup>π</sup> : from γ(θ) and band structure in <sup>82</sup> Si( <sup>30</sup> Si,6nγ) and <sup>97</sup> Mo( <sup>12</sup> C,3nγ).
5252.43 <sup>&amp;</sup> 18	(13 <sup>+</sup> )		K	J <sup>π</sup> : ΔJ(592γ)=−1 from γ(θ) in <sup>97</sup> Mo( <sup>12</sup> C,3nγ).
5418.7 <sup>d</sup> 6	12 <sup>+</sup>		K	
5557.8? <sup>&amp;</sup> 14			K	
5572.5? <sup>&amp;</sup> 15			K	
5623.7 5	12 <sup>+</sup>		K	E(level): Different interpretation of level by <a href="#">1994Je05</a> who claim this is the 12 <sup>+</sup> member of the ΔJ=2 band on the 4 <sup>+</sup> level and not the 5418.7 keV level as proposed by <a href="#">2003Si14</a> , <a href="#">2005Si23</a> .
5770.4? <sup>&amp;</sup> 13			K	
5822	(14)		K	J <sup>π</sup> : from γ(θ) and band structure in <sup>82</sup> Si( <sup>30</sup> Si,6nγ).
5912.0 <sup>&amp;</sup> 6			K	
5976.4 5	(14 <sup>−</sup> )		K	J <sup>π</sup> : from γ(θ) and band structure in <sup>82</sup> Si( <sup>30</sup> Si,6nγ) and <sup>97</sup> Mo( <sup>12</sup> C,3nγ).
5986.7? <sup>&amp;</sup> 21			K	
6100.6? <sup>&amp;</sup> 15			K	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{106}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
6226.6 <sup>d</sup> 6	14 <sup>+</sup>		K	
6265.0 3	(15 <sup>-</sup> )		K	J <sup>π</sup> : ΔJ(1050γ)=−2 to 13 <sup>(−)</sup> 5214 level from γ(θ) in $^{97}\text{Mo}(^{12}\text{C},3\text{n}γ)$ .
6516.0 6	14 <sup>+</sup>		K	
6858.3 <sup>&amp;</sup> 15			K	
7118.9? <sup>d</sup> 7	16 <sup>+</sup>	11 ns +6−3	K	T <sub>1/2</sub> : From γ(t) in (HI,xnγ) ( <a href="#">1994Je05</a> ). E(level),T <sub>1/2</sub> : No evidence found in $^{94}\text{Zr}(^{16}\text{O},4\text{n}γ)$ by <a href="#">1995Re07</a> although this is the most complete study.
7120.9 <sup>a</sup> 9	16 <sup>−</sup>		K	
7480.2? <sup>&amp;</sup> 16			K	
7517.8 <sup>b</sup> 8	17 <sup>−</sup>		K	
8099.7 <sup>d</sup> 7	18 <sup>+</sup>	0.416 ps 35	K	T <sub>1/2</sub> : From line-shape analysis ( <a href="#">2003Si14,2005Si23</a> ). E(level): this level May Be the same As 8099.7, thus x May Be zero.
8099.7+x			K	
8411.0 <sup>a</sup> 18	18 <sup>−</sup>		K	
8884.3 <sup>b</sup> 12	19 <sup>−</sup>		K	
9250.3 <sup>d</sup> 8	20 <sup>+</sup>	0.201 ps 28	K	T <sub>1/2</sub> : From line-shape analysis ( <a href="#">2003Si14,2005Si23</a> ). E(level): from 1622.6γ to 18 <sup>+</sup> level At 8099.7 or near this energy.
9318.6+x <sup>c</sup> 14	(18 <sup>+</sup> )		K	
9722.3+x <sup>c</sup> 8	(19 <sup>+</sup> )		K	
9877.0 <sup>a</sup> 23	20 <sup>−</sup>		K	
10160.9+x <sup>c</sup> 11	(20 <sup>+</sup> )		K	
10350.1 <sup>b</sup> 14	21 <sup>−</sup>		K	
10560.9 <sup>d</sup> 9	22 <sup>+</sup>	0.180 ps 14	K	T <sub>1/2</sub> : From line-shape analysis ( <a href="#">2003Si14,2005Si23</a> ).
10663.7+x <sup>c</sup> 11	(21 <sup>+</sup> )		K	
11168.1+x <sup>c</sup> 12	(22 <sup>+</sup> )		K	
11740.7+x <sup>c</sup> 15	(23 <sup>+</sup> )		K	
11941.5 <sup>b</sup> 21	23 <sup>−</sup>		K	
12048.5 <sup>d</sup> 12	24 <sup>+</sup>	0.132 ps 14	K	T <sub>1/2</sub> : From line-shape analysis ( <a href="#">2003Si14,2005Si23</a> ).
12312.0+x <sup>c</sup> 16	(24 <sup>+</sup> )		K	
12951.8+x <sup>c</sup> 18	(25 <sup>+</sup> )		K	
13614.9+x <sup>c</sup> 19	(26 <sup>+</sup> )		K	
13724.1 <sup>d</sup>	26 <sup>+</sup>	0.125 ps	K	T <sub>1/2</sub> : Effective half-life ( <a href="#">2005Si23</a> ). Effective half-life is obtained assuming 100% side-feeding into the top of the band via a cascade of 5 transitions with the same moment of inertia as the in-band transitions The highest γ ray for which a line shape was observed was then fitted and the extracted life time is called effective lifetime. This lifetime was used as input parameter to extract the lifetimes of the states lower in the cascade. E(level): Different interpretation of level by <a href="#">1995Re07</a> . Considered as a member of a $v\text{h}_{11/2}\otimes v\text{g}_{7/2}$ band.
14333.9+x <sup>c</sup> 20	(27 <sup>+</sup> )		K	
15067.0+x <sup>c</sup> 21	(28 <sup>+</sup> )		K	
15583.5 25	(28 <sup>+</sup> )		K	
15862.8+x <sup>c</sup> 23	(29 <sup>+</sup> )		K	

<sup>†</sup> Obtained with least squares procedure using gammas of  $^{106}\text{Ag}$  β<sup>−</sup> Decay,  $^{106}\text{In}$  ε Decay (6.2 min),  $^{106}\text{In}$  ε Decay (5.2 min),  $^{104}\text{Pd}(\alpha,2\text{n}γ)$ ,  $^{106}\text{Cd}(\text{n},\text{n}'γ)$ ,  $^{107}\text{Ag}(\text{p},2\text{n}γ)$  and (HI,xnγ).

<sup>‡</sup> From generalized centroid-shift method in  $^{93}\text{Nb}(^{16}\text{O},\text{p}2\text{n}γ)$  ([1985An27](#)).

<sup>#</sup> From ( $^{13}\text{C},3\text{n}γ$ ) ([1983Gu14](#)) DSA method.

<sup>@</sup> From γ(θ), linear pol and γ decay pattern in (n,n'γ) and adopted J<sup>π</sup> values of lower lying levels.

**Adopted Levels, Gammas (continued)** **$^{106}\text{Cd}$  Levels (continued)**

& Possible level above the isomer at 4659 kev, gammas from which feed the isomer.

<sup>a</sup> Band(A):  $\nu h_{11/2} \otimes \nu d_{5/2}$ .

<sup>b</sup> Band(B):  $\nu h_{11/2} \otimes \nu g_{7/2}$ .

<sup>c</sup> Band(C): 4-qp band,  $\nu h_{11/2}^2 \otimes \pi(g_{7/2}, g_{9/2})$ .

<sup>d</sup> Band(D): 4<sup>+</sup> band. Antimagnetic rotational band from lifetime measurements and deduced B(E2) values ([2003Si14](#),[2005Si23](#)).

 **$\gamma(^{106}\text{Cd})$** 

Unless noted otherwise, relative photon branchings for each level were calculated with a least squares procedure using data from  $^{106}\text{In}$   $\varepsilon$  decay (5.2 min),  $^{106}\text{In}$   $\varepsilon$  decay (6.2 min),  $^{94}\text{Zr}(^{16}\text{O}, 4\gamma)$ ,  $^{96}\text{Mo}(^{13}\text{C}, 3\gamma)$ ,  $^{97}\text{Mo}(^{12}\text{C}, 3\gamma)$  and  $^{104}\text{Pd}(\alpha, 2\gamma)$  if all available. If not all available only available data sets used.

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta$	Comments
632.64	2 <sup>+</sup>	632.66 4	100	0.0	0 <sup>+</sup>	E2 <sup>d</sup>		B(E2)(W.u.)=25.8 3
1493.78	4 <sup>+</sup>	861.16 4	100	632.64	2 <sup>+</sup>	E2 <sup>d</sup>		B(E2)(W.u.)=46 6
1716.53	2 <sup>+</sup>	1084.25 23	80 20	632.64	2 <sup>+</sup>	M1+E2	-1.44 11	B(M1)(W.u.)=0.0075 19; B(E2)(W.u.)=11 3 $\delta$ : from $(n,n'\gamma)$ . Others: -0.85 20 from $\gamma(\theta)$ in $^{106}\text{Cd}(\alpha, \alpha'\gamma\gamma)$ ( <a href="#">1973Gr16</a> ) and -0.60 +20-15 1084 $\gamma(\theta)$ in $^{106}\text{Cd}(p,p'\gamma)$ ( <a href="#">1969Mi07</a> ).
1795.25	0 <sup>+</sup>	1716.40 9	100 15	0.0	0 <sup>+</sup>	E2		B(E2)(W.u.)=2.4 3
2104.53	4 <sup>+</sup>	1162.60 10	100	632.64	2 <sup>+</sup>	E2		B(E2)(W.u.)>42
		387.78 18	6.5 17	1716.53	2 <sup>+</sup>	E2 <sup>e</sup>		B(M1)(W.u.)>0.026; B(E2)(W.u.)>5.2
		610.77 5	100.0 18	1493.78	4 <sup>+</sup>	M1+E2 <sup>d</sup>	-0.314 22	$\delta$ : weighted average of $\delta=-0.31$ 5 from $^{94}\text{Zr}(^{16}\text{O}, 4\gamma)$ ; -0.34 4 from $^{96}\text{Mo}(^{13}\text{C}, 3\gamma)$ ; -0.4 6 from $^{97}\text{Mo}(^{12}\text{C}, 3\gamma)$ ; -0.30 3 from $^{106}\text{Cd}(n,n'\gamma)$ . Mult.: other: E2 from conversion electron data in $^{106}\text{In}$ $\varepsilon$ decay.
2144.06	0 <sup>+</sup>	1471.86 5	61.1 15	632.64	2 <sup>+</sup>	E2 <sup>e</sup>		B(E2)(W.u.)>0.50
		427.35 9	42 6	1716.53	2 <sup>+</sup>	E2		Mult.: from conversion electron data.
		1511.41 4	100 14	632.64	2 <sup>+</sup>	E2		
		2143.9 3		0.0	0 <sup>+</sup>	E0		
2252.2	(4 <sup>+</sup> )	758.73 7	5.0 8	1493.78	4 <sup>+</sup>			
		1619.7 3	100 53	632.64	2 <sup>+</sup>			
2254.0	(2 <sup>+,3+</sup> )	536.0 7	6.5 10	1716.53	2 <sup>+</sup>			$I_\gamma$ : No final level within 0.78 keV.
		1621.3 3	100 50	632.64	2 <sup>+</sup>			
2304.92	4 <sup>+</sup>	811.14 10	100 18	1493.78	4 <sup>+</sup>	M1+E2	-0.17 4	Mult.: from $\gamma(\theta)$ and $\gamma$ linear pol in $(n,n'\gamma)$ . $\delta$ : weighted average of $\delta=-0.5$ 9 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C}, 3\gamma)$ $\delta=0.00$ 22 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C}, 3\gamma)$ ( <a href="#">1979Sa01</a> ) and from $\gamma(\theta)$ in $(n,n'\gamma)$ .
2330.56	5 <sup>+</sup>	1672.6 3	13.2 21	632.64	2 <sup>+</sup>			$E_\gamma, I_\gamma$ : from $^{106}\text{Cd}(p, 2\gamma)$ . $\delta=-0.58$ 12 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C}, 3\gamma)$ ; -0.27 4 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C}, 3\gamma)$ or -0.57 12 from $\gamma(\theta)$ in $(n,n'\gamma)$ .
		226.04 5	100.0 25	2104.53	4 <sup>+</sup>	M1+E2 <sup>e</sup>		
		836.79 7	45.7 22	1493.78	4 <sup>+</sup>	M1+E2 <sup>e</sup>		$\delta=-0.24$ 19 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C}, 3\gamma)$ ; -0.03 5 or -5.4 +21-12

Continued on next page (footnotes at end of table)

## Adopted Levels, Gammas (continued)

 $\gamma(^{106}\text{Cd})$  (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta$	Comments
2338.55	(4 <sup>+</sup> )	844.78 20 1704.5 20	100 15 75 18	1493.78 4 <sup>+</sup> 632.64 2 <sup>+</sup>	D+Q <sup>c</sup>	-0.05 11		from $\gamma(\theta)$ in (n,n'γ); $\delta=-0.18$ 5 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3\text{n}\gamma)$ .
2347.55	(2) <sup>+</sup>	1714.90 10	100	632.64 2 <sup>+</sup>	M1			$E_\gamma, I_\gamma$ : taken from $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$ . $E_\gamma, I_\gamma$ : taken from $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$ .
2370.62	2 <sup>+</sup>	575.3 @ 3 653.9 @ 3 1737.94 @ 3	28& 4 33& 5 100& 15	1795.25 0 <sup>+</sup> 1716.53 2 <sup>+</sup> 632.64 2 <sup>+</sup>	E2 M1+E2 M1+E2			Mult.: $\delta=-0.18$ 8 or -2.0 5.
2378.50	3 <sup>-</sup>	1745.82 3	100	632.64 2 <sup>+</sup>	E1(+M2)	-0.005 10		
2468.42	(4) <sup>+</sup>	974.54 3	100	1493.78 4 <sup>+</sup>	D+Q	+3.9 3		
2485.72	2 <sup>+,3<sup>+,4<sup>+</sup></sup></sup>	991.98 18	100 30	1493.78 4 <sup>+</sup>				
2491.66	6 <sup>+</sup>	1853.01 20 161.05 14 997.87 4	95 9 1.03 17 100 5	632.64 2 <sup>+</sup> 2330.56 5 <sup>+</sup> 1493.78 4 <sup>+</sup>	E2 E2 <sup>d</sup>			Mult.: from (n,n'γ).
2503.08	6 <sup>+</sup>	1009.27 6	100	1493.78 4 <sup>+</sup>	E2 <sup>d</sup>			B(E2)(W.u.)>0.036
2521.9	(4,5 <sup>+</sup> )	1028.15 29	100	1493.78 4 <sup>+</sup>	D+Q	+0.8 4		
2561.37?	0 <sup>+</sup>	1928.69 5	100	632.64 2 <sup>+</sup>	E2			
2566.26	2 <sup>+</sup>	1933.60 10	100	632.64 2 <sup>+</sup>	M1+E2	+2.5 2		
2629.20	5 <sup>-</sup>	298.5 4 524.65 5	3.2 8 100.0 16	2330.56 5 <sup>+</sup> 2104.53 4 <sup>+</sup>	[E1] E1(+M2)			B(E1)(W.u.)=6×10 <sup>-5</sup> +4-3. Mult.: from conversion electron data in $^{106}\text{In}$ ε decay (5.2 min) and from change in sign of 525γ pol via $\gamma(\theta)$ versus γ-ray linear pol in $^{94}\text{Zr}(^{16}\text{O},4\text{n}\gamma)$ . Others: D+Q and $\delta=-0.046$ 15 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3\text{n}\gamma)$ ; $\delta=+0.076$ 18 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$ ; $\delta=-0.05$ 3 from $\gamma(\theta)$ in (n,n'γ) and $\delta=0.00$ 5 from $^{94}\text{Zr}(^{16}\text{O},4\text{n}\gamma)$ . From RUL, one expects $\delta<0.012$ .
		1135.68 11	22.6 14	1493.78 4 <sup>+</sup>	E1(+M2)	-0.04 5		B(E1)(W.u.)=7.E-6 6; B(M2)(W.u.)<0.15 $\delta$ : from $\gamma(\theta)$ in (n,n'γ).
2630.08	2 <sup>+</sup>	1997.39 <sup>#</sup> 4 2630.2 <sup>‡</sup> 2	100 <sup>#</sup> 13 13 <sup>#</sup> 2	632.64 2 <sup>+</sup> 0.0 0 <sup>+</sup>	M1+E2			Mult.: $\delta=-0.11$ 4 or 3.2 4.
2717.86	2 <sup>+,3</sup>	2085.18 3	100	632.64 2 <sup>+</sup>				
2720.56	1,2 <sup>+,3</sup>	2087.88 3	100	632.64 2 <sup>+</sup>				
2824.58	1	2824.54 5	100	0.0 0 <sup>+</sup>				
2889.57	2,3 <sup>+</sup>	2256.90 20	100	632.64 2 <sup>+</sup>				
2918.2	1	2285.5 6	21.4 24	632.64 2 <sup>+</sup>				$I_\gamma$ : from $^{106}\text{In}$ ε decay (5.2 min). $I_\gamma$ : from $^{106}\text{In}$ ε decay (5.2 min).
2920.14	5 <sup>-</sup>	2918.2 3	100 5	0.0 0 <sup>+</sup>				$\delta$ : weighted average of $\delta=+0.02$ 9 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$ and $\delta=+0.063$ 27 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3\text{n}\gamma)$ ( <b>1979Sa01</b> ). $E_\gamma, I_\gamma$ : taken from $^{106}\text{In}$ ε decay (6.2 min).
2924.80	6 <sup>+</sup>	433.14 7	100 13	2491.66 6 <sup>+</sup>	E2			Mult.: from conversion electron data in $^{106}\text{In}$ ε decay (6.2 min). Others: D+Q and $\delta=-0.29$ 17 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3\text{n}\gamma)$ and $\delta=+0.06$ 27 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$ .

Continued on next page (footnotes at end of table)

## Adopted Levels, Gammas (continued)

 $\gamma(^{106}\text{Cd})$  (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta$	Comments
2924.80	6 <sup>+</sup>	1431.0 2	52 9	1493.78	4 <sup>+</sup>			$E_\gamma, I_\gamma$ : taken from $^{106}\text{In}$ $\varepsilon$ decay (6.2 min).
2933.65	2 <sup>+,3<sup>+</sup></sup>	1217.05 5	100	1716.53	2 <sup>+</sup>			
2936.15	2 <sup>+,3<sup>+</sup></sup>	2303.46 5	100	632.64	2 <sup>+</sup>			
2973.33	2,3 <sup>+,4<sup>+</sup></sup>	2340.64 8	100	632.64	2 <sup>+</sup>			
3015.35?	2 <sup>+,3<sup>+</sup></sup>	1298.75 5	100	1716.53	2 <sup>+</sup>			
3018.80	3 <sup>+,5<sup>+</sup></sup>	1524.91 4	100	1493.78	4 <sup>+</sup>	M1+E2	-0.11 4	
3020.74	2,3 <sup>+</sup>	2388.05 6	100	632.64	2 <sup>+</sup>			
3044.13	8 <sup>+</sup>	541.00 6	63 5	2503.08	6 <sup>+</sup>	E2 <sup>c</sup>		B(E2)(W.u.)=0.42 16
		552.53 5	100 3	2491.66	6 <sup>+</sup>	E2 <sup>c</sup>		B(E2)(W.u.)=0.60 23
3059.84	3	1565.69 15	50 8	1493.78	4 <sup>+</sup>	D+Q		Mult.: $\delta=-11 +75-5$ or $+0.02 8$ .
		2427.19 6	100 13	632.64	2 <sup>+</sup>	D+Q		Mult.: $\delta=-0.04 5$ or $-3.4 7$ .
3072.82	2,3 <sup>+,4<sup>+</sup></sup>	2440.13 10	100	632.64	2 <sup>+</sup>			
3084.38	7 <sup>+</sup>	581.29 9	38 4	2503.08	6 <sup>+</sup>	M1+E2 <sup>c</sup>		
		592.73 6	100 4	2491.66	6 <sup>+</sup>	M1+E2 <sup>d</sup>	-0.39 15	$\delta=-0.27 17$ from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=-0.16 5$ from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ ( <a href="#">1979Sa01</a> ).
		753.75 7	71 5	2330.56	5 <sup>+</sup>	E2 <sup>c</sup>		$\delta$ : other: $+0.03 8$ from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $-0.03 2$ from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ .
3092.88	(2 <sup>+</sup> )	1377.0 <sup>±</sup> 2	100 <sup>#</sup> 13	1716.53	2 <sup>+</sup>			
		1598.83 <sup>±</sup> 17	35 <sup>#</sup> 5	1493.78	4 <sup>+</sup>			
		2460.3 <sup>±</sup> 2	75 <sup>#</sup> 5	632.64	2 <sup>+</sup>			
		3093.3 <sup>±</sup> 5	44 <sup>#</sup> 8	0.0	0 <sup>+</sup>			
3094	(8)	602	100	2491.66	6 <sup>+</sup>			
3118.80?	2 <sup>+,3<sup>+,4<sup>+</sup></sup></sup>	1402.19 <sup>±</sup> 5	100 <sup>#</sup> 13	1716.53	2 <sup>+</sup>			
		1624.99 <sup>±</sup> 14	11 <sup>#</sup> 2	1493.78	4 <sup>+</sup>			
3119.72	1	2487.0 2	64 9	632.64	2 <sup>+</sup>			$I_\gamma$ : from $^{106}\text{In}$ $\varepsilon$ decay (5.2 min).
		3119.7 2	100 9	0.0	0 <sup>+</sup>			$I_\gamma$ : from $^{106}\text{In}$ $\varepsilon$ decay (5.2 min).
3126.18	7 <sup>+</sup>	623.72 29	100 10	2503.08	6 <sup>+</sup>	M1+E2 <sup>c</sup>		$E_\gamma, I_\gamma$ : from $^{106}\text{In}$ $\varepsilon$ (6.2 min).
		634.10 20	55 6	2491.66	6 <sup>+</sup>			$\delta=+0.13 21$ from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=+0.039 6$ from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ ( <a href="#">1979Sa01</a> ).
		3222.6 2	100	0.0	0 <sup>+</sup>			$E_\gamma, I_\gamma$ : from $^{106}\text{In}$ $\varepsilon$ (6.2 min).
3235.24?	2,3 <sup>+</sup>	1518.62 <sup>±</sup> 15	100 <sup>#</sup> 13	1716.53	2 <sup>+</sup>			
		2602.6 <sup>±</sup> 4	19 <sup>#</sup> 4	632.64	2 <sup>+</sup>			
3245.43?	(2 <sup>+</sup> )	1140.6 <sup>±</sup> 2	63 <sup>#</sup> 12	2104.53	4 <sup>+</sup>			
		1528.9 <sup>±</sup> 2	69 <sup>#</sup> 13	1716.53	2 <sup>+</sup>			
		3245.5 <sup>±</sup> 3	100 <sup>#</sup> 16	0.0	0 <sup>+</sup>			
3283.97	+	780.70 20	100 10	2503.08	6 <sup>+</sup>	E2 <sup>c</sup>		
		792.50 20	39 4	2491.66	6 <sup>+</sup>			
3320.15	6 <sup>-</sup>	400.2 3	6.1 13	2920.14	5 <sup>-</sup>	D+Q	+0.01 16	
		690.99 5	100.0 23	2629.20	5 <sup>-</sup>	M1+E2 <sup>c</sup>	+0.73 7	
		828.55 7	40.1 21	2491.66	6 <sup>+</sup>	E1+M2 <sup>c</sup>		
3322.69	1 <sup>+,2<sup>+,3</sup></sup>	2689.99 9	100	632.64	2 <sup>+</sup>			
								Weighted average of $\delta=+0.57 22$ from linear $\gamma$ pol in ( $^{16}\text{O},xn$ ); $+1.22 28$ from $\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=+0.71 7$ from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ ( <a href="#">1979Sa01</a> ).
								$\delta=+0.10 19$ from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=+0.09 18$ from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ ( <a href="#">1979Sa01</a> ).

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$\gamma(^{106}\text{Cd})$  (continued)**

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta$	Comments
3328.15	1,2 <sup>+</sup>	980.81 <sup>d</sup> 18	65# 11	2347.55	(2) <sup>+</sup>			
		2695.38 <sup>d</sup> 14	100# 14	632.64	2 <sup>+</sup>			
		3327.8 <sup>d</sup> 4	50# 9	0.0	0 <sup>+</sup>			
3329.28	3 <sup>+</sup>	1835.39 7	100	1493.78	4 <sup>+</sup>	M1+E2		Mult.: $\delta=+3.5$ 8 or $+0.43$ 7.
3354.2	7 <sup>+</sup>	862.3 4	100	2491.66	6 <sup>+</sup>			$\delta=-0.28$ 16 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=-0.02$ 6 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ (1979Sa01).
3367.16	8 <sup>+</sup>	282.72 11	12.7 9	3084.38	7 <sup>+</sup>	M1+E2 <sup>c</sup>		$\delta=+0.23$ 10 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=+0.02$ 23 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ (1979Sa01).
		323.05 9	15.4 7	3044.13	8 <sup>+</sup>	M1+E2 <sup>c</sup>		
3394.2	2 <sup>+</sup>	864.18 15	23 9	2503.08	6 <sup>+</sup>	E2 <sup>f</sup>	<sup>f</sup>	
		875.44 5	100 4	2491.66	6 <sup>+</sup>	E2 <sup>d</sup>		
		3394.1 3	100	0.0	0 <sup>+</sup>			
3409.65	7 <sup>-</sup>	488.3 10	28 5	2920.14	5 <sup>-</sup>	Q <sup>i</sup>		
		780.45 9	40 5	2629.20	5 <sup>-</sup>	Q <sup>i</sup>		
		906.55 5	91 4	2503.08	6 <sup>+</sup>	D(+Q) <sup>c</sup>		$\delta=+0.026$ 54 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=-0.014$ 32 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ (1979Sa01).
		918.04 5	100.0 26	2491.66	6 <sup>+</sup>	D(+Q) <sup>c</sup>		$\delta=-0.02$ 10 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=-0.023$ 29 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ (1979Sa01).
3426.90	2,3 <sup>+,4<sup>+</sup></sup>	2794.2 2	100	632.64	2 <sup>+</sup>			
3462.0	(6 <sup>-</sup> )	832.8 7	100	2629.20	5 <sup>-</sup>	D+Q <sup>f</sup>	+0.35 <sup>f</sup> 15	
3472.81		980.80 20	21 3	2491.66	6 <sup>+</sup>			
		1142.70 20	100 10	2330.56	5 <sup>+</sup>			
		1978.90 20	23 3	1493.78	4 <sup>+</sup>			
3485.92?	1,2 <sup>+</sup>	1690.9 <sup>d</sup> 4	14# 3	1795.25	0 <sup>+</sup>			
		2851.9 <sup>d</sup> 6	100# 21	632.64	2 <sup>+</sup>			
		3486.7 <sup>d</sup> 7	2.8# 13	0.0	0 <sup>+</sup>			
3494.7	1,2 <sup>+</sup>	2862.1 5	70 4	632.64	2 <sup>+</sup>			
		3494.5 5	100 4	0.0	0 <sup>+</sup>			$E_\gamma, I_\gamma$ : from $^{106}\text{In}$ $\varepsilon$ decay (5.2 min).
		140.46 18	2.4 8	3367.16	8 <sup>+</sup>	[E1]		B(E1)(W.u.)= $1.3 \times 10^{-6}$ 6
3507.79	8 <sup>-</sup>	187.71 5	100.0 29	3320.15	6 <sup>-</sup>	E2 <sup>c</sup>		B(E2)(W.u.)=40 10
		423.38 5	45.1 28	3084.38	7 <sup>+</sup>	D+Q <sup>c</sup>		Mult.: M2 ruled out by RUL.
		463.44 14	9.1 9	3044.13	8 <sup>+</sup>	D(+Q) <sup>c</sup>		$\delta=+0.043$ 37 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=-0.016$ 10 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ (1979Sa01).
3543.6	7	1040.4 4	100 7	2503.08	6 <sup>+</sup>	D+(Q) <sup>c</sup>	+0.03 8	$\delta=-0.11$ 34 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=+0.25$ 36 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ (1979Sa01).
3547.60	+	1051.0 4	61 8	2491.66	6 <sup>+</sup>			$\delta$ : from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ .
		421.30 20	25 3	3126.18	7 <sup>+</sup>	E2 <sup>e</sup>		
		1217.50 20	100 10	2330.56	5 <sup>+</sup>			
		1442.70 20	60 6	2104.53	4 <sup>+</sup>			

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$\gamma(^{106}\text{Cd})$  (continued)**

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta$	Comments
3641.82	(8 <sup>+</sup> )	1138.71 15	100 4	2503.08	6 <sup>+</sup>	(M1) <sup>e</sup>		Mult.: mult=Q required from decay scheme.
3678.88	9 <sup>-</sup>	1149.56 21 171.10 5	45 7 83 6	2491.66 6 <sup>+</sup> 3507.79 8 <sup>-</sup>	Q <sup>g</sup> M1+E2 <sup>c</sup>		0.15 1	B(M1)(W.u.)=0.0022 8; B(E2)(W.u.)=1.5 6
		269.28 7	100 17	3409.65 7 <sup>-</sup>	E2 <sup>c</sup>			Mult.: M2 ruled out by RUL.
		311.76 19	11.6 12	3367.16 8 <sup>+</sup>	(D+Q) <sup>c</sup>			$\delta$ : from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ . Other: $\delta=+0.15$ 2 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ ( <a href="#">1979Sa01</a> ). B(E2)(W.u.)=8 4
		634.69 15	71 9	3044.13 8 <sup>+</sup>	D+Q <sup>c</sup>			Mult.: M2 ruled out by RUL. $\delta=+0.15$ 14 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=0.00$ 6 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ ( <a href="#">1979Sa01</a> ). $\delta=-0.02$ 6 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=-0.038$ 28 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ ( <a href="#">1979Sa01</a> ).
3679.29?	2 <sup>+,3</sup>	2184.9 <sup>±</sup> 3	42# 8	1493.78 4 <sup>+</sup>				
		3046.8 <sup>±</sup> 2	100# 13	632.64 2 <sup>+</sup>				
3698.3	(7 <sup>-</sup> )	1069.1 5	100	2629.20 5 <sup>-</sup>	Q			
3787.39		1284.58 19	100 14	2503.08 6 <sup>+</sup>	D+Q <sup>f</sup>	+0.15 <sup>f</sup> 8		$\delta$ : weighted average of $\delta=+0.26$ 34 from $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ and $\delta=+0.3$ 3 from $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ .
		1295.45 19	88 17	2491.66 6 <sup>+</sup>	D+(Q)	+0.3 2		
3902	(10)	808	100	3094 (8)				
4106.33	10 <sup>-</sup>	427.64 21 598.54 7	14.5 13 100.0 21	3678.88 9 <sup>-</sup> 3507.79 8 <sup>-</sup>	D(+Q) <sup>h</sup> E2 <sup>c</sup>	-0.15 <sup>h</sup> 24		B(E2)(W.u.) $\geq$ 62
4113.86		570.11 15 704.47 20	63 8 100 6	3543.6 7 3409.65 7 <sup>-</sup>	Q <sup>g</sup>			Mult.: Not M2 from RUL.
4120.95	9 <sup>+</sup>	1076.79 15	100	3044.13 8 <sup>+</sup>	D+Q <sup>c</sup>	0.40 11		$\delta$ : weighted average of $\delta=+0.45$ 15 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ and $\delta=+0.35$ 15 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ ( <a href="#">1979Sa01</a> ).
4179.5		1135.4 4	100	3044.13 8 <sup>+</sup>	(D+Q) <sup>c</sup>	+0.03		
4183.04		675.5 3	100 13	3507.79 8 <sup>-</sup>				
		1138.8 3	66 16	3044.13 8 <sup>+</sup>				
4193.8		1149 2		3044.13 8 <sup>+</sup>				
4243.57		601.40 20	100 10	3641.82 (8 <sup>+</sup> )	M1 <sup>e</sup>			
		1199.70 20	55 6	3044.13 8 <sup>+</sup>				
4324.42	11 <sup>(-)</sup>	218.38 26	3.7 12	4106.33 10 <sup>-</sup>				
		645.55 5	100.0 17	3678.88 9 <sup>-</sup>	Q <sup>c</sup>			
4436.02	10 <sup>(+)</sup>	111.5	18 4	4324.42 11 <sup>(-)</sup>				$\delta=-0.10$ 4 from $\gamma\gamma(\theta)$ in $^{97}\text{Mo}(^{12}\text{C},3n\gamma)$ or $\delta=+0.10$ 4 from $\gamma(\theta)$ in $^{96}\text{Mo}(^{13}\text{C},3n\gamma)$ ( <a href="#">1979Sa01</a> ).
		315.00 29	5.4 8	4120.95 9 <sup>+</sup>	D+Q <sup>c</sup>			
		757.8 10	6.8 21	3678.88 9 <sup>-</sup>				
		1068.79 7	100.0 11	3367.16 8 <sup>+</sup>	Q <sup>i</sup>			
		1392.3 5	12 4	3044.13 8 <sup>+</sup>				
4574.3	10 <sup>(+)</sup>	1530.2 4	100	3044.13 8 <sup>+</sup>	Q <sup>i</sup>			B(E2)(W.u.)=0.190 24
4659.71	12 <sup>(+)</sup>	223.61 5	100.0 24	4436.02 10 <sup>(+)</sup>	E2 <sup>c</sup>			Mult.: M2 excluded by RUL.
		335.36 5	95.0 22	4324.42 11 <sup>(-)</sup>	D+Q <sup>c</sup>			$\delta=-0.05$ 3 from $\gamma\gamma(\theta)$ in

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** $\gamma(^{106}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	Comments
4659.71	12 <sup>(+)</sup>	476.8 3	53 12	4183.04			
4794	(12)	892		3902	(10)		
4816.3	10 <sup>+</sup>	241 1		4574.3	10 <sup>(+)</sup>		
		622.6 3		4193.8		M1	
		695.3 8	39 17	4120.95	9 <sup>+</sup>	M1	
		1028.4 4	100 38	3787.39		E2	
4902.8		788.9 4	100.0 10	4113.86		Q <sup>c</sup>	
		796.7 10	42 11	4106.33	10 <sup>-</sup>		
4967.55	12 <sup>-</sup>	861.22 15	100	4106.33	10 <sup>-</sup>	(Q) <sup>c</sup>	
5130.76		887.10 20	49 5	4243.57			
		1488.70 20	100 10	3641.82	(8 <sup>+</sup> )		
		1763.40 20	55 6	3367.16	8 <sup>+</sup>		
		2087.10 20	50 5	3044.13	8 <sup>+</sup>		
5214.06	13 <sup>(-)</sup>	889.64 7	100	4324.42	11 <sup>(-)</sup>	E2 <sup>c</sup>	B(E2)(W.u.) $\geq$ 3.8 Mult.: RUL rules out M2.
5241.0	12 <sup>+</sup>	804.98 25	100	4436.02	10 <sup>(+)</sup>	Q <sup>i</sup>	
5252.43	(13 <sup>+</sup> )	592.72 <sup>a</sup> 15	100 <sup>a</sup>	4659.71	12 <sup>(+)</sup>	D+Q	Mult.: $\delta=+0.03$ 8 or $-0.035$ 15 from $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$ .
5418.7	12 <sup>+</sup>	602.4 2	100	4816.3	10 <sup>+</sup>		
5557.8?		304.9 <sup>aj</sup> 8	100 <sup>a</sup> 15	5252.43	(13 <sup>+</sup> )		
5572.5?		319.9 <sup>aj</sup> 8	100 <sup>a</sup> 19	5252.43	(13 <sup>+</sup> )		
5623.7	12 <sup>+</sup>	807.3 2	100	4816.3	10 <sup>+</sup>	E2	
5770.4?		517.9 <sup>aj</sup> 4	100 <sup>a</sup>	5252.43	(13 <sup>+</sup> )		
5822	(14)	1028	100	4794	(12)		
5912.0		659.6 <sup>a</sup> 5	100 <sup>a</sup>	5252.43	(13 <sup>+</sup> )		
5976.4	(14 <sup>-</sup> )	1008.8 4	100	4967.55	12 <sup>-</sup>	Q <sup>i</sup>	
5986.7?		414.2 <sup>aj</sup> 15	100 <sup>a</sup>	5572.5?			
6100.6?		330.5 <sup>aj</sup> 8	100 <sup>a</sup> 14	5770.4?			
		542.4 <sup>aj</sup> 8	85 <sup>a</sup> 14	5557.8?			
6226.6	14 <sup>+</sup>	807.9 2	100	5418.7	12 <sup>+</sup>		
6265.0	(15 <sup>-</sup> )	1050.94 24	100	5214.06	13 <sup>(-)</sup>	Q <sup>i</sup>	E <sub>γ</sub> : other: 1059 ( <a href="#">1989Kl02</a> ) very probably typing error.
6516.0	14 <sup>+</sup>	892.3 3	100	5623.7	12 <sup>+</sup>	E2	
6858.3		757.7 <sup>aj</sup> 4	100 <sup>a</sup>	6100.6?			
7118.9?	16 <sup>+</sup>	602.8 2		6516.0	14 <sup>+</sup>	E2	E <sub>γ</sub> : Observed only by <a href="#">1994Je05</a> .
		892.3 2	100	6226.6	14 <sup>+</sup>		
7120.9	16 <sup>-</sup>	1145.3 4	100	5976.4	(14 <sup>-</sup> )	E2	
7480.2?		621.9 <sup>aj</sup> 4	100 <sup>a</sup>	6858.3			
7517.8	17 <sup>-</sup>	1253.6 4	100	6265.0	(15 <sup>-</sup> )	E2	
8099.7	18 <sup>+</sup>	980.8 2	100	7118.9?	16 <sup>+</sup>	E2	
8411.0	18 <sup>-</sup>	1290.1 15	100	7120.9	16 <sup>-</sup>	E2	
8884.3	19 <sup>-</sup>	1366.5 8	100	7517.8	17 <sup>-</sup>	E2	
9250.3	20 <sup>+</sup>	1150.6 4	100	8099.7	18 <sup>+</sup>	E2	
9722.3+x	(19 <sup>+</sup> )	403.6 15	80 40	9318.6+x	(18 <sup>+</sup> )		
		1622.6 8	100 40	8099.7+x			
9877.0	20 <sup>-</sup>	1466.0 15	100	8411.0	18 <sup>-</sup>		DCO(2)=1.2 3
10160.9+x	(20 <sup>+</sup> )	438.5 8	100 28	9722.3+x	(19 <sup>+</sup> )		
		842.4 15	28 14	9318.6+x	(18 <sup>+</sup> )		
10350.1	21 <sup>-</sup>	1465.8 8	100	8884.3	19 <sup>-</sup>	(E2)	
10560.9	22 <sup>+</sup>	1310.6 4	100	9250.3	20 <sup>+</sup>		
10663.7+x	(21 <sup>+</sup> )	502.6 8	100 40	10160.9+x	(20 <sup>+</sup> )		
		941.5 8	100 40	9722.3+x	(19 <sup>+</sup> )		

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** $\gamma(^{106}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>
11168.1+x	(22 <sup>+</sup> )	504.4 8 1007.0 15	100 40 80 40	10663.7+x 10160.9+x	(21 <sup>+</sup> ) (20 <sup>+</sup> )	
11740.7+x	(23 <sup>+</sup> )	572.5 15 1077.2 15	100 50 100 50	11168.1+x 10663.7+x	(22 <sup>+</sup> ) (21 <sup>+</sup> )	
11941.5	23 <sup>-</sup>	1591.4 15	100	10350.1	21 <sup>-</sup>	
12048.5	24 <sup>+</sup>	1487.6 8	100	10560.9	22 <sup>+</sup>	(E2)
12312.0+x	(24 <sup>+</sup> )	571.0 15 1143.8 15	100 50 100 50	11740.7+x 11168.1+x	(23 <sup>+</sup> ) (22 <sup>+</sup> )	
12951.8+x	(25 <sup>+</sup> )	639.7 15 1211.4 15	100 50 100 50	12312.0+x 11740.7+x	(24 <sup>+</sup> ) (23 <sup>+</sup> )	
13614.9+x	(26 <sup>+</sup> )	663.3 15 1302.6 15	100 50 100 50	12951.8+x 12312.0+x	(25 <sup>+</sup> ) (24 <sup>+</sup> )	
13724.1	26 <sup>+</sup>	1677.6 15	100	12048.5	24 <sup>+</sup>	
14333.9+x	(27 <sup>+</sup> )	718.8 15 1382.3 15	67 33 100 33	13614.9+x 12951.8+x	(26 <sup>+</sup> ) (25 <sup>+</sup> )	
15067.0+x	(28 <sup>+</sup> )	733.0 15 1452.1 15	100 50 100 50	14333.9+x 13614.9+x	(27 <sup>+</sup> ) (26 <sup>+</sup> )	
15583.5	(28 <sup>+</sup> )	1857.4 <sup>j</sup> 15	100	13724.1	26 <sup>+</sup>	
15862.8+x	(29 <sup>+</sup> )	795.6 15 1529.0 15	100 50 100 50	15067.0+x 14333.9+x	(28 <sup>+</sup> ) (27 <sup>+</sup> )	

<sup>†</sup> Unless noted otherwise, gamma energies were calculated with a least squares procedures using data from  $^{106}\text{In}$   $\varepsilon$  decay (5.2 min),  $^{106}\text{In}$   $\varepsilon$  decay (6.2 min),  $^{94}\text{Zr}(^{16}\text{O},4\text{n}\gamma)$ ,  $^{96}\text{Mo}(^{13}\text{C},3\text{n}\gamma)$ ,  $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$  and  $^{104}\text{Pd}(\alpha,2\text{n}\gamma)$ .

<sup>‡</sup> From (n,n'γ).

<sup>#</sup> From (n,n'γ).

<sup>@</sup> From (p,p'γ).

<sup>&</sup> From (p,p'γ).

<sup>a</sup>  $\gamma$  feeding the isomer at 4659 kev.

<sup>b</sup> Unless noted otherwise, from  $\gamma(\theta)$  and linear pol in (n,n'γ).

<sup>c</sup> From  $\gamma(\theta)$  in  $^{96}\text{Mo}(^{13}\text{C},3\text{n}\gamma)$  and  $\gamma\gamma(\theta)$  in  $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$  ([1979Sa01](#)).

<sup>d</sup> From  $\gamma(\theta)$  and linear  $\gamma$  pol in  $^{94}\text{Zr}(^{16}\text{O},4\text{n}\gamma)$  ([1979Sa01](#)).

<sup>e</sup> From conversion electron data in  $^{106}\text{In}$   $\varepsilon$  decay.


<sup>f</sup> From  $\gamma(\theta)$  in  $^{96}\text{Mo}(^{13}\text{C},3\text{n}\gamma)$ .

<sup>g</sup> From  $\gamma(\theta)$  in  $^{96}\text{Mo}(^{13}\text{C},3\text{n}\gamma)$ .

<sup>h</sup> From  $\gamma\gamma(\theta)$  in  $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$ .

<sup>i</sup> From  $\gamma\gamma(\theta)$  in  $^{97}\text{Mo}(^{12}\text{C},3\text{n}\gamma)$ .

<sup>j</sup> Placement of transition in the level scheme is uncertain.




**Adopted Levels, Gammas**

Legend

**Level Scheme (continued)**

Intensities: Type not specified

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$
- $\gamma$  Decay (Uncertain)




Adopted Levels, Gammas


## Legend


Level Scheme (continued)


Intensities: Type not specified


- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$









Adopted Levels, Gammas

**Adopted Levels, Gammas**

Type	Author	Citation	History
Full Evaluation	Jean Blachot	ENSDF	1-Jul-2008

Q( $\beta^-$ )=-5133 9; S(n)=10333.6 20; S(p)=8135 3; Q( $\alpha$ )=-2282.5 18    [2012Wa38](#)Note: Current evaluation has used the following Q record -5137 9 10339 8 8140 7 -2287 7    [2003Au03](#).[1991De27](#) have compared properties of the even Cd. **$^{108}\text{Cd}$  Levels****Cross Reference (XREF) Flags**

<b>A</b>	$^{108}\text{Ag}$ $\beta^-$ decay (2.382 min)	<b>H</b>	$^{100}\text{Mo}(^{13}\text{C},5\gamma)$	<b>O</b>	$^{108}\text{Cd}(\alpha,\alpha')$
<b>B</b>	$^{108}\text{In}$ $\varepsilon$ decay (39.6 min)	<b>I</b>	$^{106}\text{Pd}(^{3}\text{He},n)$	<b>P</b>	Coulomb excitation
<b>C</b>	$^{108}\text{In}$ $\varepsilon$ decay (58.0 min)	<b>J</b>	$^{107}\text{Ag}(\text{p,p}),(\text{p,n})$ IAR	<b>Q</b>	$^{108}\text{Cd}(\gamma,\gamma')$
<b>D</b>	$^{108}\text{In}$ $\varepsilon$ decay (58.0 min+39.6 min)	<b>K</b>	$^{107}\text{Ag}(^{3}\text{He},d)$	<b>R</b>	$^{109}\text{Ag}(\text{p},2\text{n}\gamma)$
<b>E</b>	$^{105}\text{Pd}(\alpha,\text{n}\gamma)$	<b>L</b>	$^{108}\text{Cd}(\text{n},\text{n}'\gamma)$	<b>S</b>	$^{112}\text{Sn}(\text{d},^{6}\text{Li})$
<b>F</b>	$^{64}\text{Ni}(^{48}\text{Ca},4\gamma)$	<b>M</b>	$^{108}\text{Cd}(\text{p},\text{p}'),(\text{pol p},\text{p}')$	<b>T</b>	(HI,xn $\gamma$ )
<b>G</b>	$^{96}\text{Zr}(^{16}\text{O},4\gamma)$	<b>N</b>	$^{108}\text{Cd}(\text{p},\text{p}'\gamma)$		

E(level) <sup>†</sup>	J <sup>‡</sup>	T <sub>1/2</sub> @	XREF	Comments
0.0 <sup>g</sup>	0 <sup>+</sup>	stable	ABCDE GHI KLMNOPQRST	
632.988 <sup>g</sup> 15	2 <sup>+</sup>	6.86 ps 7	ABCDE GH KLMNOPQRST	
1508.466 <sup>g</sup> 23	4 <sup>+</sup>	0.88 ps 11	BCDE GH KLMNOP RST	Q=-0.45 8 ( <a href="#">1989Ra17</a> ) $\mu=+0.68$ 18 ( <a href="#">1989Ra17</a> ) J <sup>π</sup> : E2 $\gamma$ to 0 <sup>+</sup> . T <sub>1/2</sub> : from B(E2)=0.406 4. Other: 7.0 ps 6 in (HI,xn $\gamma$ ). $\mu$ : $\mu$ , Q are from Coulomb excitation.
1601.833 15	2 <sup>+</sup>	0.46 ps 7	BCDE KLMNOPQRS	J <sup>π</sup> : E2 $\gamma$ to 2 <sup>+</sup> . T <sub>1/2</sub> : from B(E2) in Coul. ex., other: <3.5 ps in (HI,xn $\gamma$ ). J <sup>π</sup> : E2 $\gamma$ to 0 <sup>+</sup> . T <sub>1/2</sub> : from B(E2) in Coul. ex.
1720.646 24	0 <sup>+</sup>		DEF I KL N QRS	J <sup>π</sup> : L( <sup>3</sup> He,d)=1 and $\gamma(\theta)$ in (n,n' $\gamma$ ). XREF: K(1911).
1913.420 24	0 <sup>+</sup>		B DE I KL N QRS	J <sup>π</sup> : E0 $\gamma$ to g.s.
2145.850 21	3 <sup>+</sup> #		DE L N R	J <sup>π</sup> : M1 $\gamma$ to 2 <sup>+</sup> . J <sup>π</sup> : E2 $\gamma$ to 0 <sup>+</sup> . $\beta_3=0.207$ XREF: S(2228).
2162.738 23	2 <sup>+</sup>		B DE KL N QR	J <sup>π</sup> : L( <sup>3</sup> He,d)=2. L(p,p')=3 for E=2228 $\beta_3$ : from (p,p').
2202.208 24	3 <sup>-</sup>		B DE KLMNO RS	J <sup>π</sup> : E1 $\gamma$ to 2 <sup>+</sup> . J <sup>π</sup> : M1+E2 $\gamma$ 's to 4 <sup>+</sup> . E2 $\gamma$ to 2 <sup>+</sup> . J <sup>π</sup> : E2 $\gamma$ to 0 <sup>+</sup> . $\beta_3=0.207$ XREF: S(2228).
2239.35 <sup>j</sup> 7	4 <sup>+</sup> #		CDE L N RST	J <sup>π</sup> : M1+E2 $\gamma$ 's to 4 <sup>+</sup> . E2 $\gamma$ to 2 <sup>+</sup> . J <sup>π</sup> : E2 $\gamma$ to 0 <sup>+</sup> .
2365.781 23	2 <sup>+</sup>		B kL N R	J <sup>π</sup> : E2 $\gamma$ to 0 <sup>+</sup> .
2374.57 4	(0 <sup>+</sup> )#		DE I kL N QR	
2486.31 3	2 <sup>+</sup> #		DE KL N R	
2500			O	
2541.36 <sup>g</sup> 4	6 <sup>+</sup>		CDE GH L ST	J <sup>π</sup> : E2 $\gamma$ to 4 <sup>+</sup> and E2 $\gamma$ from 6 <sup>+</sup> .
2555.23 4	3 <sup>(-)</sup> #		DE KL	
2565.06 <sup>l</sup> 5	5 <sup>+</sup>	0.2& ps 1	CDE L T	J <sup>π</sup> : feeding from 3816 level which is directly fed in $\varepsilon$ decay from 7 <sup>+</sup> rules out 3 <sup>+</sup> .
2601.58 3	5 <sup>-</sup>		CDE KL ST	
2620.02 7	2 <sup>+</sup>	83 fs 20	B DE L Q	J <sup>π</sup> : M1+E2 $\gamma$ to 2 <sup>+</sup> , $\gamma(\text{pol})$ in (n,n' $\gamma$ ) rules out 1 <sup>+</sup> .
2645.62 4	4 <sup>+</sup> #		L	
2678.01 4	1 <sup>-</sup>	27.5 fs 10	D kL Q	XREF: k(2675). J <sup>π</sup> : L( <sup>3</sup> He,d)=0 for 2678 and/or 2682 level. T <sub>1/2</sub> : From $^{108}\text{Cd}(\gamma,\gamma')$ .

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{108}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup> <sup>‡</sup>	T <sub>1/2</sub> @	XREF			Comments
2682.65 4	1,2 <sup>+</sup>	0.22 ps 5	B	DE	kL	XREF: k(2675). J <sup>π</sup> : log ft=6.2 from 2 <sup>+</sup> . $\gamma$ to 0 <sup>+</sup> .
2707.06 4	5 <sup>-</sup>		C	KL	sT	XREF: s(2738).
2738.72 6	4 <sup>+</sup> #	0.37 ps 9	DE	L	s	XREF: s(2738).
2740 14	(0 <sup>+</sup> ,1 <sup>+</sup> ,2 <sup>+</sup> )		DE	K		J <sup>π</sup> : L( <sup>3</sup> He,d)=(1).
2755.07 11	4 <sup>+,5<sup>+</sup></sup>	0.23 ps 7	DE	L	s	XREF: s(2738).
2762.83 5	3 <sup>+</sup> #		G		T	
2790.79 6			DE	L		
2805.06 4	3#		DE	L		
2807.81 6	6 <sup>+,#</sup>		CDE	L	ST	J <sup>π</sup> : M1 $\gamma$ to 5 <sup>+</sup> .
2810.11 4	4-#		DE	L		
2816.51 9	2 <sup>+</sup>		DE	L	S	
2820.18 11	2(-)#		DE	KL		XREF: K(2816).
2875.89 8	4 <sup>+,#</sup>		DE	L		
2905.87 8	5 <sup>+</sup>		DE			
2912.32 6	2,3 <sup>+,#</sup>			L	s	XREF: s(2912).
2936.13 11	0 <sup>+,1<sup>+,2<sup>+,#</sup></sup></sup>		DE	KL	s	XREF: K(2938)s(2912). J <sup>π</sup> : L( <sup>3</sup> He,d)=1.
2975.35 <i>b</i> 5	6 <sup>-</sup>	0.15& ns 10	CDE		T	
2976.48 12	4 <sup>+</sup>		DE			
2993.11 7	2 <sup>+</sup>		DE	KL		J <sup>π</sup> : $\gamma$ to 0 <sup>+</sup> g.s., M1+E2 to 2 <sup>+</sup> .
2994.16 <i>j</i> 10	6 <sup>+</sup>		CDE		T	J <sup>π</sup> : M1,E2 $\gamma$ to 4 <sup>+</sup> . log ft=5.7 from 7 <sup>+</sup> .
2998.09 9			D			
3005.65 10	1#	13.0 fs 6	D	L	Q	T <sub>1/2</sub> : From <sup>108</sup> Cd( $\gamma,\gamma'$ ).
3028.30 10			D			
3031.55 6	2 <sup>+,#</sup>		DE	L		
3048.54 12	1 <sup>+</sup>	20.8 fs 14	B D	L	Q	J <sup>π</sup> : m1g to 0 <sup>+</sup> . T <sub>1/2</sub> : From <sup>108</sup> Cd( $\gamma,\gamma'$ ).
3057.56 <i>b</i> 5	7 <sup>-</sup>	31 ps 24	CDE	L	T	
3059.53 13			DE			
3059.89 11	(4,5) <sup>+</sup>		DE			
3076 15	0 <sup>+,1<sup>+,2<sup>+</sup></sup></sup>			K		J <sup>π</sup> : L( <sup>3</sup> He,d)=1.
3077.49 9	(4 <sup>+</sup> )		DE			
3081.79 8	3 <sup>+,#</sup>		DE	L		
3092.29 8	(3)		DE			
3110.64 <i>b</i> 10	(8 <sup>+</sup> )	0.3& ns 1	CDE		T	J <sup>π</sup> : from $\gamma(\theta)$ and $\gamma(\text{pol})$ for the 569 $\gamma$ in (HI,xny), <a href="#">1978Sa13</a> conclude $\Delta J(3110-2541 \text{ levels})=2$ ( $J^{\pi}$ 2541=6 <sup>+</sup> ). Another solution allowed by $\gamma(\theta)$ , namely $\Delta J=0$ , is ruled out by the authors on the basis of $\gamma(\text{pol})$ (pol exp)=0.60 20, pol=0.60 5 for $\Delta J=2$ and pol=0.007 to 0.32 for $\Delta J=0$ ).
3138 16	(0 <sup>-</sup> ,1 <sup>-</sup> )			K		J <sup>π</sup> : L( <sup>3</sup> He,d)=(0).
3139.00 10			DEF			
3171.15 15	2,3 <sup>+,#</sup>		DE	KL		
3174.17 15						
3181.69 10			DE	L		
3189.72 14	(6 <sup>+,7<sup>+,8<sup>+</sup></sup></sup> )		CDE		T	J <sup>π</sup> : log ft=5.9 from 7 <sup>+</sup> .
3194.81 12	2 <sup>+,#</sup>		DE	L		
3203.6 10			DE			
3221.67 9	(3,4) <sup>+</sup>		DE	K		
3223.80 <i>c</i> 6	8 <sup>-</sup>	0.49 ns 14			T	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{108}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	$J^\pi$ <sup>‡</sup>	$T_{1/2}$ <sup>@</sup>	XREF	Comments
3227.88 15	(2 <sup>+</sup> )		DE	
3248.27 9			DE	
3248.71 13	7 <sup>-</sup>			T
3259.7 7				
3264.92 11	1,2 <sup>+,3#</sup>		L	
3267.68 10	#		L	
3284 16	3 <sup>-</sup> ,4 <sup>-</sup> ,5 <sup>-</sup>		K	$J^\pi$ : L( <sup>3</sup> He,d)=4.
3289.80 11				
3292.63 10	1 <sup>#</sup>	16.6 fs 7	L Q	$T_{1/2}$ : From <sup>108</sup> Cd( $\gamma,\gamma'$ ).
3294.89 12	2,3 <sup>+,#</sup>		L	
3298.52 15			DE	
3303.55 10				T
3316.44 13	(3 <sup>+</sup> ) <sup>#</sup>		DE L	
3321.93 10			DE	
3326.02 20	3,(2 <sup>+</sup> ) <sup>#</sup>		DE L	
3343.99 8	1		DE	
3353.35 11			DE	
3367.51 9	(6 <sup>+</sup> )		CDE	$J^\pi$ : $\gamma'$ s to 4 <sup>+</sup> and 6 <sup>+</sup> . log ft=6.4 from 7 <sup>+</sup> .
3384.91 9	2 <sup>+,3</sup>		DE	
3389.43 20	(3)		K	E(level): doublet with L=(2+4).
3400.54 12			DE	
3407.23 12			DE	
3407.92 11			DE	
3413.14 16	(6 <sup>+</sup> )		DE	
3428.00 12			DE	
3430 17			K	
3433.07 16			DE	
3435.2 10			DE	
3437.00 15			DE	
3450.05 8	2 <sup>+,3<sup>+</sup></sup>		DE	
3454.12 7	1 <sup>+</sup>	22.9 fs 21	B DE Q	$T_{1/2}$ : From <sup>108</sup> Cd( $\gamma,\gamma'$ ).
3459.83 12	5,6		DE	
3460.60 10			DE	
3470.01 11	2 <sup>(+)</sup>		DE	
3474.57 <sup>a</sup> 11	8 <sup>-</sup>		DE T	
3482.21 11	2		DE KL	
3485.20 <sup>b</sup> 6	9 <sup>-</sup>	47.1 ps 21	DE T	
3512.27 15			DE	
3525.42 10			DE	
3530 18			K	$J^\pi$ : L=2 for 3530+3560.
3535.83? 20	(3,4) <sup>+,#</sup>		DE L	
3540.26? 13		0.29 ps 8	DE L	
3554.87? 15	(3 <sup>+</sup> ) <sup>#</sup>		DE L	
3559.61? 18	(0 <sup>+,1<sup>+</sup></sup> ) <sup>#</sup>		L	
3560 18			K	$J^\pi$ : L=2 for 3530+3560.
3566.43 20			DE	
3571.84 7	2 <sup>+</sup>		D	
3576.26 12			DE	
3605.62 21			DE	
3611.66 12			DE	
3630 18			K	$J^\pi$ : L=2 for 3630+3670.
3633.73 20			DE	
3642.12 11			DE	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{108}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>‡</sup>	T <sub>1/2</sub> <sup>@</sup>	XREF	Comments	
3643.22 15			DE		
3656.27 12			DE		
3656.48 15	(8 <sup>+</sup> )		DE		
3667.07 20	1	12.9 fs 6	DE	Q	T <sub>1/2</sub> : From $^{108}\text{Cd}(\gamma,\gamma')$ .
3670 18			K		
3674.74 11			DE		
3683.23 <sup>g</sup> 8	8 <sup>+</sup>		DE H	T	
3683.36 21			DE		
3718.48 11			DE		
3724.54 6	2 <sup>+</sup>		D		
3726.7 10			DE		
3732.0 10			DE		
3737.50 <sup>d</sup> 7	9 <sup>-</sup>	6.2 ps 7		T	
3740.41 15			DE		
3750 19			K		
3770.4 7	(7 <sup>+</sup> )		DE		
3779.8 7			DE		
3787.1 10			DE		
3788.9 4	2 <sup>+</sup>		DE		
≈3800	(0 <sup>+</sup> )		G		J <sup>π</sup> : L( $^3\text{He},n$ )=0.
3811.7 10			DE		
3812.0 3	1 <sup>+,2<sup>+</sup></sup>		B DE		J <sup>π</sup> : log ft=5.2 from 2 <sup>+</sup> . $\gamma$ to 0 <sup>+</sup> .
3814.56 7	1 <sup>+</sup>	14.6 fs 14	D	Q	T <sub>1/2</sub> : From $^{108}\text{Cd}(\gamma,\gamma')$ .
3816.30 7	6 <sup>+</sup>		CDE		J <sup>π</sup> : log ft=5.7 from 7 <sup>+</sup> . $\gamma$ to 4 <sup>+</sup> .
3827.87 5	1 <sup>+</sup>	26 fs +6–5	B DE	K Q	T <sub>1/2</sub> : From $^{108}\text{Cd}(\gamma,\gamma')$ .
					J <sup>π</sup> : M1 $\gamma$ to 0 <sup>+</sup> .
3861.05 <sup>j</sup> 20	8 <sup>+</sup>			T	
3870 19			K		
3872.4 <sup>c</sup> 3	10 <sup>-</sup>	5.75 ps 21		T	
3875.78 15			DE		
3881.63 15			DE		
3890.71 15			DE		
3904.06 15			DE		
3946.11 9	(2 <sup>+</sup> )		DE		
3968.30 21			DE		
3968.67 21			DE		
3969.03 15			DE		
3984.56 12			DE		
4008.8 7			DE		
4011.4 7			DE		
4011.89 8	2 <sup>+,3(3)</sup>		D		
4016.6 10			DE		
4028.73 6	2 <sup>+</sup>		D		
4030.98 11			DE		
4043.83 8	4,5 <sup>+</sup>		C		
4082.90 21			DE		
4083.63 21			DE		
4096.20 21			DE		
4109.26 15			DE		
4152.65 <sup>g</sup> 8	10 <sup>+</sup>	35.4 ps 21	GH	T	
4160.67 12			D		
4179.27 8			C		
4188.20 <sup>b</sup> 8	11 <sup>-</sup>	3.60 ps 14		T	
4196.4 <sup>a</sup> 8	10 <sup>-</sup>	5.5 ps 14		T	
4203.60 7	(1 <sup>+</sup> )		D		

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{108}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup> <sup>‡</sup>	T <sub>1/2</sub> <sup>@</sup>	XREF	Comments
4209.81 8	2 <sup>+</sup>		D	
4224.17 16			DE	
4238.90 7	1 <sup>+</sup>		D	
4240.01 9			CD	
4251.39 16			CD	
4278.7 6			D	
4282.4 10			DE	
4293.92 8			D	
4315.76 13			D	
4323.48 12	(1 <sup>+</sup> ,3 <sup>+</sup> )		D	
4334.35 8			D	
4345.36 8	1 <sup>+</sup>		D	
4351.97 11	1		D	
4394.75 10	1 <sup>+</sup>		D	
4400.64 11	(3 <sup>+</sup> ,2 <sup>+</sup> )		D	
4414.01 15	(1 <sup>+</sup> ,3 <sup>+</sup> )		D	
4468.56 13			D	
4471.04 8	1		D	
4481.33 11	(3 <sup>+</sup> ,1 <sup>+</sup> )		D	
4512.66 9	6 <sup>+</sup>		CD	J <sup>π</sup> : log ft=5.30 from 7 <sup>+</sup> . γ to 5 <sup>-</sup> .
4525.39 12			CD	
4529.14 11			D	
4568.7 <sup>d</sup> 6	11 <sup>-</sup>	1.66 ps 21		T
4584.66 8	1 <sup>+</sup>		D	
4618.5 10	(10)			T
4640.39 11	1 <sup>+</sup> ,(2)		D	
4649.47 10			D	
4656.38 11	(1 <sup>+</sup> ,3 <sup>+</sup> )		D	
4663.36 13			D	
4663.94 15	(2 <sup>+</sup> )		D	
4698.32 9			D	
4708.74 <sup>g</sup> 11	12 <sup>+</sup>	10.1 ps 3	GH	T J <sup>π</sup> : E2 γ to 10 <sup>+</sup> .
4755.58 11			D	
4755.9 <sup>h</sup> 8	10 <sup>+</sup>		D	T
4774.89 9			D	
4811.52 12	1 <sup>+,2,3</sup> <sup>+</sup>		D	
4811.80 15			D	
4826.0 <sup>c</sup> 4	12 <sup>-</sup>	1.11 ps 7		T J <sup>π</sup> : E2 γ to 10 <sup>-</sup> .
4849.12 15			D	
4858.76 11			D	
4864.69 11			D	
4870.29 15			D	
4914.50 15			D	
5125.0 <sup>a</sup> 8	12 <sup>-</sup>	2.1 ps 3		T
5179.87 <sup>b</sup> 17	13 <sup>-</sup>	0.69 ps 7		T J <sup>π</sup> : E2 γ to 11 <sup>-</sup> .
5502.55 <sup>g</sup> 13	14 <sup>+</sup>	1.52 ps 7	GH	T J <sup>π</sup> : E2 γ to 12 <sup>+</sup> . T <sub>1/2</sub> : Other:0.91 ps 9 ( <a href="#">2005Da16</a> ).
5574.2 <sup>d</sup> 7	13 <sup>-</sup>			T
5589.2 <sup>e</sup> 15	11 <sup>-</sup>		G	T
5591.9 <sup>h</sup> 6	12 <sup>+</sup>			T
5639.6 <sup>e</sup> 5	12 <sup>-</sup>		G	T
5760.6 <sup>e</sup> 6	13 <sup>-</sup>		G	T
5837.6 <sup>i</sup> 9	(12)			T
5982.3 <sup>c</sup> 9	14 <sup>-</sup>			T

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{108}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup> <sup>‡</sup>	T <sub>1/2</sub> <sup>@</sup>	XREF	Comments
6076.4 <sup>e</sup> 7	14 <sup>-</sup>	<2 ps	G	T
6124.3 <sup>h</sup> 6	14 <sup>+</sup>			R T
6251.5 <sup>a</sup> 8	14 <sup>-</sup>			T
6404.1 <sup>b</sup> 11	15 <sup>-</sup>			T
6458.87 <sup>g</sup> 24	16 <sup>+</sup>	0.40 ps 5	GH	T J <sup>π</sup> : E2 $\gamma$ to 14 <sup>+</sup> . T <sub>1/2</sub> : From <a href="#">2005Da16</a> .
6488.0 <sup>i</sup> 9	(14)			T
6597.8 <sup>e</sup> 8	15 <sup>-</sup>	0.48 ps +3–4	G	T T <sub>1/2</sub> : from <a href="#">2000Ke01</a> (DSA method), other: >2 ps ( <a href="#">1994Th01</a> ).
6891.0 <sup>h</sup> 8	16 <sup>+</sup>			T
7212.6 <sup>c</sup> 14	(16 <sup>-</sup> )			T
7213.5 <sup>f</sup> 9	(15 <sup>-</sup> )		G	T
7274.9 <sup>e</sup> 9	16 <sup>-</sup>	0.19 ps +4–6	G	T T <sub>1/2</sub> : from <a href="#">2000Ke01</a> (DSA method).
7383.4 <sup>i</sup> 13	(16)			T
7385.9 <sup>a</sup> 8	16 <sup>-</sup>			T
7528.6 <sup>f</sup> 7	16 <sup>-</sup>		G	T
7564.2 <sup>g</sup> 11	18 <sup>+</sup>	0.229 ps 28	GH	T T <sub>1/2</sub> : From <a href="#">2005Da16</a> .
7725.3 <sup>b</sup> 15	17 <sup>-</sup>			T
7740.4 <sup>e</sup> 8	17 <sup>-</sup>	0.28 ps 4	G	T T <sub>1/2</sub> : from <a href="#">2000Ke01</a> (DSA method).
7796.3 5	17 <sup>-</sup>		G	
7861.4 <sup>f</sup> 6	17 <sup>-</sup>		G	T
7913.3 <sup>h</sup> 13	(18 <sup>+</sup> )			T
8102.2 <sup>e</sup> 9	18 <sup>-</sup>	0.52 ps +3–4	G	T T <sub>1/2</sub> : from <a href="#">2000Ke01</a> (DSA method).
8184.7 12	(17)			T
8283.8 <sup>a</sup> 13	18 <sup>-</sup>			T
8316.6 <sup>f</sup> 6	18 <sup>-</sup>		G	
8354.4 7	18 <sup>-</sup>		G	
8534.9 <sup>i</sup> 17	(18)		G	T
8543.4 16	(18)			T
8584.8 <sup>e</sup> 9	19 <sup>-</sup>	0.201 ps 14	G	T T <sub>1/2</sub> : from <a href="#">2000Ke01</a> (DSA method).
8639.8 <sup>f</sup> 6	19 <sup>-</sup>		G	
8671.0 <sup>b</sup> 18	19 <sup>-</sup>			T
8824.5 <sup>g</sup> 15	(20 <sup>+</sup> )	0.152 ps 28	GH	T T <sub>1/2</sub> : From <a href="#">2005Da16</a> .
8964.2 19	(19)			T
8998.7 <sup>f</sup> 7	(20 <sup>-</sup> )		G	
9174.8 <sup>e</sup> 9	(20 <sup>-</sup> )	0.14 ps +2–3	G	T T <sub>1/2</sub> : from <a href="#">2000Ke01</a> (DSA method).
9325.9 <sup>a</sup> 17	(20 <sup>-</sup> )			T
9419.6 <sup>f</sup> 7	(21 <sup>-</sup> )		G	
9757.3 <sup>b</sup> 20	(21 <sup>-</sup> )			T
9879.3 <sup>e</sup> 9	(21 <sup>-</sup> )	0.208 ps 7	G	T T <sub>1/2</sub> : from <a href="#">2000Ke01</a> (DSA method).
9894.3 <sup>i</sup> 20	(20)			T
9896.7 <sup>f</sup> 7	(22 <sup>-</sup> )		G	
10293.6 <sup>g</sup> 18	(22 <sup>+</sup> )		G	T
10412.6 <sup>f</sup> 8	(23 <sup>-</sup> )		G	
10532.6 <sup>a</sup> 19	(22 <sup>-</sup> )			T
10677.2 <sup>e</sup> 9	(22 <sup>-</sup> )		G	
10975.9 <sup>f</sup> 8	(24 <sup>-</sup> )		G	
11018.5 <sup>b</sup> 23	(23 <sup>-</sup> )			T

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{108}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	$J^\pi$ <sup>‡</sup>	XREF	Comments
11906.6 <sup>a</sup> 22	(24 <sup>-</sup> )	T	
11914.8 <sup>g</sup> 21	(24 <sup>+</sup> )	G T	
12489.2 <sup>b</sup> 25	(25 <sup>-</sup> )	T	
14270	J		
14533	J		
14565	J		
14645	J		
14717	J		
14737	J		
14797	J		
14877	J		
14897	J		
14962	J		
15103	J		
x <sup>k</sup>	J≈(40)	F	Additional information 1. A weak 1638 $\gamma$ may deexcite this level.
1686.01+x <sup>k</sup> 20	J+2	F	
3421.6+x <sup>k</sup> 3	J+4	F	
5218.7+x <sup>k</sup> 4	J+6	F	
7083.4+x <sup>k</sup> 5	J+8	F	
9021.6+x <sup>k</sup> 6	J+10	F	
11037.5+x <sup>k</sup> 7	J+12	F	
13133.8+x <sup>k</sup> 8	J+14	F	
15310.4+x <sup>k</sup> 9	J+16	F	
17566.4+x <sup>k</sup> 9	J+18	F	
19902.7+x <sup>k</sup> 10	J+20	F	
y <sup>l</sup>	F		Additional information 2. $J^\pi$ : I<40.
1534.0+y <sup>l</sup> 10	J+2	F	
3130.0+y <sup>l</sup> 15	J+4	F	
4796.0+y <sup>l</sup> 18	J+6	F	
6540.1+y <sup>l</sup> 20	J+8	F	
8361.1+y <sup>l</sup> 23	J+10	F	
10262.1+y <sup>l</sup> 25	J+12	F	
12244+y <sup>l</sup> 3	J+14	F	
14306+y <sup>l</sup> 3	J+16	F	
16450+y <sup>l</sup> 3	J+18	F	
18676+y <sup>l</sup> 4	J+20	F	
20979+y <sup>l</sup> 4	J+22	F	

<sup>†</sup> From a least-squares fit to the adopted E $\gamma$ .<sup>‡</sup> For levels seen only in (HI,xn $\gamma$ ),  $J^\pi$  are from  $\gamma(\theta)$ , DCO,  $\gamma$ (pol).#  $\gamma(\theta)$  and  $\gamma$ (lin pol) in (n,n' $\gamma$ ).@ From Doppler shift recoil-distance method in (HI,xn $\gamma$ ), otherwise noted.& From centroid shift measurement in (HI,xn $\gamma$ ).<sup>a</sup> Band(A):  $\Delta J=2$  band based on 8<sup>-</sup>.

**Adopted Levels, Gammas (continued)** **$^{108}\text{Cd}$  Levels (continued)**

<sup>b</sup> Band(B):  $\Delta J=2$  band based on  $9^-$ .

<sup>c</sup> Band(C):  $\Delta J=2$  band based on  $6^-$ .

<sup>d</sup> Band(D): band 4.

<sup>e</sup> Band(E): Magnetic-dipole (shears) band, based on  $(11^-)$ . Configuration= $\pi[g_{9/2}^{-3}g_{7/2}]v[h_{11/2}(g_{7/2}d_{5/2})^1]$  before the  $v h_{11/2}^2$  crossing and  $\pi[g_{9/2}^{-3}g_{7/2}]v[h_{11/2}^3(g_{7/2}d_{5/2})^1]$  after the crossing.

<sup>f</sup> Band(F): Magnetic-dipole (shears) band, based on  $(15^-)$ . Tentative configuration= $\pi[g_{9/2}^{-3}g_{7/2}]v[h_{11/2}(g_{7/2}d_{5/2})^3]$ .

<sup>g</sup> Band(G): g.s. (yrast) band.

<sup>h</sup> Band(H):  $\Delta J=2$  band based on  $10^+$ .

<sup>i</sup> Band(I): band 9.

<sup>j</sup> Band(J): band 10.

<sup>k</sup> Band(K): SD-1 band ([2001Cl06](#)). Percent population  $\approx 1.4$ . Q(intrinsic)>9.5.

<sup>l</sup> Band(L): SD-2 band ([2002Go03](#)). Percent population  $\approx 0.6$ . Q(intrinsic) $\approx 8.5$ .

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$ 

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ	Comments
632.988	2 <sup>+</sup>	632.97 2	100	0.0	0 <sup>+</sup>	E2		B(E2)(W.u.)=26.6 3 E <sub>γ</sub> : from $\beta^-$ decay.
1508.466	4 <sup>+</sup>	875.47 2	100	632.988	2 <sup>+</sup>	E2		B(E2)(W.u.)=41 6
1601.833	2 <sup>+</sup>	968.81 2	100	632.988	2 <sup>+</sup>	M1+E2	-1.5 +6-15	B(E2)(W.u.)=17 5; B(M1)(W.u.)=0.008 5 B(E2)(W.u.)=1.8 3
		1601.84 2	92 3	0.0	0 <sup>+</sup>	E2		
1720.646	0 <sup>+</sup>	1087.66 2	100	632.988	2 <sup>+</sup>	E2		
1913.420	0 <sup>+</sup>	311.58 3	96 7	1601.833	2 <sup>+</sup>	E2		I <sub>γ</sub> : weighted av of I <sub>γ</sub> (312 $\gamma$ )/I <sub>γ</sub> (1280 $\gamma$ ) excluding value of <a href="#">1975Fl01</a> .
		1280.45 3	100	632.988	2 <sup>+</sup>	E2		
		1913.3 2		0.0	0 <sup>+</sup>	E0		
2145.850	3 <sup>+</sup>	544.00 3	13.8 6	1601.833	2 <sup>+</sup>	M1+E2	-1.22 12	
		637.3 3	8.4 25	1508.466	4 <sup>+</sup>			
		1512.86 2	100 3	632.988	2 <sup>+</sup>	M1+E2	-1.84 3	
2162.738	2 <sup>+</sup>	1529.72 2	100	632.988	2 <sup>+</sup>	M1+E2	0.13 2	Mult.: the E1 assignment in <sup>108</sup> In $\varepsilon$ decay seems to be a mistake.
		2162.7 2	6.7 6	0.0	0 <sup>+</sup>	E2		
2202.208	3 <sup>-</sup>	600.2 3	3.8 6	1601.833	2 <sup>+</sup>			
		1569.22 2	100	632.988	2 <sup>+</sup>	E1		
2239.35	4 <sup>+</sup>	637.5	18 1	1601.833	2 <sup>+</sup>	E2(+M3)	-0.01 6	
		730.8	100 8	1508.466	4 <sup>+</sup>	M1+E2	-0.31 10	$\delta$ : -0.70 16 or -0.25 20 in $\varepsilon$ decay.
		1606.3	86 7	632.988	2 <sup>+</sup>	E2(+M3)	-0.07 4	$\delta$ : -0.003 38 in $\varepsilon$ decay.
2365.781	2 <sup>+</sup>	1732.77 2	100	632.988	2 <sup>+</sup>	M1+E2	-0.151 14	
		2365.72 8	18.3 8	0.0	0 <sup>+</sup>	E2		
2374.57	(0 <sup>+</sup> )	772.69# 5	<18	1601.833	2 <sup>+</sup>			E <sub>γ</sub> : from E(level) difference, placed by <a href="#">1992Ku01</a> from this level, but the placement in (n,n'γ) is not consistent in energy.
		1741.56 4	100	632.988	2 <sup>+</sup>	(E2)		
2486.31	2 <sup>+</sup>	884.3 2	10.6 24	1601.833	2 <sup>+</sup>	E2+M1	+0.31 8	
		1853.30 3	100 3	632.988	2 <sup>+</sup>	E2+M1	-0.47 14	$\delta$ : -0.61 3 or -6.3 10.
		2486.3 2	1.6 4	0.0	0 <sup>+</sup>	E2		
2541.36	6 <sup>+</sup>	1032.92 3	100	1508.466	4 <sup>+</sup>	E2		
2555.23	3 <sup>(-)</sup>	353.1 2	12 3	2202.208	3 <sup>-</sup>			
		392.5 2	<0.6	2162.738	2 <sup>+</sup>			
		409.1 2	3 2	2145.850	3 <sup>+</sup>			
		953.3 2	33 4	1601.833	2 <sup>+</sup>	E1(+M2)	-0.03 9	
		1922.23 3	100	632.988	2 <sup>+</sup>			
2565.06	5 <sup>+</sup>	325.7 2	46 4	2239.35 4 <sup>+</sup>		M1+E2	-0.08 4	B(M1)(W.u.)=1.0 5; B(E2)(W.u.)=5.E+1 +6-5
		419.2 2	0.7 1	2145.850 3 <sup>+</sup>				
		1056.6 2	100 8	1508.466 4 <sup>+</sup>		M1+E2	-0.21 3	B(M1)(W.u.)=0.06 4; B(E2)(W.u.)=2.0 12 $\delta$ : -0.18 3 in $\varepsilon$ decay.
2601.58	5 <sup>-</sup>	1093.10 2	100	1508.466	4 <sup>+</sup>	E1		
2620.02	2 <sup>+</sup>	1018.2 2	0.9 3	1601.833	2 <sup>+</sup>	M1+E2	-0.13 10	B(M1)(W.u.)=0.0022 9; B(E2)(W.u.)=0.03 +5-3
		1987.0 2	100 8	632.988	2 <sup>+</sup>	M1+E2	+0.16 3	B(M1)(W.u.)=0.032 9; B(E2)(W.u.)=0.18 8 $\delta$ : +0.13 7 in ( $\alpha$ ,nγ).

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ	Comments
2620.02	2 <sup>+</sup>	2620.0 2	1.8 4	0.0	0 <sup>+</sup>	E2		B(E2)(W.u.)=0.032 11
2645.62	4 <sup>+</sup>	1043.9 3	3.3 9	1601.833	2 <sup>+</sup>			
		1137.14 3	100 3	1508.466	4 <sup>+</sup>	D+Q	-0.48 3	
		2012.6 2	12.0 11	632.988	2 <sup>+</sup>	E2		
2678.01	1 <sup>-</sup>	2677.95 4	100	0.0	0 <sup>+</sup>	E1		B(E1)(W.u.)=0.000565 21
2682.65	1,2 <sup>+</sup>	316.9	<0.5	2365.781	2 <sup>+</sup>			
		1080.8	2.9 3	1601.833	2 <sup>+</sup>			
		2049.62 4	100 10	632.988	2 <sup>+</sup>			
		2682.8	2.7 3	0.0	0 <sup>+</sup>			
2707.06	5 <sup>-</sup>	1198.60 3	100	1508.466	4 <sup>+</sup>	E1+M2	-0.050 16	
2738.72	4 <sup>+</sup>	536.6 2	0.9 2	2202.208	3 <sup>-</sup>			
		575.9 2	0.9 1	2162.738	2 <sup>+</sup>			
		1230.3 2	100 9	1508.466	4 <sup>+</sup>	M1+E2	+0.16 8	B(M1)(W.u.)=0.027 8; B(E2)(W.u.)=0.4 4 δ: +0.22 11 in ε decay.
		2105.6 2	14 2	632.988	2 <sup>+</sup>			
2755.07	4 <sup>+,5<sup>+</sup></sup>	1246.6	100	1508.466	4 <sup>+</sup>			
2762.83	3 <sup>+</sup>	1160.91 6	100 5	1601.833	2 <sup>+</sup>	D+Q		δ: 3.7 4 or 0.51 3.
		2129.79 11	35.5 22	632.988	2 <sup>+</sup>			
2805.06	3	1296.57 4	100 3	1508.466	4 <sup>+</sup>	D+Q		δ: -4.5 (+12-9) or -1.09 5.
		2172.08 15	15.5 13	632.988	2 <sup>+</sup>	D+Q		δ: -3.3(+12-8) or -0.09 8.
2807.81	6 <sup>+</sup>	206.1 2	1.23 23	2601.58	5 <sup>-</sup>			
		242.75 4	100 5	2565.06	5 <sup>+</sup>	M1		
		266.4 2	7.7 6	2541.36	6 <sup>+</sup>			
		1299.4 2	38 4	1508.466	4 <sup>+</sup>	E2		
2810.11	4 <sup>-</sup>	608.1 2	18 2	2202.208	3 <sup>-</sup>			
		664.4 2	40 3	2145.850	3 <sup>+</sup>	E1+M2	+0.04 3	
		1301.63 3	100	1508.466	4 <sup>+</sup>			
2816.51	2 <sup>+</sup>	450.7 2	19 3	2365.781	2 <sup>+</sup>			
		614.4 2	38 4	2202.208	3 <sup>-</sup>			
		653.7 2	16 3	2162.738	2 <sup>+</sup>			
		670.7 2	45 4	2145.850	3 <sup>+</sup>			
		2183.4 2	100 9	632.988	2 <sup>+</sup>	M1+E2	+0.22 8	
		2816.5 2	57 5	0.0	0 <sup>+</sup>			
2820.18	2 <sup>(-)</sup>	618.0 2	≤6	2202.208	3 <sup>-</sup>			
		1218.3 2	26 4	1601.833	2 <sup>+</sup>	(E1(+M2))	+0.2 2	
		2187.2 2	100 10	632.988	2 <sup>+</sup>	(E1+M2)	+0.25 6	
2875.89	4 <sup>+</sup>	510.2 2	≤12	2365.781	2 <sup>+</sup>			
		729.9 2	15 4	2145.850	3 <sup>+</sup>			
		1367.4 2	79 8	1508.466	4 <sup>+</sup>	M1+E2	-0.5 3	δ: positive sign in table IV of <a href="#">2002Ga35</a> is a misprint.
		2242.9 2	100 9	632.988	2 <sup>+</sup>			
2905.87	5 <sup>+</sup>	364.5 2	4 1	2541.36	6 <sup>+</sup>			
		666.5 2	38 3	2239.35	4 <sup>+</sup>			

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma$	$I_\gamma^{\dagger}$	$E_f$	$J_f^\pi$	Mult. <sup>‡</sup>	$\delta$	Comments
2905.87	5 <sup>+</sup>	760.0 2	55 5	2145.850	3 <sup>+</sup>	E2(+M3)	-0.012 40	$\delta$ : uncertainty=0.004 in table III of <a href="#">2002Ga35</a> is a misprint.
		1397.4 2	100 8	1508.466	4 <sup>+</sup>	M1+E2	-0.73 14	
2912.32	2,3 <sup>+</sup>	2279.31 5	100	632.988	2 <sup>+</sup>			
2936.13	0 <sup>+,1<sup>+,2<sup>+</sup></sup></sup>	773.40 12	100	2162.738	2 <sup>+</sup>			
		2303.1 2	83 9	632.988	2 <sup>+</sup>			
2975.35	6 <sup>-</sup>	268.39 20	34 2	2707.06	5 <sup>-</sup>	D+Q		$\delta$ : $\delta=0.40$ 13 or 4.2 18. $I_\gamma$ : from <a href="#">1993Th05</a> in (HI,xny). <a href="#">1978Sa13</a> report 44 5. B(E2)(W.u.)=2.8 20; B(M1)(W.u.)=0.0015 10 $I_\gamma$ : from <a href="#">1993Th05</a> in (HI,xny). <a href="#">1978Sa13</a> report 39 3. <a href="#">1980Wi20</a> report 74 in $\epsilon$ decay, a value inconsistent with non observation by <a href="#">1984Ro13</a> .
		373.77 5	100 5	2601.58	5 <sup>-</sup>	M1+E2	+0.56 6	
		433.7 4	9.7 14	2541.36	6 <sup>+</sup>			
2976.48	4 <sup>+</sup>	331.0	<10	2645.62	4 <sup>+</sup>			$\delta$ : -0.36 21 from ( $\alpha$ ,n). $\delta=-0.5$ 2 in table III is a misprint (E-mail from A. Gade, November 30, 2002).
		737.3	14 6	2239.35	4 <sup>+</sup>			
		774.6	12 5	2202.208	3 <sup>-</sup>			
		1374.7	44 7	1601.833	2 <sup>+</sup>			
		1468.1	100 11	1508.466	4 <sup>+</sup>	M1(+E2)	-0.17 31	
2993.11	2 <sup>+</sup>	1391.4	<25	1601.833	2 <sup>+</sup>			Mult.: M1,E2 from conversion data, $\Delta J$ rules out M1.
		2360.08 7	100 4	632.988	2 <sup>+</sup>	M1+E2	-0.91 +20-25	
2994.16	6 <sup>+</sup>	2993.4 5	17.3 25	0.0	0 <sup>+</sup>			
		754.7 2	60 14	2239.35	4 <sup>+</sup>	(E2)		
2998.09		1485.8 2	100	1508.466	4 <sup>+</sup>			
		315.3 2	100 8	2682.65	1,2 <sup>+</sup>			
		320.1 2	44 4	2678.01	1 <sup>-</sup>			
		796.1 2	19 3	2202.208	3 <sup>-</sup>			
		835.3 2	24 3	2162.738	2 <sup>+</sup>			
3005.65	1	3005.58 13	100	0.0	0 <sup>+</sup>			
3028.30		662.5 2	4	2365.781	2 <sup>+</sup>			
		882.5 2	12	2145.850	3 <sup>+</sup>			
		1426.5 2	49 15	1601.833	2 <sup>+</sup>			
		2395.3 2	100 17	632.988	2 <sup>+</sup>			
3031.55	2 <sup>+</sup>	829.5 2	21	2202.208	3 <sup>-</sup>			
		868.9 2	5	2162.738	2 <sup>+</sup>			
		1118.3 2	9	1913.420	0 <sup>+</sup>			
		1522.9 2	25 3	1508.466	4 <sup>+</sup>			
		2398.42 8	100 4	632.988	2 <sup>+</sup>			
3048.54	1 <sup>+</sup>	1446.6 2	19 3	1601.833	2 <sup>+</sup>	M1+E2	+0.17 3	B(M1)(W.u.)=0.036 7; B(E2)(W.u.)=0.41 16 B(M1)(W.u.)=0.023 3; B(E2)(W.u.)=0.34 5 B(M1)(W.u.)=0.0206 25
		2415.6 2	62 5	632.988	2 <sup>+</sup>	M1+E2	+0.320 13	
		3048.5 2	100 8	0.0	0 <sup>+</sup>	M1		
3057.56	7 <sup>-</sup>	350.52 5	62.3 17	2707.06	5 <sup>-</sup>	E2		B(E2)(W.u.)=32 25 B(E2)(W.u.)=14 11 B(E1)(W.u.)=1.9×10 <sup>-5</sup> 15
		455.87 8	100.0 24	2601.58	5 <sup>-</sup>	E2		
		516.15 7	60 10	2541.36	6 <sup>+</sup>	E1		

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ	Comments
3059.53	(4,5) <sup>+</sup>	494.4 2	34 14	2565.06	5 <sup>+</sup>			
		1551.0 2	100 17	1508.466	4 <sup>+</sup>			
		252.0 2	13	2807.81	6 <sup>+</sup>			
		414.2 2	72	2645.62	4 <sup>+</sup>			
		518.7 2	100	2541.36	6 <sup>+</sup>			
		914.0 2	53	2145.850	3 <sup>+</sup>			
		314.5 2	9	2762.83	3 <sup>+</sup>			
		322.4 2	<3	2755.07	4 <sup>+,5<sup>+</sup></sup>			
		431.8 2	5	2645.62	4 <sup>+</sup>			
		838.2 2	18	2239.35	4 <sup>+</sup>			
3077.49	(4 <sup>+</sup> )	931.7 2	10	2145.850	3 <sup>+</sup>			
		1569.1 2	100	1508.466	4 <sup>+</sup>	M1+E2	-1.0 +4-7	$\delta: -0.5 +3-4$ in $(\alpha, n\gamma)$ .
		2448.76 8	100	632.988	2 <sup>+</sup>	D+Q		$\delta: 4.4$ 9 or 0.51 5.
		606.0 2	10	2486.31	2 <sup>+</sup>			
		853.0 2	22	2239.35	4 <sup>+</sup>			
		929.6 2	4	2162.738	2 <sup>+</sup>			
		1490.4 2	100	1601.833	2 <sup>+</sup>	D+Q	-0.30 11	
		2459.2 2	26	632.988	2 <sup>+</sup>			
		116.4 10		2994.16	6 <sup>+</sup>			
		302.79 25	7.6 12	2807.81	6 <sup>+</sup>			
3139.00	(8 <sup>+</sup> )	569.31 10	100 6	2541.36	6 <sup>+</sup>	E2		B(E2)(W.u.)=1.0 4
		328.8 2	100	2810.11	4 <sup>-</sup>			
		583.9 2	<4	2555.23	3 <sup>(-)</sup>			
		936.8 2	40	2202.208	3 <sup>-</sup>			
		993.2 2	17	2145.850	3 <sup>+</sup>			
		1630.4 2	35	1508.466	4 <sup>+</sup>			
		805.5	5 2	2365.781	2 <sup>+</sup>			
		2538.2	100 9	632.988	2 <sup>+</sup>			
		1028.3 2	15	2145.850	3 <sup>+</sup>			
		1665.7 2	100	1508.466	4 <sup>+</sup>			
3181.69	(6 <sup>+,7<sup>+,8<sup>+</sup></sup></sup> )	2548.67 9	100	632.988	2 <sup>+</sup>			
		648.5 2	100	2541.36	6 <sup>+</sup>			
		950.2 2	<12	2239.35	4 <sup>+</sup>			
		2561.74 12	100 7	632.988	2 <sup>+</sup>			
		3195.3 4	44 6	0.0	0 <sup>+</sup>			
		2570.6	100	632.988	2 <sup>+</sup>			
		466.7 2	7	2755.07	4 <sup>+,5<sup>+</sup></sup>			
		483.1 2	7	2738.72	4 <sup>+</sup>			
		1075.9 2	14	2145.850	3 <sup>+</sup>			
		1713.4 2	100	1508.466	4 <sup>+</sup>			
3223.80	8 <sup>-</sup>	2588.8 2	29	632.988	2 <sup>+</sup>			
		166.25 5	100.0 10	3057.56	7 <sup>-</sup>	M1+E2	+0.185 15	B(E2)(W.u.)=7.3 24; B(M1)(W.u.)=0.0070 20

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	δ	Comments
3223.80	8 <sup>-</sup>	248.49 8	35.6 19	2975.35	6 <sup>-</sup>			
3227.88	(2 <sup>+</sup> )	1065.0 2	30	2162.738	2 <sup>+</sup>			
		2595.0 2	100	632.988	2 <sup>+</sup>	M1+E2	+0.14 10	
3248.27		602.6 2	12	2645.62	4 <sup>+</sup>			
		1008.9 2	25	2239.35	4 <sup>+</sup>			
		1739.8 1	100	1508.466	4 <sup>+</sup>			
3248.71	7 <sup>-</sup>	191.5	30 3	3057.56	7 <sup>-</sup>			
		273.6	5 1	2975.35	6 <sup>-</sup>			
		707.9	100 8	2541.36	6 <sup>+</sup>	E1(+M2)	-0.01 4	
3259.7		1057.5	100	2202.208	3 <sup>-</sup>			
		1113.8	34	2145.850	3 <sup>+</sup>			
3264.92	1,2 <sup>+,3</sup>	2631.90 11	100	632.988	2 <sup>+</sup>			
3267.68		1547.0 2	40 5	1720.646	0 <sup>+</sup>			
		1665.84 11	100 6	1601.833	2 <sup>+</sup>			
3289.80		582.8 2	23	2707.06	5 <sup>-</sup>			
		734.6 2	100	2555.23	3 <sup>(-)</sup>			
		1087.6 2	81	2202.208	3 <sup>-</sup>			
		1781.2 2	93	1508.466	4 <sup>+</sup>			
3292.63	1	3292.5 2	100	0.0	0 <sup>+</sup>			
3294.89	2,3 <sup>+</sup>	1092.7 2	11	2202.208	3 <sup>-</sup>			
		1132.2 2	10	2162.738	2 <sup>+</sup>			
		2661.8 2	100	632.988	2 <sup>+</sup>	M1+E2	+4.3 +9-6	$\delta$ : or +0.002 4.
3298.52		323.1 2	100	2975.35	6 <sup>-</sup>			
		697.0 2	59	2601.58	5 <sup>-</sup>			
3316.44	(3 <sup>+</sup> )	1714.5 2	13 6	1601.833	2 <sup>+</sup>	M1+E2	+3.7 +29-12	
		2683.5 2	100 14	632.988	2 <sup>+</sup>	M1+E2	+8.7 +41-21	$\delta$ : or -0.10 4.
3321.93		327.9 2	3.5	2994.16	6 <sup>+</sup>			
		566.8 2	21	2755.07	4 <sup>+,5<sup>+</sup></sup>			
		780.6 2	76	2541.36	6 <sup>+</sup>			
		1082.5 2	24	2239.35	4 <sup>+</sup>			
		1813.4 2	100	1508.466	4 <sup>+</sup>			
3326.02	3,(2 <sup>+</sup> )	2693.0 2	100	632.988	2 <sup>+</sup>			
3343.99	1	350.9 2	1.3	2993.11	2 <sup>+</sup>			
		723.9 2	1.3	2620.02	2 <sup>+</sup>			
		978.1 2	4	2365.781	2 <sup>+</sup>			
		1181.2 2	6	2162.738	2 <sup>+</sup>			
		1430.7 2	4	1913.420	0 <sup>+</sup>			
		1623.4 2	12	1720.646	0 <sup>+</sup>			
		1742.2 2	100	1601.833	2 <sup>+</sup>	D+Q	+0.065 26	
3353.35		2710.9 2	<7	632.988	2 <sup>+</sup>			
		614.6 2	100	2738.72	4 <sup>+</sup>			
		1207.6 2	53	2145.850	3 <sup>+</sup>			

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	δ	Comments
3353.35		1751.5 2	38	1601.833	2 <sup>+</sup>			
		1844.8 2	44	1508.466	4 <sup>+</sup>			
3367.51	(6 <sup>+</sup> )	826.2 2	100 <i>10</i>	2541.36	6 <sup>+</sup>			
		1858.9 2	55 6	1508.466	4 <sup>+</sup>			
3384.91	2 <sup>+,3</sup>	579.8 2	7	2805.06	3			
		898.4 2	10	2486.31	2 <sup>+</sup>			
		1222.2 2	80	2162.738	2 <sup>+</sup>			
		1239.2 2	47	2145.850	3 <sup>+</sup>			
		1783.0 2	100	1601.833	2 <sup>+</sup>			
		2752.0 2	99.8	632.988	2 <sup>+</sup>			
3389.43	(3)	2756.4 2	100	632.988	2 <sup>+</sup>	D+Q	+0.04 5	
3400.54		845.4 2	95	2555.23	3 <sup>(-)</sup>			
		1198.4 2	100	2202.208	3 <sup>-</sup>			
		1891.9 2	57	1508.466	4 <sup>+</sup>			
3407.23		1041.4 2	32	2365.781	2 <sup>+</sup>			
		1244.5 2	43	2162.738	2 <sup>+</sup>			
		1805.4 2	100	1601.833	2 <sup>+</sup>			
3407.92		669.2 2	11	2738.72	4 <sup>+</sup>			
		762.2 2	15	2645.62	4 <sup>+</sup>			
		1262.1 2	<13	2145.850	3 <sup>+</sup>			
		1899.5 2	100	1508.466	4 <sup>+</sup>			
3413.14	(6 <sup>+</sup> )	223.4 2	4	3189.72	(6 <sup>+,7<sup>+,8<sup>+</sup></sup></sup>			
		871.8 2	100	2541.36	6 <sup>+</sup>	M1+E2	+0.25 12	
3428.00		452.6 2	29	2975.35	6 <sup>-</sup>			
		826.4 2	9	2601.58	5 <sup>-</sup>			
		886.7 2	100	2541.36	6 <sup>+</sup>			
3433.07		677.9 2	32	2755.07	4 <sup>+,5<sup>+</sup></sup>			
		891.8 2	100	2541.36	6 <sup>+</sup>			
3435.2		1233.0	100	2202.208	3 <sup>-</sup>			
3437.00		698.4 2	19	2738.72	4 <sup>+</sup>			
		1928.4 2	100	1508.466	4 <sup>+</sup>			
3450.05	2 <sup>+,3<sup>+</sup></sup>	644.9 2	11	2805.06	3			
		963.8 2	27	2486.31	2 <sup>+</sup>			
		1084.3 2	38	2365.781	2 <sup>+</sup>			
		1247.8 2	5.5	2202.208	3 <sup>-</sup>			
		1287.3 2	11	2162.738	2 <sup>+</sup>			
		1848.2 2	100	1601.833	2 <sup>+</sup>			
		2817.1 2	80	632.988	2 <sup>+</sup>			
3454.12	1 <sup>+</sup>	282.9 2	0.2	3171.15	2,3 <sup>+</sup>			
		461.0 2	0.45	2993.11	2 <sup>+</sup>			
		771.4 2	12	2682.65	1,2 <sup>+</sup>			
		1079.5 2	7 5	2374.57	(0 <sup>+</sup> )	M1	B(M1)(W.u.)=0.031 23	

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	δ	Comments
3454.12	1 <sup>+</sup>	1291.3 2	7	2162.738	2 <sup>+</sup>			
		1540.7 2	3.3	1913.420	0 <sup>+</sup>	M1		B(M1)(W.u.)=0.0050 7
		1733.6 2	4.4	1720.646	0 <sup>+</sup>	M1		B(M1)(W.u.)=0.0047 7
		1852.3 2	30 9	1601.833	2 <sup>+</sup>	M1(+E2)	-0.005 20	
		2821.1 2	8	632.988	2 <sup>+</sup>	E2(+M1)	≥+11.7	B(M1)(W.u.)<1.6×10 <sup>-5</sup> ; B(E2)(W.u.)>0.18
		3454.1 2	100 12	0.0	0 <sup>+</sup>	M1		B(M1)(W.u.)=0.0135 24
3459.83	5,6	484.4 2	17	2975.35	6 <sup>-</sup>			
		752.8 2	20	2740	(0 <sup>+</sup> ,1 <sup>+</sup> ,2 <sup>+</sup> )			
		858.3 2	100	2601.58	5 <sup>-</sup>			
3460.60		652.8 2	46	2807.81	6 <sup>+</sup>			
		895.4 2	16	2565.06	5 <sup>+</sup>			
		919.2 2	28	2541.36	6 <sup>+</sup>			
		1221.3 2	39	2239.35	4 <sup>+</sup>			
		1952.2 2	100	1508.466	4 <sup>+</sup>			
3470.01	2 <sup>(+)</sup>	1104.3 2	13	2365.781	2 <sup>+</sup>			
		1307.3 2	64	2162.738	2 <sup>+</sup>			
		1324.1 2	38	2145.850	3 <sup>+</sup>			
		1868.1 2	100	1601.833	2 <sup>+</sup>	M1+E2	-0.4 3	
3474.57	8 <sup>-</sup>	225.87 7	37 4	3248.71	7 <sup>-</sup>	D+Q	-0.14 11	
		416.96 10	100 5	3057.56	7 <sup>-</sup>	D+Q	-0.31 16	
		498.5 3	25 11	2976.48	4 <sup>+</sup>			
3482.21	2	1880.24 14	65 4	1601.833	2 <sup>+</sup>			
		2849.36 17	100 6	632.988	2 <sup>+</sup>			
3485.20	9 <sup>-</sup>	261.49 15	100	3223.80	8 <sup>-</sup>	D+Q	0.06 3	
		427.64 5	77 3	3057.56	7 <sup>-</sup>	E2		B(E2)(W.u.)=12.0 8
3512.27		1366.3 2	54.5	2145.850	3 <sup>+</sup>			
		2003.9 2	100	1508.466	4 <sup>+</sup>			
3525.42		770.4 2	19	2755.07	4 <sup>+,5<sup>+</sup></sup>			
		786.6 2	16	2738.72	4 <sup>+</sup>			
		984.1 2	100	2541.36	6 <sup>+</sup>			
		1286.1 2	22	2239.35	4 <sup>+</sup>			
		2016.9 2	<16	1508.466	4 <sup>+</sup>			
		2902.8 2	100	632.988	2 <sup>+</sup>			
3540.26?	(3,4) <sup>+</sup>	1938.2 3	18 4	1601.833	2 <sup>+</sup>			
		2031.82 14	100 6	1508.466	4 <sup>+</sup>			
3554.87?	(3 <sup>+</sup> )	2921.84 15	100	632.988	2 <sup>+</sup>			
		2926.58 18	100	632.988	2 <sup>+</sup>			
3559.61?	(0 <sup>+,1<sup>+</sup>)</sup>	2933.4 2	100	632.988	2 <sup>+</sup>			
3571.84	2 <sup>+</sup>	889.1 2	18	2682.65	1,2 <sup>+</sup>			
		951.9 2	10	2620.02	2 <sup>+</sup>			
		1085.4 2	23	2486.31	2 <sup>+</sup>			

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ
3571.84	2 <sup>+</sup>	1369.6 2	4	2202.208	3 <sup>-</sup>		
		1409.0 2	12	2162.738	2 <sup>+</sup>		
		1426.0 2	13	2145.850	3 <sup>+</sup>		
		1658.4 2	11	1913.420	0 <sup>+</sup>		
		2939.0 2	100	632.988	2 <sup>+</sup>	M1+E2	+0.40 7
		3571.8 2	47	0.0	0 <sup>+</sup>	E2	
		930.6 2	36	2645.62	4 <sup>+</sup>		
		1021.0 2	100	2555.23	3 <sup>(-)</sup>		
		1374.1 2	18	2202.208	3 <sup>-</sup>		
		1403.4 2	100	2202.208	3 <sup>-</sup>		
3605.62		1409.5 2	<13	2202.208	3 <sup>-</sup>		
		1465.7 2	<19	2145.850	3 <sup>+</sup>		
3611.66		2103.2 2	100	1508.466	4 <sup>+</sup>		
		3000.7 2	100	632.988	2 <sup>+</sup>		
		666.7 2	56	2975.35	6 <sup>-</sup>		
		934.9 2	100	2740	(0 <sup>+</sup> ,1 <sup>+</sup> ,2 <sup>+</sup> )		
3633.73		1040.6 2	<52	2601.58	5 <sup>-</sup>		
		1100.9 2	40	2541.36	6 <sup>+</sup>		
		1403.9 2	87	2239.35	4 <sup>+</sup>		
		2134.7 2	100	1508.466	4 <sup>+</sup>		
		680.9 2	33	2975.35	6 <sup>-</sup>		
3642.12		949.2 2	100	2740	(0 <sup>+</sup> ,1 <sup>+</sup> ,2 <sup>+</sup> )		
		1054.7 2	17	2601.58	5 <sup>-</sup>		
		432.6 2	19	3223.80	8 <sup>-</sup>		
		1115.2 2	100	2541.36	6 <sup>+</sup>		
3643.22	(8 <sup>+</sup> )	3667.0 2	100	0.0	0 <sup>+</sup>		
		1119.5 2	40	2555.23	3 <sup>(-)</sup>		
3656.27		1472.4 2	41	2202.208	3 <sup>-</sup>		
		1528.9 2	100	2145.850	3 <sup>+</sup>		
		2073.0 2	64	1601.833	2 <sup>+</sup>		
		573.1 10	9.0 6	3110.64	(8 <sup>+</sup> )	E2	
		1141.85 10	100 5	2541.36	6 <sup>+</sup>	E2	
3683.23	8 <sup>+</sup>	1118.3 2	100	2565.06	5 <sup>+</sup>		
		979.8 2	16	2738.72	4 <sup>+</sup>		
		1072.8 2	<34	2645.62	4 <sup>+</sup>		
		1572.6 2	44	2145.850	3 <sup>+</sup>		
3718.48		2210.0 2	100	1508.466	4 <sup>+</sup>		
		692.7 2	1	3031.55	2 <sup>+</sup>		
		919.4 2	6	2805.06	3		
		1104.5 2	33	2620.02	2 <sup>+</sup>		
		1238.2 2	6.5	2486.31	2 <sup>+</sup>		
		1358.8 2	1.5	2365.781	2 <sup>+</sup>		

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub>	L <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	δ	Comments
3724.54	2 <sup>+</sup>	1522.3 2 1561.7 2 1578.7 2 2003.8 2 2123.0 2 2216.0 2 3091.7 2 3724.5 2	2 8 3 3 4 36 100 39	2202.208 2162.738 2145.850 1720.646 1601.833 1508.466 632.988 0.0	3 <sup>-</sup> 2 <sup>+</sup> 3 <sup>+</sup> 0 <sup>+</sup> 2 <sup>+</sup> 4 <sup>+</sup> 2 <sup>+</sup> 0 <sup>+</sup>			
				100	632.988 2 <sup>+</sup>	M1+E2	-0.28 5	
3726.7		2218.2	100	1508.466	4 <sup>+</sup>			
3732.0		2223.5	100	1508.466	4 <sup>+</sup>			
3737.50	9 <sup>-</sup>	514.0 2 679.91 5	100 80 13	3223.80 3057.56	8 <sup>-</sup> 7 <sup>-</sup>	E2		B(E2)(W.u.)=9.1 20
3740.41		1001.6 2	<24	2738.72	4 <sup>+</sup>			
		2232.0 2	100	1508.466	4 <sup>+</sup>			
3770.4	(7 <sup>+</sup> )	795.0 1229.0	51 100	2975.35 2541.36	6 <sup>-</sup> 6 <sup>+</sup>	M1+E2	-0.17 13	
3779.8		1072.6 2271.4	<40 100	2740 1508.466	(0 <sup>+</sup> ,1 <sup>+</sup> ,2 <sup>+</sup> ) 4 <sup>+</sup>			
3787.1		2278.6	100	1508.466	4 <sup>+</sup>			
3788.9	2 <sup>+</sup>	1026.0 1423.0 1626.1 1643.1 2187.1 3155.9	14 23 <10 15 100 90	2762.83 2365.781 2162.738 2145.850 1601.833 632.988	3 <sup>+</sup> 2 <sup>+</sup> 2 <sup>+</sup> 3 <sup>+</sup> 2 <sup>+</sup> 2 <sup>+</sup>			
					8	M1(+E2)	+0.06 8	
						M1+E2	-0.33 11	
3811.7		2303.2	100	1508.466	4 <sup>+</sup>			
3812.0	1 <sup>+,2<sup>+</sup></sup>	2211.1 5 3178.4 4	12.7 18 39 6	1601.833 632.988	2 <sup>+</sup> 2 <sup>+</sup>			
		3811.8 5	100 7	0.0	0 <sup>+</sup>			
3814.56	1 <sup>+</sup>	521.9 2 782.8 2 816.5 2 1131.8 2 1194.6 2 1651.7 2 1901.1 2 2093.9 2 3181.8 2 3814.6 2	0.2 0.3 0.2 0.5 0.7 1.6 4.4 2.8 40 100	3292.63 3031.55 2998.09 2682.65 2620.02 2162.738 1913.420 1720.646 632.988 0.0	1 2 <sup>+</sup> 2 <sup>+</sup> 1,2 <sup>+</sup> 2 <sup>+</sup> 2 <sup>+</sup> 0 <sup>+</sup> M1 M1 M1+E2 M1			B(M1)(W.u.)=0.0064 7 B(M1)(W.u.)=0.0031 3 B(M1)(W.u.)=0.0123 12; B(E2)(W.u.)=0.012 4 B(M1)(W.u.)=0.0180 18
						+0.107 17		
3816.30	6 <sup>+</sup>	448.7 2 839.8 2 910.5 2	57 6 12 19	3367.51 2976.48 2905.87	(6 <sup>+</sup> ) 4 <sup>+</sup> 5 <sup>+</sup>			

18

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ	Comments
3816.30	6 <sup>+</sup>	940.4 2	17	2875.89	4 <sup>+</sup>			
		1008.5 2	78 8	2807.81	6 <sup>+</sup>			
		1077.6 2	16	2738.72	4 <sup>+</sup>			
		1214.7 2	27	2601.58	5 <sup>-</sup>			
		1251.4 2	60 6	2565.06	5 <sup>+</sup>			
		1275.1 2	93 9	2541.36	6 <sup>+</sup>			
		2307.5 2	100 10	1508.466	4 <sup>+</sup>			
		373.7 2	1	3454.12	1 <sup>+</sup>			
		377.9 2	0.3	3450.05	2 <sup>+,3<sup>+</sup></sup>			
		535.2 2	1	3292.63	1			
3827.87	1 <sup>+</sup>	656.8 2	4	3171.15	2,3 <sup>+</sup>			
		746.0 2	0.5	3081.79	3 <sup>+</sup>			
		829.8 2	1	2998.09				
		1007.7 2	1	2820.18	2 <sup>(-)</sup>			
		1145.2 2	2	2682.65	1,2 <sup>+</sup>			
		1149.8 2	0.4	2678.01	1 <sup>-</sup>			
		1207.8 2	1	2620.02	2 <sup>+</sup>			
		1341.4 2	4	2486.31	2 <sup>+</sup>			
		1453.2 2	1	2374.57	(0 <sup>+</sup> )	M1		B(M1)(W.u.)=0.00123 +24-29
		1461.9 2	4	2365.781	2 <sup>+</sup>			
3861.05	8 <sup>+</sup>	1665.1 2	4	2162.738	2 <sup>+</sup>			
		1914.5 2	18	1913.420	0 <sup>+</sup>	M1		B(M1)(W.u.)=0.0097 +19-23
		2107.3 2	1.5	1720.646	0 <sup>+</sup>	M1		B(M1)(W.u.)=0.00061 +12-14
		2226.2 2	72	1601.833	2 <sup>+</sup>	M1+E2	-0.060 17	B(M1)(W.u.)=0.02462 5; B(E2)(W.u.)=0.015 9
		3194.9 2	7	632.988	2 <sup>+</sup>			
		3827.9 2	100	0.0	0 <sup>+</sup>	M1		B(M1)(W.u.)=0.0068 +13-16
		177.6 10	13.8 23	3683.23	8 <sup>+</sup>	D		
		750.6 10	100 23	3110.64	(8 <sup>+</sup> )	D		
		866.7 10	92 8	2994.16	6 <sup>+</sup>	Q		
		1319.7 10	<69	2541.36	6 <sup>+</sup>			
3872.4	10 <sup>-</sup>	648.6 3	100	3223.80	8 <sup>-</sup>			
		1730.0 2	<23	2145.850	3 <sup>+</sup>			
3875.78		2367.2 2	100	1508.466	4 <sup>+</sup>			
		1280.0 2	43	2601.58	5 <sup>-</sup>			
3881.63		1340.3 2	100	2541.36	6 <sup>+</sup>			
		915.4 2	62	2975.35	6 <sup>-</sup>			
3890.71		1349.3 2	100	2541.36	6 <sup>+</sup>			
		1258.4 2	7	2645.62	4 <sup>+</sup>			
3904.06		2395.6 2	100	1508.466	4 <sup>+</sup>			
		1263.3 2	8.5	2682.65	1,2 <sup>+</sup>			
		1580.2 2	19	2365.781	2 <sup>+</sup>			
		1783.2 2	21	2162.738	2 <sup>+</sup>			

**Adopted Levels, Gammas (continued)** **$\gamma(^{108}\text{Cd})$  (continued)**

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma$	$I_\gamma^{\dagger}$	$E_f$	$J_f^\pi$	Mult. <sup>‡</sup>	$\delta$
3946.11	(2 <sup>+</sup> )	2225.4 2	60	1720.646	0 <sup>+</sup>		
		2344.1 2	26	1601.833	2 <sup>+</sup>		
		3313.7 2	100	632.988	2 <sup>+</sup>	M1+E2	+0.23 16
3968.30		2459.8 2	100	1508.466	4 <sup>+</sup>		
3968.67		1822.8 2	100	2145.850	3 <sup>+</sup>		
3969.03		1262.0 2	24	2740	(0 <sup>+</sup> ,1 <sup>+</sup> ,2 <sup>+</sup> )		
		1367.4 2	100	2601.58	5 <sup>-</sup>		
3984.56		1179.6 2	50	2805.06	3		
		1821.7 2	89	2162.738	2 <sup>+</sup>		
		3351.5 2	100	632.988	2 <sup>+</sup>		
4008.8		1443.8	100	2565.06	5 <sup>+</sup>		
		1467.4	<8.4	2541.36	6 <sup>+</sup>		
4011.4		1865.5	<34	2145.850	3 <sup>+</sup>		
		2503.0	100	1508.466	4 <sup>+</sup>		
4011.89	2 <sup>+,(3)</sup>	983.7 2	2	3028.30			
		1006.2 2	6	3005.65	1		
		1206.7 2	6.6	2805.06	3		
		1329.1 2	10	2682.65	1,2 <sup>+</sup>		
		1646.0 2	19	2365.781	2 <sup>+</sup>		
		1809.6 2	33	2202.208	3 <sup>-</sup>		
		2410.2 2	15	1601.833	2 <sup>+</sup>		
		3379.0 2	100	632.988	2 <sup>+</sup>	D+Q	+0.10 5
4016.6		542.0	100	3474.57	8 <sup>-</sup>		
4028.73	2 <sup>+</sup>	936.5 2	3	3092.29	(3)		
		946.9 2	2	3081.79	3 <sup>+</sup>		
		1035.5 2	7	2993.11	2 <sup>+</sup>		
		1223.5 2	12	2805.06	3		
		1346.0 2	38	2682.65	1,2 <sup>+</sup>		
		1408.7 2	94	2620.02	2 <sup>+</sup>		
		1542.5 2	9	2486.31	2 <sup>+</sup>		
		1654.1 2	7	2374.57	(0 <sup>+</sup> )		
		1662.8 2	4	2365.781	2 <sup>+</sup>		
		1826.5 2	28	2202.208	3 <sup>-</sup>		
		1866.0 2	99	2162.738	2 <sup>+</sup>		
		1882.8 2	8	2145.850	3 <sup>+</sup>		
		2308.2 2	40	1720.646	0 <sup>+</sup>		
		2426.9 2	8	1601.833	2 <sup>+</sup>		
		2520.3 2	28	1508.466	4 <sup>+</sup>		
4030.98		3395.8 2	100	632.988	2 <sup>+</sup>	M1+E2	-0.55 16
		1323.9 2	37	2740	(0 <sup>+</sup> ,1 <sup>+</sup> ,2 <sup>+</sup> )		
		1429.3 2	15	2601.58	5 <sup>-</sup>		
		1466.0 2	34	2565.06	5 <sup>+</sup>		

**Adopted Levels, Gammas (continued)** $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	Comments
4030.98		1489.6 2	100	2541.36	6 <sup>+</sup>		
4043.83	4,5 <sup>+</sup>	676.3 2	36.6	3367.51	(6 <sup>+</sup> )		
		1167.9 2	31	2875.89	4 <sup>+</sup>		
		1236.0 2	35	2807.81	6 <sup>+</sup>		
		1305.0 2	38.5	2738.72	4 <sup>+</sup>		
		1336.8 2	71.6	2707.06	5 <sup>-</sup>		
		1398.1 2	33.6	2645.62	4 <sup>+</sup>		
		1442.3 2	28.6	2601.58	5 <sup>-</sup>		
		1478.8 2	36	2565.06	5 <sup>+</sup>		
		1502.6 2	100	2541.36	6 <sup>+</sup>		
4082.90		2574.4 2	100	1508.466	4 <sup>+</sup>		
4083.63		1438.0 2	100	2645.62	4 <sup>+</sup>		
4096.20		2587.7 2	100	1508.466	4 <sup>+</sup>		
4109.26		1946.6 2	44	2162.738	2 <sup>+</sup>		
		2507.3 2	100	1601.833	2 <sup>+</sup>		
4152.65	10 <sup>+</sup>	280.3 10	9.3 6	3872.4	10 <sup>-</sup>	E1	B(E1)(W.u.)=1.11×10 <sup>-5</sup> 11
		291.60 20	34 3	3861.05	8 <sup>+</sup>	E2	B(E2)(W.u.)=26 3
		414.97 20	100 6	3737.50	9 <sup>-</sup>	D	
		469.42 5	99 4	3683.23	8 <sup>+</sup>	E2	B(E2)(W.u.)=7.1 6
		667.49 10	78 5	3485.20	9 <sup>-</sup>	D	
		1043.2 10	1.2 6	3110.64	(8 <sup>+</sup> )	E2	B(E2)(W.u.)=0.0016 8
4160.67		1794.9 2	51	2365.781	2 <sup>+</sup>		
		1997.8 2	76	2162.738	2 <sup>+</sup>		
		3527.7 2	100	632.988	2 <sup>+</sup>		
4179.27		1119.6 2	32	3059.53			
		1184.9 2	44	2994.16	6 <sup>+</sup>		
		1202.8 2	18	2975.35	6 <sup>-</sup>		
		1371.5 2	28	2807.81	6 <sup>+</sup>		
		1472.2 2	36	2707.06	5 <sup>-</sup>		
		1533.7 2	40	2645.62	4 <sup>+</sup>		
		1614.2 2	96	2565.06	5 <sup>+</sup>		
		1637.9 2	100	2541.36	6 <sup>+</sup>		
		1940.0 2	60	2239.35	4 <sup>+</sup>		
		2670.9 2	99	1508.466	4 <sup>+</sup>		
4188.20	11 <sup>-</sup>	703.00 5	100	3485.20	9 <sup>-</sup>	E2	B(E2)(W.u.)=30.0 12
4196.4	10 <sup>-</sup>	721.7 10	100	3474.57	8 <sup>-</sup>	E2	B(E2)(W.u.)=17 5
4203.60	(1 <sup>+</sup> )	1525.6 2	4	2678.01	1 <sup>-</sup>		
		1717.3 2	16	2486.31	2 <sup>+</sup>		
		1829.0 2	3.6	2374.57	(0 <sup>+</sup> )		
		1837.8 2	9	2365.781	2 <sup>+</sup>		
		2040.6 2	6.6	2162.738	2 <sup>+</sup>		
		2290.2 2	16	1913.420	0 <sup>+</sup>		

**Adopted Levels, Gammas (continued)** **$\gamma(^{108}\text{Cd})$  (continued)**

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma$	$I_\gamma^{\dagger}$	$E_f$	$J_f^\pi$	Mult. <sup>‡</sup>	$\delta$
4203.60	(1 <sup>+</sup> )	2482.9 2	14	1720.646	0 <sup>+</sup>		
		2601.8 2	100	1601.833	2 <sup>+</sup>	M1+E2	+0.11 5
		3570.7 2	43.6	632.988	2 <sup>+</sup>	M1+E2	-0.20 7
		4203.5 2	44	0.0	0 <sup>+</sup>	(M1)	
4209.81	2 <sup>+</sup>	917.2 2	5	3292.63	1		
		1446.7 2	13	2762.83	3 <sup>+</sup>		
		1723.4 2	26	2486.31	2 <sup>+</sup>		
		2063.9 2	4	2145.850	3 <sup>+</sup>		
		2608.0 2	100	1601.833	2 <sup>+</sup>	M1+E2	-0.21 11
		2701.4 2	<9	1508.466	4 <sup>+</sup>		
		3576.9 2	49	632.988	2 <sup>+</sup>	M1+E2	-3.0 +8-15
		4209.8 2	25	0.0	0 <sup>+</sup>		
		1230.0 2	63	2994.16	6 <sup>+</sup>		
4224.17		1682.8 2	100	2541.36	6 <sup>+</sup>		
		1752.5 2	18	2486.31	2 <sup>+</sup>		
		1864.2 2	23	2374.57	(0 <sup>+</sup> )		
		1873.0 2	27	2365.781	2 <sup>+</sup>		
		2076.0 2	22	2162.738	2 <sup>+</sup>		
		2325.6 2	14	1913.420	0 <sup>+</sup>		
		2518.3 2	36	1720.646	0 <sup>+</sup>		
		2637.2 2	46	1601.833	2 <sup>+</sup>	M1+E2	+0.39 13
		3605.9 2	49	632.988	2 <sup>+</sup>	M1+E2	-0.14 8
		4238.8 2	100	0.0	0 <sup>+</sup>	M1	
4240.01		1334.1 2	51	2905.87	5 <sup>+</sup>		
		1432.1 2	100	2807.81	6 <sup>+</sup>		
		1501.2 2	2.4	2738.72	4 <sup>+</sup>		
		1594.5 2	5	2645.62	4 <sup>+</sup>		
		1638.4 2	85	2601.58	5 <sup>-</sup>		
		1674.9 2	61	2565.06	5 <sup>+</sup>		
		1698.8 2	20	2541.36	6 <sup>+</sup>		
		1257.3 2	100 10	2994.16	6 <sup>+</sup>		
		1443.5 2	82 8	2807.81	6 <sup>+</sup>		
		2132.7	36	2145.850	3 <sup>+</sup>		
4278.7		2676.8	100	1601.833	2 <sup>+</sup>		
		3645.7	96	632.988	2 <sup>+</sup>		
		1741.0	100	2541.36	6 <sup>+</sup>		
		926.4 2	32	3367.51	(6 <sup>+</sup> )		
		1317.3 2	19	2976.48	4 <sup>+</sup>		
		1388.0 2	96	2905.87	5 <sup>+</sup>		
		1418.0 2	26	2875.89	4 <sup>+</sup>		
4282.4		1555.3 2	5	2738.72	4 <sup>+</sup>		
		1692.3 2	100	2601.58	5 <sup>-</sup>		

**Adopted Levels, Gammas (continued)** $\gamma(^{108}\text{Cd})$  (continued)

22

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ
4293.92		1728.9 2	74	2565.06	5 <sup>+</sup>		
		1752.6 2	<15	2541.36	6 <sup>+</sup>		
4315.76		948.2 2	60	3367.51	(6 <sup>+</sup> )		
		1750.8 2	50	2565.06	5 <sup>+</sup>		
		1774.3 2	100	2541.36	6 <sup>+</sup>		
4323.48	(1 <sup>+,3<sup>+</sup></sup> )	1957.7 2	7	2365.781	2 <sup>+</sup>		
		2160.6 2	23	2162.738	2 <sup>+</sup>		
		2721.7 2	30	1601.833	2 <sup>+</sup>		
		3690.4	100	632.988	2 <sup>+</sup>		
4334.35		1242.0 2	4	3092.29	(3)		
		1571.2 2	10	2762.83	3 <sup>+</sup>		
		1714.3 2	25	2620.02	2 <sup>+</sup>		
		1848.0 <sup>#</sup> 2	5	2486.31	2 <sup>+</sup>		
		1968.6 2	16	2365.781	2 <sup>+</sup>		
		2132.1 2	33	2202.208	3 <sup>-</sup>		
		2188.6 2	7	2145.850	3 <sup>+</sup>		
4345.36	1 <sup>+</sup>	3701.5 2	100	632.988	2 <sup>+</sup>		
		1667.2 2	5	2678.01	1 <sup>-</sup>		
		1859.1 2	14	2486.31	2 <sup>+</sup>		
		1979.4 2	26	2365.781	2 <sup>+</sup>		
		2182.6 2	25	2162.738	2 <sup>+</sup>		
		2624.7 2	7	1720.646	0 <sup>+</sup>		
		2743.6 2	36	1601.833	2 <sup>+</sup>	M1+E2	-0.40 12
4351.97	1	3712.4 2	100	632.988	2 <sup>+</sup>	M1+E2	-0.55 5
		2189.1 2	14	2162.738	2 <sup>+</sup>		
		2631.4 2	9	1720.646	0 <sup>+</sup>		
		2750.0 2	19	1601.833	2 <sup>+</sup>		
4394.75	1 <sup>+</sup>	3719.0 2	100	632.988	2 <sup>+</sup>	D+Q	-0.042 35
		2028.9 2	6	2365.781	2 <sup>+</sup>		
		2231.9 2	43	2162.738	2 <sup>+</sup>		
		2481.4 2	13	1913.420	0 <sup>+</sup>		
		2674.1 2	50	1720.646	0 <sup>+</sup>		
4400.64	(3 <sup>+,2<sup>+</sup></sup> )	3761.8	100	632.988	2 <sup>+</sup>	M1+E2	+0.31 8
		1661.8 2	17	2738.72	4 <sup>+</sup>		
		2237.8 2	50	2162.738	2 <sup>+</sup>		
		2892.3 2	33	1508.466	4 <sup>+</sup>		
		3767.6 2	100	632.988	2 <sup>+</sup>		
4414.01	(1 <sup>+,3<sup>+</sup></sup> )	2251.2 2	13	2162.738	2 <sup>+</sup>		
		3781.0 2	100	632.988	2 <sup>+</sup>		
4468.56		1660.8 2	74	2807.81	6 <sup>+</sup>		
		1903.4 2	100	2565.06	5 <sup>+</sup>		

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	δ	Comments
4468.56		1927.2 2	54	2541.36	6 <sup>+</sup>			
4471.04	1	1788.4 2	14	2682.65	1,2 <sup>+</sup>			
		1793.0 2	3	2678.01	1 <sup>-</sup>			
		2096.4 2	4	2374.57	(0 <sup>+</sup> )			
		2105.2 2	12	2365.781	2 <sup>+</sup>			
		2557.5 2	13	1913.420	0 <sup>+</sup>			
		2750.5 2	15	1720.646	0 <sup>+</sup>			
		2869.3 2	25	1601.833	2 <sup>+</sup>	D+Q	+0.09 7	
		3837.9 2	100	632.988	2 <sup>+</sup>	D(+Q)	+0.022 25	
4481.33	(3 <sup>+,1<sup>+</sup></sup> )	2115.5 2	26	2365.781	2 <sup>+</sup>			
		2318.5 2	9	2162.738	2 <sup>+</sup>			
		2879.5 2	55	1601.833	2 <sup>+</sup>			
		3848.3 2	100	632.988	2 <sup>+</sup>			
4512.66	6 <sup>+</sup>	1145.2 2	7	3367.51	(6 <sup>+</sup> )			
		1704.8 2	9.5	2807.81	6 <sup>+</sup>			
		1805.5 2	84	2707.06	5 <sup>-</sup>			
		1911.1 2	34	2601.58	5 <sup>-</sup>			
		1947.5 2	100	2565.06	5 <sup>+</sup>			
		1971.4 2	26	2541.36	6 <sup>+</sup>			
4525.39		1923.5 2	76 8	2601.58	5 <sup>-</sup>			
		1960.3 2	100	2565.06	5 <sup>+</sup>			
		1984.3 2	60 10	2541.36	6 <sup>+</sup>			
4529.14		1623.2 2	26	2905.87	5 <sup>+</sup>			
		1927.5 2	92	2601.58	5 <sup>-</sup>			
		1964.1 2	18	2565.06	5 <sup>+</sup>			
		1987.8 2	100	2541.36	6 <sup>+</sup>			
4568.7	11 <sup>-</sup>	696.5 10	25 3	3872.4	10 <sup>-</sup>	M1,E2		B(E2)(W.u.)=6.6 12; B(M1)(W.u.)=0.0038 7
		831.0 10	100 7	3737.50	9 <sup>-</sup>	E2		B(E2)(W.u.)=23 4
4584.66	1 <sup>+</sup>	1292.0 2	3	3292.63	1			
		1363.7 2	16	3221.67	(3,4) <sup>+</sup>			
		1906.3 2	11	2678.01	1 <sup>-</sup>			
		2098.2 2	83	2486.31	2 <sup>+</sup>			
		2210.0 2	22	2374.57	(0 <sup>+</sup> )			
		2671.2 2	17	1913.420	0 <sup>+</sup>			
		2982.8 2	31	1601.833	2 <sup>+</sup>	M1(+E2)	+0.09 9	
		3951.4 2	100	632.988	2 <sup>+</sup>	M1+E2	-0.73 7	
4618.5	(10)	1507.8 10	100	3110.64	(8 <sup>+</sup> )			
4640.39	1 <sup>+,2<sup>(</sup></sup>	2154.0 2	14	2486.31	2 <sup>+</sup>			
		2477.6 2	44	2162.738	2 <sup>+</sup>			
		3038.5 2	35	1601.833	2 <sup>+</sup>	D+Q	-4 +3-18	δ: if J(4640.4 level)=1.
		4007.4 2	100	632.988	2 <sup>+</sup>	D+Q	-0.49 6	δ: if J(4640.4 level)=1.
4649.47		1886.4 2	30	2762.83	3 <sup>+</sup>			

**Adopted Levels, Gammas (continued)** **$\gamma(^{108}\text{Cd})$  (continued)**

24

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ	Comments
4649.47		2283.6 2	100	2365.781	2 <sup>+</sup>			
		2447.4 2	37	2202.208	3 <sup>-</sup>			
		2503.7 2	36	2145.850	3 <sup>+</sup>			
		4016.4 2	70	632.988	2 <sup>+</sup>			
4656.38	(1 <sup>+,3<sup>+</sup></sup> )	1650.7 2	8.5	3005.65	1			
		1973.7 2	12	2682.65	1,2 <sup>+</sup>			
		2290.6 2	22	2365.781	2 <sup>+</sup>			
		2493.6 2	9	2162.738	2 <sup>+</sup>			
		2743.2# 2	10	1913.420	0 <sup>+</sup>			
		4023.3	100	632.988	2 <sup>+</sup>			
4663.36		1346.9 2	11	3316.44	(3 <sup>+</sup> )			
		2461.2 2	100	2202.208	3 <sup>-</sup>			
		2517.4 2	23.5	2145.850	3 <sup>+</sup>			
4663.94	(2 <sup>+</sup> )	2298.1 2	16	2365.781	2 <sup>+</sup>			
		4030.9 2	100	632.988	2 <sup>+</sup>			
4698.32		2078.3 2	28	2620.02	2 <sup>+</sup>	M1+E2	-1.0 +4-6	
		2332.4 2	14	2365.781	2 <sup>+</sup>			
		2535.6 2	100	2162.738	2 <sup>+</sup>			
		2785.1 2	7	1913.420	0 <sup>+</sup>			
		2977.7 2	76	1720.646	0 <sup>+</sup>			
		4065.0 2	19	632.988	2 <sup>+</sup>			
4708.74	12 <sup>+</sup>	556.08 7	100	4152.65	10 <sup>+</sup>	E2		B(E2)(W.u.)=34.5 11
4755.58		1947.9 2	14	2807.81	6 <sup>+</sup>			
		2190.4 2	100	2565.06	5 <sup>+</sup>			
		2214.2 2	34	2541.36	6 <sup>+</sup>			
		3247.0 2	17	1508.466	4 <sup>+</sup>			
4755.9	10 <sup>+</sup>	1072.6 10	100	3683.23	8 <sup>+</sup>	Q		
4774.89		2400.5 2	100	2374.57	(0 <sup>+</sup> )			
		2409.0 2	68	2365.781	2 <sup>+</sup>			
		2611.9 2	37	2162.738	2 <sup>+</sup>			
		3173.1 2	40	1601.833	2 <sup>+</sup>			
		4141.8 2	13	632.988	2 <sup>+</sup>			
4811.52	1 <sup>+,2,3<sup>+</sup></sup>	2445.7 2	100	2365.781	2 <sup>+</sup>			
		2648.7 2	33	2162.738	2 <sup>+</sup>			
		4178.5 2	78	632.988	2 <sup>+</sup>			
4811.80		2004.0 2	100	2807.81	6 <sup>+</sup>			
		2246.7 2	93	2565.06	5 <sup>+</sup>			
4826.0	12 <sup>-</sup>	953.64 25	100	3872.4	10 <sup>-</sup>	E2		B(E2)(W.u.)=21.2 14
4849.12		2041.3 2	89	2807.81	6 <sup>+</sup>			
		2247.5 2	100	2601.58	5 <sup>-</sup>			
4858.76		1827.2 2	14	3031.55	2 <sup>+</sup>			

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	Comments
4858.76		2492.9 2	11	2365.781	2 <sup>+</sup>		
		3256.9 2	65	1601.833	2 <sup>+</sup>		
		4225.7 2	100	632.988	2 <sup>+</sup>		
4864.69		2059.6 2	23	2805.06	3		
		2182.1 2	100	2682.65	1,2 <sup>+</sup>		
		2498.8 2	31	2365.781	2 <sup>+</sup>		
		4231.6 2	64	632.988	2 <sup>+</sup>		
4870.29		2504.5 2	17	2365.781	2 <sup>+</sup>		
		2707.5 2	100	2162.738	2 <sup>+</sup>		
4914.50		2312.9 2	33	2601.58	5 <sup>-</sup>		
		2349.4 2	100	2565.06	5 <sup>+</sup>		
5125.0	12 <sup>-</sup>	928.5 10	100	4196.4	10 <sup>-</sup>	E2	B(E2)(W.u.)=12.8 19
5179.87	13 <sup>-</sup>	991.66 15	100	4188.20	11 <sup>-</sup>	E2	B(E2)(W.u.)=28 3
5502.55	14 <sup>+</sup>	793.80 7	100	4708.74	12 <sup>+</sup>	E2	B(E2)(W.u.)=38.7 18
5574.2	13 <sup>-</sup>	748.1 10	18 4	4826.0	12 <sup>-</sup>	D,Q	
		1005.8 10	100 7	4568.7	11 <sup>-</sup>	Q	
5589.2	11 <sup>-</sup>	970.7 10	100	4618.5	(10)	D	
5591.9	12 <sup>+</sup>	836.0 10	100 13	4755.9	10 <sup>+</sup>	Q	
		883.0 10	75 6	4708.74	12 <sup>+</sup>	D	
		1439.7 10	44 6	4152.65	10 <sup>+</sup>	Q	
5639.6	12 <sup>-</sup>	459.4 10		5179.87	13 <sup>-</sup>	D,Q	
		514.4 10		5125.0	12 <sup>-</sup>		
		1070.7 10	100 10	4568.7	11 <sup>-</sup>	D,Q	
		1451.9 10	50 7	4188.20	11 <sup>-</sup>	D,Q	
		1767.6 10	21 7	3872.4	10 <sup>-</sup>	Q	
5760.6	13 <sup>-</sup>	121.2 10	100 5	5639.6	12 <sup>-</sup>	M1	
		186.4 10	33 4	5574.2	13 <sup>-</sup>	D	
		934.4 10	100 11	4826.0	12 <sup>-</sup>	D,Q	
		1191.9 10	33 11	4568.7	11 <sup>-</sup>	Q	
5837.6	(12)	1129.0 10	100	4708.74	12 <sup>+</sup>	D,Q	
5982.3	14 <sup>-</sup>	1156.3 10	100	4826.0	12 <sup>-</sup>	Q	
6076.4	14 <sup>-</sup>	316.0 10	100 7	5760.6	13 <sup>-</sup>	M1	B(M1)(W.u.)>0.30
		1250.6 10	13.5 14	4826.0	12 <sup>-</sup>	Q	
6124.3	14 <sup>+</sup>	532.7 10	100 6	5591.9	12 <sup>+</sup>	Q	
		621.6 10	38 3	5502.55	14 <sup>+</sup>	D,Q	
		1415.5 10	41 3	4708.74	12 <sup>+</sup>	Q	
6251.5	14 <sup>-</sup>	1126.6 10	100 12	5125.0	12 <sup>-</sup>	Q	
		1425.5 10	59 6	4826.0	12 <sup>-</sup>	Q	
6404.1	15 <sup>-</sup>	1224.2 10	100	5179.87	13 <sup>-</sup>	Q	
6458.87	16 <sup>+</sup>	956.3 2	100	5502.55	14 <sup>+</sup>	E2	B(E2)(W.u.)=58 8 $\gamma$ : a $\gamma$ with E=963.26 25 is given in 1978Sa13?
6488.0	(14)	650.6 10	100 7	5837.6	(12)	Q	

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	Comments
6488.0	(14)	985.3 10	37 4	5502.55	14 <sup>+</sup>	D	
6597.8	15 <sup>-</sup>	521.9 10	100	6076.4	14 <sup>-</sup>	M1	
6891.0	16 <sup>+</sup>	766.7 10	100 7	6124.3	14 <sup>+</sup>	Q	
		1388.5 10	15.8 22	5502.55	14 <sup>+</sup>	Q	
7212.6	(16 <sup>-</sup> )	1230.3 10	100	5982.3	14 <sup>-</sup>		
7213.5	(15 <sup>-</sup> )	615.4 10	100	6597.8	15 <sup>-</sup>	M1,E2	
7274.9	16 <sup>-</sup>	676.9 10	100	6597.8	15 <sup>-</sup>	M1	B(M1)(W.u.)=0.37 +12-8
7383.4	(16)	895.4 10	100	6488.0	(14)	Q	
7385.9	16 <sup>-</sup>	1134.5 10	100 11	6251.5	14 <sup>-</sup>	Q	
		1309.3 10	61 11	6076.4	14 <sup>-</sup>	Q	
		1403.6 10	<44	5982.3	14 <sup>-</sup>		
7528.6	16 <sup>-</sup>	314.0 5	100 10	7213.5	(15 <sup>-</sup> )	M1	
		931.0 5	93 8	6597.8	15 <sup>-</sup>	M1,E2	
7564.2	18 <sup>+</sup>	1105.3 10	100	6458.87	16 <sup>+</sup>	E2	B(E2)(W.u.)=49 6
7725.3	17 <sup>-</sup>	1321.2 10	100	6404.1	15 <sup>-</sup>	Q	
7740.4	17 <sup>-</sup>	212.0 5	61 6	7528.6	16 <sup>-</sup>	M1,E2	
		465.5 3	100 6	7274.9	16 <sup>-</sup>	M1	B(M1)(W.u.)=0.35 6
		526.9 5	61 6	7213.5	(15 <sup>-</sup> )	E2	B(E2)(W.u.)=4.5×10 <sup>2</sup> 8
7796.3	17 <sup>-</sup>	1337.1 5	100	6458.87	16 <sup>+</sup>	E1	
7861.4	17 <sup>-</sup>	333.0 5	100 10	7528.6	16 <sup>-</sup>	M1	
		1403.3 10	61 6	6458.87	16 <sup>+</sup>	E1	
7913.3	(18 <sup>+</sup> )	1022.2 10	100	6891.0	16 <sup>+</sup>		
8102.2	18 <sup>-</sup>	361.7 2	100	7740.4	17 <sup>-</sup>	M1	B(M1)(W.u.)=0.89 +7-6
8184.7	(17)	323.3 10	100	7861.4	17 <sup>-</sup>	D	
8283.8	18 <sup>-</sup>	897.9 10	100	7385.9	16 <sup>-</sup>	Q	
8316.6	18 <sup>-</sup>	455.4 2	100 6	7861.4	17 <sup>-</sup>	(M1)	
		520.0 5	41 2	7796.3	17 <sup>-</sup>	M1,E2	
8354.4	18 <sup>-</sup>	492.0 5	100 6	7861.4	17 <sup>-</sup>	M1,E2	
8534.9	(18)	1151.5 10	100	7383.4	(16)	Q	
8543.4	(18)	358.7 10	100	8184.7	(17)	D	
8584.8	19 <sup>-</sup>	482.3 2	100 10	8102.2	18 <sup>-</sup>	M1	B(M1)(W.u.)=0.89 14
		845.0 5	10 1	7740.4	17 <sup>-</sup>	E2	B(E2)(W.u.)=19 3
8639.8	19 <sup>-</sup>	284.4 5	40 4	8354.4	18 <sup>-</sup>	M1	
		323.4 2	100 6	8316.6	18 <sup>-</sup>	M1	
8671.0	19 <sup>-</sup>	945.7 10	100	7725.3	17 <sup>-</sup>	Q	
8824.5	(20 <sup>+</sup> )	1260.3 10	100	7564.2	18 <sup>+</sup>		
8964.2	(19)	420.8 10	100	8543.4	(18)		
8998.7	(20 <sup>-</sup> )	358.8 2	100 8	8639.8	19 <sup>-</sup>	M1	
		682.0 5	17 4	8316.6	18 <sup>-</sup>	E2	
9174.8	(20 <sup>-</sup> )	589.5 5	100 9	8584.8	19 <sup>-</sup>	M1	B(M1)(W.u.)=0.60 +15-11
		1073.9 5	29 3	8102.2	18 <sup>-</sup>	(E2)	B(E2)(W.u.)=21 +6-21
9325.9	(20 <sup>-</sup> )	1042.1 10	100	8283.8	18 <sup>-</sup>	Q	

## Adopted Levels, Gammas (continued)

 $\gamma(^{108}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	Comments
9419.6	(21 <sup>-</sup> )	420.8 2	100 8	8998.7	(20 <sup>-</sup> )	M1	
		780.4 5	23 2	8639.8	19 <sup>-</sup>	(E2)	
9757.3	(21 <sup>-</sup> )	1086.3 10	100	8671.0	19 <sup>-</sup>	Q	
9879.3	(21 <sup>-</sup> )	705.6 5	100 7	9174.8	(20 <sup>-</sup> )	M1	B(M1)(W.u.)=0.222 22
		1293.6 5	36 4	8584.8	19 <sup>-</sup>	(E2)	B(E2)(W.u.)=6.5 9
9894.3	(20)	1359.4 10	100	8534.9	(18)		
9896.7	(22 <sup>-</sup> )	476.6 5	100 5	9419.6	(21 <sup>-</sup> )	M1	
		897.8 5	30 4	8998.7	(20 <sup>-</sup> )	(E2)	
10293.6	(22 <sup>+</sup> )	1469.1 10	100	8824.5	(20 <sup>+</sup> )		
10412.6	(23 <sup>-</sup> )	515.6 5		9896.7	(22 <sup>-</sup> )	(M1)	
		993.6 5	100	9419.6	(21 <sup>-</sup> )	(E2)	
10532.6	(22 <sup>-</sup> )	1206.7 10	100	9325.9	(20 <sup>-</sup> )		
10677.2	(22 <sup>-</sup> )	797.9 2	100 8	9879.3	(21 <sup>-</sup> )	(M1)	
		1502.2 5	31 5	9174.8	(20 <sup>-</sup> )	(E2)	
10975.9	(24 <sup>-</sup> )	563.6 5	100 10	10412.6	(23 <sup>-</sup> )	M1	
		1079.0 5	43 4	9896.7	(22 <sup>-</sup> )	(E2)	
11018.5	(23 <sup>-</sup> )	1261.2 10	100	9757.3	(21 <sup>-</sup> )		
11906.6	(24 <sup>-</sup> )	1374.0 10	100	10532.6	(22 <sup>-</sup> )		
11914.8	(24 <sup>+</sup> )	1621.2 10	100	10293.6	(22 <sup>+</sup> )		
12489.2	(25 <sup>-</sup> )	1470.7 10	100	11018.5	(23 <sup>-</sup> )		
1686.01+x	J+2	1686.0 2	100	x	J≈(40)	Q	
3421.6+x	J+4	1735.6 2	100	1686.01+x	J+2	Q	
5218.7+x	J+6	1797.1 2	100	3421.6+x	J+4	Q	
7083.4+x	J+8	1864.6 3	100	5218.7+x	J+6	Q	
9021.6+x	J+10	1938.2 3	100	7083.4+x	J+8	Q	
11037.5+x	J+12	2015.9 4	100	9021.6+x	J+10	Q	
13133.8+x	J+14	2096.3 3	100	11037.5+x	J+12	Q	
15310.4+x	J+16	2176.6 4	100	13133.8+x	J+14	Q	
17566.4+x	J+18	2255.9 3	100	15310.4+x	J+16	Q	
19902.7+x	J+20	2336.3 3	100	17566.4+x	J+18	Q	
1534.0+y	J+2	1534	100	y			
3130.0+y	J+4	1596	100	1534.0+y	J+2		
4796.0+y	J+6	1666	100	3130.0+y	J+4		
6540.1+y	J+8	1744	100	4796.0+y	J+6		
8361.1+y	J+10	1821	100	6540.1+y	J+8		
10262.1+y	J+12	1901	100	8361.1+y	J+10		
12244+y	J+14	1982	100	10262.1+y	J+12		
14306+y	J+16	2062	100	12244+y	J+14		
16450+y	J+18	2144	100	14306+y	J+16		
18676+y	J+20	2226	100	16450+y	J+18		
20979+y	J+22	2303	100	18676+y	J+20		

**Adopted Levels, Gammas (continued)** $\gamma(^{108}\text{Cd})$  (continued)

<sup>†</sup> Relative photon branching from each level.

<sup>‡</sup> From  $\gamma(\theta)$ , DCO and  $\gamma(\text{pol})$  in (HI,xny) and  $\alpha(K)\exp$  data in  $^{108}\text{In}$   $\varepsilon$  decay.

<sup>#</sup> Placement of transition in the level scheme is uncertain.


Adopted Levels, Gammas

## Legend

Level Scheme

Intensities: Type not specified

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$




**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Type not specified

**Legend**

- $I_\gamma < 2\% \times I_{\gamma}^{\max}$
- $I_\gamma < 10\% \times I_{\gamma}^{\max}$
- $I_\gamma > 10\% \times I_{\gamma}^{\max}$




Adopted Levels, GammasLevel Scheme (continued)

Intensities: Type not specified

## Legend

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$





**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Type not specified

**Legend**

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$






Adopted Levels, GammasLevel Scheme (continued)

Intensities: Type not specified

## Legend

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$
- - - - - →  $\gamma$  Decay (Uncertain)




**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Type not specified

**Legend**

- $I_\gamma < 2\% \times I_\gamma^{\max}$
- $I_\gamma < 10\% \times I_\gamma^{\max}$
- $I_\gamma > 10\% \times I_\gamma^{\max}$
- - - ►  $\gamma$  Decay (Uncertain)





**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Type not specified

**Legend**

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$






**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Type not specified

**Legend**

- $I_\gamma < 2\% \times I_\gamma^{\max}$
- $I_\gamma < 10\% \times I_\gamma^{\max}$
- $I_\gamma > 10\% \times I_\gamma^{\max}$




**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Type not specified

**Legend**


- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$



## Adopted Levels, Gammas

## Level Scheme (continued)

### Intensities: Type not specified




Adopted Levels, Gammas

## Level Scheme (continued)

Intensities: Type not specified

## Legend

- $I_\gamma < 2\% \times I_\gamma^{\max}$
- $I_\gamma < 10\% \times I_\gamma^{\max}$
- $I_\gamma > 10\% \times I_\gamma^{\max}$




Adopted Levels, Gammas

## Level Scheme (continued)

Intensities: Type not specified

## Legend

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$




Adopted Levels, Gammas

## Legend

## Level Scheme (continued)

Intensities: Type not specified

- $\longrightarrow$   $I_\gamma < 2\% \times I_\gamma^{\max}$
- $\longrightarrow$   $I_\gamma < 10\% \times I_\gamma^{\max}$
- $\longrightarrow$   $I_\gamma > 10\% \times I_\gamma^{\max}$





Adopted Levels, GammasLevel Scheme (continued)

Intensities: Type not specified

## Legend

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$






Adopted Levels, GammasLevel Scheme (continued)

Intensities: Type not specified

## Legend

- $\longrightarrow$   $I_\gamma < 2\% \times I_\gamma^{\max}$
- $\longrightarrow$   $I_\gamma < 10\% \times I_\gamma^{\max}$
- $\longrightarrow$   $I_\gamma > 10\% \times I_\gamma^{\max}$




Adopted Levels, Gammas

## Level Scheme (continued)

Intensities: Type not specified

## Legend

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$



### Adopted Levels, Gammas

## Level Scheme (continued)


Intensities: Type not specified

$\downarrow$   $\downarrow$   $\downarrow$   $\downarrow$   $\downarrow$   $\downarrow$

$I_\gamma < 2\%$   $I_\gamma^{max}$

$I_\gamma < 10\%$   $I_\gamma^{max}$


$I_\gamma < 10\% \times I_\gamma^{max}$





## Adopted Levels, Gammas


## Level Scheme (continued)

Intensities: Type not specified



Adopted Levels, Gammas

Adopted Levels, Gammas (continued)

Adopted Levels, Gammas (continued)

**Adopted Levels, Gammas**

Type	Author	Citation	Literature Cutoff Date
Full Evaluation	G. Gürdal and F. G. Kondev	NDS 113,1315 (2012)	1-Aug-2011

Q( $\beta^-$ )=-3878 12; S(n)=9915.7 17; S(p)=8917.8 13; Q( $\alpha$ )=-2866.3 13    [2012Wa38](#)Note: Current evaluation has used the following Q record -3878 129917.3 218919.8 15-2870 4    [2011AuZZ](#). **$^{110}\text{Cd}$  Levels****Cross Reference (XREF) Flags**

<a href="#">A</a>	$^{110}\text{Ag}$ $\beta^-$ decay (24.56 s)	<a href="#">H</a>	$^{110}\text{Cd}(e,e')$	<a href="#">O</a>	$^{109}\text{Ag}(p,p),(p,n)$ IAR
<a href="#">B</a>	$^{110}\text{Ag}$ $\beta^-$ decay (249.83 d)	<a href="#">I</a>	$^{110}\text{Cd}(n,n'\gamma)$	<a href="#">P</a>	$^{111}\text{Cd}(\text{pol } d,t),^{111}\text{Cd}(d,t)$
<a href="#">C</a>	$^{110}\text{In}$ $\varepsilon$ decay (69.1 min)	<a href="#">J</a>	$^{110}\text{Cd}(p,p'),(d,d')$	<a href="#">Q</a>	$^{110}\text{Cd}(\gamma,\gamma')$
<a href="#">D</a>	$^{110}\text{In}$ $\varepsilon$ decay (4.92 h)	<a href="#">K</a>	$^{110}\text{Cd}(p,p'\gamma)$	<a href="#">R</a>	$^{110}\text{Cd}(\alpha,\alpha')$
<a href="#">E</a>	(HI,xny)	<a href="#">L</a>	Coulomb excitation	<a href="#">S</a>	$^{114}\text{Sn}(d,^6\text{Li})$
<a href="#">F</a>	$^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$	<a href="#">M</a>	$^{112}\text{Cd}(p,t)$		
<a href="#">G</a>	$^{109}\text{Ag}(^3\text{He},d)$	<a href="#">N</a>	$^{108}\text{Pd}(^3\text{He},n)$		

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
0.0 <sup>d</sup>	0 <sup>+</sup>	stable	<a href="#">ABCDEFGHIJKLMN PQRS</a>	
657.7623 <sup>d</sup> 11	2 <sup>+</sup>	5.42 ps 16	<a href="#">ABCDEFGHIJKLMN PQR</a>	$\mu=0.52$ 4 $Q=-0.40$ 3 $B(E2)\uparrow=0.427$ 3 J <sup>π</sup> : L((pol d,t),(d,t))=L( $\alpha,\alpha'$ )=L(p,t)=2; 657.7600 $\gamma$ E2 to 0 <sup>+</sup> . T <sub>1/2</sub> : Weighted average of 6.4 ps 4 (recoil-distance technique in <a href="#">1993Pi16</a> ), 6.0 ps 8 (recoil-distance technique in <a href="#">2001Ha09</a> ) and 5.36 ps 9 (extracted from the adopted $B(E2)\uparrow=0.427$ 3). $\mu$ : Weighted average of 0.57 11 (using dynamic field technique ( <a href="#">1980Br01</a> )), 0.50 4 (reevaluated value based on the strength of the hyperfine field and the precession angle given at nuclear orientation measurement in $^{110}\text{Ag}$ $\beta^-$ decay (249.83 d) ( <a href="#">1978Wa07</a> ), using adopted $T_{1/2}=5.42$ 16), 0.62 14 (using recoil gas into vacuum technique in Coulomb excitation ( <a href="#">1979LaZL</a> )) and 0.50 20 (reevaluated value from the reference within <a href="#">1989Be22</a> , using adopted $T_{1/2}=5.42$ 16). Other: 0.81 6 from transient filed technique in <a href="#">2011Ch23</a> . Q: Weighted average of -0.39 4 (weighted average of -0.39 6 ( <a href="#">1977Ma41</a> ), -0.36 8 ( <a href="#">1976Es02</a> ) and -0.42 10 ( <a href="#">1971Be36</a> ) in Coulomb excitation) and -0.40 4 (deduced from fits to the inelastic electron scattering cross sections within the framework of the anharmonic vibrational model in $^{110}\text{Cd}(e,e')$ ( <a href="#">1977Gi13</a> )). Others: -0.55 8 (or -0.31 7 in <a href="#">1971Ha08</a> ) and -0.24 9 (relative to $^{114}\text{Cd}$ in <a href="#">1970St17</a> ). $B(E2)\uparrow$ : Weighted average of 0.45 4 ( <a href="#">1991We15</a> ), 0.454 43 ( <a href="#">1977Gi13</a> ) from $^{110}\text{Cd}(e,e')$ , 0.427 3 (weighted average of 0.415 6 ( <a href="#">1985Si01</a> ), 0.432 6 ( <a href="#">1972Be66</a> and <a href="#">1971Be36</a> ) and 0.427 4 ( <a href="#">1976Es02</a> ), 0.44 4 ( <a href="#">1971Ha08</a> ), 0.467 19 ( <a href="#">1969Mi07</a> ), 0.50 4 ( <a href="#">1958St32</a> ), 0.41 6 ( <a href="#">1956Te26</a> ) and 0.436 22 (relative to $B(E2)\uparrow(^{114}\text{Cd})$ in <a href="#">1970St17</a> ), in Coulomb excitation). Others: 0.459 (average of 0.474, 0.444, 0.460 and 0.456 in <a href="#">1965Mc05</a> ) and 0.42 ( <a href="#">1958Sh01</a> ).
1473.07 <sup>r</sup> 3	0 <sup>+</sup>		<a href="#">A C EFG I K N p R</a>	XREF: G(1470)N(1440)p(1474). J <sup>π</sup> : E0 to g.s.; 815.31 $\gamma$ E2 to 2 <sup>+</sup> ; $\gamma\gamma(\theta)$ in $^{110}\text{Ag}$ $\beta^-$ decay

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
1475.7900 <i>I</i> 4	2 <sup>+</sup>	0.68 ps <i>I</i> 0	A B C D E F H I J K L P	(24.56 s) is only consistent with J=0, with J(657 keV level)=2 ( <a href="#">1972Ka34</a> ). B(E0; 0 <sup>+</sup> to 0 <sup>+</sup> g.s. level)/B(E2; 0 <sup>+</sup> to 657 keV, 2 <sup>+</sup> level)=0.027 4 ( <a href="#">1990Gi01</a> , $^{110}\text{In}$ $\varepsilon$ decay (69.1 min)). B(E2) $\uparrow$ =0.021 3 XREF: p( <a href="#">1474</a> ). J <sup>π</sup> : 1475.7792 $\gamma$ E2 to 0 <sup>+</sup> ; 818.0244 $\gamma$ M1+E2 to 2 <sup>+</sup> . B(E2) $\uparrow$ : Weighted average of 0.021 3 ( <a href="#">1969Mi07</a> ) and 0.023 7 ( <a href="#">1961St02</a> ) in Coulomb excitation. Other: 0.014 3 ( <a href="#">1991We15</a> ) in $^{110}\text{Cd}(e,e')$ . T <sub>1/2</sub> : From adopted B(E2) $\uparrow$ =0.021 3 and $\gamma$ branching. Others: 1.02 ps 22 (from B(E2) $\uparrow$ =0.014 3 ( <a href="#">1991We15</a> ) in $^{110}\text{Cd}(e,e')$ ), 0.8 ps +4–2 ( <a href="#">1995KuZX</a> ) and 0.74 19 ( <a href="#">1999Lo15</a> ) (using Doppler shift attenuation method in $^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$ ). XREF: G( <a href="#">1538</a> )J( <a href="#">1543</a> )L( <a href="#">1543</a> )M( <a href="#">1543</a> )R( <a href="#">1539</a> ). J <sup>π</sup> : L(pol,d,t)=4; 884.6781 $\gamma$ E2 to 2 <sup>+</sup> ; band member.
1542.4441 <sup>d</sup> <i>I</i> 4	4 <sup>+</sup>	0.80 ps + <i>I</i> 7– <i>I</i> 6	B C D E F G H I J K L M P R	T <sub>1/2</sub> : Weighted average of 0.7 ps 4 ( <a href="#">2001Ha09</a> ) (from recoil-distance method, differential decay-curve analysis in (H <sub>i</sub> ,x <sub>n</sub> $\gamma$ )) and 0.82 ps +22–12 ( <a href="#">1999Lo15</a> ) (from $^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$ ). Other: <2.1 ps ( <a href="#">1993Pi16</a> ) from (H <sub>i</sub> ,x <sub>n</sub> $\gamma$ ). $\mu$ : 5.4 +14–13. $\mu$ : From g-factor=1.36 +34 –33 deduced using the strength of the hyperfine field and the precession angle given at nuclear orientation measurement in $^{110}\text{Ag}$ $\beta^-$ decay (249.83 d) ( <a href="#">1978Wa07</a> ), and adopted T <sub>1/2</sub> =0.80 + <i>I</i> 7– <i>I</i> 6. B(E4) $\uparrow$ : 0.5×10 <sup>-3</sup> 5 ( <a href="#">1991We15</a> ) from $^{110}\text{Cd}(e,e')$ . XREF: G( <a href="#">1730</a> )J( <a href="#">1735</a> ). J <sup>π</sup> : E0 to g.s.; 1073.55 $\gamma$ E2 to 2 <sup>+</sup> ; L( <sup>3</sup> He,d)=1. B(E0; 0 <sup>+</sup> to 0 <sup>+</sup> g.s. level)/B(E2; 0 <sup>+</sup> to 657 keV, 2 <sup>+</sup> level)<0.049 ( <a href="#">1990Gi01</a> ) from $^{110}\text{In}$ $\varepsilon$ decay (69.1 min). B(E2; 0 <sup>+</sup> to 657 keV, 2 <sup>+</sup> level) $\times$ B(E2; 0 <sup>+</sup> to 0 <sup>+</sup> g.s. level)/B(E2; 0 <sup>+</sup> to 657 keV, 2 <sup>+</sup> level) $\times$ B(E2; 0 <sup>+</sup> to 1475 keV, 2 <sup>+</sup> level)<0.00029 ( <a href="#">1990Gi01</a> ) from $^{110}\text{In}$ $\varepsilon$ decay (69.1 min). B(E0; 0 <sup>+</sup> to 1473, 0 <sup>+</sup> level)/B(E2; 0 <sup>+</sup> to 1475 keV, 2 <sup>+</sup> level)<0.042 ( <a href="#">1990Gi01</a> ) from $^{110}\text{In}$ $\varepsilon$ decay (69.1 min). XREF: N( <a href="#">1770</a> )Q( <a href="#">1790</a> )R( <a href="#">1785</a> ). J <sup>π</sup> : 1783.49 $\gamma$ E2 to 0 <sup>+</sup> ; 1125.709 $\gamma$ M1+E2 to 2 <sup>+</sup> ; band member; $\gamma\gamma(\theta)$ in $^{110}\text{Ag}$ $\beta^-$ decay (24.56 s) is only consistent with J=2, with J(657 keV level)=2 ( <a href="#">1972Ka34</a> ). B(E2) $\uparrow$ =0.005 3 ( <a href="#">1990We08</a> ) from $^{110}\text{Cd}(e,e')$ . E(level),J <sup>π</sup> : From $^{110}\text{Cd}(e,e')$ . E $\gamma$ =1151.9 keV was assigned in $^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$ ( <a href="#">1990Ke02</a> ) to depopulate the 1809.66-keV state (J <sup>π</sup> = $(2^+)$ ). However, this level was not observed in <a href="#">1992Ku01</a> , where it was stated that this $\gamma$ -ray belongs to $^{111}\text{Cd}$ . XREF: G( <a href="#">2076</a> )R( <a href="#">2076</a> ). J <sup>π</sup> : From L( $\alpha,\alpha'$ )=3; 1421.06 $\gamma$ E1 to 2 <sup>+</sup> . T <sub>1/2</sub> : From Doppler shift attenuation method in $^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$ ( <a href="#">1995KuZX</a> and <a href="#">1999Lo15</a> ).
1809.48? <i>9</i>	4 <sup>+</sup>		H	
2078.548 <sup>k</sup> <i>II</i>	3 <sup>-</sup>	0.7 ps +4–2	A B C D E F G I J K L R	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
2078.80 5	0 <sup>+</sup>		A C F I K P	Other: 0.46 ps +15–9 in $^{110}\text{Cd}(n,n'\gamma)$ ( <a href="#">2001Co01</a> ) (using Doppler shift attenuation method). B(E3) $\uparrow$ =0.11 $I$ (weighted average of 0.10 2 (from <a href="#">1965Mc05</a> , under assumption that only direct E3 excitation is involved) and 0.115 $I_3$ ( <a href="#">1985Fe05</a> ) in Coulomb excitation). Other: 0.63 ( <a href="#">1963Ha20</a> ) in $^{110}\text{Cd}(\alpha,\alpha')$ . XREF: P(2081).
2162.8015 15	3 <sup>+</sup>	0.8 <sup>&amp;</sup> ps +6–2	B C D E F I J K P	J <sup>π</sup> : E0's to 0 <sup>+</sup> ; 295.30 $\gamma$ E2 to 2 <sup>+</sup> ; $\gamma\gamma(\theta)$ in $^{110}\text{Ag}$ $\beta^-$ decay (24.56 s) is only consistent with J=0, with J(657 keV level)=2 ( <a href="#">1972Ka34</a> ). XREF: J(2164)P(2163). J <sup>π</sup> : 1505.0280 $\gamma$ M1+E2 to 2 <sup>+</sup> ; 620.3553 $\gamma$ M1+E2 to 4 <sup>+</sup> .
2184 <sup>#</sup> 2	(1 <sup>-</sup> ) <sup>#</sup>		J	
2198 <sup>‡</sup> 2	2 <sup>+,3<sup>+</sup>‡</sup>		P	
2220.0683 14	4 <sup>+</sup>	0.7 <sup>&amp;</sup> ps +3–2	B D E F H I J K P R	XREF: R(2221). J <sup>π</sup> : 677.6217 $\gamma$ M1+E2 to 4 <sup>+</sup> ; 744.2755 $\gamma$ E2 to 2 <sup>+</sup> . B(E4) $\uparrow$ = $6.2\times10^{-3}$ $I_6$ ( <a href="#">1991We15</a> ) from $^{110}\text{Cd}(e,e')$ . J <sup>π</sup> : 467.01 $\gamma$ E2 to 2 <sup>+</sup> ; 708.133 $\gamma$ M1+E2 to 4 <sup>+</sup> ; band member.
2250.554 <sup>r</sup> 11	4 <sup>+</sup>	0.6 <sup>&amp;</sup> ps +5–2	B D E F H I J K	
2287.63 11	2 <sup>+</sup>	0.29 <sup>&amp;</sup> ps +7–5	A B C D F G I J K P	XREF: G(2279)J(2288)P(2288). J <sup>π</sup> : 1629.65 $\gamma$ E2(+M1) to 2 <sup>+</sup> ; assignment in $^{111}\text{Cd}(\text{pol d,t}),^{111}\text{Cd}(\text{d,t})$ and $^{110}\text{Cd}(\text{p,p}'),^{110}\text{Pd}(\text{d,d}')$ ; L( $^3\text{He},\text{d}$ )=(1). XREF: G(2346)J(2330)P(2333). J <sup>π</sup> : 1674.15 $\gamma$ to 2 <sup>+</sup> and the absence of $\gamma$ 's to 0 <sup>+</sup> ; L(d,t)=0.
2331.92 4	(0) <sup>+</sup>		A C F G I J K P	
2355.792 19	2 <sup>+</sup>	0.35 <sup>&amp;</sup> ps +12–7	B C F G I J K P	XREF: G(2346)J(2357)P(2357). J <sup>π</sup> : L( $^3\text{He},\text{d}$ )=(1); 624.47 $\gamma$ E2 to 0 <sup>+</sup> .
2365 <sup>‡</sup> 2	2 <sup>‡</sup>		P	
2377 <sup>#</sup> 2	4 <sup>‡</sup>		J	
2381 2			P	E(level): From $^{110}\text{Cd}(\text{p,p}'),(\text{d,d}')$ .
2385 <sup>#</sup> 2	(2 <sup>+</sup> ) <sup>#</sup>		J	
2405 <sup>#</sup> 2	(0 <sup>+,2<sup>-</sup>)<sup>#</sup></sup>		J	
2432 <sup>#</sup> 2	2 <sup>‡</sup>		J P	J <sup>π</sup> : From L((pol d,t),(d,t))=2. J <sup>π</sup> : 957.47 $\gamma$ M1+E2 to 2 <sup>+</sup> ; 890.7 $\gamma$ to 4 <sup>+</sup> . E(level): From $^{110}\text{Cd}(\text{p,p}'),(\text{d,d}')$ . XREF: R(2475). J <sup>π</sup> : 746.19 $\gamma$ E2 to 0 <sup>+</sup> .
2433.248 25	3 <sup>+</sup>		B C F I	
2451 <sup>#</sup> 2	#		J	
2477.41 5	2 <sup>+</sup>		C G I P R	
2479.9339 <sup>d</sup> 25	6 <sup>+</sup>	0.6 ps 4	B D E F I M	J <sup>π</sup> : L(p,t)=(6); 937.485 $\gamma$ E2 to 4 <sup>+</sup> ; band member. T <sub>1/2</sub> : Using recoil-distance method, differential decay-curve analysis in (HI,xny) ( <a href="#">2001Ha09</a> ). Others: 0.40 ps +15–9 (in $^{108}\text{Pd}(\alpha,2\text{ny}),^{110}\text{Pd}(\alpha,4\text{ny})$ ( <a href="#">1999Lo15</a> ) using Doppler shift attenuation method), 0.2 ps +8–1 (in $^{110}\text{Cd}(n,n'\gamma)$ ( <a href="#">2001Co01</a> ) using Doppler shift attenuation method), <2.1 ps (in (HI,xny) ( <a href="#">1993Pi16</a> ) using recoil-distance method).
2481.606 20	(2) <sup>+</sup>	0.46 <sup>&amp;</sup> ps +23–12	F I J N	XREF: N(2490). J <sup>π</sup> : 402.84 $\gamma$ (E1) to 3 <sup>-</sup> ; 1823.84 $\gamma$ M1+E2 to 2 <sup>+</sup> .

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF					Comments	
			B	D	E	F	I	J	
2539.691 <sup>k</sup> 6	5 <sup>-</sup>	0.60 ps +24-14						R	XREF: R(2544). T <sub>1/2</sub> : Weighted average of 0.6 ps +4-2 (in $^{110}\text{Cd}(n,n'\gamma)$ (2001Co01), using Doppler shift attenuation method) and 0.6 ps +3-2 (in $^{108}\text{Pd}(\alpha,2n\gamma)$ , $^{110}\text{Pd}(\alpha,4n\gamma)$ (1995KuZX and 1999Lo15), using Doppler shift attenuation method). J <sup>π</sup> : 460.85 $\gamma$ E2 to 3 <sup>-</sup> ; 997.256 $\gamma$ E1 to 4 <sup>+</sup> ; L( <sup>3</sup> He,d)=4.
2561.284 9	4 <sup>+</sup>	0.9 <sup>&amp;</sup> ps +8-3	B	D	F	H	I	J	P
2566.47 6	(2 <sup>-</sup> ,3)				G	I			XREF: G(2570). J <sup>π</sup> : 782.8 $\gamma$ and 1908.7 $\gamma$ to 2 <sup>+</sup> ; branching ratios would favor dipole transitions; the absence of $\gamma$ 's to 0 <sup>+</sup> would argue against J <sup>π</sup> =1 and 2 <sup>+</sup> .
2633.20 9	2 <sup>+</sup>	0.139 <sup>&amp;</sup> ps +21-14	C		I	J		P	J <sup>π</sup> : 1090.83 $\gamma$ to 4 <sup>+</sup> ; 1975.2 $\gamma$ E2+M1 to 2 <sup>+</sup> ; assignment in $^{111}\text{Cd}(\text{pol d,t})$ , $^{111}\text{Cd}(\text{d,t})$ and $^{110}\text{Cd}(\text{p,p}')$ , (d,d').
2649.95 6	1 <sup>-</sup>	0.03 <sup>&amp;</sup> ps I		G	I	J		Q	XREF: G(2652). J <sup>π</sup> : 2649.92 $\gamma$ E1 to 0 <sup>+</sup> . T <sub>1/2</sub> : Other: 0.0203 ps 5 from $^{110}\text{Cd}(\gamma,\gamma')$ , deduced using ground state transition width $\Gamma_0$ and adopted branching ratios. Note that authors of 2005Ko32 only quote depopulating 2649.92 $\gamma$ , but not the 1176.8 $\gamma$ one resulting in T <sub>1/2</sub> =0.0298 ps 8.
2659.866 <sup>j</sup> 7	5 <sup>-</sup>		B	DEF	I	J		P	J <sup>π</sup> : 1117.437 $\gamma$ E1 to 4 <sup>+</sup> ; 120.154 $\gamma$ M1(+E2) to 5 <sup>-</sup> .
2662.13 10	0 <sup>+</sup>		AB		I		P		J <sup>π</sup> : 2004.40 $\gamma$ E2 to 2 <sup>+</sup> ; direct population in $^{110}\text{Ag}$ $\beta^-$ decay (24.56 s) (J <sup>π</sup> =1 <sup>+</sup> ); $\gamma\gamma(\theta)$ in $^{110}\text{Ag}$ $\beta^-$ decay (24.56 s) is only consistent with J=0, with J(657 keV level)=2 (1972Ka34). Note that L((pol d,t),(d,t))=2+4 would suggest J <sup>π</sup> =3 <sup>+</sup> .
2705.669 10	(4) <sup>+</sup>		B	F	I	J		P	J <sup>π</sup> : 1163.19 $\gamma$ M1+E2 to 4 <sup>+</sup> ; from $^{111}\text{Cd}(\text{pol d,t})$ , $^{111}\text{Cd}(\text{d,t})$ .
2707.397 8	(4) <sup>+</sup>		B	F	I		P		J <sup>π</sup> : 1.60 $\gamma$ M1 to 3 <sup>+</sup> ; 1164.98 $\gamma$ M1(+E2) to 4 <sup>+</sup> .
2757 <sup>#</sup> 3	2 <sup>-</sup> <sup>#</sup>			G	J				XREF: G(2754).
2758.25 8	(1,2,3) <sup>+</sup>	0.23 ps +9-6			I		P		J <sup>π</sup> : 1282.45 $\gamma$ M1+E2 to 2 <sup>+</sup> ; 1 <sup>+,2<sup>+</sup> from <math>^{111}\text{Cd}(\text{pol d,t})</math>, <math>^{111}\text{Cd}(\text{d,t})</math>.</sup>
2787.49 4	2 <sup>+</sup>	0.028 ps 7	C		I	J	P		J <sup>π</sup> : L((pol d,t), $^{111}\text{Cd}(\text{d,t})$ )=2; 2129.52 $\gamma$ M1+E2 to 2 <sup>+</sup> , 1314.25 $\gamma$ and 2788.37 $\gamma$ to 0 <sup>+</sup> .
2793.441 7	(4) <sup>+</sup>		B	F	I		P		J <sup>π</sup> : 573.0 $\gamma$ M1+E2 to 4 <sup>+</sup> ; 630.62 $\gamma$ M1(+E2) 3 <sup>+</sup> .
2813 3							P		E(level): From $^{111}\text{Cd}(\text{pol d,t})$ , $^{111}\text{Cd}(\text{d,t})$ .
2834 <sup>‡</sup> 3	3 <sup>+,4<sup>+</sup><sup>‡</sup></sup>						P		XREF: J(2840).
2842.682 10	(5) <sup>-</sup>		B	EF	I	J			J <sup>π</sup> : 182.83 $\gamma$ M1+E2 to 5 <sup>-</sup> ; 1300.233 $\gamma$ E1(+M2) to 4 <sup>+</sup> ; 409.36 $\gamma$ to 3 <sup>-</sup> .
2869.144 23	1 <sup>+,2<sup>+</sup></sup>		C		I	J	P		J <sup>π</sup> : 2211.33 $\gamma$ M1+E2 to 2 <sup>+</sup> ; 2869.28 $\gamma$ to 0 <sup>+</sup> ; direct population in $^{110}\text{In}$ $\varepsilon$ decay (69.1 min) (J <sup>π</sup> =2 <sup>+</sup> ).
2876.812 <sup>r</sup> 10	6 <sup>+</sup>		B	DEF	I	J			J <sup>π</sup> : 626.256 $\gamma$ E2 to 4 <sup>+</sup> ; band member.
2879.185 <sup>f</sup> 9	7 <sup>-</sup>	0.61 ns 8		EF	I				J <sup>π</sup> : 339.498 $\gamma$ E2 to 5 <sup>-</sup> ; 399.254 $\gamma$ E1(+M2) to 6 <sup>+</sup> . T <sub>1/2</sub> : Weighted average of 0.69 ns 42 (from recoil-distance measurement in (HI,xny) (1993Pi16)), 0.62 ns 14 (deduced using $\gamma\gamma(t)$ in

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
2895.948 <i>j</i> 13	6 <sup>-</sup>		EF I	(HI,xny) ( <a href="#">1994Ju04</a> )), 0.60 ns <i>I</i> 0 (from generalized centroid-shift method in $^{108}\text{Pd}(\alpha,2\text{n}\gamma), ^{110}\text{Pd}(\alpha,4\text{n}\gamma)$ ( <a href="#">1998Ko35</a> )). Other: <0.87 ns in (HI,xny) ( <a href="#">2001Ha09</a> ).
2917.60 7	2 <sup>+</sup> ,3,4 <sup>+</sup>		IJ P	XREF: J(2915). J <sup>π</sup> : 356.38 $\gamma$ to 4 <sup>+</sup> ; 1441.9 $\gamma$ to 2 <sup>+</sup> .
2926.7474 16	5 <sup>+</sup>		B D F I	J <sup>π</sup> : 763.9424 $\gamma$ E2 to 3 <sup>+</sup> ; 446.812 $\gamma$ M1+E2 to 4 <sup>+</sup> ; 387.075 $\gamma$ to 6 <sup>+</sup> .
2938 <sup>‡</sup> 3	2 <sup>+‡</sup>		C G I P	XREF: G(2973)P(2972).
2975.24 4	1 <sup>+,2<sup>+</sup></sup>			J <sup>π</sup> : 2317.41 $\gamma$ M1+E2 to 2 <sup>+</sup> ; 2975.29 $\gamma$ to 0 <sup>+</sup> .
2984.46 14	2 <sup>+,3<sup>+</sup></sup>	0.11& ps +20-5	IJ R	XREF: J(2982)R(2984). J <sup>π</sup> : 2326.9 $\gamma$ M1+E2 to 2 <sup>+</sup> ; 905.7 $\gamma$ to 3 <sup>-</sup> ; 1441.9 $\gamma$ to 4 <sup>+</sup> .
2984.48 6	(5 <sup>-</sup> )		F J P R	XREF: J(2982)P(2983). J <sup>π</sup> : L((pol d,t),(d,t))=5; 1442.03 $\gamma$ D to 4 <sup>+</sup> .
2991 <sup>#</sup> 3	(5 <sup>-</sup> ) <sup>#</sup>		J P	XREF: P(2993).
2993.63 17	(0 <sup>+</sup> )		I P	J <sup>π</sup> : 1517.83 $\gamma$ to 2 <sup>+</sup> in $^{110}\text{Cd}(n,n'\gamma)$ .
2994.07 8	(3 <sup>+,4<sup>+</sup></sup> )		I	J <sup>π</sup> : 1451.62 $\gamma$ to 4 <sup>+</sup> in $^{110}\text{Cd}(n,n'\gamma)$ .
3008.4? 7	1,2 <sup>+</sup>		I	J <sup>π</sup> : 2350.7 $\gamma$ to 2 <sup>+</sup> ; 3008.3 $\gamma$ to 0 <sup>+</sup> .
3021 <sup>#</sup> 3	(1 <sup>-</sup> ) <sup>#</sup>		J	
3029.077 <sup>k</sup> 12	7 <sup>-</sup>	0.30 ns <i>I</i> 0	EF	J <sup>π</sup> : 369.20 $\gamma$ E2 to 5 <sup>-</sup> ; 149.88 $\gamma$ M1(+E2) to 7 <sup>-</sup> ; band member. T <sub>1/2</sub> : From centroid-shift method in $^{108}\text{Pd}(\alpha,2\text{n}\gamma), ^{110}\text{Pd}(\alpha,4\text{n}\gamma)$ ( <a href="#">1998Ko35</a> ).
3042.86 8	1 <sup>+</sup>	31 fs 4	I PQ	XREF: P(3040)Q(3044). J <sup>π</sup> : 3042.98 $\gamma$ M1 to 0 <sup>+</sup> . T <sub>1/2</sub> : Deduced from the ground state transition width $\Gamma_0$ in $^{110}\text{Cd}(\gamma,\gamma')$ ( <a href="#">2005Ko32</a> ) and the adopted branching ratios.
3052 <sup>‡</sup> 3	2 <sup>+‡</sup>		P	
3055.703 <sup>j</sup> 12	8 <sup>-</sup>	2.26 ns <i>I</i> 0	EF	J <sup>π</sup> : 159.746 $\gamma$ E2 to 6 <sup>-</sup> ; 176.517 $\gamma$ M1+E2 to 7 <sup>-</sup> ; band member. T <sub>1/2</sub> : Weighted average of 2.25 ns <i>I</i> 0 (from centroid-shift method in $^{108}\text{Pd}(\alpha,2\text{n}\gamma), ^{110}\text{Pd}(\alpha,4\text{n}\gamma)$ ( <a href="#">1998Ko35</a> )) and 2.4 ns 4 (from $\gamma\gamma(t)$ in (HI,xny) ( <a href="#">1994Ju04</a> )).
3064.712 13	6 <sup>+</sup>		DEF IJ	XREF: J(3061). J <sup>π</sup> : 844.667 $\gamma$ E2 to 4 <sup>+</sup> ; 584.21 $\gamma$ M1+E2 to 6 <sup>+</sup> .
3073 <sup>‡</sup> 3	(1 <sup>+,2<sup>+</sup>)<sup>‡</sup></sup>		P	E(level): Probably unresolved doublet in $^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})$ .
3074.971 <sup>r</sup> 17	6 <sup>-</sup>		EF	J <sup>π</sup> : 535.269 $\gamma$ M1+E2 to (5 <sup>-</sup> ); band member.
3078.381 23	1 <sup>(+)</sup>	187 fs 40	C I Q	J <sup>π</sup> : 3078.42 $\gamma$ (M1) to 0 <sup>+</sup> ; 2420.51 $\gamma$ to 2 <sup>+</sup> ; direct population in $^{110}\text{In}$ $\varepsilon$ decay (69.1 min) ( $J^\pi=2^+$ ). T <sub>1/2</sub> : Deduced from the ground state transition width $\Gamma_0$ in $^{110}\text{Cd}(\gamma,\gamma')$ ( <a href="#">2005Ko32</a> ) and the adopted branching ratios.
3101.88 3	2 <sup>+</sup>		C G IJ P	XREF: P(3098). J <sup>π</sup> : 3102.00 $\gamma$ to 0 <sup>+</sup> ; 1023.05 $\gamma$ to 3 <sup>-</sup> ; assignment in $^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})$ .
3106 <sup>‡</sup> 3	3 <sup>+,4<sup>+</sup>)<sup>‡</sup></sup>		P	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments	
3118 <sup>#</sup> 3	2 <sup>+</sup> <sup>#</sup>		D F I C	J <sup>π</sup> : 581.93γ E1 to 5 <sup>-</sup> ; 560.32γ E2 to 4 <sup>+</sup> . XREF: P(3125).	
3121.62 3	6 <sup>+</sup>			J <sup>π</sup> : 3128γ to 0 <sup>+</sup> ; 1344.88γ to 2 <sup>+</sup> ; direct population in $^{110}\text{In}$ ε decay (69.1 min); assignment in $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ .	
3128.41 7	1 <sup>+,2<sup>+</sup></sup>			J <sup>π</sup> : 3128γ to 0 <sup>+</sup> ; 1344.88γ to 2 <sup>+</sup> ; direct population in $^{110}\text{In}$ ε decay (69.1 min); assignment in $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ .	
3135.18 7	2 <sup>+,3<sup>+</sup></sup>		I	J <sup>π</sup> : 1592.7γ to 4 <sup>+</sup> ; 2477.39γ M1+E2 to 2 <sup>+</sup> .	
3142 2	2 <sup>+,3<sup>+,4<sup>+</sup></sup></sup>		J P	E(level): Weighted average of 3141 3 (from $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ ) and 3143 3 (from $^{110}\text{Cd}(p,p'),(d,d')$ ). J <sup>π</sup> : From $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ .	
3148 <sup>‡</sup> 3	0 <sup>+</sup> <sup>‡</sup>		P		
3171.19 20	2 <sup>+,3<sup>+,4<sup>+</sup></sup></sup>		G I P	J <sup>π</sup> : From $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ ; 2513.4γ to 2 <sup>+</sup> .	
3183 <sup>#</sup> 3	(4 <sup>+</sup> ) <sup>#</sup>		J P	XREF: P(3179).	
3184.53 3	5 <sup>-</sup> ,6 <sup>-</sup>		F	J <sup>π</sup> : 644.82γ M1+E2 to 5 <sup>-</sup> .	
3187.337 <sup>b</sup> 21	8 <sup>+</sup>	55 <sup>b</sup> ps 6	DEF	J <sup>π</sup> : 707.40γ E2 to 6 <sup>+</sup> .	
3193.40 4	(3) <sup>+</sup>		C I P	XREF: P(3190).	
3199 <sup>#</sup> 3	(2 <sup>-</sup> ) <sup>#</sup>		J P	J <sup>π</sup> : 1 <sup>+,2<sup>+,3<sup>+</sup></sup></sup> in $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ ; 1030.0γ to 3 <sup>+</sup> and 1410.08γ to 2 <sup>+</sup> . The absence of γ's to 0 <sup>+</sup> would argue against J <sup>π</sup> =1 <sup>+</sup> and 2 <sup>+</sup> .	
3203 3				E(level): Probably J <sup>π</sup> =0 <sup>+</sup> component of unresolved doublet in $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ .	
3208.69 7	2 <sup>+,3<sup>+</sup></sup>	C	P	XREF: P(3203). E(level): Probably a component of unresolved doublet in $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ . J <sup>π</sup> : 1666.23γ to 4 <sup>+</sup> ; direct population in $^{110}\text{In}$ ε Decay (69.1 min) (J <sup>π</sup> =2 <sup>+</sup> ); assignment in $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ .	
3239.56 5	6 <sup>+</sup>		D F	J <sup>π</sup> : 360.7γ E1 to 7 <sup>-</sup> ; 397.18γ E1 to (5) <sup>-</sup> ; 1018.99γ to 4 <sup>+</sup> .	
3251 <sup>#</sup> 3	3 <sup>-</sup> <sup>#</sup>		G J P	XREF: G(3247).	
3256.49 14	1 <sup>+,2<sup>+,3<sup>+</sup></sup></sup>		I P	XREF: P(3253). J <sup>π</sup> : 2598.69γ to 2 <sup>+</sup> ; assignment in $^{111}\text{Cd}(\text{pol d,t}, ^{111}\text{Cd(d,t)})$ .	
3262 <sup>‡</sup> 3	1 <sup>+,2<sup>+,3<sup>‡</sup></sup></sup>		P		
3275.449 <sup>d</sup> 17	8 <sup>+</sup>	0.70 ps 19	DEF	M	J <sup>π</sup> : L(p,t)=(8); 795.5γ E2 to 6 <sup>+</sup> ; band member. T <sub>1/2</sub> : Weighted average of 0.62 ps 21 in $^{108}\text{Pd}(\alpha,2\gamma), ^{110}\text{Pd}(\alpha,4\gamma)$ (using Doppler shift attenuation method ( <a href="#">1995KuZX</a> )) and 1.0 ps 4 in (HI,xny) (using recoil-distance method, differential decay-curve analysis ( <a href="#">2001Ha09</a> )). Others: <2.8 ps in (HI,xny) ( <a href="#">1993Pi16</a> ), (using recoil-distance method), >0.83 ps in ( <a href="#">1999Lo15</a> ) (using Doppler shift attenuation method).
3277.86 14	(1 <sup>+</sup> )	37.4 fs 1	I J PQ	XREF: P(3279)Q(3281). J <sup>π</sup> : 3281γ (M1) to 0 <sup>+</sup> ; 2620.00γ to 2 <sup>+</sup> .	
3298.13 20	1 <sup>-</sup>	134 fs 12	I J Q	T <sub>1/2</sub> : From $^{110}\text{Cd}(\gamma,\gamma')$ ( <a href="#">2005Ko32</a> ), by assuming that only 3281γ depopulate this level. XREF: J(3302). J <sup>π</sup> : 3298.1γ D to 0 <sup>+</sup> ; 2640.1γ to 2 <sup>+</sup> ; assignment in $^{110}\text{Cd}(p,p'), ^{110}\text{Cd}(d,d')$ . T <sub>1/2</sub> : From $^{110}\text{Cd}(\gamma,\gamma')$ ( <a href="#">2005Ko32</a> ), by assuming that	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
3314.334 24	2 <sup>+</sup>		C IJ P	only 3298γ depopulate this level. XREF: J(3309)P(3309). $J^\pi$ : 1235.67γ to 3 <sup>-</sup> ; 1583.18γ to 0 <sup>+</sup> ; 1151.70γ to 3 <sup>+</sup> ; direct population in $^{110}\text{In}$ ε Decay (69.1 min) ( $J^\pi=2^+$ ).
3329 17	(1 <sup>-</sup> ,2 <sup>-</sup> ,3 <sup>-</sup> )		G	E(level): unresolved doublet in $^{109}\text{Ag}$ ( $^3\text{He},\text{d}$ ). $J^\pi$ : L( $^3\text{He},\text{d}$ )=(2).
3334.85 <sup>R</sup> 3	7 <sup>-</sup>		EF	$J^\pi$ : 456.0γ M1+E2 to 7 <sup>-</sup> ; 279.142γ M1(+E2) to 8 <sup>-</sup> ; band member.
3340 <sup>#</sup> 3	(5 <sup>-</sup> ,6 <sup>+</sup> ) <sup>#</sup>		J	
3340.83 14			I	
3345.810 <sup>f</sup> 15	9 <sup>-</sup>	49 <sup>b</sup> ps 3	EF M	$J^\pi$ : 290.09γ M1+E2 to 8 <sup>-</sup> ; 466.624γ E2 to 7 <sup>-</sup> ; band member.
3353 <sup>‡</sup> 3	2 <sup>+,3<sup>‡</sup></sup>		P	
3359.06 20	1 <sup>-</sup>	11.7 fs 2	I Q	$J^\pi$ : 3359.0γ E1 to 0 <sup>+</sup> . T <sub>1/2</sub> : Deduced from $\Gamma_0$ in $^{110}\text{Cd}(\gamma,\gamma')$ ( <a href="#">2005Ko32</a> ).
3366.8 4	1 <sup>+,2<sup>+,3<sup>+,4<sup>+</sup></sup></sup></sup>		I P	XREF: P(3362). $J^\pi$ : 2709.0γ to 2 <sup>+</sup> ; assignment in $^{111}\text{Cd}(\text{pol d,t}),^{111}\text{Cd}(\text{d,t})$ .
3373 <sup>#</sup> 3	4 <sup>+</sup> <sup>#</sup>		J P	
3391.177 16	(7) <sup>-</sup>		EF	$J^\pi$ : 912.2γ (E1) to 6 <sup>+</sup> ; 495.227γ M1+E2 to 6 <sup>-</sup> . XREF: G(3410)P(3397).
3403.29 6	(1 <sup>-</sup> )		G I	$J^\pi$ : L( $^3\text{He},\text{d}$ )=2, 3403.48γ to 0 <sup>+</sup> ; 2745.45γ to 2 <sup>+</sup> . However, assignment in $^{111}\text{Cd}(\text{pol d,t}),^{111}\text{Cd}(\text{d,t})$ suggests $J^\pi=1^+,2^+,3^+$ .
3413 <sup>#</sup> 3	4 <sup>+</sup> <sup>#</sup>		J P	XREF: P(3412).
3427 <sup>‡</sup> 3	0 <sup>‡</sup>		P	
3427.27 <sup>g</sup> 11	8 <sup>-</sup>	6.0 <sup>b</sup> ps 6	EF I	$J^\pi$ : 371.6γ M1+E2 to 8 <sup>-</sup> ; 548.2γ M1+E2 to 7 <sup>-</sup> ; 531γ to 6 <sup>-</sup> ; band member.
3439.719 10	8 <sup>+</sup>	0.45 ps +28-17	EF	$J^\pi$ : 959.785γ E2 to 6 <sup>+</sup> ; 164.26γ M1(+E2) to 8 <sup>+</sup> . T <sub>1/2</sub> : From Doppler shift attenuation method in $^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$ ( <a href="#">1995KuZX</a> ). Others: <2.8 ps in (HI,xnγ) (from recoil distance method ( <a href="#">1993Pi16</a> )) and >1.11 ps from Doppler shift attenuation method in $^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$ ( <a href="#">1999Lo15</a> ). XREF: J(3447)P(3442).
3449.6 3	(1,2)		IJ P	$J^\pi$ : 1 <sup>-</sup> in $^{110}\text{Cd}(\text{p,p}'),(\text{d,d}')$ , but $J^\pi=1^+,2^+$ in $^{111}\text{Cd}(\text{pol d,t}),^{111}\text{Cd}(\text{d,t})$ ; 1973.8γ to 2 <sup>+</sup> .
3460 <sup>‡</sup> 4	1 <sup>+,2<sup>‡</sup></sup>		G J P	$J^\pi$ : 2808.59γ to 2 <sup>+</sup> ; direct population in $^{110}\text{In}$ ε Decay (69.1 min) ( $J^\pi=2^+$ ).
3466.39 4	1,2,3		C I	XREF: J(3476)P(3471). $J^\pi$ : 3475.34γ (M1) to 0 <sup>+</sup> ; direct population in $^{110}\text{In}$ ε Decay (69.1 min) ( $J^\pi=2^+$ ). Note that $J^\pi=1^-$ in $^{110}\text{Cd}(\text{p,p}'),(\text{d,d}')$ .
3475.416 24	1 <sup>+</sup>	72 fs 4	C IJ PQ	T <sub>1/2</sub> : Deduced from $\Gamma_0$ in $^{110}\text{Cd}(\gamma,\gamma')$ ( <a href="#">2005Ko32</a> ), by assuming that only 3475γ depopulate this level.
3489 <sup>#</sup> 3	(0 <sup>+</sup> ) <sup>#</sup>		J	
3492.64 6	(5 <sup>-</sup> ,6 <sup>-</sup> )		F P	XREF: P(3487).

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
3493.1 4			I	J <sup>π</sup> : 952.9 $\gamma$ to 5 <sup>-</sup> ; 1012.70 $\gamma$ to 6 <sup>+</sup> ; assignment in $^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})$ .
3499 <sup>‡</sup> 4	1 <sup>+</sup> ,2 <sup>+,‡</sup>		J P	
3510 <sup>‡</sup> 4	1 <sup>+,2<sup>+,‡</sup></sup>		P	
3517 18	0 <sup>-</sup> ,1 <sup>-</sup>		G	E(level): From $^{109}\text{Ag}(^3\text{He},\text{d})$ . J <sup>π</sup> : L( $^3\text{He},\text{d}$ )=0.
3525.34 5	6 <sup>+</sup>		D F	J <sup>π</sup> : 460.85 $\gamma$ E2(+M1) to 6 <sup>+</sup> ; 1982.77 $\gamma$ to 4 <sup>+</sup> ; direct population in $^{110}\text{In}$ $\varepsilon$ decay (4.92 h) ( $J^\pi=7^+$ ).
3536 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>+,‡</sup></sup></sup>		J P	J <sup>π</sup> : Other:(0 <sup>+</sup> ) from $^{110}\text{Cd}(\text{p,p}'), ^{110}\text{Cd}(\text{d,d}')$ .
3581 4			P	E(level): From $^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})$ .
3598.0 7	1 <sup>+</sup>	71 fs 6	I PQ	J <sup>π</sup> : 3596.9 $\gamma$ M1 to 0 <sup>+</sup> . T <sub>1/2</sub> : Deduced using ground state transition width $\Gamma_0$ in $^{110}\text{Cd}(\gamma,\gamma')$ (2005Ko32).
3604 <sup>#</sup> 4	3 <sup>-#</sup>		J	
3611.041 <sup>d</sup> 15	10 <sup>+</sup>	0.487 ns 24	EF	$\mu=-1.0$ 4 T <sub>1/2</sub> : Weighted average of 0.45 ns 10 (from generalized centroid shift method in $^{108}\text{Pd}(\alpha,2n\gamma), ^{110}\text{Pd}(\alpha,4n\gamma)$ (1998Ko35)), 0.56 ns 3 (from recoil distance method in (HI,xn $\gamma$ ) (1993Pi16)), 0.49 ns 14 (from $\gamma\gamma(t)$ in (HI,xn $\gamma$ )(1994Ju04)) and 0.464 ns 17 (using recoil-distance method, differential decay-curve analysis in (HI,xn $\gamma$ ) (2001Ha09)). J <sup>π</sup> : 335.596 $\gamma$ E2 to 8 <sup>+</sup> ; 265.218 $\gamma$ E1(+M2) to 9 <sup>-</sup> . $\mu$ : From g-factor=-0.09 3 in 1995Re15, deduced using the perturbed angular-correlation technique and T <sub>1/2</sub> =0.56 ns 3, and the adopted T <sub>1/2</sub> =0.487 ns 24.
3614 18	0 <sup>-</sup> ,1 <sup>-</sup>		G P	E(level): From $^{109}\text{Ag}(^3\text{He},\text{d})$ . J <sup>π</sup> : L( $^3\text{He},\text{d}$ )=0. Note that J <sup>π</sup> =1 <sup>+,2<sup>+,3<sup>+</sup> in <math>^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})</math>.</sup></sup>
3634.57 12	2 <sup>+</sup>		C J P	XREF: J(3632)P(3630). J <sup>π</sup> : Assignment in $^{110}\text{Cd}(\text{p,p}'), (\text{d,d}')$ ; 1555.76 $\gamma$ to 3 <sup>-</sup> ; 1851.15 $\gamma$ to 2 <sup>+</sup> .
3641.10 <sup>m</sup> 4	8 <sup>-</sup>		EF	J <sup>π</sup> : 566.02 $\gamma$ (E2) to 6 <sup>-</sup> ; 761.93 M1+E2 to 7 <sup>-</sup> .
3657 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>+,‡</sup></sup></sup>		G J P	
3668 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>+,‡</sup></sup></sup>		P	
3683.15 <sup>k</sup> 5	9 <sup>-</sup>		EF	J <sup>π</sup> : 654.00 $\gamma$ E2 to 7 <sup>-</sup> ; 627.59 $\gamma$ M1+E2 to 8 <sup>-</sup> ; band member.
3686 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>+,‡</sup></sup></sup>		P	
3689 <sup>#</sup> 4	3 <sup>-#</sup>		J	
3696			P	E(level): From $^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})$ .
3713			P	E(level): From $^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})$ .
3726.58 18	1,2 <sup>+</sup>		C N	XREF: N(3730). J <sup>π</sup> : 3726.51 $\gamma$ to 0 <sup>+</sup> ; direct population in $^{110}\text{In}$ $\varepsilon$ Decay (69.1 min) ( $J^\pi=2^+$ ); L( $^3\text{He},\text{n}$ )=0+2.
3736 <sup>#</sup> 4	2 <sup>+#</sup>		G J P	J <sup>π</sup> : Other: 1 <sup>+,2<sup>+,3<sup>+</sup> in <math>^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})</math>.</sup></sup>
3760 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>+,‡</sup></sup></sup>		P	
3772.77 4	1 <sup>+</sup>	12.8 fs 1	C IJ PQ	XREF: J(3776)P(3773). J <sup>π</sup> : 3772 $\gamma$ M1 to 0 <sup>+</sup> . Note, that 1 <sup>+,2<sup>+,3<sup>+</sup> in <math>^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})</math> and (2<sup>+,3<sup>-</sup>) <math>^{110}\text{Cd}(\text{p,p}'), (\text{d,d}')</math>. T<sub>1/2</sub>: Deduced using ground state transition width <math>\Gamma_0</math></sup></sup></sup>

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
3782.13 <sup>n</sup> 4	9 <sup>-</sup>		<b>EF</b>	given in $^{110}\text{Cd}(\gamma,\gamma')$ ( <a href="#">2005Ko32</a> ) and the adopted branching ratios.
3791.62 5	8 <sup>+</sup>		<b>F</b>	$J^\pi$ : 902.90 $\gamma$ E2 to 7 <sup>-</sup> ; 726.43 $\gamma$ M1+E2 to 8 <sup>-</sup> . $J^\pi$ : 914.50 $\gamma$ E2 to 6 <sup>+</sup> ; 351.93 $\gamma$ M1(+E2) to 8 <sup>+</sup> ; band member.
3808 <sup>‡</sup> 4	2 <sup>+,3<sup>+</sup></sup>		<b>P</b>	
3812 19	1 <sup>-</sup> ,2 <sup>-</sup> ,3 <sup>-</sup>		<b>G</b>	E(level): From $^{109}\text{Ag}(^3\text{He},d)$ . $J^\pi$ : L( $^3\text{He},d$ )=2.
3823.247 <sup>j</sup> 21	10 <sup>-</sup>	3.5 <sup>b</sup> ps 3	<b>EF</b> <b>J</b>	XREF: J(3824). $J^\pi$ : 767.532 $\gamma$ E2 to 8 <sup>-</sup> ; 477.45 $\gamma$ M1 to 9 <sup>-</sup> ; band member. T <sub>1/2</sub> : Other: >2.1 ps from Doppler shift attenuation method in $^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$ ( <a href="#">1995KuZX</a> ) and ( <a href="#">1999Lo15</a> )).
3830 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>‡</sup></sup></sup>		<b>J</b>	XREF: J(3824).
3854.1 10	(1 <sup>+</sup> )	46 fs 6	<b>J</b> <b>PQ</b>	XREF: J(3847)P(3850). E(level): From $^{111}\text{Cd}(\text{pol d,t}),^{111}\text{Cd}(\text{d,t})$ . $J^\pi$ : 3854 $\gamma$ (M1) to 0 <sup>+</sup> ; 1 <sup>+,2<sup>+,3<sup>+</sup> assignment in <math>^{111}\text{Cd}(\text{pol d,t}),^{111}\text{Cd}(\text{d,t})</math>.</sup></sup>
3861.9 7	(1 <sup>+</sup> )	13.3 fs 5	<b>PQ</b>	XREF: P(3866). $J^\pi$ : 3862 $\gamma$ (M1) to 0 <sup>+</sup> ; 1 <sup>+,2<sup>+,3<sup>+</sup> assignment in <math>^{111}\text{Cd}(\text{pol d,t}),^{111}\text{Cd}(\text{d,t})</math>. T<sub>1/2</sub>: Deduced using ground state transition width <math>\Gamma_0</math> given in <math>^{110}\text{Cd}(\gamma,\gamma')</math> (<a href="#">2005Ko32</a>) and adopted branching ratios.</sup></sup>
3866 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>‡</sup></sup></sup>		<b>P</b>	
3888 <sup>‡</sup> 4	2 <sup>+,3<sup>‡</sup></sup>		<b>J</b> <b>P</b>	XREF: J(3891).
3897 19	0 <sup>-</sup> ,1 <sup>-</sup>		<b>G</b>	E(level): From $^{109}\text{Ag}(^3\text{He},d)$ . $J^\pi$ : L( $^3\text{He},d$ )=0.
3924 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>‡</sup></sup></sup>		<b>J</b> <b>P</b>	XREF: J(3920).
3957 4	(2,3,4,5)		<b>G</b> <b>J</b>	XREF: G(3950). E(level): From $^{110}\text{Cd}(\text{p,p}'),^{110}\text{Cd}(\text{d,d}')$ . $J^\pi$ : L( $^3\text{He},d$ )=(3,4).
3968 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>‡</sup></sup></sup>		<b>P</b>	
3988 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>‡</sup></sup></sup>		<b>P</b>	
3992.79 <sup>r</sup> 15	(9 <sup>-</sup> )		<b>F</b>	$J^\pi$ : From 1113.60 $\gamma$ (E2) to 7 <sup>-</sup> ; band member. XREF: J(3997).
4005 <sup>‡</sup> 4	1 <sup>+,2<sup>‡</sup></sup>		<b>J</b> <b>P</b>	
4024 <sup>‡</sup> 4	0 <sup>‡</sup>		<b>P</b>	
4042 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>‡</sup></sup></sup>		<b>J</b> <b>P</b>	XREF: J(4034).
4067 5			<b>J</b>	E(level): From $^{110}\text{Cd}(\text{p,p}'),^{110}\text{Cd}(\text{d,d}')$ . $J^\pi$ : 801.724 E2 to 8 <sup>+</sup> .
4077.176 <sup>e</sup> 23	10 <sup>+</sup>	0.72 ps +21-13	<b>EF</b>	T <sub>1/2</sub> : Weighted average of 0.69 ps 21 (from recoil-distance method in (HI,xny) ( <a href="#">1993Pi16</a> )) and 0.8 ps +4-2 (from Doppler shift attenuation method in $^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$ ( <a href="#">1999Lo15</a> )). Others: >1.4 ps (from Doppler shift attenuation method in $^{108}\text{Pd}(\alpha,2n\gamma),^{110}\text{Pd}(\alpha,4n\gamma)$ ( <a href="#">1995KuZX</a> )), <3.5 ps (from recoil-distance Doppler shift technique, using the differential decay curve method in (HI,xny) ( <a href="#">2001Ha09</a> )).
4078 <sup>‡</sup> 4	1 <sup>+,2<sup>+,3<sup>‡</sup></sup></sup>		<b>P</b>	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
4104 <sup>‡</sup> 4	1 <sup>+</sup> ,2 <sup>+</sup> ,3 <sup>±</sup>		J P	XREF: J(4098).
4128 <sup>‡</sup> 4	0 <sup>±</sup>		P	
4154 <sup>‡</sup> 4	1 <sup>+</sup> ,2 <sup>+</sup> ,3 <sup>±</sup>		J P	XREF: J(4143).
4171 <sup>‡</sup> 4	1 <sup>+</sup> ,2 <sup>+</sup> ,3 <sup>±</sup>		J P	XREF: J(4170).
4172.076 <sup>d</sup> 18	12 <sup>+</sup>	8.1 ps 3	EF	J <sup>π</sup> : 561.034γ E2 to 10 <sup>+</sup> ; band member. T <sub>1/2</sub> : Weighted average of 8.3 ps 4 (from recoil-distance method in (HI,xny) ( <a href="#">1993Pi16</a> )) and 7.9 ps 4 (from recoil-distance Doppler shift technique, using the differential decay curve method in (HI,xny) ( <a href="#">2001Ha09</a> )).
4172.706 <sup>f</sup> 24	11 <sup>-</sup>	2.08 <sup>b</sup> ps 14	EF	J <sup>π</sup> : 826.893γ E2 to 9 <sup>-</sup> ; band member. T <sub>1/2</sub> : Other: 1.7 ps +14-7 from Doppler shift attenuation method in <sup>108</sup> Pd( $\alpha$ ,2ny), <sup>110</sup> Pd( $\alpha$ ,4ny) ( <a href="#">1995KuZX</a> and <a href="#">1999Lo15</a> ).
4181 4			P	E(level): From <sup>111</sup> Cd(pol d,t), <sup>111</sup> Cd(d,t).
4181.96 <sup>g</sup> 9	10 <sup>-</sup>	1.04 <sup>b</sup> ps 14	EF	J <sup>π</sup> : 836.13γ M1+E2 to 9 <sup>-</sup> ; 754.69γ E2 to 8 <sup>-</sup> ; band member.
4200 <sup>#</sup> 5	2 <sup>+</sup> #		J	
4290	0 <sup>+,1^+</sup>		N	E(level): From <sup>108</sup> Pd( <sup>3</sup> He,n). J <sup>π</sup> : L( <sup>3</sup> He,n)=0.
4334.26 <sup>m</sup> 7	10 <sup>-</sup>		EF	J <sup>π</sup> : 988.44γ M1 to 9 <sup>-</sup> ; band member.
4421.62 20	(10 <sup>+</sup> )		F	J <sup>π</sup> : From 1075.8γ D to 9 <sup>-</sup> .
4438.37 7	9 <sup>+</sup>		EF	J <sup>π</sup> : 1251.03γ M1+E2 to 8 <sup>+</sup> .
4559.12 <sup>k</sup> 5	11 <sup>-</sup>	1.7 ps +14-7	EF	J <sup>π</sup> : 736.7γ M1 to 10 <sup>-</sup> ; 877.0γ E2 to 9 <sup>-</sup> ; band member. T <sub>1/2</sub> : From Doppler shift attenuation method in <sup>108</sup> Pd( $\alpha$ ,2ny), <sup>110</sup> Pd( $\alpha$ ,4ny) ( <a href="#">1995KuZX</a> and <a href="#">1999Lo15</a> ).
4620.2 <sup>u</sup> 4	10 <sup>+</sup>		EF	J <sup>π</sup> : 1433.0γ to 8 <sup>+</sup> ; band member.
4660	0 <sup>+,1^+</sup>		N	E(level): From <sup>108</sup> Pd( <sup>3</sup> He,n). J <sup>π</sup> : L( <sup>3</sup> He,n)=0.
4736.81 <sup>n</sup> 19	11 <sup>-</sup>		EF	J <sup>π</sup> : 954.64γ E2 to 9 <sup>-</sup> ; band member.
4888.27 <sup>e</sup> 3	12 <sup>+</sup>	1.39 <sup>b</sup> ps 14	EF	J <sup>π</sup> : 811.093γ E2 to 10 <sup>+</sup> ; band member. Other: J <sup>π</sup> =12 <sup>+</sup> in <sup>108</sup> Pd( $\alpha$ ,2ny), <sup>110</sup> Pd( $\alpha$ ,4ny), interpreted as a member of the g.s. band.
4930.26 <sup>j</sup> 19	12 <sup>-</sup>		E	J <sup>π</sup> : 1107.0γ E2 to 10 <sup>-</sup> ; 757.7γ M1 to 11 <sup>-</sup> ; band member.
5026.32 <sup>d</sup> 7	14 <sup>+</sup>	1.39 <sup>b</sup> ps 14	EF	J <sup>π</sup> : 854.25γ E2 to 12 <sup>+</sup> ; band member. T <sub>1/2</sub> : Other: <2.8 ps (from recoil-distance method, differential decay-curve analysis in (HI,xny) ( <a href="#">2001Ha09</a> )).
5092.56 <sup>g</sup> 22	12 <sup>-</sup>	3.3 <sup>b</sup> ps 4	E	J <sup>π</sup> : 910.6γ E2 to 10 <sup>-</sup> ; band member.
5113.6 <sup>o</sup> 3	12 <sup>+</sup>		E	J <sup>π</sup> : 1036.7γ E2 to 10 <sup>+</sup> .
5212.7 <sup>m</sup> 3	12 <sup>-</sup>		E	J <sup>π</sup> : 878.2γ E2 to 10 <sup>-</sup> ; band member.
5215.5 <sup>u</sup> 7	(11 <sup>+</sup> )		E	J <sup>π</sup> : 595.3γ to 10 <sup>+</sup> ; band member.
5248.93 <sup>f</sup> 20	13 <sup>-</sup>	<1.4 <sup>b</sup> ps	E	J <sup>π</sup> : 1076.1γ E2 to 11 <sup>-</sup> ; band member.
5497.29 25	13 <sup>-</sup>		E	J <sup>π</sup> : 937γ to 11 <sup>-</sup> ; 1325.6γ to 12 <sup>+</sup> .
5500.00 <sup>s</sup> 24	13 <sup>+</sup>		E	J <sup>π</sup> : 1327.9γ M1 to 12 <sup>+</sup> .
5675.5 <sup>p</sup> 3	14 <sup>+</sup>		E	J <sup>π</sup> : 787.1γ E2 to 12 <sup>+</sup> .
5758.52 <sup>i</sup> 18	13 <sup>-</sup>		E	J <sup>π</sup> : 828.0γ M1 to 12 <sup>-</sup> ; 1198.9γ E2 to 11 <sup>-</sup> ; 1586.8γ E1 to 12 <sup>+</sup> .
5789.95 <sup>q</sup> 25	14 <sup>+</sup>		E	J <sup>π</sup> : 1617.9γ E2 to 12 <sup>+</sup> .

Continued on next page (footnotes at end of table)

## Adopted Levels, Gammas (continued)

 $^{110}\text{Cd}$  Levels (continued)

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
5856.3 <sup>e</sup> 3	14 <sup>+</sup>		E	$J^\pi: 967.7\gamma$ E2 to 12 <sup>+</sup> ; band member.
5892.9 <sup>u</sup> 8	(12 <sup>+</sup> ,13 <sup>+</sup> )		E	$J^\pi: 677.4\gamma$ to 11 <sup>+</sup> ; band member.
5914.5 <sup>o</sup> 3	14 <sup>+</sup>		E	$J^\pi: 1026.2\gamma$ E2 to 12 <sup>+</sup> ; band member.
5966.98 <sup>g</sup> 21	14 <sup>-</sup>		E	$J^\pi: 874.4\gamma$ E2 to 12 <sup>-</sup> ; band member.
5984.2 <sup>i</sup> 4	14 <sup>-</sup>		E	$J^\pi: 225.6\gamma$ M1 to 13 <sup>-</sup> ; band member.
6079.8 <sup>u</sup> 10			E	
6100.87 <sup>d</sup> 19	16 <sup>+</sup>	0.250 <sup>a</sup> ps 21	E	$J^\pi: 1074.6\gamma$ E2 to 14 <sup>+</sup> ; band member.
6101.4 <sup>j</sup> 3	14 <sup>-</sup>		E	$J^\pi: 1171.3\gamma$ E2 to 12 <sup>-</sup> ; band member.
6178.5 <sup>s</sup> 3	15 <sup>+</sup>		E	$J^\pi: 678.5\gamma$ E2 to 13 <sup>+</sup> ; 1152.1 $\gamma$ M1 to 14 <sup>+</sup> ; band member.
6181.45 <sup>f</sup> 19	15 <sup>-</sup>		E	$J^\pi: 1155.2\gamma$ E1 to 14 <sup>+</sup> ; 932.3 $\gamma$ E2 to 13 <sup>-</sup> ; band member.
6216.9 <sup>l</sup> 3	(14)		E	$J^\pi: 1190.6\gamma$ D to 14 <sup>+</sup> .
6354.3 <sup>i</sup> 5	15 <sup>-</sup>		E	$J^\pi: 370.0\gamma$ M1 to 14 <sup>-</sup> ; band member.
6489.9 6	(1)			$J^\pi: 6490\gamma$ D to 0 <sup>+</sup> .
6543.9 11	(15 <sup>-</sup> )		E	$J^\pi: 1295\gamma$ to 13 <sup>-</sup> .
6568.8 4	14		E	$J^\pi:$ From a probable $\Delta J=0$ 1542.4 $\gamma$ d to 14 <sup>+</sup> .
6575.6 <sup>p</sup> 4	16 <sup>+</sup>		E	$J^\pi: 900.1\gamma$ E2 to 14 <sup>+</sup> ; band member.
6584.5 <sup>v</sup> 4	14		E	$J^\pi:$ From a very probable $\Delta J=0$ 1558.1 $\gamma$ D to 14 <sup>+</sup> .
6646.1 <sup>q</sup> 6	(16 <sup>+</sup> )		E	$J^\pi: 856.1\gamma$ E2 to 14 <sup>+</sup> .
6671.1 <sup>k</sup> 5	(15 <sup>-</sup> )		E	$J^\pi: 1422\gamma$ to 13 <sup>-</sup> , 1645 $\gamma$ to 14 <sup>+</sup> ; band structure.
6672.6 <sup>g</sup> 3	16 <sup>-</sup>		E	$J^\pi: 705.7\gamma$ E2 to 14 <sup>-</sup> ; band member.
6798.0 <sup>e</sup> 6	16 <sup>+</sup>		E	$J^\pi: 941.7\gamma$ E2 to 14 <sup>+</sup> ; band member.
6836.2 <sup>o</sup> 6	16 <sup>+</sup>		E	$J^\pi: 921.7\gamma$ E2 to 14 <sup>+</sup> ; band member.
6879.6 <sup>v</sup> 4	15		E	$J^\pi: 295.0\gamma$ D to 14; band member.
6962.8 <sup>i</sup> 6	16 <sup>-</sup>		E	$J^\pi: 608.5\gamma$ M1 to 15 <sup>-</sup> ; band member.
6993.1 <sup>f</sup> 3	17 <sup>-</sup>		E	$J^\pi: 811.6\gamma$ E2 to 15 <sup>-</sup> ; 892.2 $\gamma$ E1 to 16 <sup>+</sup> ; band member.
7047.6 <sup>j</sup> 4	16 <sup>-</sup>		E	$J^\pi: 946.3\gamma$ E2 to 14 <sup>-</sup> ; band member.
7184.3 <sup>s</sup> 5	17 <sup>+</sup>		E	$J^\pi: 1005.8\gamma$ E2 to 15 <sup>+</sup> ; band member.
7281.0 <sup>v</sup> 5	16		E	$J^\pi: 401.4\gamma$ D to 15; band member.
7285.8 <sup>l</sup> 5	(16)		E	$J^\pi: 1068.9\gamma$ (Q) to (14); band member.
7325.3 <sup>d</sup> 3	18 <sup>+</sup>	0.159 <sup>a</sup> ps 21	E	$J^\pi: 1224.5\gamma$ E2 to 16 <sup>+</sup> ; band member.
7341.6 <sup>h</sup> 9			E	
7443.3 <sup>k</sup> 4	(17 <sup>-</sup> )		E	$J^\pi: 1261\gamma$ to 15 <sup>-</sup> ; 770.7 $\gamma$ to 16 <sup>-</sup> ; band member.
7523.2 <sup>g</sup> 5	18 <sup>-</sup>		E	$J^\pi: 850.6\gamma$ E2 to 16 <sup>-</sup> ; band member.
7575.2 <sup>i</sup> 6	17 <sup>-</sup>		E	$J^\pi: 612.4\gamma$ M1 to 16 <sup>-</sup> ; band member.
7594.2 <sup>h</sup> 8			E	
7653.1 <sup>p</sup> 5	18 <sup>+</sup>		E	$J^\pi: 1077.4\gamma$ E2 to 16 <sup>+</sup> ; band member.
7759.0 <sup>v</sup> 6	17		E	$J^\pi: 477.9\gamma$ D to 16; band member.
7777.9 <sup>h</sup> 6			E	
7797.7 6	(17)		E	$J^\pi: 516.8\gamma$ D to 16.
7801.1 <sup>q</sup> 12	(18 <sup>+</sup> )		E	$J^\pi: 1155\gamma$ (E2) to (16 <sup>+</sup> ); band member.
7945.9 <sup>f</sup> 4	19 <sup>-</sup>		E	$J^\pi: 952.8\gamma$ E2 to 17 <sup>-</sup> ; band member.
7970.3 <sup>j</sup> 7	18 <sup>-</sup>		E	$J^\pi: 922.7\gamma$ E2 to 16 <sup>-</sup> ; band member.
8016.5 <sup>t</sup> 6	17		E	$J^\pi:$ From band structure in (HI,xny).
8278.0 <sup>t</sup> 4	18		E	$J^\pi: 952.8\gamma$ D to 18 <sup>+</sup> ; band member.
8292.3 5	(18)		E	$J^\pi: 967.0\gamma$ to 18 <sup>+</sup> .
8372.8 <sup>h</sup> 8			E	
8405.3 <sup>k</sup> 11	(19 <sup>-</sup> )		E	$J^\pi: 962\gamma$ E2 to (17 <sup>-</sup> ); band member.
8481.3 <sup>s</sup> 11	(19 <sup>+</sup> )		E	$J^\pi: 1297\gamma$ (E2) to 17 <sup>+</sup> ; band member.
8530.7 <sup>l</sup> 7	(18)		E	$J^\pi: 1244.9\gamma$ to (16); band member.

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
8595.6 <sup>t</sup> 5	19		E	J <sup>π</sup> : 317.6γ D to 18; band member.
8629.7 <sup>g</sup> 6	20 <sup>-</sup>		E	J <sup>π</sup> : 1106.5γ E2 to 18 <sup>-</sup> ; band member.
8648.3 <sup>d</sup> 4	20 <sup>+</sup>	0.118 <sup>a</sup> ps 21	E	J <sup>π</sup> : 1323.0γ E2 to 18 <sup>+</sup> ; band member.
8861.6 <sup>p</sup> 5	20 <sup>+</sup>		E	J <sup>π</sup> : 1208.5γ E2 to 18 <sup>+</sup> ; band member.
8967.9 <sup>t</sup> 6	20	0.127 <sup>c</sup> ps +12-15	E	J <sup>π</sup> : 372.3γ D to 19; band member.
9106.8 <sup>f</sup> 5	21 <sup>-</sup>		E	J <sup>π</sup> : 1160.9γ E2 to 19 <sup>-</sup> ; band member.
9430.4 <sup>t</sup> 7	21	0.070 <sup>c</sup> ps +10-12	E	J <sup>π</sup> : 462.5γ D to 20; band member.
9574.3 <sup>k</sup> 15	(21 <sup>-</sup> )		E	J <sup>π</sup> : From band structure in (HI,xnγ).
9962.3 <sup>d</sup> 5	22 <sup>+</sup>	0.15 ps 5	E	J <sup>π</sup> : 1314.1γ E2 to 20 <sup>+</sup> ; band member. T <sub>1/2</sub> : From Doppler shift attenuation method using the line-shape analysis in (HI,xnγ) (2011Ro01). The quoted uncertainty does not include additional systematics error in the stopping powers that may be as large as 20%. Note that T <sub>1/2</sub> =0.11 ps 4 was deduced by including 1100γ. However, authors of 2011Ro01 stated that 1100-keV γ was not confirmed in their γγ-coincidence gated spectra (see XUNDL compilation dated on January 5th, 2011) and they reported T <sub>1/2</sub> =0.15 ps 5.
9971.7 <sup>g</sup> 12	22 <sup>-</sup>		E	J <sup>π</sup> : 1342γ E2 to 20 <sup>-</sup> ; band member.
9991.4 <sup>t</sup> 12	22	0.065 <sup>c</sup> ps +10-12	E	J <sup>π</sup> : 561γ D to 21; band member.
10228.7 <sup>p</sup> 12	(22 <sup>+</sup> )		E	J <sup>π</sup> : From band structure in (HI,xnγ).
10495.8 <sup>f</sup> 12	23 <sup>-</sup>		E	J <sup>π</sup> : 1389γ E2 to 21 <sup>-</sup> ; band member.
10665.2 <sup>t</sup> 13	23	0.064 <sup>c</sup> ps +12-16	E	J <sup>π</sup> : 673.8γ D to 22; band member.
11320.3 <sup>d</sup> 6	24 <sup>+</sup>	0.19 <sup>a</sup> ps 5	E	J <sup>π</sup> : 1358.0γ E2 to 22 <sup>+</sup> ; band member.
11451.2 <sup>t</sup> 16	24		E	J <sup>π</sup> : 786γ D to 23; band member.
11454.8 <sup>g</sup> 15	(24 <sup>-</sup> )		E	J <sup>π</sup> : From band structure in (HI,xnγ).
12081.8 <sup>f</sup> 15	(25 <sup>-</sup> )		E	J <sup>π</sup> : From band structure in (HI,xnγ).
12763.3 <sup>d</sup> 12	26 <sup>+</sup>	0.24 ps	E	J <sup>π</sup> : 1443γ E2 to 24 <sup>+</sup> ; band member. T <sub>1/2</sub> : Effective T <sub>1/2</sub> from Doppler shift attenuation method using the line-shape analysis in (HI,xnγ) (2011Ro01). 1443γ which depopulate 12763 keV J <sup>π</sup> =26 <sup>+</sup> and 14206 keV J <sup>π</sup> =28 <sup>+</sup> levels was used to deduce the effective T <sub>1/2</sub> .
13032.8 <sup>g</sup> 18	(26 <sup>-</sup> )		E	J <sup>π</sup> : From band structure in (HI,xnγ).
14206.4 <sup>d</sup> 16	28 <sup>+</sup>		E	J <sup>π</sup> : 1443γ E2 to 26 <sup>+</sup> ; band member.
15356 <sup>@</sup>	31 keV		O	E(p)(c.m)=6437 keV.
15586 <sup>@</sup>	36 keV		O	E(p)(c.m)=6667 keV. Possible IAS of <sup>110</sup> Ag(236.9) level.
15644 <sup>@</sup>	≈15 keV		O	E(p)(c.m)=(6725) keV.
15679 <sup>@</sup>	17 keV		O	E(p)(c.m)=6760 keV. Possible IAS of <sup>110</sup> Ag(338.9) level.
15737 <sup>@</sup>	23 keV		O	E(p)(c.m)=6818 keV. Possible IAS of <sup>110</sup> Ag(381.2) level.
15780 <sup>@</sup>	25 keV		O	E(p)(c.m)=6861 keV. Possible IAS of <sup>110</sup> Ag(424.7) level.
15877 <sup>@</sup>	45 keV		O	E(p)(c.m)=6958 keV. Possible IAS of <sup>110</sup> Ag(525.7 or 527.5) level.
15943 <sup>@</sup>	15 keV		O	E(p)(c.m)=7024 keV. Possible IAS of <sup>110</sup> Ag(594) level.
16004 <sup>@</sup>	10 keV		O	E(p)(c.m)=7085 keV. Possible IAS of <sup>110</sup> Ag(653.9) level.

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{110}\text{Cd}$  Levels (continued)**

<sup>†</sup> From least-squares fit to  $E\gamma$ 's, unless otherwise stated.

<sup>‡</sup> From  $^{111}\text{Cd}(\text{pol d,t}), ^{111}\text{Cd}(\text{d,t})$ .

<sup>#</sup> From  $^{110}\text{Cd}(\text{p,p'}), (\text{d,d'})$ .

<sup>@</sup> From  $^{109}\text{Ag}(\text{p,p}), (\text{p,n})$  IAR.

<sup>&</sup> From Doppler shift attenuation method in  $^{110}\text{Cd}(\text{n,n}'\gamma)$  ([2001Co01](#)).

<sup>a</sup> From Doppler shift attenuation method using the line-shape analysis in (HI,xny) ([2011Ro01](#)). The quoted uncertainties do not include additional systematics error in the stopping powers that may be as large as 20%.

<sup>b</sup> From recoil-distance method in (HI,xny) ([1993Pi16](#)).

<sup>c</sup> From Doppler shift attenuation method in (HI,xny) ([1999Cl03](#)).

<sup>d</sup> Band(A): g.s. rotational band.

<sup>e</sup> Band(B): band based on  $10^+$ , 4077.176-keV.

<sup>f</sup> Band(C): band based on  $7^-$ , 2879.185-keV.

<sup>g</sup> Band(D): band based on  $8^-$ , 3427.27-keV.

<sup>h</sup> Band(E): band based on 7341.6-keV.

<sup>i</sup> Band(F): band based on  $13^-$ , 5758.52-keV.

<sup>j</sup> Band(G): band based on  $5^-$ , 2659.866-keV.

<sup>k</sup> Band(H): band based on  $3^-$ , 2078.548-keV.

<sup>l</sup> Band(I): band based on (14), 6216.9-keV.

<sup>m</sup> Band(J): band based on  $8^-$ , 3641.10-keV.

<sup>n</sup> Band(K): band based on  $9^-$ , 3782.13-keV.

<sup>o</sup> Band(L): band based on  $12^+$ , 5113.6-keV.

<sup>p</sup> Band(M): band based on  $14^+$ , 5675.5-keV.

<sup>q</sup> Band(N): band based on  $14^+$ , 5789.95-keV.

<sup>r</sup> Band(O): band based on  $0^+$ , 1473.07-keV.

<sup>s</sup> Band(P): band based on  $13^+$ , 5500.0-keV.

<sup>t</sup> Band(Q): band based on 17, 8016.5-keV.

<sup>u</sup> Band(R): band based on  $8^+$ , 3187.337-keV.

<sup>v</sup> Band(S): band based on 14, 6584.5-keV.

## Adopted Levels, Gammas (continued)

<u><math>\gamma^{(110\text{Cd})}</math></u>									
$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^{\frac{\ddagger}{\ddagger}}$	$I_\gamma^{\frac{\ddagger}{\ddagger}}$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta^c$	$\alpha^{\frac{\dagger}{\dagger}}$	Comments
657.7623	2 <sup>+</sup>	657.7600 <sup>#</sup> 11	100 <sup>#</sup>	0.0	0 <sup>+</sup>	E2		0.00314	$\alpha(K)=0.00272\ 4; \alpha(L)=0.000342\ 5; \alpha(M)=6.57\times 10^{-5}\ 10;$ $\alpha(N+..)=1.224\times 10^{-5}\ 18$ $\alpha(N)=1.161\times 10^{-5}\ 17; \alpha(O)=6.26\times 10^{-7}\ 9$ $B(E2)(W.u.)=27.0\ 8$ Mult.: $\alpha(K)\exp=0.00264\ 10$ ( <a href="#">1964Ne05</a> ), K/L=8.1 7, (M+N)/L=0.23 6 in <sup>110</sup> Ag $\beta^-$ decay (249.83 d) ( <a href="#">1993Ka37</a> ). Other: $A_2=+0.23\ 2, A_4=-0.15\ 3$ ( <a href="#">1992Ku01</a> ) from <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
1473.07	0 <sup>+</sup>	815.31 <sup>&amp;</sup> 4	100 <sup>&amp;</sup>	657.7623	2 <sup>+</sup>	E2		0.00183	$\alpha(K)=0.001592\ 23; \alpha(L)=0.000195\ 3; \alpha(M)=3.74\times 10^{-5}\ 6;$ $\alpha(N+..)=7.01\times 10^{-6}\ 10$ $\alpha(N)=6.64\times 10^{-6}\ 10; \alpha(O)=3.69\times 10^{-7}\ 6$ Mult.: $\alpha(K)\exp=0.0016\ 2$ , sum of 815.31 keV and 818.05 keV transitions in <sup>110</sup> In $\varepsilon$ decay (69.1 min) ( <a href="#">1992Ku01</a> ). Other: $A_2=0.277\ 30, A_4=0.990\ 50, 657.76\gamma$ gated (0-2-0 spin sequence) in <sup>110</sup> Ag $\beta^-$ decay (24.56 s) ( <a href="#">1972Ka34</a> ). E <sub>y</sub> .Mult.: From <sup>110</sup> In $\varepsilon$ decay (69.1 min) ( <a href="#">1990Gi01</a> ). The uncertainty of the electron energy was estimated by the evaluators based on the energy resolution (2.6 keV at 1450 keV electron energy) given by the authors. Mult. from ce. $I\gamma(1473\gamma)/Ice(K)(1473\gamma)<3.4\times 10^{-4}$ ( <a href="#">1990Gi01</a> ).
1473.1	11			0.0	0 <sup>+</sup>	E0			
1475.7900	2 <sup>+</sup>	818.0244 <sup>#</sup> 18	100.0 <sup>#</sup> 5	657.7623	2 <sup>+</sup>	M1+E2	-1.36 6	0.00191	$\alpha(K)=0.001666\ 24; \alpha(L)=0.000201\ 3; \alpha(M)=3.86\times 10^{-5}\ 6;$ $\alpha(N+..)=7.25\times 10^{-6}\ 11$ $\alpha(N)=6.86\times 10^{-6}\ 10; \alpha(O)=3.91\times 10^{-7}\ 6$ $B(M1)(W.u.)=0.0134\ 22; B(E2)(W.u.)=30\ 5$ Mult.: From $\alpha(K)\exp=0.00172\ 19$ ( <a href="#">1967Mo12</a> ). Other: 0.00191 15 ( <a href="#">1980Ba58</a> ) from <sup>110</sup> In $\varepsilon$ decay (4.92 h); $A_2=-0.23\ 1, A_4=-0.10\ 1$ ( <a href="#">1992Ku01</a> ). $\delta$ : Weighted average of -1.20 15 ( <a href="#">1970Kr03</a> ), -1.36 10 ( <a href="#">1973Jo08</a> ), -1.2 5 ( <a href="#">1978Wa07</a> ), -1.25 +22-10 ( <a href="#">1979Ve03</a> ), and -1.44 10 ( <a href="#">1980Ru03</a> ) (from <sup>110</sup> Ag $\beta^-$ decay (249.83 d)), -1.5 +9-4 ( <a href="#">1969Mi07</a> ) (from Coulomb excitation), -1.4 +10-4 ( <a href="#">1992De41</a> ), -1.4 +4-10 ( <a href="#">1990Ar20</a> ), 1.5 +3-4 ( <a href="#">2001Co01</a> ) (from <sup>110</sup> Cd(n,n'γ)), and -1.5 4 ( <a href="#">1990Ke02</a> ) (from <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ )).
1475.7792 <sup>#</sup> 23		55.0 <sup>#</sup> 6	0.0	0 <sup>+</sup>	E2		5.77×10 <sup>-4</sup>		$\alpha(K)=0.000440\ 7; \alpha(L)=5.16\times 10^{-5}\ 8; \alpha(M)=9.87\times 10^{-6}\ 14;$ $\alpha(N+..)=7.51\times 10^{-5}\ 11$ $\alpha(N)=1.760\times 10^{-6}\ 25; \alpha(O)=1.029\times 10^{-7}\ 15;$ $\alpha(IPF)=7.32\times 10^{-5}\ 11$ $B(E2)(W.u.)=1.35\ 20$

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^{\ddagger}$	$I_\gamma^{\ddagger}$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta^c$	$\alpha^\dagger$	Comments
1542.4441	4 <sup>+</sup>	884.6781# 13	100#	657.7623	2 <sup>+</sup>	E2		1.51×10 <sup>-3</sup>	Mult.: From $\alpha(K)\exp=0.00043$ 6 ( <a href="#">1967Mo12</a> ) in <sup>110</sup> Ag $\beta^-$ decay (249.83 d) and 0.00036 7 ( <a href="#">1980Ba58</a> ) from <sup>110</sup> In $\varepsilon$ decay (4.92 h). Other: $A_2=0.18$ 3, $A_4=-0.11$ 4 ( <a href="#">1992Ku01</a> ) from <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
1731.31	0 <sup>+</sup>	255.4& 3	11.3& 19	1475.7900	2 <sup>+</sup>	E2		0.0556	$\alpha(K)=0.001313$ 19; $\alpha(L)=0.0001597$ 23; $\alpha(M)=3.06\times10^{-5}$ 5; $\alpha(N+..)=5.74\times10^{-6}$ 8 $\alpha(N)=5.44\times10^{-6}$ 8; $\alpha(O)=3.05\times10^{-7}$ 5 B(E2)(W.u.)=42 9
		258.3 1		1473.07	0 <sup>+</sup>	E0			Mult.: From $\alpha(K)\exp=0.00126$ 6 ( <a href="#">1964Ne05</a> ) and K/L=7.6 ( <a href="#">1963Su07</a> ) in <sup>110</sup> Ag $\beta^-$ decay (249.83 d). K/(L+M)=7.7 13 ( <a href="#">1962Ka08</a> ) from <sup>110</sup> In $\varepsilon$ decay (4.9 h). Other: $A_2=0.289$ , $A_4=-0.069$ 10 in (HI,xny) ( <a href="#">1974Lu01</a> ).
		1073.55& 4	100& 5	657.7623	2 <sup>+</sup>	E2		9.75×10 <sup>-4</sup>	$\alpha(K)=0.000850$ 12; $\alpha(L)=0.0001017$ 15; $\alpha(M)=1.95\times10^{-5}$ 3; $\alpha(N+..)=3.66\times10^{-6}$ 6 $\alpha(N)=3.47\times10^{-6}$ 5; $\alpha(O)=1.98\times10^{-7}$ 3
		1731.4 11		0.0	0 <sup>+</sup>	E0			Mult.: $\alpha(K)\exp=0.00085$ 8 ( <a href="#">1992Ku01</a> ) in <sup>110</sup> In $\varepsilon$ decay (69.1 min).
1783.496	2 <sup>+</sup>	310.4@ 6	0.29@ 14	1473.07	0 <sup>+</sup>				$E_\gamma$ : From <sup>110</sup> In $\varepsilon$ decay (69.1 min) ( <a href="#">1992Ku01</a> ). The uncertainty of the electron energy was estimated from another close transition given by the authors.
		1125.709# 20	100# 5	657.7623	2 <sup>+</sup>	M1+E2	+0.28 4	1.01×10 <sup>-3</sup>	$I_\gamma(258\gamma)/\text{Ice}(K)(258\gamma)<6.5\times10^{-3}$ from <sup>110</sup> In $\varepsilon$ decay (69.1 min) ( <a href="#">1990Gi01</a> ). $I_\gamma(258\gamma)/\text{Ice}(K)(258\gamma)<6.5\times10^{-3}$ from <sup>110</sup> In $\varepsilon$ decay (69.1 min) ( <a href="#">1990Gi01</a> ). $I_\gamma(1731\gamma)/\text{Ice}(K)(1731\gamma)<2.1\times10^{-4}$ ( <a href="#">1990Gi01</a> ). Mult.: From <sup>110</sup> In $\varepsilon$ decay (69.1 min) ( <a href="#">1990Gi01</a> ).
									$\alpha(K)=0.000886$ 13; $\alpha(L)=0.0001038$ 15; $\alpha(M)=1.98\times10^{-5}$ 3; $\alpha(N+..)=4.78\times10^{-6}$ 7

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
1783.496	2 <sup>+</sup>	1783.49 <sup>#</sup> 3	33.2 <sup>#</sup> 16	0.0	0 <sup>+</sup>	E2		5.49×10 <sup>-4</sup>	$\alpha(N)=3.55\times10^{-6} 5; \alpha(O)=2.11\times10^{-7} 3;$ $\alpha(IPF)=1.020\times10^{-6} 15$ $B(M1)(W.u.)=0.013 +4-6; B(E2)(W.u.)=0.7 +3-4$ Mult.: From $\alpha(K)\exp=0.0009 2$ ( <a href="#">1979Sy02</a> ) in <sup>110</sup> In $\varepsilon$ decay (4.9 h), from $A_2=+0.36 2, A_4=+0.02 4$ ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ) and from $A_2=0.21 10, A_4=-0.07 14, 657.50\gamma$ gated (2-2-0 spin sequence) in <sup>110</sup> Ag β <sup>-</sup> decay (24.56 s) ( <a href="#">1972Ka34</a> ). Other: $\alpha(K)\exp=0.00043 5$ ( <a href="#">1992Ku01</a> ) in <sup>110</sup> In $\varepsilon$ decay (69.1 min). $\delta$ : Weighted average of +0.13 +3-2 ( <a href="#">2001Co01</a> ), +0.33 +7-4 ( <a href="#">1992De41</a> ), +0.33 8 ( <a href="#">1990Ar20</a> ) (from <sup>110</sup> Cd(n,n'γ)), -0.06 +7-12 ( <a href="#">1972Ka34</a> ) (from <sup>110</sup> Ag β <sup>-</sup> decay (24.56 s)) and 0.3 2 ( <a href="#">1976De23</a> ). Other: 1.7 3 ( <a href="#">1976De23</a> ).
2078.548	3 <sup>-</sup>	295.42 <sup>a</sup> 18	3.77 <sup>a</sup> 22	1783.496	2 <sup>+</sup>	(E1)		0.00805	$\alpha(K)=0.000306 5; \alpha(L)=3.56\times10^{-5} 5;$ $\alpha(M)=6.79\times10^{-6} 10; \alpha(N+..)=0.000201 3$ $\alpha(N)=1.212\times10^{-6} 17; \alpha(O)=7.15\times10^{-8} 10;$ $\alpha(IPF)=0.000200 3$ $B(E2)(W.u.)=0.31 +8-12$ Mult.: From $A_2=+0.29 3, A_4=-0.07 4$ ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ) and from $\alpha(K)\exp=0.00018 3$ ( <a href="#">1992Ku01</a> ) in <sup>110</sup> In $\varepsilon$ decay (69.1 min). $\alpha(K)=0.00702 10; \alpha(L)=0.000836 12;$ $\alpha(M)=0.0001597 23; \alpha(N+..)=2.98\times10^{-5} 5$ $\alpha(N)=2.83\times10^{-5} 4; \alpha(O)=1.563\times10^{-6} 22$ $B(E1)(W.u.)=0.00052 +15-30$ Mult.: From $A_2=0.04 5$ ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.0014 10; \alpha(L)=0.00017 12; \alpha(M)=3.2\times10^{-5} 24; \alpha(N+..)=6.E-6 5$ $\alpha(N)=6.E-6 5; \alpha(O)=3.2\times10^{-7} 24$ $B(E1)(W.u.)=(0.00024 +8-14); B(M2)(W.u.)=(6.E+1 +19-6)$ Mult.: From $A_2=-0.3 2, A_4=-0.3 3$ ( <a href="#">1992Ku01</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\delta$ : From <a href="#">1990Ke02</a> . $\alpha(K)=0.000226 9; \alpha(L)=2.59\times10^{-5} 10;$
603.03 <sup>a</sup> 4	15.4 <sup>a</sup> 9		1475.7900	2 <sup>+</sup>	E1(+M2)	-0.14 22	0.0016 11		
1421.06 <sup>a</sup> 4	100.0 <sup>a</sup> 22		657.7623	2 <sup>+</sup>	E1(+M2)	+0.01 8	4.32×10 <sup>-4</sup> 10		

### **Adopted Levels, Gammas (continued)**

$\gamma$ ( $^{110}\text{Cd}$ ) (continued)

$E_i$ (level)	$J^\pi_i$	$E_\gamma^{\frac{+}{-}}$	$I_\gamma^{\frac{+}{-}}$	$E_f$	$J^\pi_f$	Mult. <sup>b</sup>	$\delta^c$	$\alpha^\dagger$	Comments
2078.80	$0^+$	295.30 8	100	1783.496	$2^+$	E2		0.0342	$\alpha(M)=4.94\times10^{-6}$ 19; $\alpha(N..)=0.000175$ 3 $\alpha(N)=8.8\times10^{-7}$ 4; $\alpha(O)=5.23\times10^{-8}$ 20; $\alpha(IPF)=0.000174$ 3 $B(E1)(W.u.)=(0.00012 +4-7)$ Mult.: $\alpha(K)\exp=0.00019$ 2 ( <a href="#">1992Ku01</a> ) in $^{110}\text{In}$ $\varepsilon$ decay (69.1 min) and from $A_2=-0.28$ 3, $A_4=-0.04$ 5 ( <a href="#">1992Ku01</a> ) in $^{108}\text{Pd}(\alpha,2n\gamma)$ , $^{110}\text{Pd}(\alpha,4n\gamma)$ . $\delta$ : From <a href="#">1990Ke02</a> . $\alpha(K)=0.0290$ 4; $\alpha(L)=0.00426$ 6; $\alpha(M)=0.000826$ 12; $\alpha(N..)=0.0001496$ 21 $\alpha(N)=0.0001433$ 21; $\alpha(O)=6.29\times10^{-6}$ 9 $E_\gamma, I_\gamma$ : From $^{110}\text{Ag}$ $\beta^-$ decay (24.56 s). Mult.: From $\alpha(K)\exp=0.028$ 5 in $^{110}\text{In}$ $\varepsilon$ decay (69.1 min) ( <a href="#">1992Ku01</a> ) and $A_2=0.259$ 17, $A_4=0.753$ 26, 1783.6 $\gamma$ gated (0-2-0 spin sequence) in $^{110}\text{Ag}$ $\beta^-$ decay (24.56 s) ( <a href="#">1972Ka34</a> ). $E_\gamma$ , Mult.: From $^{110}\text{In}$ $\varepsilon$ Decay (69 min). $E_\gamma$ , Mult.: From $^{110}\text{In}$ $\varepsilon$ Decay (69 min).
2162.8015	$3^+$	605.4 3 2078.4 3 620.3553# 17	1473.07 0.0 20.5# 6	1473.07 0.0 1542.4441	$0^+$ $0^+$ $4^+$	E0 E0 M1+E2	-0.50 5	0.00391	$B(M1)(W.u.)=0.011 +3-9$ ; $B(E2)(W.u.)=5.9 +18-46$ $\alpha(K)=0.00341$ 5; $\alpha(L)=0.000410$ 6; $\alpha(M)=7.86\times10^{-5}$ 11; $\alpha(N..)=1.482\times10^{-5}$ 21 $\alpha(N)=1.401\times10^{-5}$ 20; $\alpha(O)=8.11\times10^{-7}$ 12 Mult.: From $\alpha(K)\exp=0.0031$ 6 ( <a href="#">1967Mo12</a> ). $\delta$ : Weighted average of -0.50 8 ( <a href="#">1980Ru03</a> ), -0.8 5 ( <a href="#">1970Kr03</a> ), -0.85 25 ( <a href="#">1979Ve03</a> ) (from $^{110}\text{Ag}$ $\beta^-$ decay (249.83 d)) and -0.46 +7-6 ( <a href="#">2001Co01</a> ) (from $^{110}\text{Cd}(n,n'\gamma)$ ). Others: -1.2 5 or -0.7 3 ( <a href="#">1978Wa07</a> ) (from $^{110}\text{Ag}$ $\beta^-$ decay (249.83 d)).
	687.0091# 18	49.00# 22	1475.7900	$2^+$	M1+E2	-1.69 +2-4	0.00289		$\alpha(K)=0.00251$ 4; $\alpha(L)=0.000309$ 5; $\alpha(M)=5.93\times10^{-5}$ 9; $\alpha(N..)=1.111\times10^{-5}$ 16 $\alpha(N)=1.052\times10^{-5}$ 15; $\alpha(O)=5.85\times10^{-7}$ 9 $B(M1)(W.u.)=0.0064 +16-48$ ; $B(E2)(W.u.)=32 +8-24$ Mult.: From $\alpha(K)\exp=0.0022$ 5 and from $A_2=-0.70$ 5, $A_4=-0.01$ 2 ( <a href="#">1992Ku01</a> , in $^{108}\text{Pd}(\alpha,2n\gamma)$ , $^{110}\text{Pd}(\alpha,4n\gamma)$ ). $\delta$ : Weighted average of -1.80 5 ( <a href="#">1973Jo08</a> ), -1.65 9 ( <a href="#">1978Wa07</a> ), and -1.27 38 ( <a href="#">1980Ru03</a> ), -1.1 +8-4 ( <a href="#">1970Kr03</a> ) and -1.5 +6-22 ( <a href="#">1979Ve03</a> ) (from $^{110}\text{Ag}$ $\beta^-$ decay (249.83 d)), -1.66 +9-8 ( <a href="#">2001Co01</a> ), -1.48 10 ( <a href="#">1992De41</a> ), -1.48 15 ( <a href="#">1990Ar20</a> ), and -1.3 4 ( <a href="#">1992Ku01</a> )

17

## Adopted Levels, Gammas (continued)

<u><math>\gamma^{(110\text{Cd})}</math> (continued)</u>										
$E_i$ (level)	$J_i^\pi$	$E_\gamma^{\ddagger}$	$I_\gamma^{\ddagger}$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta^c$	$\alpha^{\ddagger}$	Comments	
2162.8015	3 <sup>+</sup>	1505.0280 <sup>#</sup> 20	100.0 <sup>#</sup> 12	657.7623	2 <sup>+</sup>	M1+E2	-1.27 3	$5.90 \times 10^{-4}$	(from <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ )). Others: 0.4 +1–2 (1976De23) (from <sup>110</sup> Cd(n,n' $\gamma$ )), -0.40 4 (1992De41) (from <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ )).	
2220.0683	4 <sup>+</sup>	677.6217 <sup>#</sup> 12	100.0 <sup>#</sup> 5	1542.4441	4 <sup>+</sup>	M1+E2	-0.34 2	0.00320	$\alpha(K)=0.000446$ 7; $\alpha(L)=5.20 \times 10^{-5}$ 8; $\alpha(M)=9.94 \times 10^{-6}$ 14; $\alpha(N+..)=8.21 \times 10^{-5}$ 12 $\alpha(N)=1.776 \times 10^{-6}$ 25; $\alpha(O)=1.048 \times 10^{-7}$ 15; $\alpha(IPF)=8.02 \times 10^{-5}$ 12 B(M1)(W.u.)=0.0018 +5–14; B(E2)(W.u.)=1.1 +3–8 Mult.: From $\alpha(K)\exp=0.00046$ 4 (1967Mo12). $\delta$ : Weighted average of -1.05 16 (1988Kr03), -1.24 7 (1988Kr03), -1.24 20 (1980Ru03), -1.09 9 (1978Wa07), and -1.26 6 (1973Jo08) (from <sup>110</sup> Ag $\beta^-$ decay (249.83 d)), -1.37 8 (1992De41), -1.37 15 (1990Ar20), -1.52 +11–14 (2001Co01) from <sup>110</sup> Cd(n,n' $\gamma$ )), -1.48 23 (1990Ke02) (from <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ )). Others: -0.55 10 (1970Kr03), -0.48 3 (1973Jo08), -0.40 +9–17 (1979Ve03) (from <sup>110</sup> Ag $\beta^-$ decay (249.83 d)), -0.30 7 (1980Ba58) (from <sup>110</sup> In $\varepsilon$ decay (4.92 h)), -0.1 1 or 3 +2–1 (1976De23) (from <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ )).	
744.2755 <sup>#</sup> 18		44.6 <sup>#</sup> 3	1475.7900	2 <sup>+</sup>	E2			0.00229	$\alpha(K)=0.00279$ 4; $\alpha(L)=0.000332$ 5; $\alpha(M)=6.37 \times 10^{-5}$ 9; $\alpha(N+..)=1.203 \times 10^{-5}$ 17 $\alpha(N)=1.136 \times 10^{-5}$ 16; $\alpha(O)=6.65 \times 10^{-7}$ 10 B(M1)(W.u.)=0.058 +17–25; B(E2)(W.u.)=12 +4–6 Mult.: From $\alpha(K)\exp=0.0025$ 4 (1967Mo12). $\delta$ : Unweighted average of -0.25 20 (1970Kr03), -0.44 5 (1973Jo08), -0.36 3 (1978Wa07), -0.25 15 (1979Ve03), -0.28 5 (1980Ru03) from <sup>110</sup> Ag $\beta^-$ decay (249.83 d), -0.40 7 (1990Ke02) from <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ), -0.34 3 (1992De41), -0.34 4 (1990Ar20), -0.41 2 (2001Co01) from <sup>110</sup> Cd(n,n' $\gamma$ )).	
1562.2940 <sup>#</sup> 18		11.4 <sup>#</sup> 3	657.7623	2 <sup>+</sup>	E2			$5.56 \times 10^{-4}$	$\alpha(K)=0.000394$ 6; $\alpha(L)=4.61 \times 10^{-5}$ 7; $\alpha(M)=8.80 \times 10^{-6}$ 13; $\alpha(N+..)=0.0001067$ 15	

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
2250.554	4 <sup>+</sup>	467.01 <sup>#</sup> 4	11.0 <sup>#</sup> 8	1783.496	2 <sup>+</sup>	E2		0.00812	α(N)=1.570×10 <sup>-6</sup> 22; α(O)=9.21×10 <sup>-8</sup> 13; α(IPF)=0.0001050 15 B(E2)(W.u.)=0.20 +6–9 Mult.: From A <sub>2</sub> =0.22 6, A <sub>4</sub> =−0.19 8 ( <a href="#">1992Ku01</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ) and from α(K)exp=0.00046 7 ( <a href="#">1967Mo12</a> ). Other: E2(+M3) with δ=−0.10 +2–3 from γγ(θ) in <sup>110</sup> Ag β <sup>−</sup> Decay (249.83 d) ( <a href="#">1979Ve03</a> ). δ= Infinite ( <a href="#">1970Kr03</a> ).
708.133 <sup>#</sup> 20	100 <sup>#</sup> 21	1542.4441	4 <sup>+</sup>	M1+E2	−0.14 3	0.00291			α(K)=0.00698 10; α(L)=0.000926 13; α(M)=0.0001785 25; α(N+..)=3.29×10 <sup>−5</sup> 5 α(N)=3.14×10 <sup>−5</sup> 5; α(O)=1.580×10 <sup>−6</sup> 23 B(E2)(W.u.)=1.2×10 <sup>2</sup> +5–11 Mult.: From A <sub>2</sub> =+0.22 6, A <sub>4</sub> =−0.10 8 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ) and from α(K)exp=0.013 4 ( <a href="#">1979Sy02</a> ) in <sup>110</sup> In ε Decay (4.9 h) ( <a href="#">1979Sy02</a> ). α(K)=0.00254 4; α(L)=0.000301 5; α(M)=5.76×10 <sup>−5</sup> 8; α(N+..)=1.090×10 <sup>−5</sup> 16 α(N)=1.029×10 <sup>−5</sup> 15; α(O)=6.07×10 <sup>−7</sup> 9 B(M1)(W.u.)=0.08 +4–8; B(E2)(W.u.)=2.6 +16–26 Mult.: From A <sub>2</sub> =+0.22 6, A <sub>4</sub> =−0.10 8 ( <a href="#">1992De41</a> ) from <sup>110</sup> Cd(n,n'γ). δ: Weighted average of −0.15 9 ( <a href="#">1992De41</a> ), −0.15 9 ( <a href="#">1990Ar20</a> ), 0.13 +4–3 ( <a href="#">2001Co01</a> ) (from <sup>110</sup> Cd(n,n'γ)). Other: −0.7 3 ( <a href="#">1990Ke02</a> ) from <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ).
774.71 <sup>#</sup> 7	2.5 <sup>#</sup> 13	1475.7900	2 <sup>+</sup>	E2		0.00207			α(K)=0.00180 3; α(L)=0.000222 4; α(M)=4.26×10 <sup>−5</sup> 6; α(N+..)=7.97×10 <sup>−6</sup> 12 α(N)=7.55×10 <sup>−6</sup> 11; α(O)=4.17×10 <sup>−7</sup> 6 B(E2)(W.u.)=2.2 +14–22 Mult.: From γ(θ) in <sup>110</sup> Cd(n,n'γ) but A <sub>2</sub> and A <sub>4</sub> coefficients were not given by the authors of <a href="#">1992De41</a> . α(K)=−0.000379 6; α(L)=4.43×10 <sup>−5</sup> 7; α(M)=8.47×10 <sup>−6</sup> 12; α(N+..)=0.0001188 17 α(N)=1.511×10 <sup>−6</sup> 22; α(O)=8.87×10 <sup>−8</sup> 13; α(IPF)=0.0001172 17 B(E2)(W.u.)=0.22 +9–19 Mult.: From γ(θ) in <sup>110</sup> Cd(n,n'γ) but A <sub>2</sub> and A <sub>4</sub> coefficients were not given by the authors of <a href="#">1992De41</a> . α(K)=0.000407 6; α(L)=4.73×10 <sup>−5</sup> 7; α(M)=9.03×10 <sup>−6</sup> 13;
1592.77 <sup>#</sup> 6	9.1 <sup>#</sup> 3	657.7623	2 <sup>+</sup>	E2		5.51×10 <sup>−4</sup>			
2287.63	2 <sup>+</sup>	1629.90 <sup>#</sup> 14	100 <sup>#</sup>	657.7623	2 <sup>+</sup>	M1+E2	+0.06 3	5.86×10 <sup>−4</sup>	

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
2331.92	(0) <sup>+</sup>	548.4 <sup>@</sup> 2	24 <sup>@</sup> 6	1783.496	2 <sup>+</sup>				$\alpha(N+..)=0.0001228$ 18 $\alpha(N)=1.615\times10^{-6}$ 23; $\alpha(O)=9.66\times10^{-8}$ 14; $\alpha(IPF)=0.0001211$ 17 $B(M1)(W.u.)=0.017$ +3–5; $B(E2)(W.u.)=0.019$ +20–19 Mult.: From $A_2=+0.24$ 3, $A_4=+0.01$ 4 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ). δ: From <a href="#">1992De41</a> and <a href="#">1990Ar20</a> using $\gamma(\theta)$ in <sup>110</sup> Cd(n,n'γ). Other: –0.01 2 ( <a href="#">2001Co01</a> ) from <sup>110</sup> Cd(n,n'γ).
2355.792	2 <sup>+</sup>	1674.15 <sup>@</sup> 4	100 <sup>@</sup> 6	657.7623	2 <sup>+</sup>				$\alpha(K)=0.00311$ 5; $\alpha(L)=0.000394$ 6; $\alpha(M)=7.58\times10^{-5}$ 11; $\alpha(N+..)=1.411\times10^{-5}$ 20 $\alpha(N)=1.339\times10^{-5}$ 19; $\alpha(O)=7.16\times10^{-7}$ 10 E <sub>γ</sub> : From <sup>110</sup> Cd(n,n'γ) ( <a href="#">2001Co01</a> ). Mult.: From $\gamma(\theta)$ in <sup>110</sup> Cd(n,n'γ) but $A_2$ and $A_4$ coefficients were not given by the authors of <a href="#">2001Co01</a> . $\alpha(K)=0.000345$ 5; $\alpha(L)=4.02\times10^{-5}$ 6; $\alpha(M)=7.67\times10^{-6}$ 12; $\alpha(N+..)=0.0001597$ 23 $\alpha(N)=1.370\times10^{-6}$ 20; $\alpha(O)=8.10\times10^{-8}$ 12; $\alpha(IPF)=0.0001582$ 23 $B(M1)(W.u.)=0.0032$ +8–12; $B(E2)(W.u.)=2.8$ +6–10 Mult.: From $A_2=+0.27$ 3, $A_4=-0.01$ 3 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ). δ: From <a href="#">1992De41</a> . Others: +0.11 4 ( <a href="#">1992De41</a> ), 0.1 +2–1 or 1.7 +6–5 ( <a href="#">1976De23</a> ), 1.8 2 or +0.10 5 ( <a href="#">1990Ar20</a> ) in <sup>110</sup> Cd(n,n'γ).
2433.248	3 <sup>+</sup>	651.3 <sup>@d</sup> 5	29 <sup>@</sup> 4	1783.496	2 <sup>+</sup>				$\alpha(K)=0.00120$ 8; $\alpha(L)=0.000142$ 8; $\alpha(M)=2.72\times10^{-5}$ 15; $\alpha(N+..)=5.1\times10^{-6}$ 3 $\alpha(N)=4.9\times10^{-6}$ 3; $\alpha(O)=2.83\times10^{-7}$ 21 Mult.: From $A_2=-0.58$ 3, $A_4=+0.07$ 3 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ). δ: Others: –0.45 5 or –1.38 14 ( <a href="#">1992De41</a> ), –0.43 8 or –1.38 20 ( <a href="#">1990Ar20</a> ) in <sup>110</sup> Cd(n,n'γ). $\alpha(K)=0.000338$ 6; $\alpha(L)=3.92\times10^{-5}$ 6; $\alpha(M)=7.49\times10^{-6}$ 12; $\alpha(N+..)=0.000184$ 3
		890.7 <sup>@</sup> 5	9 <sup>@</sup> 3	1542.4441	4 <sup>+</sup>				
		957.38 <sup>#</sup> 6	100 <sup>#</sup> 7	1475.7900	2 <sup>+</sup>	M1+E2	–0.9 7	0.00137 9	
		1775.42 <sup>#</sup> 4	70 <sup>#</sup> 3	657.7623	2 <sup>+</sup>	M1+E2	–0.35 10	5.69×10 <sup>–4</sup>	

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	α <sup>†</sup>	Comments
2477.41	2 <sup>+</sup>	746.19 @ 17	@	1731.31	0 <sup>+</sup>	E2	0.00227	$\alpha(N)=1.339\times10^{-6}$ 21; $\alpha(O)=8.00\times10^{-8}$ 13; $\alpha(IPF)=0.000183$ 3 Mult.: From $A_2=-0.56$ 8, $A_4=0.00$ 3 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ). $\delta$ : -0.35 10 or -1.6 3 ( <a href="#">1992De41</a> ), -0.35 10 or -1.6 4 ( <a href="#">1990Ar20</a> ) in <sup>110</sup> Cd(n,n'γ).
	1001.71 & 6	98 & 10	1475.7900	2 <sup>+</sup>				$\alpha(K)=0.00197$ 3; $\alpha(L)=0.000245$ 4; $\alpha(M)=4.69\times10^{-5}$ 7; $\alpha(N+..)=8.77\times10^{-6}$ 13
	1819.82 @ 24	@	657.7623	2 <sup>+</sup>				$\alpha(N)=8.32\times10^{-6}$ 12; $\alpha(O)=4.57\times10^{-7}$ 7
	2477.16 & 8	100 & 4	0.0	0 <sup>+</sup>	E2	$7.24\times10^{-4}$		Mult.: From $\gamma(\theta)$ in <sup>110</sup> Cd(n,n'γ) but $A_2$ and $A_4$ coefficients were not given by the authors of <a href="#">2001Co01</a> .
21	2479.9339	6 <sup>+</sup>	229.420 #d 22	0.03 #	2250.554	4 <sup>+</sup>	[E2]	0.0801
	937.485 # 3	100 #	1542.4441	4 <sup>+</sup>	E2	$1.32\times10^{-3}$		$\alpha(K)=0.001149$ 16; $\alpha(L)=0.0001390$ 20; $\alpha(M)=2.66\times10^{-5}$ 4; $\alpha(N+..)=5.00\times10^{-6}$ 7
								$\alpha(N)=4.73\times10^{-6}$ 7; $\alpha(O)=2.67\times10^{-7}$ 4
								B(E2)(W.u.)=14 10
								Mult.: From $\alpha(K)\exp=0.0012$ 8 ( <a href="#">1964Ne05</a> ) in <sup>110</sup> Ag β <sup>-</sup> Decay (249.83 d) and 0.00114 8 ( <a href="#">1980Ba58</a> ) in <sup>110</sup> In ε Decay (4.92 h). $K/(L+M)=6.6$ 14 from <sup>110</sup> In ε decay (4.92 h) ( <a href="#">1962Ka08</a> ) and $A_2=+0.34$ 2, $A_4=-0.08$ 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
	2481.606	(2) <sup>+</sup>	402.84 @ 17	@	2078.548	3 <sup>-</sup>	(E1)	0.00361
	698.0 @ 2	27 @ 3	1783.496	2 <sup>+</sup>				$\alpha(K)=0.00315$ 5; $\alpha(L)=0.000373$ 6; $\alpha(M)=7.12\times10^{-5}$ 10; $\alpha(N+..)=1.335\times10^{-5}$ 19
								$\alpha(N)=1.263\times10^{-5}$ 18; $\alpha(O)=7.12\times10^{-7}$ 10
								E <sub>γ</sub> : From <sup>110</sup> Cd(n,n'γ).
								Mult.: From $\gamma(\theta)$ in <sup>110</sup> Cd(n,n'γ) but $A_2$ and $A_4$ coefficients were not given by the authors ( <a href="#">2001Co01</a> ).

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
2481.606	(2) <sup>+</sup>	1005.58 <sup>@</sup> 10	51 <sup>@</sup> 3	1475.7900	2 <sup>+</sup>	M1(+E2)	-0.41 10	1.29×10 <sup>-3</sup> 2	α(K)=0.001124 19; α(L)=0.0001323 22; α(M)=2.53×10 <sup>-5</sup> 4; α(N+..)=4.79×10 <sup>-6</sup> 8 α(N)=4.52×10 <sup>-6</sup> 8; α(O)=2.67×10 <sup>-7</sup> 5 B(M1)(W.u.)=(0.012 +4-6); B(E2)(W.u.)=(1.6 +8-11) Mult.: From A <sub>2</sub> =+0.07 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ). δ: From <a href="#">1992De41</a> in <sup>110</sup> Cd(n,n' $\gamma$ ). α(K)=0.000324 5; α(L)=3.75×10 <sup>-5</sup> 6; α(M)=7.16×10 <sup>-6</sup> 10; α(N+..)=0.000204 3 α(N)=1.280×10 <sup>-6</sup> 18; α(O)=7.66×10 <sup>-8</sup> 11; α(IPF)=0.000203 3 Mult.: From A <sub>2</sub> =-0.15 3, A <sub>4</sub> =0.02 4 in <sup>110</sup> Cd(n,n' $\gamma$ ) ( <a href="#">1992De41</a> ). δ: -0.70 9 or -4.9 +24-11 ( <a href="#">1992De41</a> ), -0.70 10 or -5.2 20 ( <a href="#">1990Ar20</a> ) in <sup>110</sup> Cd(n,n' $\gamma$ ). α(K)=0.00726 11; α(L)=0.000965 14; α(M)=0.000186 3; α(N+..)=3.43×10 <sup>-5</sup> 5 α(N)=3.27×10 <sup>-5</sup> 5; α(O)=1.641×10 <sup>-6</sup> 23 B(E2)(W.u.)=56 +13-23 Mult.: From A <sub>2</sub> =+0.31 6, A <sub>4</sub> =-0.14 9 in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ). α(K)=0.000430 15; α(L)=4.97×10 <sup>-5</sup> 18; α(M)=9.5×10 <sup>-6</sup> 4; α(N+..)=1.79×10 <sup>-6</sup> 7 α(N)=1.69×10 <sup>-6</sup> 6; α(O)=9.9×10 <sup>-8</sup> 4 B(E1)(W.u.)=(0.00048 +12-19); B(M2)(W.u.)=(2 +7-2) Mult.: α(K)exp=0.00041 5 ( <a href="#">1980Ba58</a> ) in <sup>110</sup> In ε decay (4.92 h). δ: From <a href="#">1990Ke02</a> in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ). α(K)=0.01493 21; α(L)=0.00181 3; α(M)=0.000347 5; α(N+..)=6.55×10 <sup>-5</sup> 10 α(N)=6.19×10 <sup>-5</sup> 9; α(O)=3.61×10 <sup>-6</sup> 5 B(M1)(W.u.)=0.013 +6-12 α(K)=0.00107 4; α(L)=0.000126 5; α(M)=2.42×10 <sup>-5</sup> 8; α(N+..)=4.57×10 <sup>-6</sup> 16 α(N)=4.32×10 <sup>-6</sup> 15; α(O)=2.54×10 <sup>-7</sup> 11 B(M1)(W.u.)=0.0023 +12-22; B(E2)(W.u.)=0.7 7 Mult.: From A <sub>2</sub> =+0.01 6 ( <a href="#">1990Ke02</a> )
1823.84 <sup>@</sup> 2	100 <sup>@</sup> 6	657.7623	2 <sup>+</sup>	M1+E2			5.73×10 <sup>-4</sup>		
2539.691	5 <sup>-</sup>	460.85 <sup>a</sup> 8	4.00 <sup>a</sup> 11	2078.548	3 <sup>-</sup>	E2		0.00845	
997.256 <sup>a</sup> 8	100.0 <sup>a</sup> 8	1542.4441	4 <sup>+</sup>	E1(+M2)	-0.03 5		4.91×10 <sup>-4</sup> 17		
2561.284	4 <sup>+</sup>	341.3 <sup>#d</sup> 1	3.0 <sup>#</sup> 7	2220.0683	4 <sup>+</sup>	[M1]		0.01715	
1018.94 <sup>#</sup> 4	19.6 <sup>#</sup> 9	1542.4441	4 <sup>+</sup>	M1+E2	-0.6 4		0.00123 5		

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	α <sup>†</sup>	Comments
2561.284	4 <sup>+</sup>	1085.447 <sup>#</sup> 14	100 <sup>#</sup> 5	1475.7900	2 <sup>+</sup>	E2	9.52×10 <sup>-4</sup>	<sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ). δ: Other: -0.49 +16-19 in <sup>110</sup> Cd(n,n'γ) ( <a href="#">2001Co01</a> ). α(K)=0.000830 12; α(L)=9.92×10 <sup>-5</sup> 14; α(M)=1.90×10 <sup>-5</sup> 3; α(N+..)=3.57×10 <sup>-6</sup> 5 α(N)=3.38×10 <sup>-6</sup> 5; α(O)=1.94×10 <sup>-7</sup> 3 B(E2)(W.u.)=9 +4-9 Mult.: From A <sub>2</sub> =+0.36 4, A <sub>4</sub> =-0.10 5 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ) and α(K)exp=0.0008 2 in <sup>110</sup> In ε decay (4.9 h) ( <a href="#">1980Ba58</a> ). α(K)=0.000271 4; α(L)=3.14×10 <sup>-5</sup> 5; α(M)=6.00×10 <sup>-6</sup> 9; α(N+..)=0.000256 4 α(N)=1.071×10 <sup>-6</sup> 15; α(O)=6.33×10 <sup>-8</sup> 9; α(IPF)=0.000255 4 B(E2)(W.u.)=0.12 +5-11 Mult.: From γ(θ) in <sup>110</sup> Cd(n,n'γ) but A <sub>2</sub> and A <sub>4</sub> coefficients were not given by the authors of <a href="#">2001Co01</a> .
		1903.53 <sup>#</sup> 3	22.2 <sup>#</sup> 9	657.7623	2 <sup>+</sup>	E2	5.65×10 <sup>-4</sup>	
2566.47	(2 <sup>-</sup> ,3)	782.8 <sup>@</sup> 2	29 <sup>@</sup> 4	1783.496	2 <sup>+</sup>			
		1908.70 <sup>@</sup> 6	100 <sup>@</sup> 6	657.7623	2 <sup>+</sup>			
2633.20	2 <sup>+</sup>	1090.83 <sup>@</sup> 10	42 <sup>@</sup> 4	1542.4441	4 <sup>+</sup>	[E2]	9.42×10 <sup>-4</sup>	α(K)=0.000821 12; α(L)=9.81×10 <sup>-5</sup> 14; α(M)=1.88×10 <sup>-5</sup> 3; α(N+..)=3.54×10 <sup>-6</sup> 5 α(N)=3.34×10 <sup>-6</sup> 5; α(O)=1.92×10 <sup>-7</sup> 3 B(E2)(W.u.)=25 +4-5 α(K)=0.000843 12; α(L)=9.85×10 <sup>-5</sup> 14; α(M)=1.88×10 <sup>-5</sup> 3; α(N+..)=6.00×10 <sup>-6</sup> 9 α(N)=3.37×10 <sup>-6</sup> 5; α(O)=2.01×10 <sup>-7</sup> 3; α(IPF)=2.43×10 <sup>-6</sup> 4 E <sub>γ</sub> : From <sup>110</sup> Cd(n,n'γ). α(K)=0.000276 4; α(L)=3.18×10 <sup>-5</sup> 5; α(M)=6.08×10 <sup>-6</sup> 9; α(N+..)=0.000274 4 α(N)=1.088×10 <sup>-6</sup> 16; α(O)=6.52×10 <sup>-8</sup> 10; α(IPF)=0.000272 4 Mult.: E2 from A <sub>2</sub> =+0.43 4, A <sub>4</sub> =0.00 4 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ). α(K)=0.000315 5; α(L)=3.62×10 <sup>-5</sup> 5; α(M)=6.91×10 <sup>-6</sup> 10; α(N+..)=2.61×10 <sup>-5</sup> 4 α(N)=1.232×10 <sup>-6</sup> 18; α(O)=7.26×10 <sup>-8</sup> 11; α(IPF)=2.48×10 <sup>-5</sup> 4 B(E1)(W.u.)=0.0015 6
2649.95	1 <sup>-</sup>	1176.8 <sup>@</sup> 2	32 <sup>@</sup> 4	1473.07	0 <sup>+</sup>	[E1]	3.84×10 <sup>-4</sup>	
		2649.92 <sup>@</sup> 6	100 <sup>@</sup> 9	0.0	0 <sup>+</sup>	E1	1.12×10 <sup>-3</sup>	α(K)=8.53×10 <sup>-5</sup> 12; α(L)=9.68×10 <sup>-6</sup> 14; α(M)=1.84×10 <sup>-6</sup> 3; α(N+..)=0.001026 15 α(N)=3.30×10 <sup>-7</sup> 5; α(O)=1.97×10 <sup>-8</sup> 3; α(IPF)=0.001026 15 B(E1)(W.u.)=0.00040 15

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
2659.866	5 <sup>-</sup>	120.154 <sup>a</sup> 25	33.3 <sup>a</sup> 18	2539.691	5 <sup>-</sup>	M1(+E2)	-0.1 3	0.28 7	Mult.: From A <sub>2</sub> =-0.09 4, A <sub>4</sub> =0.00 5 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ) and from <sup>110</sup> Cd(γ,γ') ( <a href="#">2005Ko32</a> ), deduced using γ(θ) and π from linear polarization measurements. α(K)=0.24 5; α(L)=0.031 14; α(M)=0.006 3; α(N+..)=0.0011 5 α(N)=0.0011 5; α(O)=5.9×10 <sup>-5</sup> 8 I <sub>γ</sub> : Other: 58 10 in <sup>110</sup> Cd(n,n'γ). Mult.: From A <sub>2</sub> =0.26 13 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ). α(K)=0.00305 8; α(L)=0.000361 10; α(M)=6.90×10 <sup>-5</sup> 18; α(N+..)=1.29×10 <sup>-5</sup> 4 α(N)=1.23×10 <sup>-5</sup> 4; α(O)=6.91×10 <sup>-7</sup> 18
	409.36 <sup>a</sup> 8	10.4 <sup>a</sup> 4	2250.554	4 <sup>+</sup>	E1(+M2)	-0.029 23	0.00350 9		Mult.: From α(K)exp=0.0027 10 ( <a href="#">1970Ko12</a> ) in <sup>110</sup> In ε decay (4.9 h) and A <sub>2</sub> =-0.25 2 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ) ( <a href="#">1990Ke02</a> ). α(K)=0.000346 5; α(L)=3.98×10 <sup>-5</sup> 6; α(M)=7.60×10 <sup>-6</sup> 11; α(N+..)=8.05×10 <sup>-6</sup> 12 α(N)=1.356×10 <sup>-6</sup> 19; α(O)=7.98×10 <sup>-8</sup> 12; α(IPF)=6.61×10 <sup>-6</sup> 10 Mult.: From α(K)exp=0.00033 7 ( <a href="#">1990Ke02</a> ) in <sup>110</sup> In ε decay (4.9 h) ( <a href="#">1980Ba58</a> ) and A <sub>2</sub> =-0.18 2 in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ). E <sub>γ</sub> ,I <sub>γ</sub> : From <sup>110</sup> Ag β <sup>-</sup> decay (24.56 s). α(K)=0.000246 4; α(L)=2.85×10 <sup>-5</sup> 4; α(M)=5.44×10 <sup>-6</sup> 8; α(N+..)=0.000305 5 α(N)=9.72×10 <sup>-7</sup> 14; α(O)=5.76×10 <sup>-8</sup> 8; α(IPF)=0.000304 5 E <sub>γ</sub> ,I <sub>γ</sub> : From <sup>110</sup> Ag β <sup>-</sup> decay (24.56 s). Mult.: From A <sub>2</sub> =0.177 28, A <sub>4</sub> =0.986 47, 657.50γ gated (0-2-0 spin sequence) ( <a href="#">1972Ka34</a> ) in <sup>110</sup> Ag β <sup>-</sup> decay (24.56 s). α(K)=0.000834 12; α(L)=9.74×10 <sup>-5</sup> 14; α(M)=1.86×10 <sup>-5</sup> 3; α(N+..)=6.34×10 <sup>-6</sup> 9 α(N)=3.33×10 <sup>-6</sup> 5; α(O)=1.98×10 <sup>-7</sup> 3; α(IPF)=2.81×10 <sup>-6</sup> 4 Mult.: From A <sub>2</sub> =+0.32 5, A <sub>4</sub> =-0.03 6 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ).
2662.13	0 <sup>+</sup>	1186.30 12	75 16	1475.7900	2 <sup>+</sup>			4.01×10 <sup>-4</sup>	α(K)=0.000346 5; α(L)=3.98×10 <sup>-5</sup> 6; α(M)=7.60×10 <sup>-6</sup> 11; α(N+..)=8.05×10 <sup>-6</sup> 12 α(N)=1.356×10 <sup>-6</sup> 19; α(O)=7.98×10 <sup>-8</sup> 12; α(IPF)=6.61×10 <sup>-6</sup> 10 Mult.: From α(K)exp=0.00033 7 ( <a href="#">1990Ke02</a> ) in <sup>110</sup> In ε decay (4.9 h) ( <a href="#">1980Ba58</a> ) and A <sub>2</sub> =-0.18 2 in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ). E <sub>γ</sub> ,I <sub>γ</sub> : From <sup>110</sup> Ag β <sup>-</sup> decay (24.56 s). α(K)=0.000246 4; α(L)=2.85×10 <sup>-5</sup> 4; α(M)=5.44×10 <sup>-6</sup> 8; α(N+..)=0.000305 5 α(N)=9.72×10 <sup>-7</sup> 14; α(O)=5.76×10 <sup>-8</sup> 8; α(IPF)=0.000304 5 E <sub>γ</sub> ,I <sub>γ</sub> : From <sup>110</sup> Ag β <sup>-</sup> decay (24.56 s). Mult.: From A <sub>2</sub> =0.177 28, A <sub>4</sub> =0.986 47, 657.50γ gated (0-2-0 spin sequence) ( <a href="#">1972Ka34</a> ) in <sup>110</sup> Ag β <sup>-</sup> decay (24.56 s). α(K)=0.000834 12; α(L)=9.74×10 <sup>-5</sup> 14; α(M)=1.86×10 <sup>-5</sup> 3; α(N+..)=6.34×10 <sup>-6</sup> 9 α(N)=3.33×10 <sup>-6</sup> 5; α(O)=1.98×10 <sup>-7</sup> 3; α(IPF)=2.81×10 <sup>-6</sup> 4 Mult.: From A <sub>2</sub> =+0.32 5, A <sub>4</sub> =-0.03 6 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ).
2705.669	(4) <sup>+</sup>	1163.19 <sup>#</sup> 5	100 <sup>#</sup>	1542.4441	4 <sup>+</sup>	M1+E2	-0.03 +6-9	9.56×10 <sup>-4</sup>	δ: From γ(θ) in <sup>110</sup> Cd(n,n'γ) ( <a href="#">1992De41</a> ). E <sub>γ</sub> : From measured Ice in <sup>110</sup> Ag β <sup>-</sup> decay
2707.397	(4) <sup>+</sup>	1.60 10		2705.669	(4) <sup>+</sup>	M1			

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
2707.397	(4) <sup>+</sup>	544.56 <sup>#</sup> 4	41 <sup>#</sup> 7	2162.8015	3 <sup>+</sup>	M1+E2	+0.21 11	0.00541	(249.83 d). Mult.: From M1/M2/M3=10 2/1.0/0.35 10 in <sup>110</sup> Ag $\beta^-$ decay (249.83 d) ( <a href="#">1993Ka37</a> ). $\alpha(K)=0.00472$ 7; $\alpha(L)=0.000565$ 8; $\alpha(M)=0.0001083$ 16; $\alpha(N+..)=2.05\times 10^{-5}$ 3 $\alpha(N)=1.93\times 10^{-5}$ 3; $\alpha(O)=1.131\times 10^{-6}$ 17 I <sub>γ</sub> : Other: 62 3 in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ), 56 5 in <sup>110</sup> Cd(n,n' $\gamma$ ). Mult.: From A <sub>2</sub> =+0.02 5 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ). $\delta$ : Other:-0.03 5 or -5.5 +24-10 ( <a href="#">1992De41</a> ) from <sup>110</sup> Cd(n,n' $\gamma$ ). $\alpha(K)=0.000826$ 13; $\alpha(L)=9.66\times 10^{-5}$ 15; $\alpha(M)=1.85\times 10^{-5}$ 3; $\alpha(N+..)=6.46\times 10^{-6}$ 9; $\alpha(N)=3.30\times 10^{-6}$ 5; $\alpha(O)=1.96\times 10^{-7}$ 3; $\alpha(IPF)=2.96\times 10^{-6}$ 5
		1164.98 <sup>#</sup> 7	100 <sup>#</sup> 7	1542.4441	4 <sup>+</sup>	M1(+E2)	<+0.3	9.48×10 <sup>-4</sup> 15	Mult.: From A <sub>2</sub> =+0.17 5 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ). Other: A <sub>2</sub> =+0.39 11, A <sub>4</sub> =+0.02 14 ( <a href="#">1992De41</a> ) from <sup>110</sup> Cd(n,n' $\gamma$ ). $\delta$ : Other:-0.07 +10-7 ( <a href="#">1992De41</a> ) from <sup>110</sup> Cd(n,n' $\gamma$ ). $\alpha(K)=0.00988$ 14; $\alpha(L)=0.001191$ 17; $\alpha(M)=0.000228$ 4; $\alpha(N+..)=4.31\times 10^{-5}$ 6 $\alpha(N)=4.08\times 10^{-5}$ 6; $\alpha(O)=2.38\times 10^{-6}$ 4 B(M1)(W.u.)=0.37 +12-16 $\alpha(K)=0.000667$ 10; $\alpha(L)=7.78\times 10^{-5}$ 12; $\alpha(M)=1.488\times 10^{-5}$ 22; $\alpha(N+..)=2.07\times 10^{-5}$ 3 $\alpha(N)=2.66\times 10^{-6}$ 4; $\alpha(O)=1.583\times 10^{-7}$ 24; $\alpha(IPF)=1.79\times 10^{-5}$ 3 B(M1)(W.u.)=0.023 +7-10; B(E2)(W.u.)=1.2 +5-6 Mult.: From A <sub>2</sub> =+0.39 11, A <sub>4</sub> =+0.02 14 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n' $\gamma$ ). $\delta$ : From $\gamma(\theta)$ in <sup>110</sup> Cd(n,n' $\gamma$ ) ( <a href="#">1992De41</a> ). $\alpha(K)=0.000244$ 4; $\alpha(L)=2.81\times 10^{-5}$ 4; $\alpha(M)=5.37\times 10^{-6}$ 8; $\alpha(N+..)=0.000333$ 5 $\alpha(N)=9.61\times 10^{-7}$ 14; $\alpha(O)=5.76\times 10^{-8}$ 8; $\alpha(IPF)=0.000332$ 5 B(M1)(W.u.)=0.0019 +8-10 $\alpha(K)=0.0197$ 3; $\alpha(L)=0.00240$ 4; $\alpha(M)=0.000460$ 7;
2758.25	(1,2,3) <sup>+</sup>	402.4 <sup>@d</sup> 2	45 <sup>@</sup> 7	2355.792	2 <sup>+</sup>	[M1]		0.01135	
		1282.45 <sup>@</sup> 8	100 <sup>@</sup> 7	1475.7900	2 <sup>+</sup>	M1+E2	+0.32 5	7.80×10 <sup>-4</sup> 12	
		2100.6 <sup>@</sup> 5	33 <sup>@</sup> 10	657.7623	2 <sup>+</sup>	[M1]		6.10×10 <sup>-4</sup>	
2787.49	2 <sup>+</sup>	305.8 <sup>@</sup> 2	16 <sup>@</sup> 5	2481.606	(2) <sup>+</sup>	[M1]		0.0227	

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	δ <sup>c</sup>	a <sup>†</sup>	Comments
2787.49	2 <sup>+</sup>	1314.25 <sup>&amp;</sup> 10	1.91 <sup>&amp;</sup> 14	1473.07	0 <sup>+</sup>	[E2]		6.63×10 <sup>-4</sup>	$\alpha(N+..)=8.69\times10^{-5}$ 13 $\alpha(N)=8.21\times10^{-5}$ 12; $\alpha(O)=4.77\times10^{-6}$ 7 $B(M1)(W.u.)=3.3$ 14 $\alpha(K)=0.000555$ 8; $\alpha(L)=6.56\times10^{-5}$ 10; $\alpha(M)=1.254\times10^{-5}$ 18; $\alpha(N+..)=2.92\times10^{-5}$ 4 $\alpha(N)=2.23\times10^{-6}$ 4; $\alpha(O)=1.298\times10^{-7}$ 19; $\alpha(IPF)=2.68\times10^{-5}$ 4 $B(E2)(W.u.)=2.3$ 7
	2129.52 <sup>@</sup> 5	100 <sup>@</sup> 7		657.7623	2 <sup>+</sup>	M1+E2		6.17×10 <sup>-4</sup>	$\alpha(K)=0.000237$ 4; $\alpha(L)=2.74\times10^{-5}$ 4; $\alpha(M)=5.23\times10^{-6}$ 8; $\alpha(N+..)=0.000347$ 5 $\alpha(N)=9.35\times10^{-7}$ 13; $\alpha(O)=5.61\times10^{-8}$ 8; $\alpha(IPF)=0.000346$ 5 Mult.: From $A_2=-0.31$ 5, $A_4=-0.02$ 5 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ).
	2788.37 <sup>@</sup> 10	16 <sup>@</sup> 5		0.0	0 <sup>+</sup>	[E2]		8.31×10 <sup>-4</sup>	$\delta: +0.18 +10-7$ or $+1.5$ 3 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ). $\alpha(K)=0.0001374$ 20; $\alpha(L)=1.575\times10^{-5}$ 22; $\alpha(M)=3.00\times10^{-6}$ 5; $\alpha(N+..)=0.000675$ 10 $\alpha(N)=5.37\times10^{-7}$ 8; $\alpha(O)=3.21\times10^{-8}$ 5; $\alpha(IPF)=0.000675$ 10 $B(E2)(W.u.)=0.46$ 19 I <sub>γ</sub> : 3.27 14 in <sup>110</sup> In ε decay (69.1 min).
2793.441	(4) <sup>+</sup>	360.23 <sup>#</sup> 8	23 <sup>#</sup> 14	2433.248	3 <sup>+</sup>				I <sub>γ</sub> : Other: 8.1 12 from <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ). $\alpha(K)=0.00416$ 8; $\alpha(L)=0.000499$ 7; $\alpha(M)=9.57\times10^{-5}$ 14; $\alpha(N+..)=1.81\times10^{-5}$ 3 $\alpha(N)=1.707\times10^{-5}$ 24; $\alpha(O)=9.96\times10^{-7}$ 24
		573.0 <sup>#</sup> 4	51 <sup>#</sup> 3	2220.0683	4 <sup>+</sup>	M1+E2	-0.3 3	0.00478 9	I <sub>γ</sub> : Other: 17.4 14 in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ), <63 in <sup>110</sup> Cd(n,n'γ). Mult.: From $A_2=+0.10$ 14 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ).
	630.62 <sup>#</sup> 5	100 <sup>#</sup> 15		2162.8015	3 <sup>+</sup>	M1+(E2)	+0.02 7	0.00382	$\alpha(K)=0.00334$ 5; $\alpha(L)=0.000396$ 6; $\alpha(M)=7.59\times10^{-5}$ 11; $\alpha(N+..)=1.436\times10^{-5}$ 21 $\alpha(N)=1.356\times10^{-5}$ 19; $\alpha(O)=8.00\times10^{-7}$ 12
2842.682	(5) <sup>-</sup>	714.94 <sup>#</sup> 1	28 <sup>#</sup> 7	2078.548	3 <sup>-</sup>				Mult.: From $A_2=-0.11$ 4 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ).
		1251.06 <sup>#</sup> 4	80 <sup>#</sup> 9	1542.4441	4 <sup>+</sup>				$\alpha(K)=0.0760$ 11; $\alpha(L)=0.00939$ 14; $\alpha(M)=0.00181$ 3; $\alpha(N+..)=0.000340$ 5
		182.83 <sup>a</sup> 6	3.5 <sup>a</sup> 4	2659.866	5 <sup>-</sup>	M1+E2		0.0876	

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
2842.682	(5) <sup>-</sup>	409.36 <sup>a</sup> 8 1300.233 <sup>a</sup> 10	20.3 <sup>a</sup> 7 100.0 <sup>a</sup> 21	2433.248 1542.4441	3 <sup>+</sup> 4 <sup>+</sup>	E1(+M2)	+0.0 1	3.93×10 <sup>-4</sup> 14	$\alpha(N)=0.000322$ 5; $\alpha(O)=1.85\times10^{-5}$ 3 Mult.: From A <sub>2</sub> =+0.79 11 in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
2869.144	1 <sup>+,2<sup>+</sup></sup>	1085.57 <sup>&amp;</sup> 4	2.2 <sup>&amp;</sup> 7	1783.496	2 <sup>+</sup>	E2+M1		1.11×10 <sup>-3</sup>	$\alpha(K)=0.000264$ 13; $\alpha(L)=3.03\times10^{-5}$ 15; $\alpha(M)=5.8\times10^{-6}$ 3; $\alpha(N+..)=9.35\times10^{-5}$ 16 $\alpha(N)=1.03\times10^{-6}$ 6; $\alpha(O)=6.1\times10^{-8}$ 3; $\alpha(IPF)=9.24\times10^{-5}$ 16 Mult.: From A <sub>2</sub> =-0.21 2 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ) and from $\gamma(\theta)$ in <sup>110</sup> Cd(n,n'γ) ( <a href="#">2001Co01</a> ).
27	1393.63 <sup>&amp;</sup> 7 2211.33 <sup>&amp;</sup> 3	3.03 <sup>&amp;</sup> 22 100 <sup>&amp;</sup> 2	1475.7900 657.7623	2 <sup>+</sup> 2 <sup>+</sup>	M1+E2		6.38×10 <sup>-4</sup>	$\alpha(K)=0.000220$ 3; $\alpha(L)=2.54\times10^{-5}$ 4; $\alpha(M)=4.85\times10^{-6}$ 7; $\alpha(N+..)=0.000387$ 6 $\alpha(N)=8.67\times10^{-7}$ 13; $\alpha(O)=5.20\times10^{-8}$ 8; $\alpha(IPF)=0.000386$ 6 Mult.: From $\gamma(\theta)$ in <sup>110</sup> Cd(n,n'γ) but A <sub>2</sub> and A <sub>4</sub> coefficients were not given by the authors ( <a href="#">1992De41</a> ). δ: +1.8 7 or +0.10 +22-13 ( <a href="#">1992De41</a> ). I <sub>γ</sub> : Other: 14 6 from <sup>110</sup> Cd(n,n'γ).	$\alpha(K)=0.000969$ 14; $\alpha(L)=0.0001135$ 16; $\alpha(M)=2.17\times10^{-5}$ 3; $\alpha(N+..)=4.11\times10^{-6}$ 6 $\alpha(N)=3.88\times10^{-6}$ 6; $\alpha(O)=2.31\times10^{-7}$ 4 Mult.: From $\gamma(\theta)$ in <sup>110</sup> Cd(n,n'γ), but A <sub>2</sub> and A <sub>4</sub> coefficients were not given by the authors ( <a href="#">2001Co01</a> ).
2876.812	6 <sup>+</sup>	2869.28 <sup>&amp;</sup> 10 396.894 <sup>#</sup> 22	1.85 <sup>&amp;</sup> 11 17.2 <sup>#</sup> 18	0.0 2479.9339	0 <sup>+</sup> 6 <sup>+</sup>	M1+E2	0.01174	$\alpha(K)=0.01023$ 15; $\alpha(L)=0.001233$ 18; $\alpha(M)=0.000236$ 4; $\alpha(N+..)=4.47\times10^{-5}$ 7 $\alpha(N)=4.22\times10^{-5}$ 6; $\alpha(O)=2.47\times10^{-6}$ 4 Mult.: From A <sub>2</sub> =+0.29 6 in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.00309$ 5; $\alpha(L)=0.000391$ 6; $\alpha(M)=7.52\times10^{-5}$ 11; $\alpha(N+..)=1.400\times10^{-5}$ 20 $\alpha(N)=1.329\times10^{-5}$ 19; $\alpha(O)=7.11\times10^{-7}$ 10 Mult.: From $\alpha(K)\exp=3.0\times10^{-3}$ 4 ( <a href="#">1980Ba58</a> ) in <sup>110</sup> In ε decay (4.92 h) and from A <sub>2</sub> =+0.35 2, A <sub>4</sub> =-0.04 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).	
	626.256 <sup>#</sup> 10	100 <sup>#</sup> 8	2250.554	4 <sup>+</sup>	E2		0.00357		

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
2876.812	6 <sup>+</sup>	1334.348 <sup>#</sup> 16	66.1 <sup>#</sup> 22	1542.4441	4 <sup>+</sup>	E2		6.48×10 <sup>-4</sup>	$\alpha(K)=0.000539$ 8; $\alpha(L)=6.35\times10^{-5}$ 9; $\alpha(M)=1.214\times10^{-5}$ 17; $\alpha(N+..)=3.37\times10^{-5}$ 5 $\alpha(N)=2.16\times10^{-6}$ 3; $\alpha(O)=1.259\times10^{-7}$ 18; $\alpha(IPF)=3.14\times10^{-5}$ 5 Mult.: From A <sub>2</sub> =+0.33 4 in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ) and DCO=1.02 14 in (HI,xn $\gamma$ ). B(E2)(W.u.)=0.84 12
2879.185	7 <sup>-</sup>	219.31 <sup>a</sup> 2	1.94 <sup>a</sup> 6	2659.866	5 <sup>-</sup>	E2	0.0935		$\alpha(K)=0.0780$ 11; $\alpha(L)=0.01268$ 18; $\alpha(M)=0.00247$ 4; $\alpha(N+..)=0.000441$ 7 $\alpha(N)=0.000424$ 6; $\alpha(O)=1.632\times10^{-5}$ 23 B(E2)(W.u.)=0.84 12 Mult.: From A <sub>2</sub> =+0.37 3, A <sub>4</sub> =-0.09 4 ( <b>1990Ke02</b> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ) and from DCO=1.38 13 ( <b>1994Ju04</b> ) in (HI,xn $\gamma$ ). B(E2)(W.u.)=1.56 21
		339.498 <sup>a</sup> 15	32.2 <sup>a</sup> 3	2539.691	5 <sup>-</sup>	E2	0.0217		$\alpha(K)=0.0185$ 3; $\alpha(L)=0.00262$ 4; $\alpha(M)=0.000507$ 7; $\alpha(N+..)=9.24\times10^{-5}$ 13 $\alpha(N)=8.84\times10^{-5}$ 13; $\alpha(O)=4.07\times10^{-6}$ 6 B(E2)(W.u.)=1.56 21 Mult.: From A <sub>2</sub> =+0.34 2, A <sub>4</sub> =-0.08 2 ( <b>1990Ke02</b> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
		399.254 <sup>a</sup> 15	100.0 <sup>a</sup> 6	2479.9339	6 <sup>+</sup>	E1(+M2)	-0.01 3	0.00369 8	$\alpha(K)=0.00323$ 7; $\alpha(L)=0.000382$ 9; $\alpha(M)=7.29\times10^{-5}$ 17; $\alpha(N+..)=1.37\times10^{-5}$ 4 $\alpha(N)=1.29\times10^{-5}$ 3; $\alpha(O)=7.29\times10^{-7}$ 17 B(E1)(W.u.)=(5.6×10 <sup>-6</sup> 8); B(M2)(W.u.)=(0.016 +97-16) Mult.: From A <sub>2</sub> =-0.25 1 ( <b>1990Ke02</b> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). δ: Other:<0.06 in (HI,xn $\gamma$ ). $\alpha(K)=0.0388$ 6; $\alpha(L)=0.00477$ 8; $\alpha(M)=0.000916$ 16; $\alpha(N+..)=0.000173$ 3
		236.04 <sup>a</sup> 4	23.1 <sup>a</sup> 7	2659.866	5 <sup>-</sup>	M1+E2	-0.09 4	0.0446	$\alpha(N)=0.000163$ 3; $\alpha(O)=9.40\times10^{-6}$ 14 Mult.: From A <sub>2</sub> =-0.36 1 ( <b>1990Ke02</b> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.01340$ 19; $\alpha(L)=0.001620$ 23; $\alpha(M)=0.000311$ 5; $\alpha(N+..)=5.87\times10^{-5}$ 9 $\alpha(N)=5.55\times10^{-5}$ 8; $\alpha(O)=3.24\times10^{-6}$ 5 Mult.: From DCO=0.66 5 in (HI,xn $\gamma$ ); A <sub>2</sub> =-0.35 1 with δ=-0.09 4 in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.00291$ 4; $\alpha(L)=0.000344$ 5; $\alpha(M)=6.57\times10^{-5}$
		356.255 <sup>a</sup> 15	100.0 <sup>a</sup> 7	2539.691	5 <sup>-</sup>	M1	0.01539		
		415.9 <sup>a</sup> 1	8.59 <sup>a</sup> 22	2479.9339	6 <sup>+</sup>	E1	0.00333		

## Adopted Levels, Gammas (continued)

<u><math>\gamma(^{110}\text{Cd})</math> (continued)</u>									
$E_i$ (level)	$J_i^\pi$	$E_\gamma^{\ddagger}$	$I_\gamma^{\ddagger}$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta^c$	$\alpha^\dagger$	Comments
2917.60	2+,3,4+	356.38 <sup>@</sup> 8 1441.9 <sup>@</sup> 2259.5 <sup>@</sup> 2	50@ 7 100@ 43@ 7	2561.284 1475.7900	4+ 2+ 2+				$10; \alpha(N+..)=1.232\times 10^{-5} 18$ $\alpha(N)=1.166\times 10^{-5} 17; \alpha(O)=6.59\times 10^{-7} 10$ Mult.: From $A_2=0.26$ 4 ( <a href="#">1990Ke02</a> ) in $^{108}\text{Pd}(\alpha,2\text{n}\gamma), ^{110}\text{Pd}(\alpha,4\text{n}\gamma).$
2926.7474	5+	133.333 <sup>#</sup> 7 219.348 <sup>#</sup> 8 221.078 <sup>#</sup> 10 266.914 <sup>#</sup> 12 365.448 <sup>#</sup> 11 387.075 <sup>#</sup> 9 446.812 <sup>#</sup> 3	0.30# 1 0.29# 2 0.27# 0.16# 2 0.37# 2 0.2# 14.77# 19	2793.441 2707.397 2705.669 2659.866 2561.284 2539.691 2479.9339	(4)+ (4)+ (4)+ 5- 4+ 5- 6+	M1+E2	-0.39 2	0.00883	$\alpha(K)=0.00768 11; \alpha(L)=0.000936 14; \alpha(M)=0.000180$ $3; \alpha(N+..)=3.38\times 10^{-5} 5$ $\alpha(N)=3.20\times 10^{-5} 5; \alpha(O)=1.83\times 10^{-6} 3$ $I_\gamma:$ Other: 3.2 3 in $^{108}\text{Pd}(\alpha,2\text{n}\gamma), ^{110}\text{Pd}(\alpha,4\text{n}\gamma).$ Mult.: From $\alpha(K)\exp=0.0070$ 11 ( <a href="#">1967Mo12</a> ). $\delta:$ Weighted average of -0.40 6 ( <a href="#">1978Wa07</a> ), -0.39 +2-1 ( <a href="#">1979Ve03</a> ), -0.35 5 ( <a href="#">1980Ru03</a> ) and -0.45 20 ( <a href="#">1970Kr03</a> ) from $^{110}\text{Ag}$ $\beta^-$ decay (249.83 d).
	493.38 <sup>#</sup> 5 706.6760 <sup>#</sup> 15	0.04# 66.6# 3	2433.248 2220.0683	3+ 4+	M1+E2	-1.15 +5-6	0.00275	$\alpha(K)=0.00239 4; \alpha(L)=0.000291 5; \alpha(M)=5.58\times 10^{-5}$ $8; \alpha(N+..)=1.048\times 10^{-5} 15$ $\alpha(N)=9.92\times 10^{-6} 14; \alpha(O)=5.61\times 10^{-7} 9$ Mult.: From $\alpha(K)\exp=0.00262$ 23 ( <a href="#">1967Mo12</a> ). $K/L=4.7$ ( <a href="#">1963Su07</a> ). $\delta:$ Weighted average of -1.42 7 ( <a href="#">1978Wa07</a> ), -1.0 3 ( <a href="#">1970Kr03</a> ), -0.58 2 ( <a href="#">1973Jo08</a> ), -1.8 +7-9 ( <a href="#">1979Ve03</a> ) and -1.1 3 ( <a href="#">1980Ru03</a> ) from $^{110}\text{Ag}$ $\beta^-$ decay (249.83 d).	
	763.9424 <sup>#</sup> 17	90.2# 3	2162.8015	3+	E2		0.00215	$\alpha(K)=0.00186 3; \alpha(L)=0.000230 4; \alpha(M)=4.42\times 10^{-5}$ $7; \alpha(N+..)=8.26\times 10^{-6} 12$ $\alpha(N)=7.83\times 10^{-6} 11; \alpha(O)=4.32\times 10^{-7} 6$ Mult.: From $A_2=+0.31$ 1, $A_4=-0.13$ 1 ( <a href="#">1990Ke02</a> ) in	

**Adopted Levels, Gammas (continued)** $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
2926.7474	5 <sup>+</sup>	1384.2931 <sup>#</sup> 20	100.0 <sup>#</sup> 19	1542.4441	4 <sup>+</sup>	M1+E2	-0.44 1	6.82×10 <sup>-4</sup>	<sup>108</sup> Pd( $α,2nγ$ ), <sup>110</sup> Pd( $α,4nγ$ ). Other:E2(+M3) with $δ=-0.10+2-3$ ( <a href="#">1979Ve03</a> ) in <sup>110</sup> Ag $β^-$ decay (249.83 d). Other $δ=$ Infinite ( <a href="#">1970Kr03</a> ). $α(K)=0.000562 8$ ; $α(L)=6.55×10^{-5} 10$ ; $α(M)=1.252×10^{-5} 18$ ; $α(N+..)=4.25×10^{-5} 6$ $α(N)=2.24×10^{-6} 4$ ; $α(O)=1.331×10^{-7} 19$ ; $α(IPF)=4.01×10^{-5} 6$ Mult.: From $α(K)exp=0.00055 4$ ( <a href="#">1967Mo12</a> ). δ: Weighted average of -0.37 3 ( <a href="#">1970Kr03</a> ), -0.46 1 ( <a href="#">1973Jo08</a> ), -0.39 2 ( <a href="#">1978Wa07</a> ), -0.42 +7-6 ( <a href="#">1979Ve03</a> ), and -0.44 2 ( <a href="#">1980Ru03</a> ) in <sup>110</sup> Ag $β^-$ decay (249.83 d).
2975.24	1 <sup>+,2+</sup>	2317.41 <sup>&amp;</sup> 4	100.0 <sup>&amp;</sup> 17	657.7623	2 <sup>+</sup>	M1+E2	-0.16 12	6.67×10 <sup>-4</sup>	$α(K)=0.000201 3$ ; $α(L)=2.31×10^{-5} 4$ ; $α(M)=4.41×10^{-6} 7$ ; $α(N+..)=0.000439 7$ $α(N)=7.90×10^{-7} 12$ ; $α(O)=4.74×10^{-8} 7$ ; $α(IPF)=0.000438 7$ Mult.: From <sup>110</sup> In $ε$ decay (69.1 min). δ: From <a href="#">1992De41</a> .
30	2984.46	2975.29 <sup>&amp;</sup> 6	8.5 <sup>&amp;</sup> 3	0.0	0 <sup>+</sup>				I <sub>γ</sub> : 15 5 in <sup>110</sup> In $ε$ decay (69.1 min).
		905.7 <sup>@</sup> 2	27 <sup>@</sup> 7	2078.548	3 <sup>-</sup>	[E1]		5.88×10 <sup>-4</sup>	$α(K)=0.000515 8$ ; $α(L)=5.97×10^{-5} 9$ ; $α(M)=1.138×10^{-5} 16$ ; $α(N+..)=2.15×10^{-6} 3$ $α(N)=2.03×10^{-6} 3$ ; $α(O)=1.187×10^{-7} 17$ B(E1)(W.u.)=0.0006 +3-6
		1441.9 <sup>@</sup> 6	100 <sup>@</sup>	1542.4441	4 <sup>+</sup>	[M1,E2]		6.56×10 <sup>-4</sup>	$α(K)=0.000526 8$ ; $α(L)=6.12×10^{-5} 9$ ; $α(M)=1.170×10^{-5} 17$ ; $α(N+..)=5.73×10^{-5} 9$ $α(N)=2.09×10^{-6} 3$ ; $α(O)=1.249×10^{-7} 18$ ; $α(IPF)=5.51×10^{-5} 8$
		2326.9 <sup>@</sup> 2	40 <sup>@</sup> 7	657.7623	2 <sup>+</sup>	M1+E2		6.70×10 <sup>-4</sup>	$α(K)=0.000199 3$ ; $α(L)=2.30×10^{-5} 4$ ; $α(M)=4.38×10^{-6} 7$ ; $α(N+..)=0.000443 7$ $α(N)=7.84×10^{-7} 11$ ; $α(O)=4.71×10^{-8} 7$ ; $α(IPF)=0.000442 7$ Mult.: From A <sub>2</sub> =-0.50 18, A <sub>4</sub> =+0.02 18 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ).
2984.48	(5 <sup>-</sup> )	1442.03 <sup>a</sup> 6	100 <sup>a</sup>	1542.4441	4 <sup>+</sup>	D			δ: -1.9 +12-7 or -0.3 +3-2 ( <a href="#">1992De41</a> ) in <sup>110</sup> Cd(n,n'γ). Mult.: From A <sub>2</sub> =-0.17 4 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $α,2nγ$ ), <sup>110</sup> Pd( $α,4nγ$ ). δ: -0.01 9 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $α,2nγ$ ), <sup>110</sup> Pd( $α,4nγ$ ).
2993.63	(0 <sup>+</sup> )	1517.83 <sup>@</sup> 17	100 <sup>@</sup>	1475.7900	2 <sup>+</sup>				

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
2994.07	(3 <sup>+</sup> ,4 <sup>+</sup> )	1451.62 <sup>@</sup> 8	100 <sup>@</sup>	1542.4441	4 <sup>+</sup>				
3008.4?	1,2 <sup>+</sup>	2350.7 <sup>@</sup> 10	100 <sup>@</sup> 40	657.7623	2 <sup>+</sup>				
		3008.3 <sup>@</sup> 10	80 <sup>@</sup> 40	0.0	0 <sup>+</sup>				
3029.077	7 <sup>-</sup>	149.88 <sup>@</sup> 30	15.7 <sup>@</sup> 10	2879.185	7 <sup>-</sup>	M1(+E2)	-0.08 22	0.152 16	$\alpha(K)=0.131$ 12; $\alpha(L)=0.016$ 3; $\alpha(M)=0.0032$ 6; $\alpha(N..)=0.00059$ 11 $\alpha(N)=0.00056$ 10; $\alpha(O)=3.20\times 10^{-5}$ 20 B(M1)(W.u.)=(0.0016 6); B(E2)(W.u.)=(0.4 +2/-4) Mult.: From A <sub>2</sub> =0.33 5 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.01420$ 20; $\alpha(L)=0.00197$ 3; $\alpha(M)=0.000381$ 6; $\alpha(N..)=6.98\times 10^{-5}$ 10 $\alpha(N)=6.66\times 10^{-5}$ 10; $\alpha(O)=3.15\times 10^{-6}$ 5 B(E2)(W.u.)=0.61 22 Mult.: From A <sub>2</sub> =+0.60 9, A <sub>4</sub> =-0.35 10 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.00610$ 9; $\alpha(L)=0.000802$ 12; $\alpha(M)=0.0001545$ 22; $\alpha(N..)=2.86\times 10^{-5}$ 4 $\alpha(N)=2.72\times 10^{-5}$ 4; $\alpha(O)=1.384\times 10^{-6}$ 20 B(E2)(W.u.)=0.8 3 Mult.: From A <sub>2</sub> =+0.34 2, A <sub>4</sub> =-0.08 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.00152$ 11; $\alpha(L)=0.000178$ 14; $\alpha(M)=3.4\times 10^{-5}$ 3; $\alpha(N..)=6.4\times 10^{-6}$ 6 $\alpha(N)=6.1\times 10^{-6}$ 5; $\alpha(O)=3.5\times 10^{-7}$ 3 B(E1)(W.u.)=(2.8×10 <sup>-6</sup> 10); B(M2)(W.u.)=(0.07 +2/-7) Mult.: From A <sub>2</sub> =-0.27 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\delta$ : From <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ) ( <a href="#">1990Ke02</a> ). E <sub>γ</sub> : From <sup>110</sup> Cd(n,n'γ). E <sub>γ</sub> ,I <sub>γ</sub> : E <sub>γ</sub> from <sup>110</sup> Cd(n,n'γ), I <sub>γ</sub> from <sup>110</sup> Cd(γ,γ'). $\alpha(K)=0.0001198$ 17; $\alpha(L)=1.374\times 10^{-5}$ 20; $\alpha(M)=2.62\times 10^{-6}$ 4; $\alpha(N..)=0.000775$ 11 $\alpha(N)=4.69\times 10^{-7}$ 7; $\alpha(O)=2.82\times 10^{-8}$ 4; $\alpha(IPF)=0.000775$ 11 B(M1)(W.u.)=0.021 3
		369.20 <sup>@</sup> 10	14.4 <sup>@</sup> 16	2659.866	5 <sup>-</sup>	E2		0.01662	
		489.382 <sup>@</sup> 15	75.0 <sup>@</sup> 7	2539.691	5 <sup>-</sup>	E2		0.00708	
		549.141 <sup>@</sup> 17	100.0 <sup>@</sup> 20	2479.9339	6 <sup>+</sup>	E1(+M2)	-0.04 6	0.00174 13	
3042.86	1 <sup>+</sup>	1566.92 10		1475.7900	2 <sup>+</sup>				
		2385.22 11	18.3 24	657.7623	2 <sup>+</sup>				
		3042.98 28	100	0.0	0 <sup>+</sup>	M1		9.12×10 <sup>-4</sup>	

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
3055.703	8 <sup>-</sup>	159.746 <sup>a</sup> 15	42.2 <sup>a</sup> 7	2895.948	6 <sup>-</sup>	E2		0.283	E <sub>γ</sub> ,I <sub>γ</sub> : E <sub>γ</sub> from <sup>110</sup> Cd(n,n'γ), I <sub>γ</sub> from <sup>110</sup> Cd(γ,γ'). Mult.: From $\gamma(\theta)$ and linear polarization in <sup>110</sup> Cd(γ,γ') ( <a href="#">2005Ko32</a> ). $\alpha(K)=0.230$ 4; $\alpha(L)=0.0435$ 6; $\alpha(M)=0.00853$ 12; $\alpha(N+..)=0.001493$ 21 $\alpha(N)=0.001447$ 21; $\alpha(O)=4.59\times10^{-5}$ 7 B(E2)(W.u.)=19.2 11 Mult.: From $A_2=+0.34$ 2, $A_4=-0.08$ 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.12$ 3; $\alpha(L)=0.020$ 6; $\alpha(M)=0.0039$ 12; $\alpha(N+..)=0.00070$ 21 $\alpha(N)=0.00067$ 20; $\alpha(O)=2.7\times10^{-5}$ 5 B(M1)(W.u.)=0.0005 3; B(E2)(W.u.)=14 8 Mult.: From $A_2=-0.96$ 1, $A_4=+0.17$ 2 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
		176.517 <sup>a</sup> 12	100.0 <sup>a</sup> 11	2879.185	7 <sup>-</sup>	M1+E2	-1.03 54	0.15 4	
3064.712	6 <sup>+</sup>	270.4 <sup>@</sup> 2	70 <sup>@</sup> 20	2793.441	(4) <sup>+</sup>				$\alpha(K)=0.00400$ 6; $\alpha(L)=0.000476$ 7; $\alpha(M)=9.12\times10^{-5}$ 13; $\alpha(N+..)=1.725\times10^{-5}$ 25 $\alpha(N)=1.629\times10^{-5}$ 23; $\alpha(O)=9.59\times10^{-7}$ 16 Mult.: K/(L+M)=9 3 in <sup>110</sup> In ε decay (4.9 h) ( <a href="#">1962Ka08</a> ). Other: $A_2=+0.29$ 2, $A_4=+0.19$ 4 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). δ: From $\gamma\gamma(\theta)$ in <sup>110</sup> In ε decay (4.92 h) ( <a href="#">1980Ba58</a> ).
		584.21 <sup>&amp;</sup> 8	100 <sup>&amp;</sup> 3	2479.9339	6 <sup>+</sup>	M1+E2	+0.0 3	0.00458	
32									
		844.667 <sup>&amp;</sup> 13	50.0 <sup>&amp;</sup> 15	2220.0683	4 <sup>+</sup>	E2		1.68×10 <sup>-3</sup>	$\alpha(K)=0.001463$ 21; $\alpha(L)=0.000179$ 3; $\alpha(M)=3.43\times10^{-5}$ 5; $\alpha(N+..)=6.43\times10^{-6}$ 9 $\alpha(N)=6.09\times10^{-6}$ 9; $\alpha(O)=3.40\times10^{-7}$ 5 Mult.: $\alpha(K)\exp=0.00146$ 8 in <sup>110</sup> In ε decay (4.92 h) ( <a href="#">1980Ba58</a> ).
3074.971	6 <sup>-</sup>	1521.66 <sup>&amp;</sup> 20	2.6 <sup>&amp;</sup> 5	1542.4441	4 <sup>+</sup>				$\alpha(K)=0.0403$ 6; $\alpha(L)=0.00494$ 8; $\alpha(M)=0.000950$ 15; $\alpha(N+..)=0.000179$ 3 $\alpha(N)=0.000169$ 3; $\alpha(O)=9.78\times10^{-6}$ 14 Mult.: From $A_2=-0.28$ 2 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.00480$ 10; $\alpha(L)=0.000605$ 12;
		232.30 <sup>a</sup> 4	40.7 <sup>a</sup> 12	2842.682	(5) <sup>-</sup>	M1(+E2)	-0.044 50	0.0463	
		535.269 <sup>a</sup> 18	100.0 <sup>a</sup> 23	2539.691	5 <sup>-</sup>	M1+E2	+1.4 7	0.00554 10	

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
3074.971	6 <sup>-</sup>	595.49 <sup>a</sup> 14	30.2 <sup>a</sup> 12	2479.9339	6 <sup>+</sup>				$\alpha(M)=0.0001162$ 24; $\alpha(N+..)=2.17 \times 10^{-5}$ 4 $\alpha(N)=2.06 \times 10^{-5}$ 4; $\alpha(O)=1.11 \times 10^{-6}$ 4 Mult.: From A <sub>2</sub> =+0.63 2, A <sub>4</sub> =+0.14 4 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ).
3078.381	1 <sup>(+)</sup>	790.81 <sup>&amp;</sup> 18	3.4 <sup>&amp;</sup> 6	2287.63	2 <sup>+</sup>	[M1]		0.00226	$\alpha(K)=0.00197$ 3; $\alpha(L)=0.000233$ 4; $\alpha(M)=4.46 \times 10^{-5}$ 7; $\alpha(N+..)=8.44 \times 10^{-6}$ 12 $\alpha(N)=7.97 \times 10^{-6}$ 12; $\alpha(O)=4.72 \times 10^{-7}$ 7 B(M1)(W.u.)=0.0046 13 I <sub>γ</sub> : Other: 55 18 in <sup>110</sup> Cd(n,n'γ).
		1602.57 <sup>&amp;</sup> 4	23.0 <sup>&amp;</sup> 8	1475.7900	2 <sup>+</sup>	[M1]		5.93×10 <sup>-4</sup>	$\alpha(K)=0.000422$ 6; $\alpha(L)=4.90 \times 10^{-5}$ 7; $\alpha(M)=9.36 \times 10^{-6}$ 14; $\alpha(N+..)=0.0001123$ 16 $\alpha(N)=1.674 \times 10^{-6}$ 24; $\alpha(O)=1.001 \times 10^{-7}$ 14; $\alpha(IPF)=0.0001105$ 16 B(M1)(W.u.)=0.0037 9
		2420.51 <sup>&amp;</sup> 4	100 <sup>&amp;</sup> 2	657.7623	2 <sup>+</sup>	[M1]		6.98×10 <sup>-4</sup>	$\alpha(K)=0.000185$ 3; $\alpha(L)=2.13 \times 10^{-5}$ 3; $\alpha(M)=4.06 \times 10^{-6}$ 6; $\alpha(N+..)=0.000488$ 7 $\alpha(N)=7.26 \times 10^{-7}$ 11; $\alpha(O)=4.36 \times 10^{-8}$ 7; $\alpha(IPF)=0.000487$ 7 B(M1)(W.u.)=0.0047 11
33		3078.42 <sup>&amp;</sup> 4	49.5 <sup>&amp;</sup> 15	0.0	0 <sup>+</sup>	(M1)		9.24×10 <sup>-4</sup>	$\alpha(K)=0.0001173$ 17; $\alpha(L)=1.345 \times 10^{-5}$ 19; $\alpha(M)=2.57 \times 10^{-6}$ 4; $\alpha(N+..)=0.000791$ 11 $\alpha(N)=4.59 \times 10^{-7}$ 7; $\alpha(O)=2.76 \times 10^{-8}$ 4; $\alpha(IPF)=0.000790$ 11 B(M1)(W.u.)=0.00114 25 I <sub>γ</sub> : Other: 73 18 in <sup>110</sup> Cd(n,n'γ). Mult.: D from $\gamma(\theta)$ in <sup>110</sup> Cd( $\gamma, \gamma'$ ) ( <a href="#">2005Ko32</a> ).
		3101.88	2 <sup>+</sup>	184.4 <sup>@</sup> 2	77 <sup>@</sup> 15	2917.60	2 <sup>+,3,4</sup> <sup>+</sup>		E <sub>γ</sub> : Only observed in <sup>110</sup> Cd(n,n'γ).
				1023.05 <sup>&amp;</sup> 5	21 <sup>&amp;</sup> 4	2078.80	0 <sup>+</sup>		
				1626.17 <sup>&amp;</sup> 6	18.4 <sup>&amp;</sup> 13	1475.7900	2 <sup>+</sup>		
				2444.05 <sup>&amp;</sup> 4	100 <sup>&amp;</sup> 2	657.7623	2 <sup>+</sup>		
				3102.00 <sup>&amp;</sup> 18	1.7 <sup>&amp;</sup> 3	0.0	0 <sup>+</sup>		
		3121.62	6 <sup>+</sup>	461.80 <sup>&amp;</sup> 13	18 <sup>&amp;</sup>	2659.866	5 <sup>-</sup>		$\alpha(K)=0.00417$ 6; $\alpha(L)=0.000536$ 8; $\alpha(M)=0.0001032$ 15; $\alpha(N+..)=1.92 \times 10^{-5}$ 3 $\alpha(N)=1.82 \times 10^{-5}$ 3; $\alpha(O)=9.54 \times 10^{-7}$ 14 Mult.: $\alpha(K) \exp=3.8 \times 10^{-3}$ 5 ( <a href="#">1980Ba58</a> ) from <sup>110</sup> In $\varepsilon$ decay (4.9 h).
				560.32 <sup>&amp;</sup> 11	7.2 <sup>&amp;</sup> 4	2561.284	4 <sup>+</sup>	E2	0.00483
				581.93 <sup>&amp;</sup> 9	33.0 <sup>&amp;</sup> 11	2539.691	5 <sup>-</sup>	E1(+M2)	-0.01 10
								0.00150 15	$\alpha(K)=0.00131$ 13; $\alpha(L)=0.000154$ 17; $\alpha(M)=2.9 \times 10^{-5}$ 4; $\alpha(N+..)=5.5 \times 10^{-6}$ 6 $\alpha(N)=5.2 \times 10^{-6}$ 6; $\alpha(O)=3.0 \times 10^{-7}$ 4 Mult.: From A <sub>2</sub> =-0.19 7 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ). $\delta$ : From <a href="#">1990Ke02</a> in <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ).

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>d</sup>	Comments
641.68 <sup>&amp;</sup> 5		100.0 <sup>&amp;</sup> 23		2479.9339	6 <sup>+</sup>	M1(+E2)		0.00367	$\alpha(\text{K})=0.00320\ 5; \alpha(\text{L})=0.000380\ 6; \alpha(\text{M})=7.28\times10^{-5}\ 11;$

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
3121.62	6 <sup>+</sup>	871.08 <sup>&amp;</sup> 5 901.53 <sup>&amp;</sup> 5 1579.07 <sup>&amp;</sup> 12	1.21 <sup>&amp;</sup> 15 7.6 <sup>&amp;</sup> 4 0.98 <sup>&amp;</sup> 23	2250.554 2220.0683 1542.4441	4 <sup>+</sup> 4 <sup>+</sup> 4 <sup>+</sup>				$\alpha(N+..)=1.378\times10^{-5}$ 20 $\alpha(N)=1.301\times10^{-5}$ 19; $\alpha(O)=7.68\times10^{-7}$ 11 Mult.: $\alpha(K)\exp=2.96\times10^{-3}$ 21 ( <a href="#">1980Ba58</a> ) from <sup>110</sup> In $\varepsilon$ decay (4.9 h). Other: From A <sub>2</sub> =+0.39 5, A <sub>4</sub> =+0.11 8 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).
3128.41	1 <sup>+,2+</sup>	1344.88 <sup>&amp;</sup> 15 1652.70 <sup>&amp;</sup> 9 3128.25 <sup>&amp;</sup> 10	63 <sup>&amp;</sup> 13 93 <sup>&amp;</sup> 10 100 <sup>&amp;</sup> 7	1783.496 1475.7900 0.0	2 <sup>+</sup> 2 <sup>+</sup> 0 <sup>+</sup>				
3135.18	2 <sup>+,3+</sup>	1592.7 <sup>@</sup> 3 2477.39 <sup>@</sup> 7	30 <sup>@</sup> 7 100 <sup>@</sup> 7	1542.4441 657.7623	4 <sup>+</sup> 2 <sup>+</sup>	M1+E2		7.16×10 <sup>-4</sup>	$\alpha(K)=0.0001766$ 25; $\alpha(L)=2.03\times10^{-5}$ 3; $\alpha(M)=3.88\times10^{-6}$ 6; $\alpha(N+..)=0.000515$ 8 $\alpha(N)=6.94\times10^{-7}$ 10; $\alpha(O)=4.17\times10^{-8}$ 6; $\alpha(IPF)=0.000514$ 8 Mult.: From A <sub>2</sub> =+0.31 7, A <sub>4</sub> =-0.02 7 ( <a href="#">2001Co01</a> ) in <sup>110</sup> Cd(n,n'γ).
35									
3171.19	2 <sup>+,3<sup>+,4<sup>+</sup></sup></sup>	2513.4 <sup>@</sup> 2	100 <sup>@</sup>	657.7623	2 <sup>+</sup>				$\alpha(K)=0.01501$ 23; $\alpha(L)=0.00184$ 3;
3184.53	5 <sup>-,6<sup>-</sup></sup>	342.02 <sup>a</sup> 9	42.5 <sup>a</sup> 13	2842.682	(5) <sup>-</sup>	M1+E2	+0.23 5	0.0173 3	$\alpha(M)=0.000353$ 6; $\alpha(N+..)=6.64\times10^{-5}$ 11 $\alpha(N)=6.28\times10^{-5}$ 11; $\alpha(O)=3.61\times10^{-6}$ 6 Mult.: From A <sub>2</sub> =+0.08 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).
		644.82 <sup>a</sup> 3	100 <sup>a</sup> 4	2539.691	5 <sup>-</sup>	M1+E2	+0.26 7	0.00361 6	$\alpha(K)=0.00315$ 5; $\alpha(L)=0.000375$ 6; $\alpha(M)=7.18\times10^{-5}$ 11; $\alpha(N+..)=1.358\times10^{-5}$ 20 $\alpha(N)=1.282\times10^{-5}$ 18; $\alpha(O)=7.53\times10^{-7}$ 11 Mult.: From A <sub>2</sub> =+0.11 6 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).
3187.337	8 <sup>+</sup>	707.40 <sup>&amp;</sup> 2	100 <sup>&amp;</sup>	2479.9339	6 <sup>+</sup>	E2		0.00260	$\alpha(K)=0.00226$ 4; $\alpha(L)=0.000281$ 4; $\alpha(M)=5.40\times10^{-5}$ 8; $\alpha(N+..)=1.008\times10^{-5}$ 15 $\alpha(N)=9.56\times10^{-6}$ 14; $\alpha(O)=5.21\times10^{-7}$ 8 B(E2)(W.u.)=1.85 21 Mult.: $\alpha(K)\exp=2.61\times10^{-3}$ 16 ( <a href="#">1980Ba58</a> ), $2.9\times10^{-3}$ 6 ( <a href="#">1970Ko12</a> ). K/(L+M)=6.0 5 ( <a href="#">1962Ka08</a> ). DCO=1.47 6 ( <a href="#">1994Ju04</a> ).
3193.40	(3) <sup>+</sup>	1030.0 <sup>@</sup> 5 1410.08 <sup>&amp;</sup> 8 1717.70 <sup>&amp;</sup> 10	50 <sup>@</sup> 17 15.1 <sup>&amp;</sup> 18 13.7 <sup>&amp;</sup> 14	2162.8015 1783.496 1475.7900	3 <sup>+</sup> 2 <sup>+</sup> 2 <sup>+</sup>				E <sub>γ</sub> : Only observed in <sup>110</sup> Cd(n,n'γ).

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
3193.40	(3) <sup>+</sup>	2535.55 <sup>&amp;</sup> 4	100.0 <sup>&amp;</sup> 23	657.7623	2 <sup>+</sup>				
3208.69	2 <sup>+,3<sup>+</sup></sup>	1666.23 <sup>&amp;</sup> 7	100 <sup>&amp;</sup>	1542.4441	4 <sup>+</sup>				
3239.56	6 <sup>+</sup>	360.7 <sup>a</sup> 4	8.8 <sup>a</sup> 13	2879.185	7 <sup>-</sup>	E1		0.00478	$\alpha(K)=0.00417$ 6; $\alpha(L)=0.000494$ 7; $\alpha(M)=9.44\times 10^{-5}$ 14; $\alpha(N+..)=1.77\times 10^{-5}$ 3 $\alpha(N)=1.674\times 10^{-5}$ 24; $\alpha(O)=9.38\times 10^{-7}$ 14 Mult.: From $A_2=-0.02$ 9 ( <b>1990Ke02</b> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
	397.18 <sup>ad</sup> 15	52 <sup>a</sup> 3		2842.682	(5) <sup>-</sup>	E1		0.00374	$\alpha(K)=0.00327$ 5; $\alpha(L)=0.000386$ 6; $\alpha(M)=7.38\times 10^{-5}$ 11; $\alpha(N+..)=1.383\times 10^{-5}$ 20 $\alpha(N)=1.309\times 10^{-5}$ 19; $\alpha(O)=7.37\times 10^{-7}$ 11 Mult.: From $A_2=+0.29$ 6 ( <b>1990Ke02</b> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
	760.0 <sup>a</sup> 6	100 <sup>a</sup> 3	2479.9339	6 <sup>+</sup>	M1+E2	+0.29 10	0.00245		$\alpha(K)=0.00214$ 4; $\alpha(L)=0.000254$ 4; $\alpha(M)=4.86\times 10^{-5}$ 8; $\alpha(N+..)=9.18\times 10^{-6}$ 14 $\alpha(N)=8.67\times 10^{-6}$ 13; $\alpha(O)=5.11\times 10^{-7}$ 9 Mult.: From $A_2=+0.36$ ( <b>1990Ke02</b> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). M1 from $\alpha(K)\exp=2.2\times 10^{-3}$ 1 ( <b>1980Ba58</b> ) in <sup>110</sup> In ε decay (4.9 h).
	1018.99 <sup>a</sup> 6	39.1 <sup>a</sup> 16	2220.0683	4 <sup>+</sup>			0.001094 16		$\alpha(K)=0.000953$ 14; $\alpha(L)=0.0001145$ 16; $\alpha(M)=2.19\times 10^{-5}$ 3; $\alpha(N+..)=4.12\times 10^{-6}$ $\alpha(N)=3.90\times 10^{-6}$ 6; $\alpha(O)=2.22\times 10^{-7}$ 4
3256.49	1 <sup>+,2<sup>+,3<sup>+</sup></sup></sup>	1697.77 <sup>&amp;</sup> 7	8.1 <sup>&amp;</sup> 3	1542.4441	4 <sup>+</sup>				
3275.449	8 <sup>+</sup>	2598.69 <sup>@</sup> 14	100 <sup>@</sup>	657.7623	2 <sup>+</sup>				
	398.5 5	1.05 14	2876.812	6 <sup>+</sup>	[E2]		0.01310		$\alpha(K)=0.01122$ 17; $\alpha(L)=0.001534$ 23; $\alpha(M)=0.000296$ 5; $\alpha(N+..)=5.43\times 10^{-5}$ 8 $\alpha(N)=5.18\times 10^{-5}$ 8; $\alpha(O)=2.51\times 10^{-6}$ 4 B(E2)(W.u.)=27 8
	795.5 1	100.0 9	2479.9339	6 <sup>+</sup>	E2		0.00194		$\alpha(K)=0.001688$ 24; $\alpha(L)=0.000208$ 3; $\alpha(M)=3.98\times 10^{-5}$ 6; $\alpha(N+..)=7.46\times 10^{-6}$ 11 $\alpha(N)=7.07\times 10^{-6}$ 10; $\alpha(O)=3.92\times 10^{-7}$ 6 B(E2)(W.u.)=80 22 Mult.: From $A_2=0.327$ 14, $A_4=-0.077$ 21 and linear polarization measurements ( <b>1974Lu01</b> ). $\alpha(K)=0.0001587$ 23; $\alpha(L)=1.82\times 10^{-5}$ 3; $\alpha(M)=3.48\times 10^{-6}$ 5; $\alpha(N+..)=0.000582$ 9 $\alpha(N)=6.23\times 10^{-7}$ 9; $\alpha(O)=3.74\times 10^{-8}$ 6; $\alpha(IPF)=0.000582$ 9
3277.86	(1 <sup>+</sup> )	2620.00 14		657.7623	2 <sup>+</sup>	[M1]		7.63×10 <sup>-4</sup>	

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
3277.86	(1 <sup>+</sup> )	3281		0.0	0 <sup>+</sup>	(M1)		9.96×10 <sup>-4</sup>	$\alpha(K)=0.0001044$ 15; $\alpha(L)=1.195\times10^{-5}$ 17; $\alpha(M)=2.28\times10^{-6}$ 4; $\alpha(N+..)=0.000878$ 13 $\alpha(N)=4.08\times10^{-7}$ 6; $\alpha(O)=2.45\times10^{-8}$ 4; $\alpha(IPF)=0.000877$ 13 E <sub>γ</sub> ,Mult.: From <sup>110</sup> Cd( $\gamma, \gamma'$ ) ( <a href="#">2005Ko32</a> ); POL=+0.03 6.
3298.13	1 <sup>-</sup>	2640.1 <sup>@</sup> 7	67 <sup>@</sup> 22	657.7623	2 <sup>+</sup>	[E1]		1.12×10 <sup>-3</sup>	$\alpha(K)=8.58\times10^{-5}$ 12; $\alpha(L)=9.73\times10^{-6}$ 14; $\alpha(M)=1.85\times10^{-6}$ 3; $\alpha(N+..)=0.001020$ 15 $\alpha(N)=3.31\times10^{-7}$ 5; $\alpha(O)=1.98\times10^{-8}$ 3; $\alpha(IPF)=0.001020$ 15 B(E1)(W.u.)=4.8×10 <sup>-5</sup> 19
		3298.1 <sup>@</sup> 2	100 <sup>@</sup> 22	0.0	0 <sup>+</sup>	(E1)		1.43×10 <sup>-3</sup>	$\alpha(K)=6.27\times10^{-5}$ 9; $\alpha(L)=7.09\times10^{-6}$ 10; $\alpha(M)=1.351\times10^{-6}$ 19; $\alpha(N+..)=0.001364$ 19 $\alpha(N)=2.41\times10^{-7}$ 4; $\alpha(O)=1.448\times10^{-8}$ 21; $\alpha(IPF)=0.001363$ 19 B(E1)(W.u.)=3.7×10 <sup>-5</sup> 11 Mult.: D from the intensity ratios W(90°)/W(127°) in <sup>110</sup> Cd( $\gamma, \gamma'$ ).
37									
3314.334	2 <sup>+</sup>	958.56 <sup>&amp;</sup> 5	17.0 <sup>&amp;</sup> 12	2355.792	2 <sup>+</sup>				
		1151.70 <sup>&amp;</sup> 6	12.3 <sup>&amp;</sup> 10	2162.8015	3 <sup>+</sup>				
		1235.67 <sup>&amp;</sup> 4	73.2 <sup>&amp;</sup> 20	2078.548	3 <sup>-</sup>				
		1583.18 <sup>&amp;</sup> 20	3.2 <sup>&amp;</sup> 12	1731.31	0 <sup>+</sup>				
		1838.2 <sup>@</sup> 4	50 <sup>@</sup> 25	1475.7900	2 <sup>+</sup>				E <sub>γ</sub> : Only observed in <sup>110</sup> Cd(n,n'γ).
		2656.55 <sup>&amp;</sup> 4	100 <sup>&amp;</sup> 2	657.7623	2 <sup>+</sup>				
		3315.2 <sup>@d</sup> 7	35.0 <sup>@</sup> 7	0.0	0 <sup>+</sup>				E <sub>γ</sub> : Only observed in <sup>110</sup> Cd(n,n'γ).
3334.85	7 <sup>-</sup>	279.142 <sup>a</sup> 25	82.0 <sup>a</sup> 16	3055.703	8 <sup>-</sup>	M1(+E2)	+0.045 40	0.0287	$\alpha(K)=0.0250$ 4; $\alpha(L)=0.00304$ 5; $\alpha(M)=0.000585$ 9; $\alpha(N+..)=0.0001103$ 16 $\alpha(N)=0.0001042$ 15; $\alpha(O)=6.04\times10^{-6}$ 9 Mult.: From A <sub>2</sub> =-0.205 15 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ). Mult.: From A <sub>2</sub> =+0.25 13 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ).
		456.0 <sup>a</sup> 2	100 <sup>a</sup> 7	2879.185	7 <sup>-</sup>	M1+E2	-0.28 19	0.00836 13	$\alpha(K)=0.00728$ 11; $\alpha(L)=0.000881$ 19; $\alpha(M)=0.000169$ 4; $\alpha(N+..)=3.19\times10^{-5}$ 7 $\alpha(N)=3.01\times10^{-5}$ 6; $\alpha(O)=1.74\times10^{-6}$ 3 Mult.: From A <sub>2</sub> =+0.25 13 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ).
3340.83		2683.03 <sup>@</sup> 14	100 <sup>@</sup>	657.7623	2 <sup>+</sup>				
3345.810	9 <sup>-</sup>	290.09 <sup>a</sup> 3	10.38 <sup>a</sup> 23	3055.703	8 <sup>-</sup>	M1+E2	+0.54 19	0.0283 14	$\alpha(K)=0.0244$ 11; $\alpha(L)=0.00315$ 23;

## Adopted Levels, Gammas (continued)

$\gamma^{(110)\text{Cd}}$ (continued)									
E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
3345.810	9 <sup>-</sup>	466.624 <sup>a</sup> 20	100.0 <sup>a</sup> 12	2879.185	7 <sup>-</sup>	E2		0.00814	$\alpha(M)=0.00061\ 5$ ; $\alpha(N+..)=0.000113\ 8$ $\alpha(N)=0.000107\ 8$ ; $\alpha(O)=5.74\times 10^{-6}\ 17$ $B(M1)(W.u.)=0.00133\ 23$ ; $B(E2)(W.u.)=3.8\ 21$ Mult.: From $A_2=+0.43\ 3$ , $A_4=+0.19\ 3$ in (1990Ke02) $^{108}\text{Pd}(\alpha,2n\gamma)$ , $^{110}\text{Pd}(\alpha,4n\gamma)$ . $\alpha(K)=0.00700\ 10$ ; $\alpha(L)=0.000928\ 13$ ; $\alpha(M)=0.000179\ 3$ ; $\alpha(N+..)=3.30\times 10^{-5}\ 5$ $\alpha(N)=3.14\times 10^{-5}\ 5$ ; $\alpha(O)=1.583\times 10^{-6}\ 23$ $B(E2)(W.u.)=15.0\ 10$ Mult.: From $A_2=+0.36\ 2$ , $A_4=-0.10\ 2$ (1990Ke02) in $^{108}\text{Pd}(\alpha,2n\gamma)$ , $^{110}\text{Pd}(\alpha,4n\gamma)$ (1990Ke02).
3359.06	1 <sup>-</sup>	3359.0 <sup>@</sup> 2	100 <sup>@</sup>	0.0	0 <sup>+</sup>	E1		1.46×10 <sup>-3</sup>	$\alpha(K)=6.11\times 10^{-5}\ 9$ ; $\alpha(L)=6.91\times 10^{-6}\ 10$ ; $\alpha(M)=1.317\times 10^{-6}\ 19$ ; $\alpha(N+..)=0.001394\ 20$ $\alpha(N)=2.35\times 10^{-7}\ 4$ ; $\alpha(O)=1.412\times 10^{-8}\ 20$ $\alpha(IPF)=0.001394\ 20$ $B(E1)(W.u.)=0.000664\ 12$ Mult.: From $\gamma(\theta)$ and POL in $^{110}\text{Cd}(\gamma,\gamma')$ (2005Ko32).
3366.8	1 <sup>+</sup> ,2 <sup>+</sup> ,3 <sup>+</sup> ,4 <sup>+</sup>	2709.0 <sup>@</sup> 4	100 <sup>@</sup>	657.7623	2 <sup>+</sup>				
3391.177	(7) <sup>-</sup>	316.25 <sup>ad</sup> 25	12.2 <sup>a</sup> 13	3074.971	6 <sup>-</sup>	M1+E2		0.0208	$\alpha(K)=0.0181\ 3$ ; $\alpha(L)=0.00220\ 4$ ; $\alpha(M)=0.000422\ 6$ ; $\alpha(N+..)=7.97\times 10^{-5}\ 12$ $\alpha(N)=7.53\times 10^{-5}\ 11$ ; $\alpha(O)=4.38\times 10^{-6}\ 7$ Mult.: From $A_2=+0.30\ 11$ (1990Ke02) in $^{108}\text{Pd}(\alpha,2n\gamma)$ , $^{110}\text{Pd}(\alpha,4n\gamma)$ . No $\delta$ given by 1990Ke02.
		495.227 <sup>a</sup> 10	100.0 <sup>a</sup> 22	2895.948	6 <sup>-</sup>	M1+E2	+0.16 2	0.00682	$\alpha(K)=0.00594\ 9$ ; $\alpha(L)=0.000713\ 10$ ; $\alpha(M)=0.0001366\ 20$ ; $\alpha(N+..)=2.58\times 10^{-5}\ 4$ $\alpha(N)=2.44\times 10^{-5}\ 4$ ; $\alpha(O)=1.427\times 10^{-6}\ 20$ Mult.: From $A_2=+0.01\ 3$ (1990Ke02) in $^{108}\text{Pd}(\alpha,2n\gamma)$ , $^{110}\text{Pd}(\alpha,4n\gamma)$ .
		512.3 7		2879.185	7 <sup>-</sup>				
		912.2 <sup>a</sup> 4	54 <sup>a</sup> 7	2479.9339	6 <sup>+</sup>	(E1)		5.80×10 <sup>-4</sup>	$\alpha(K)=0.000508\ 8$ ; $\alpha(L)=5.88\times 10^{-5}\ 9$ ; $\alpha(M)=1.122\times 10^{-5}\ 16$ ; $\alpha(N+..)=2.12\times 10^{-6}\ 3$ $\alpha(N)=2.00\times 10^{-6}\ 3$ ; $\alpha(O)=1.170\times 10^{-7}\ 17$ Mult.: From $A_2=-0.19\ 19$ (1990Ke02) in $^{108}\text{Pd}(\alpha,2n\gamma)$ , $^{110}\text{Pd}(\alpha,4n\gamma)$ .
3403.29	(1 <sup>-</sup> )	2745.45 <sup>&amp;</sup> 6	100 <sup>&amp;</sup> 3	657.7623	2 <sup>+</sup>				
		3403.48 <sup>&amp;</sup> 15	24.4 <sup>&amp;</sup> 22	0.0	0 <sup>+</sup>				

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult.	δ <sup>c</sup>	α <sup>†</sup>	Comments
3427.27	8 <sup>-</sup>	371.6 5	11 4	3055.703	8 <sup>-</sup>	M1+E2	-0.25 15	0.0140 3	α(K)=0.01216 23; α(L)=0.00148 5; α(M)=0.000285 9; α(N+..)=5.37×10 <sup>-5</sup> 15 α(N)=5.07×10 <sup>-5</sup> 15; α(O)=2.92×10 <sup>-6</sup> 5 B(M1)(W.u.)=0.006 3; B(E2)(W.u.)=2.4 +29–24 I <sub>γ</sub> : 16.7 9 in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ). Mult.: From A <sub>2</sub> =+0.28 5 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ).
	531 1		3.7 19	2895.948	6 <sup>-</sup>	[E2]		0.00561	α(K)=0.00484 8; α(L)=0.000628 10; α(M)=0.0001208 19; α(N+..)=2.24×10 <sup>-5</sup> 4 α(N)=2.13×10 <sup>-5</sup> 4; α(O)=1.103×10 <sup>-6</sup> 17 B(E2)(W.u.)=2.3 13
	548.2 3	100 11		2879.185	7 <sup>-</sup>	M1+E2	-0.14 4	0.00533	α(K)=0.00465 7; α(L)=0.000555 8; α(M)=0.0001064 15; α(N+..)=2.01×10 <sup>-5</sup> 3 α(N)=1.90×10 <sup>-5</sup> 3; α(O)=1.115×10 <sup>-6</sup> 16 B(M1)(W.u.)=0.019 4; B(E2)(W.u.)=1.0 6 Mult.: Other: DCO=0.50 5 in (HI,xny).
3439.719	8 <sup>+</sup>	164.26 <sup>a</sup> 2	11.5 <sup>a</sup> 4	3275.449	8 <sup>+</sup>	M1(+E2)	+0.22 27	0.123 21	α(K)=0.106 16; α(L)=0.014 4; α(M)=0.0027 8; α(N+..)=0.00050 13 α(N)=0.00047 13; α(O)=2.6×10 <sup>-5</sup> 3 B(M1)(W.u.)=0.8 +4–6 Mult.: From A <sub>2</sub> =0.42 4 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ) Other:DCO=1.39 9 in (HI,xny).
	562.907 <sup>a</sup> 25		30.7 <sup>a</sup> 7	2876.812	6 <sup>+</sup>	E2		0.00477	α(K)=0.00412 6; α(L)=0.000529 8; α(M)=0.0001018 15; α(N+..)=1.89×10 <sup>-5</sup> 3 α(N)=1.80×10 <sup>-5</sup> 3; α(O)=9.42×10 <sup>-7</sup> 14 B(E2)(W.u.)=1.5×10 <sup>2</sup> +6–10 Mult.: From A <sub>2</sub> =+0.46 3, A <sub>4</sub> =-0.08 5 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ).
	959.785 <sup>a</sup> 10	100.0 <sup>a</sup> 14		2479.9339	6 <sup>+</sup>	E2		1.25×10 <sup>-3</sup>	α(K)=0.001089 16; α(L)=0.0001316 19; α(M)=2.52×10 <sup>-5</sup> 4; α(N+..)=4.73×10 <sup>-6</sup> 7 α(N)=4.48×10 <sup>-6</sup> 7; α(O)=2.54×10 <sup>-7</sup> 4 B(E2)(W.u.)=34 +13–22 Mult.: From A <sub>2</sub> =+0.36 3, A <sub>4</sub> =-0.12 5 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ).
3449.6	(1,2)	1973.8 <sup>@</sup> 3	100 <sup>@</sup>	1475.7900	2 <sup>+</sup>				
3466.39	1,2,3	2808.59 <sup>&amp;</sup> 4	100 <sup>&amp;</sup>	657.7623	2 <sup>+</sup>				
3475.416	1 <sup>+</sup>	1744.10 <sup>&amp;</sup> 7	8.5 <sup>&amp;</sup> 5	1731.31	0 <sup>+</sup>	[M1]		5.73×10 <sup>-4</sup>	α(K)=0.000355 5; α(L)=4.11×10 <sup>-5</sup> 6; α(M)=7.85×10 <sup>-6</sup> 11; α(N+..)=0.0001690 24

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
3475.416	1 <sup>+</sup>	2002.37 <sup>&amp;</sup> 5	22.4 <sup>&amp;</sup> 5	1473.07	0 <sup>+</sup>	[M1]		5.91×10 <sup>-4</sup>	$\alpha(K)=0.000355$ 5; $\alpha(L)=4.11\times10^{-5}$ 6; $\alpha(M)=7.85\times10^{-6}$ 11; $\alpha(N+..)=0.0001690$ 24 $\alpha(N)=1.403\times10^{-6}$ 20; $\alpha(O)=8.40\times10^{-8}$ 12; $\alpha(IPF)=0.0001675$ 24 B(M1)(W.u.)=0.0035 3
		2817.61 <sup>&amp;</sup> 7	9.8 <sup>&amp;</sup> 5	657.7623	2 <sup>+</sup>	[M1]		8.32×10 <sup>-4</sup>	$\alpha(K)=0.000268$ 4; $\alpha(L)=3.10\times10^{-5}$ 5; $\alpha(M)=5.92\times10^{-6}$ 9; $\alpha(N+..)=0.000286$ 4 $\alpha(N)=1.058\times10^{-6}$ 15; $\alpha(O)=6.34\times10^{-8}$ 9; $\alpha(IPF)=0.000285$ 4 B(M1)(W.u.)=0.0061 4
	3475.34 <sup>&amp;</sup> 3	100 <sup>&amp;</sup> 3		0.0	0 <sup>+</sup>	(M1)		1.06×10 <sup>-3</sup>	$\alpha(K)=9.41\times10^{-5}$ 14; $\alpha(L)=1.076\times10^{-5}$ 15; $\alpha(M)=2.05\times10^{-6}$ 3; $\alpha(N+..)=0.000958$ 14 $\alpha(N)=3.67\times10^{-7}$ 6; $\alpha(O)=2.21\times10^{-8}$ 3; $\alpha(IPF)=0.000958$ 14 B(M1)(W.u.)=0.0052 4 Mult.: D from intensity ratios W(90°)/W(127°) in <sup>110</sup> Cd( $\gamma, \gamma'$ ) (2005Ko32).
3492.64	(5 <sup>-</sup> ,6 <sup>-</sup> )	566.02 <sup>ad</sup> 12	43.9 <sup>a</sup> 18	2926.7474	5 <sup>+</sup>				
		952.9 <sup>a</sup> 4	100 <sup>a</sup> 5	2539.691	5 <sup>-</sup>				
		1012.70 <sup>a</sup> 6	42 <sup>a</sup> 5	2479.9339	6 <sup>+</sup>				
3493.1		2835.3 <sup>@</sup> 4	100 <sup>@</sup>	657.7623	2 <sup>+</sup>				
3525.34	6 <sup>+</sup>	460.85 <sup>a</sup> 8	100 <sup>a</sup> 3	3064.712	6 <sup>+</sup>	E2(+M1)		0.00812	$\alpha(K)=0.00708$ 10; $\alpha(L)=0.000849$ 12; $\alpha(M)=0.0001628$ 23; $\alpha(N+..)=3.08\times10^{-5}$ 5 $\alpha(N)=2.91\times10^{-5}$ 4; $\alpha(O)=1.704\times10^{-6}$ 24 Mult.: From A <sub>2</sub> =+0.31 6, A <sub>4</sub> =-0.14 9 (1990Ke02) in <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ).
		648.58 <sup>&amp;</sup> 8	17 <sup>&amp;</sup> 4	2876.812	6 <sup>+</sup>	M1+E2	+0.20 +10-12	0.00357 6	$\alpha(K)=0.00311$ 5; $\alpha(L)=0.000370$ 6; $\alpha(M)=7.09\times10^{-5}$ 10; $\alpha(N+..)=1.341\times10^{-5}$ 19 $\alpha(N)=1.266\times10^{-5}$ 18; $\alpha(O)=7.45\times10^{-7}$ 12 Mult.: From $\alpha(K)\exp=4.2\times10^{-3}$ 12 (1979Sy02) in <sup>110</sup> In $\varepsilon$ decay (4.9 h).

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
3525.34	6 <sup>+</sup>	1045.24 <sup>&amp;</sup> 9	35.7 <sup>&amp;</sup> 17	2479.9339	6 <sup>+</sup>	M1(+E2)	+0.3 3	0.00119 4	$\alpha(K)=0.00311$ 5; $\alpha(L)=0.000370$ 6; $\alpha(M)=7.09\times10^{-5}$ 10; $\alpha(N+..)=1.341\times10^{-5}$ 19 $\alpha(N)=1.266\times10^{-5}$ 18; $\alpha(O)=7.45\times10^{-7}$ 12 Mult.: From $\alpha(K)\exp=4.2\times10^{-3}$ 12 ( <a href="#">1979Sy02</a> ) in <sup>110</sup> In $\varepsilon$ decay (4.9 h). δ: From $\gamma\gamma(\theta)$ in <sup>110</sup> In $\varepsilon$ decay (4.9 h) ( <a href="#">1980Ba58</a> ).
3598.0	1 <sup>+</sup>	1305.11 <sup>&amp;</sup> 9	15.2 <sup>&amp;</sup> 13	2220.0683	4 <sup>+</sup>				$\alpha(K)=0.00104$ 4; $\alpha(L)=0.000122$ 4; $\alpha(M)=2.34\times10^{-5}$ 7; $\alpha(N+..)=4.43\times10^{-6}$ 13 $\alpha(N)=4.18\times10^{-6}$ 12; $\alpha(O)=2.48\times10^{-7}$ 9 Mult.: From $\alpha(K)\exp=1.0\times10^{-3}$ 2 ( <a href="#">1980Ba58</a> ). δ: From $\gamma\gamma(\theta)$ in <sup>110</sup> In $\varepsilon$ decay (4.9 h) ( <a href="#">1980Ba58</a> ).
		1982.77 <sup>&amp;</sup> 18	17.0 <sup>&amp;</sup> 4	1542.4441	4 <sup>+</sup>				
3611.041	10 <sup>+</sup>	171.33 2	14.81 11	3439.719	8 <sup>+</sup>	E2		0.221	B(M1)(W.u.)=0.0067 6 $\alpha(K)=8.85\times10^{-5}$ 13; $\alpha(L)=1.011\times10^{-5}$ 15; $\alpha(M)=1.93\times10^{-6}$ 3; $\alpha(N+..)=0.001008$ 15 $\alpha(N)=3.45\times10^{-7}$ 5; $\alpha(O)=2.08\times10^{-8}$ 3; $\alpha(IPF)=0.001007$ 15 Mult.: From $\gamma(\theta)$ and linear polarization measurements in <sup>110</sup> Cd( $\gamma,\gamma'$ ) ( <a href="#">2005Ko32</a> ). $\alpha(K)=0.181$ 3; $\alpha(L)=0.0329$ 5; $\alpha(M)=0.00645$ 9; $\alpha(N+..)=0.001134$ 16 $\alpha(N)=0.001097$ 16; $\alpha(O)=3.65\times10^{-5}$ 6 B(E2)(W.u.)=29.1 15 E <sub>γ</sub> : From <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). I <sub>γ</sub> : From (HI,xnγ). Mult.: From $A_2=+0.22$ 2, $A_4=-0.08$ 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). $\alpha(K)=0.00940$ 16; $\alpha(L)=0.001123$ 21; $\alpha(M)=0.000214$ 4; $\alpha(N+..)=4.00\times10^{-5}$ 8 $\alpha(N)=3.79\times10^{-5}$ 7; $\alpha(O)=2.08\times10^{-6}$ 4 B(E1)(W.u.)=( $1.33\times10^{-6}$ 9); B(M2)(W.u.)=( $0.017$ +39-17) E <sub>γ</sub> : From <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ). I <sub>γ</sub> : From (HI,xnγ). Mult.: From $A_2=-0.27$ 2 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
265.218 20	5.23 22	3345.810	9 <sup>-</sup>	E1(+M2)	-0.014 16	0.01078 19			

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	α <sup>†</sup>	Comments
3611.041	10 <sup>+</sup>	335.596 15	100.0 10	3275.449	8 <sup>+</sup>	E2		0.0225	$\alpha(K)=0.0192$ 3; $\alpha(L)=0.00273$ 4; $\alpha(M)=0.000528$ 8; $\alpha(N+..)=9.61\times10^{-5}$ 14 $\alpha(N)=9.19\times10^{-5}$ 13; $\alpha(O)=4.22\times10^{-6}$ 6 B(E2)(W.u.)=6.8 4 E <sub>γ</sub> : From <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ). I <sub>γ</sub> : From (HI,xn $\gamma$ ). Mult.: From A <sub>2</sub> =+0.35 2, A <sub>4</sub> =-0.10 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ) and A <sub>2</sub> =0.333 11, A <sub>4</sub> =-0.093 16 in (HI,xn $\gamma$ ).
	423.5 3		2.27 22	3187.337	8 <sup>+</sup>	E2		0.01088	$\alpha(K)=0.00933$ 14; $\alpha(L)=0.001260$ 18; $\alpha(M)=0.000243$ 4; $\alpha(N+..)=4.47\times10^{-5}$ 7 $\alpha(N)=4.26\times10^{-5}$ 6; $\alpha(O)=2.10\times10^{-6}$ 3 B(E2)(W.u.)=0.048 6 Mult.: DCO=1.7 4 in (HI,xn $\gamma$ ).
3634.57	2 <sup>+</sup>	1555.76 <sup>&amp;</sup> 21	28 <sup>&amp;</sup> 9	2078.548	3 <sup>-</sup>				
		1851.15 <sup>&amp;</sup> 13	100 <sup>&amp;</sup> 9	1783.496	2 <sup>+</sup>				
3641.10	8 <sup>-</sup>	566.02 <sup>ad</sup> 12	43.1 <sup>a</sup> 17	3074.971	6 <sup>-</sup>	(E2)		0.00469	$\alpha(K)=0.00405$ 6; $\alpha(L)=0.000521$ 8; $\alpha(M)=0.0001002$ 14; $\alpha(N+..)=1.86\times10^{-5}$ 3 $\alpha(N)=1.767\times10^{-5}$ 25; $\alpha(O)=9.28\times10^{-7}$ 13 I <sub>γ</sub> : I <sub>γ</sub> for unresolved doublet in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ). $\alpha(K)=0.00358$ 5; $\alpha(L)=0.000426$ 6; $\alpha(M)=8.16\times10^{-5}$ 12; $\alpha(N+..)=1.544\times10^{-5}$ 22 $\alpha(N)=1.458\times10^{-5}$ 21; $\alpha(O)=8.59\times10^{-7}$ 12 Mult.: From <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ) ( <a href="#">1990Ke02</a> ) but no $\delta$ given.
		611.80 <sup>a</sup> 15	24 <sup>a</sup> 7	3029.077	7 <sup>-</sup>	M1+E2		0.00411	$\alpha(K)=0.00215$ 3; $\alpha(L)=0.000254$ 4; $\alpha(M)=4.86\times10^{-5}$ 7; $\alpha(N+..)=9.20\times10^{-6}$ 13 $\alpha(N)=8.68\times10^{-6}$ 13; $\alpha(O)=5.14\times10^{-7}$ 8 Mult.: From A <sub>2</sub> =-0.14 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).
		761.93 <sup>a</sup> 4	100 <sup>a</sup> 4	2879.185	7 <sup>-</sup>	M1+E2	+0.057 24	0.00246	$\alpha(K)=0.00215$ 3; $\alpha(L)=0.000254$ 4; $\alpha(M)=4.86\times10^{-5}$ 7; $\alpha(N+..)=9.20\times10^{-6}$ 13 $\alpha(N)=8.68\times10^{-6}$ 13; $\alpha(O)=5.14\times10^{-7}$ 8 Mult.: From A <sub>2</sub> =-0.14 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).
3683.15	9 <sup>-</sup>	255.74 <sup>ad</sup> 15	4.77 <sup>a</sup> 25	3427.27	8 <sup>-</sup>	M1+E2	-0.12 11	0.0363 9	$\alpha(K)=0.0315$ 7; $\alpha(L)=0.00387$ 14; $\alpha(M)=0.00074$ 3; $\alpha(N+..)=0.000140$ 5 $\alpha(N)=0.000133$ 5; $\alpha(O)=7.62\times10^{-6}$ 14 Mult.: From A <sub>2</sub> =-0.42 1 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).
		337.40 7	15.6 5	3345.810	9 <sup>-</sup>	M1+E2		0.01765	$\alpha(K)=0.01537$ 22; $\alpha(L)=0.00186$ 3; $\alpha(M)=0.000357$ 5; $\alpha(N+..)=6.75\times10^{-5}$ 10 $\alpha(N)=6.37\times10^{-5}$ 9; $\alpha(O)=3.71\times10^{-6}$ 6

## Adopted Levels, Gammas (continued)

<u><math>\gamma^{(110\text{Cd})}</math> (continued)</u>										
E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	δ <sup>c</sup>	a <sup>†</sup>	Comments	
3683.15	9 <sup>-</sup>	627.59 <sup>d</sup> 12	65.8 <sup>d</sup> 20	3055.703	8 <sup>-</sup>	M1+E2	-0.21 7	0.00385	Mult.: From A <sub>2</sub> =+0.67 9 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ). No reliable δ could be obtained by <a href="#">1990Ke02</a> .	
		654.00 10	100.0 15	3029.077	7 <sup>-</sup>	E2		0.00318	$\alpha(K)=0.00336~5; \alpha(L)=0.000400~6; \alpha(M)=7.67\times10^{-5}~11;$ $\alpha(N+..)=1.450\times10^{-5}~21$ $\alpha(N)=1.370\times10^{-5}~20; \alpha(O)=8.05\times10^{-7}~12$ Mult.: From DCO=0.90 10 in (HI,xn $\gamma$ ) and A <sub>2</sub> =-0.57 4 ( <a href="#">1990Ke02</a> ), in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).	
3726.58	1,2 <sup>+</sup>	3726.51 <sup>&amp;</sup> 18	100 <sup>&amp;</sup>	0.0	0 <sup>+</sup>				$\alpha(K)=0.00276~4; \alpha(L)=0.000347~5; \alpha(M)=6.67\times10^{-5}~10;$ $\alpha(N+..)=1.243\times10^{-5}~18$ $\alpha(N)=1.180\times10^{-5}~17; \alpha(O)=6.35\times10^{-7}~9$	
3772.77	1 <sup>+</sup>	3114	30 3	657.7623	2 <sup>+</sup>	[M1]		9.37×10 <sup>-4</sup>	Mult.: From A <sub>2</sub> =+0.37 3, A <sub>4</sub> =-0.06 6 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).	
43		3772.70 <sup>@</sup> 4	100 <sup>@</sup>	0.0	0 <sup>+</sup>	M1		1.17×10 <sup>-3</sup>	$\alpha(K)=8.13\times10^{-5}~12; \alpha(L)=9.29\times10^{-6}~13;$ $\alpha(M)=1.772\times10^{-6}~25; \alpha(N+..)=0.001076~15$ $\alpha(N)=3.17\times10^{-7}~5; \alpha(O)=1.91\times10^{-8}~3; \alpha(IPF)=0.001076~15$ B(M1)(W.u.)=0.0131 14 E <sub>γ</sub> ,I <sub>γ</sub> : From <sup>110</sup> Cd( $\gamma,\gamma'$ ). Mult.: Deduced from $\gamma(\theta)$ and linear polarization measurements in <sup>110</sup> Cd( $\gamma,\gamma'$ ) ( <a href="#">2005Ko32</a> ).	
3782.13	9 <sup>-</sup>	726.43 <sup>a</sup> 4	100.0 <sup>a</sup> 22	3055.703	8 <sup>-</sup>	M1+E2	+0.15 2	0.00274	$\alpha(K)=0.00239~4; \alpha(L)=0.000283~4; \alpha(M)=5.42\times10^{-5}~8;$ $\alpha(N+..)=1.026\times10^{-5}~15$ $\alpha(N)=9.69\times10^{-6}~14; \alpha(O)=5.72\times10^{-7}~8$ Mult.: From A <sub>2</sub> =-0.00 2 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).	
		902.90 <sup>a</sup> 15	68.9 <sup>a</sup> 15	2879.185	7 <sup>-</sup>	E2		1.44×10 <sup>-3</sup>	$\alpha(K)=0.001252~18; \alpha(L)=0.0001521~22; \alpha(M)=2.91\times10^{-5}~4;$ $\alpha(N+..)=5.47\times10^{-6}~8$ $\alpha(N)=5.18\times10^{-6}~8; \alpha(O)=2.91\times10^{-7}~4$ I <sub>γ</sub> : Other: 100 12 in (HI,xn $\gamma$ ). Mult.: From A <sub>2</sub> =+0.36 2, A <sub>4</sub> =-0.18 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup> Pd( $\alpha$ ,4n $\gamma$ ).	

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult.	δ <sup>c</sup>	α <sup>†</sup>	Comments
3791.62	8 <sup>+</sup>	351.93 <sup>a</sup> 7	25.0 <sup>a</sup> 16	3439.719	8 <sup>+</sup>	M1(+E2)	-0.15 24	0.0159 5	$\alpha(K)=0.0139$ 4; $\alpha(L)=0.00169$ 8; $\alpha(M)=0.000324$ 15; $\alpha(N..)=6.10\times10^{-5}$ 25 $\alpha(N)=5.77\times10^{-5}$ 25; $\alpha(O)=3.34\times10^{-6}$ 6 Mult.: From A <sub>2</sub> =+0.30 5 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
	914.50 <sup>a</sup> 15	100 <sup>a</sup> 5		2876.812	6 <sup>+</sup>	E2		1.40×10 <sup>-3</sup>	$\alpha(K)=0.001216$ 17; $\alpha(L)=0.0001475$ 21; $\alpha(M)=2.83\times10^{-5}$ 4; $\alpha(N..)=5.30\times10^{-6}$ 8 $\alpha(N)=5.02\times10^{-6}$ 7; $\alpha(O)=2.83\times10^{-7}$ 4 Mult.: From A <sub>2</sub> =+0.42 11 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
	1311.70 <sup>a</sup> 6	78 <sup>a</sup> 3		2479.9339	6 <sup>+</sup>	E2		6.65×10 <sup>-4</sup>	$\alpha(K)=0.000558$ 8; $\alpha(L)=6.58\times10^{-5}$ 10; $\alpha(M)=1.259\times10^{-5}$ 18; $\alpha(N..)=2.87\times10^{-5}$ 4 $\alpha(N)=2.24\times10^{-6}$ 4; $\alpha(O)=1.303\times10^{-7}$ 19; $\alpha(IPF)=2.63\times10^{-5}$ 4 Mult.: From A <sub>2</sub> =+0.30 4 in ( <a href="#">1990Ke02</a> ) <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
3823.247	10 <sup>-</sup>	477.45 <sup>a</sup> 4	20.0 <sup>a</sup> 6	3345.810	9 <sup>-</sup>	M1+E2	-0.24 8	0.00746	$\alpha(K)=0.00650$ 9; $\alpha(L)=0.000783$ 12; $\alpha(M)=0.0001501$ 22; $\alpha(N..)=2.83\times10^{-5}$ 4 $\alpha(N)=2.68\times10^{-5}$ 4; $\alpha(O)=1.558\times10^{-6}$ 22 B(M1)(W.u.)=0.0091 9; B(E2)(W.u.)=1.9 12 I <sub>γ</sub> : Other: 14.8 9 in (HI,xnγ). Mult.: From DCO=0.60 6 in (HI,xnγ) and A <sub>2</sub> =-0.61 4, A <sub>4</sub> =+0.13 6 in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ) ( <a href="#">1990Ke02</a> ).
	767.532 <sup>a</sup> 20	100.0 <sup>a</sup> 12		3055.703	8 <sup>-</sup>	E2		0.00212	$\alpha(K)=0.00184$ 3; $\alpha(L)=0.000227$ 4; $\alpha(M)=4.36\times10^{-5}$ 7; $\alpha(N..)=8.16\times10^{-6}$ 12 $\alpha(N)=7.74\times10^{-6}$ 11; $\alpha(O)=4.27\times10^{-7}$ 6 B(E2)(W.u.)=16.1 14 Mult.: From A <sub>2</sub> =-0.36 3, A <sub>4</sub> =-0.13 4 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha,2n\gamma$ ), <sup>110</sup> Pd( $\alpha,4n\gamma$ ).
3854.1	(1 <sup>+</sup> )	3854	100	0.0	0 <sup>+</sup>	(M1)		1.19×10 <sup>-3</sup>	$\alpha(K)=7.83\times10^{-5}$ 11; $\alpha(L)=8.95\times10^{-6}$ 13; $\alpha(M)=1.706\times10^{-6}$ 24; $\alpha(N..)=0.001105$ 16 $\alpha(N)=3.05\times10^{-7}$ 5; $\alpha(O)=1.84\times10^{-8}$ 3; $\alpha(IPF)=0.001105$ 16 B(M1)(W.u.)=0.0084 11 E <sub>γ</sub> ,I <sub>γ</sub> : From <sup>110</sup> Cd( $\gamma,\gamma'$ ). Mult.: POL=+0.09 7 for the 3854+3862 keV doublet.
3861.9	(1 <sup>+</sup> )	3204	12 4	657.7623	2 <sup>+</sup>	[M1]		9.69×10 <sup>-4</sup>	$\alpha(K)=0.0001090$ 16; $\alpha(L)=1.249\times10^{-5}$ 18; $\alpha(M)=2.38\times10^{-6}$ 4; $\alpha(N..)=0.000845$ 12

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	α <sup>†</sup>	Comments
3861.9	(1 <sup>+</sup> )	3862		100	0.0	0 <sup>+</sup>	(M1)	$1.20 \times 10^{-3}$
								$\alpha(K)=0.0001090~16; \alpha(L)=1.249 \times 10^{-5}~18; \alpha(M)=2.38 \times 10^{-6}~4;$ $\alpha(N..)=0.000845~12$ $\alpha(N)=4.26 \times 10^{-7}~6; \alpha(O)=2.56 \times 10^{-8}~4; \alpha(IPF)=0.000845~12$ $B(M1)(W.u.)=0.0054~19$ $E_{\gamma}I_{\gamma}$ : From <sup>110</sup> Cd( $\gamma, \gamma'$ ). $\alpha(K)=7.81 \times 10^{-5}~11; \alpha(L)=8.91 \times 10^{-6}~13; \alpha(M)=1.700 \times 10^{-6}~24;$ $\alpha(N..)=0.001108~16$ $\alpha(N)=3.04 \times 10^{-7}~5; \alpha(O)=1.83 \times 10^{-8}~3; \alpha(IPF)=0.001107~16$ $B(M1)(W.u.)=0.0256~14$ $E_{\gamma}I_{\gamma}$ : From <sup>110</sup> Cd( $\gamma, \gamma'$ ). Mult.: Deduced from $\gamma(\theta)$ and linear polarization measurements in <sup>110</sup> Cd( $\gamma, \gamma'$ ) ( <a href="#">2005Ko32</a> ).
3992.79	(9 <sup>-</sup> )	1113.60 <sup>a</sup> 15	100 <sup>a</sup>	2879.185	7 <sup>-</sup>	(E2)	$9.01 \times 10^{-4}$	$\alpha(K)=0.000785~11; \alpha(L)=9.37 \times 10^{-5}~14; \alpha(M)=1.79 \times 10^{-5}~3;$ $\alpha(N..)=4.19 \times 10^{-6}~6$ $\alpha(N)=3.19 \times 10^{-6}~5; \alpha(O)=1.83 \times 10^{-7}~3; \alpha(IPF)=8.12 \times 10^{-7}~12$ Mult.: From $A_2=+0.53~10$ ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ). $\alpha(K)=0.00295~5; \alpha(L)=0.000373~6; \alpha(M)=7.17 \times 10^{-5}~11;$ $\alpha(N..)=1.335 \times 10^{-5}~19$ $\alpha(N)=1.267 \times 10^{-5}~18; \alpha(O)=6.79 \times 10^{-7}~10$ $B(E2)(W.u.)=15~+4-5$ Mult.: From DCO=1.5 2.
4077.176	10 <sup>+</sup>	637.2 5	6.8 9	3439.719	8 <sup>+</sup>	E2	0.00341	$\alpha(K)=0.001657~24; \alpha(L)=0.000204~3; \alpha(M)=3.91 \times 10^{-5}~6;$ $\alpha(N..)=7.31 \times 10^{-6}~11$ $\alpha(N)=6.93 \times 10^{-6}~10; \alpha(O)=3.84 \times 10^{-7}~6$ $B(E2)(W.u.)=71~+13-21$ Mult.: From DCO=1.5 2.
		801.724 <sup>a</sup> 15	100 <sup>a</sup> 1	3275.449	8 <sup>+</sup>	E2	0.00191	$\alpha(K)=0.001657~24; \alpha(L)=0.000204~3; \alpha(M)=3.91 \times 10^{-5}~6;$ $\alpha(N..)=7.31 \times 10^{-6}~11$ $\alpha(N)=6.93 \times 10^{-6}~10; \alpha(O)=3.84 \times 10^{-7}~6$ $B(E2)(W.u.)=71~+13-21$ Mult.: From DCO=1.5 2.
4172.076	12 <sup>+</sup>	561.034 <sup>a</sup> 10	100 <sup>a</sup>	3611.041	10 <sup>+</sup>	E2	0.00481	$\alpha(K)=0.00415~6; \alpha(L)=0.000534~8; \alpha(M)=0.0001028~15;$ $\alpha(N..)=1.91 \times 10^{-5}~3$ $\alpha(N)=1.81 \times 10^{-5}~3; \alpha(O)=9.50 \times 10^{-7}~14$ $B(E2)(W.u.)=40.0~15$ Mult.: $A_2=+0.36~2, A_4=-0.09~3$ ( <a href="#">1990Ke02</a> ) from <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ). $\alpha(K)=0.001539~22; \alpha(L)=0.000188~3; \alpha(M)=3.61 \times 10^{-5}~5;$ $\alpha(N..)=6.77 \times 10^{-6}~10$ $\alpha(N)=6.41 \times 10^{-6}~9; \alpha(O)=3.57 \times 10^{-7}~5$ $B(E2)(W.u.)=22.4~16$ Mult.: From $A_2=+0.37~1, A_4=-0.13~2$ ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd( $\alpha, 2n\gamma$ ), <sup>110</sup> Pd( $\alpha, 4n\gamma$ ). Mult.: From DCO < 0.6.
4181.96	10 <sup>-</sup>	499.1 5	20 7	3683.15	9 <sup>-</sup>	D		

45

## Adopted Levels, Gammas (continued)

 $\gamma^{(110\text{Cd})}$  (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\ddagger$	$I_\gamma^\ddagger$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\delta^c$	$\alpha^\dagger$	Comments
4181.96	$10^-$	$754.69^a$ 6	$100^a$ 3	3427.27	$8^-$	E2		0.00221	$\alpha(K)=0.00192$ 3; $\alpha(L)=0.000237$ 4; $\alpha(M)=4.56\times 10^{-5}$ 7; $\alpha(N..)=8.52\times 10^{-6}$ 12 $\alpha(N)=8.08\times 10^{-6}$ 12; $\alpha(O)=4.45\times 10^{-7}$ 7 $B(E2)(W.u.)=43$ 7 Mult.: From $A_2=+0.39$ 1, $A_4=-0.13$ 2 ( <a href="#">1990Ke02</a> ) in $^{108}\text{Pd}(\alpha,2n\gamma), ^{110}\text{Pd}(\alpha,4n\gamma)$ .
	$836.13^a$ 10	$46.3^a$ 18	3345.810	$9^-$	M1+E2	-0.27 8	0.00197		$\alpha(K)=0.00172$ 3; $\alpha(L)=0.000203$ 3; $\alpha(M)=3.89\times 10^{-5}$ 6; $\alpha(N..)=7.36\times 10^{-6}$ 11 $\alpha(N)=6.95\times 10^{-6}$ 11; $\alpha(O)=4.10\times 10^{-7}$ 7 $B(M1)(W.u.)=0.0094$ 15; $B(E2)(W.u.)=0.8$ 5 $I_\gamma$ : Other: 33 7 from (HI,xn $\gamma$ ). Mult.: From DCO=0.46 4 in (HI,xn $\gamma$ ) and $A_2=-0.66$ 4 ( <a href="#">1990Ke02</a> ) in $^{108}\text{Pd}(\alpha,2n\gamma), ^{110}\text{Pd}(\alpha,4n\gamma)$ .
4334.26	$10^-$	$694^d$ 1 $988.44^a$ 6	$100^a$	3641.10	$8^-$	M1+E2	0.57 12	$1.32\times 10^{-3}$ 2	$\alpha(K)=0.001150$ 21; $\alpha(L)=0.0001358$ 24; $\alpha(M)=2.60\times 10^{-5}$ 5; $\alpha(N..)=4.91\times 10^{-6}$ 9 $\alpha(N)=4.64\times 10^{-6}$ 8; $\alpha(O)=2.73\times 10^{-7}$ 6 Mult.: From DCO=1.6 2. Other: M1+E2 from $^{108}\text{Pd}(\alpha,2n\gamma), ^{110}\text{Pd}(\alpha,4n\gamma)$ ( <a href="#">1990Ke02</a> ). $\delta=0.57$ 12 reported by <a href="#">1990Ke02</a> .
4421.62	$(10^+)$	$1075.8^a$ 2	$100^a$	3345.810	$9^-$	D			Mult.: From $A_2=+0.35$ 6 ( <a href="#">1990Ke02</a> ) in $^{108}\text{Pd}(\alpha,2n\gamma), ^{110}\text{Pd}(\alpha,4n\gamma)$ .
4438.37	$9^+$	$1251.03^a$ 6	$100^a$	3187.337	$8^+$	M1+E2		$8.27\times 10^{-4}$	$\alpha(K)=0.000712$ 10; $\alpha(L)=8.31\times 10^{-5}$ 12; $\alpha(M)=1.589\times 10^{-5}$ 23; $\alpha(N..)=1.571\times 10^{-5}$ 22 $\alpha(N)=2.84\times 10^{-6}$ 4; $\alpha(O)=1.693\times 10^{-7}$ 24; $\alpha(IPF)=1.270\times 10^{-5}$ 18 Mult.: From $A_2=+0.06$ 3 ( <a href="#">1990Ke02</a> ) $^{108}\text{Pd}(\alpha,2n\gamma), ^{110}\text{Pd}(\alpha,4n\gamma)$ but no $\delta$ given.
4559.12	$11^-$	$735.83$ 5	$38$ 10	3823.247	$10^-$	M1+E2	-0.07 5	0.00266	$\alpha(K)=0.00233$ 4; $\alpha(L)=0.000275$ 4; $\alpha(M)=5.27\times 10^{-5}$ 8; $\alpha(N..)=9.97\times 10^{-6}$ 14 $\alpha(N)=9.42\times 10^{-6}$ 14; $\alpha(O)=5.57\times 10^{-7}$ 8 $B(M1)(W.u.)=0.009$ +5-8; $B(E2)(W.u.)=0.07$ +10-7 $E_\gamma$ : from $^{108}\text{Pd}(\alpha,2n\gamma), ^{110}\text{Pd}(\alpha,4n\gamma)$ . $I_\gamma$ : From (HI,xn $\gamma$ ). Other: 17.4 14 in $^{108}\text{Pd}(\alpha,2n\gamma), ^{110}\text{Pd}(\alpha,4n\gamma)$ . Mult.: From DCO=0.73 14 in (HI,xn $\gamma$ ) and $A_2=-0.37$ 5 ( <a href="#">1990Ke02</a> ) in $^{108}\text{Pd}(\alpha,2n\gamma), ^{110}\text{Pd}(\alpha,4n\gamma)$ .
	$876.00^a$ 5	$100^a$ 5	3683.15	$9^-$	E2			$1.54\times 10^{-3}$	$\alpha(K)=0.001343$ 19; $\alpha(L)=0.0001636$ 23; $\alpha(M)=3.14\times 10^{-5}$

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	α <sup>†</sup>	Comments
4620.2	10 <sup>+</sup>	1344.5 5 1433.0 5	40 20 100 20	3275.449 8 <sup>+</sup> 3187.337 8 <sup>+</sup>				5; α(N+..)=5.88×10 <sup>-6</sup> 9 α(N)=5.57×10 <sup>-6</sup> 8; α(O)=3.12×10 <sup>-7</sup> 5 B(E2)(W.u.)=15 +7-13 Mult.: From A <sub>2</sub> =+0.32 3, A <sub>4</sub> =-0.10 4 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ).
4736.81	11 <sup>-</sup>	954.64 <sup>a</sup> 20	100 <sup>a</sup>	3782.13 9 <sup>-</sup>	E2	1.27×10 <sup>-3</sup>		Mult.: Note that mult.=M1+E2 was suggested in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ) ( <a href="#">1990Ke02</a> ), while the decay scheme requires mult.=E2.
4888.27	12 <sup>+</sup>	811.093 <sup>a</sup> 20	100 <sup>a</sup>	4077.176 10 <sup>+</sup>	E2	0.00185		α(K)=0.001103 16; α(L)=0.0001332 19; α(M)=2.55×10 <sup>-5</sup> 4; α(N+..)=4.79×10 <sup>-6</sup> 7 α(N)=4.54×10 <sup>-6</sup> 7; α(O)=2.57×10 <sup>-7</sup> 4 Mult.: From DCO=1.7 4 in (HI,xnγ) and A <sub>2</sub> =+0.35 5, A <sub>4</sub> =-0.11 7 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ).
4930.26	12 <sup>-</sup>	757.7 5	6 1	4172.706 11 <sup>-</sup>	M1	0.00249		α(K)=0.001611 23; α(L)=0.000198 3; α(M)=3.79×10 <sup>-5</sup> 6; α(N+..)=7.10×10 <sup>-6</sup> 10 α(N)=6.73×10 <sup>-6</sup> 10; α(O)=3.74×10 <sup>-7</sup> 6 B(E2)(W.u.)=37 4 Mult.: From DCO=1.46 6 in (HI,xnγ) and A <sub>2</sub> =+0.35 2, A <sub>4</sub> =-0.10 3 ( <a href="#">1990Ke02</a> ) in <sup>108</sup> Pd(α,2nγ), <sup>110</sup> Pd(α,4nγ).
5026.32	14 <sup>+</sup>	854.25 <sup>a</sup> 7	100 <sup>a</sup>	4172.076 12 <sup>+</sup>	E2	1.64×10 <sup>-3</sup>		α(K)=0.001425 20; α(L)=0.0001739 25; α(M)=3.33×10 <sup>-5</sup> 5; α(N+..)=6.25×10 <sup>-6</sup> 9 α(N)=5.92×10 <sup>-6</sup> 9; α(O)=3.31×10 <sup>-7</sup> 5 B(E2)(W.u.)=29 3 Mult.: From DCO=1.44 9.
5092.56	12 <sup>-</sup>	910.6 3	100	4181.96 10 <sup>-</sup>	E2	1.41×10 <sup>-3</sup>		α(K)=0.001228 18; α(L)=0.0001490 21; α(M)=2.86×10 <sup>-5</sup> 4; α(N+..)=5.36×10 <sup>-6</sup> 8 α(N)=5.07×10 <sup>-6</sup> 8; α(O)=2.86×10 <sup>-7</sup> 4 B(E2)(W.u.)=8.7 11 Mult.: From DCO=1.48 10.

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

48

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	α <sup>†</sup>	Comments
5113.6	12 <sup>+</sup>	941 1 1036.7 3	<13 100 7	4172.076 4077.176	12 <sup>+</sup> 10 <sup>+</sup>	E2	1.05×10 <sup>-3</sup>	α(K)=0.000917 13; α(L)=0.0001101 16; α(M)=2.11×10 <sup>-5</sup> 3; α(N+..)=3.96×10 <sup>-6</sup> 6 α(N)=3.75×10 <sup>-6</sup> 6; α(O)=2.14×10 <sup>-7</sup> 3 Mult.: From DCO=1.29 11.
5212.7	12 <sup>-</sup>	878.2 3	100	4334.26	10 <sup>-</sup>	E2	1.53×10 <sup>-3</sup>	α(K)=0.001335 19; α(L)=0.0001626 23; α(M)=3.12×10 <sup>-5</sup> 5; α(N+..)=5.85×10 <sup>-6</sup> 9 α(N)=5.53×10 <sup>-6</sup> 8; α(O)=3.10×10 <sup>-7</sup> 5 Mult.: From DCO=1.46 12.
5215.5	(11 <sup>+</sup> )	595.3 5	100	4620.2	10 <sup>+</sup>			α(K)=0.000846 12; α(L)=0.0001012 15; α(M)=1.94×10 <sup>-5</sup> 3;
5248.93	13 <sup>-</sup>	1076.1 3	100	4172.706	11 <sup>-</sup>	E2	9.70×10 <sup>-4</sup>	α(N+..)=3.64×10 <sup>-6</sup> 6 α(N)=3.45×10 <sup>-6</sup> 5; α(O)=1.97×10 <sup>-7</sup> 3 B(E2)(W.u.)>8.9 Mult.: From DCO=1.40 8.
5497.29	13 <sup>-</sup>	937 1 1324.6 5 1325.6 5	100 10 40 10 80 20	4559.12 4172.706 4172.076	11 <sup>-</sup> 11 <sup>-</sup> 12 <sup>+</sup>			
5500.00	13 <sup>+</sup>	1327.9 3	100	4172.076	12 <sup>+</sup>	M1	7.42×10 <sup>-4</sup>	α(K)=0.000627 9; α(L)=7.30×10 <sup>-5</sup> 11; α(M)=1.396×10 <sup>-5</sup> 20; α(N+..)=2.88×10 <sup>-5</sup> 4 α(N)=2.50×10 <sup>-6</sup> 4; α(O)=1.489×10 <sup>-7</sup> 21; α(IPF)=2.62×10 <sup>-5</sup> 4 Mult.: From DCO=1.05 14.
5675.5	14 <sup>+</sup>	787.1 3	100 4	4888.27	12 <sup>+</sup>	E2	0.00199	α(K)=0.001732 25; α(L)=0.000213 3; α(M)=4.09×10 <sup>-5</sup> 6; α(N+..)=7.66×10 <sup>-6</sup> 11 α(N)=7.26×10 <sup>-6</sup> 11; α(O)=4.02×10 <sup>-7</sup> 6 Mult.: From DCO=1.50 6.
		1504 1	48 6	4172.076	12 <sup>+</sup>	E2	5.68×10 <sup>-4</sup>	α(K)=0.000424 6; α(L)=4.97×10 <sup>-5</sup> 7; α(M)=9.50×10 <sup>-6</sup> 14; α(N+..)=8.49×10 <sup>-5</sup> 13 α(N)=1.694×10 <sup>-6</sup> 24; α(O)=9.92×10 <sup>-8</sup> 14; α(IPF)=8.31×10 <sup>-5</sup> 13 Mult.: From DCO=1.7 3.
5758.52	13 <sup>-</sup>	509.8 5	31 6	5248.93	13 <sup>-</sup>	M1	0.00635	α(K)=0.00554 8; α(L)=0.000662 10; α(M)=0.0001270 18; α(N+..)=2.40×10 <sup>-5</sup> 4 α(N)=2.27×10 <sup>-5</sup> 4; α(O)=1.332×10 <sup>-6</sup> 19 Mult.: From DCO=1.32 12.
		545 1	16 3	5212.7	12 <sup>-</sup>	M1	0.00541	α(K)=0.00472 7; α(L)=0.000563 9; α(M)=0.0001079 16; α(N+..)=2.04×10 <sup>-5</sup> 3 α(N)=1.93×10 <sup>-5</sup> 3; α(O)=1.133×10 <sup>-6</sup> 17 Mult.: From DCO=0.63 8.
		666.0 5	19 6	5092.56	12 <sup>-</sup>	M1	0.00336	α(K)=0.00294 5; α(L)=0.000348 5; α(M)=6.67×10 <sup>-5</sup> 10;

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\ddagger$	$I_\gamma^\ddagger$	$E_f$	$J_f^\pi$	Mult. <sup>b</sup>	$\alpha^\ddagger$	Comments
5758.52	13 <sup>-</sup>	828.0 3	75 25	4930.26	12 <sup>-</sup>	M1	0.00203	$\alpha(\text{N+..})=1.262\times10^{-5}$ 18 $\alpha(\text{N})=1.191\times10^{-5}$ 17; $\alpha(\text{O})=7.03\times10^{-7}$ 10 Mult.: From DCO=0.83 11.
		1021.5 5	16 3	4736.81	11 <sup>-</sup>	E2	$1.09\times10^{-3}$	$\alpha(\text{K})=0.001776$ 25; $\alpha(\text{L})=0.000209$ 3; $\alpha(\text{M})=4.01\times10^{-5}$ 6; $\alpha(\text{N+..})=7.59\times10^{-6}$ 11 $\alpha(\text{N})=7.16\times10^{-6}$ 10; $\alpha(\text{O})=4.24\times10^{-7}$ 6 Mult.: From DCO=1.0 2.
		1198.9 5	19 6	4559.12	11 <sup>-</sup>	E2	$7.76\times10^{-4}$	$\alpha(\text{K})=0.000948$ 14; $\alpha(\text{L})=0.0001139$ 16; $\alpha(\text{M})=2.18\times10^{-5}$ 3; $\alpha(\text{N+..})=4.10\times10^{-6}$ 6 $\alpha(\text{N})=3.88\times10^{-6}$ 6; $\alpha(\text{O})=2.21\times10^{-7}$ 4 Mult.: From DCO=1.9 4.
		1586 1	31 6	4172.706	11 <sup>-</sup>	E2	$5.52\times10^{-4}$	$\alpha(\text{K})=0.000672$ 10; $\alpha(\text{L})=7.97\times10^{-5}$ 12; $\alpha(\text{M})=1.526\times10^{-5}$ 22; $\alpha(\text{N+..})=9.86\times10^{-6}$ 15 $\alpha(\text{N})=2.72\times10^{-6}$ 4; $\alpha(\text{O})=1.568\times10^{-7}$ 22; $\alpha(\text{IPF})=6.98\times10^{-6}$ 12 Mult.: From DCO=1.6 2.
		1586.8 3	100 6	4172.076	12 <sup>+</sup>	E1	$5.14\times10^{-4}$	$\alpha(\text{K})=0.000383$ 6; $\alpha(\text{L})=4.47\times10^{-5}$ 7; $\alpha(\text{M})=8.54\times10^{-6}$ 12; $\alpha(\text{N+..})=0.0001161$ 17 $\alpha(\text{N})=1.524\times10^{-6}$ 22; $\alpha(\text{O})=8.95\times10^{-8}$ 13; $\alpha(\text{IPF})=0.0001144$ 17 Mult.: From DCO=1.3 2.
5789.95	14 <sup>+</sup>	289.9 5	13 7	5500.00	13 <sup>+</sup>	E2	$5.48\times10^{-4}$	$\alpha(\text{K})=0.000188$ 3; $\alpha(\text{L})=2.15\times10^{-5}$ 3; $\alpha(\text{M})=4.10\times10^{-6}$ 6; $\alpha(\text{N+..})=0.000300$ 5 $\alpha(\text{N})=7.32\times10^{-7}$ 11; $\alpha(\text{O})=4.34\times10^{-8}$ 6; $\alpha(\text{IPF})=0.000299$ 5 Mult.: From DCO=0.71 9.
		1617.9 3	100 7	4172.076	12 <sup>+</sup>			$\alpha(\text{K})=0.000368$ 6; $\alpha(\text{L})=4.30\times10^{-5}$ 6; $\alpha(\text{M})=8.21\times10^{-6}$ 12; $\alpha(\text{N+..})=0.0001290$ 18 $\alpha(\text{N})=1.465\times10^{-6}$ 21; $\alpha(\text{O})=8.61\times10^{-8}$ 12; $\alpha(\text{IPF})=0.0001274$ 18 Mult.: From DCO=1.1 2.
		743.5 5	24 6	5113.6	12 <sup>+</sup>			$\alpha(\text{K})=0.001069$ 15; $\alpha(\text{L})=0.0001291$ 18; $\alpha(\text{M})=2.47\times10^{-5}$ 4; $\alpha(\text{N+..})=4.64\times10^{-6}$ 7 $\alpha(\text{N})=4.39\times10^{-6}$ 7; $\alpha(\text{O})=2.49\times10^{-7}$ 4 Mult.: From DCO=1.41 10.
5892.9	(12 <sup>+,13<sup>+</sup>)</sup>	677.4 5	<100	5215.5	(11 <sup>+</sup> )	E2	$1.08\times10^{-3}$	$\alpha(\text{K})=0.000938$ 14; $\alpha(\text{L})=0.0001127$ 16; $\alpha(\text{M})=2.16\times10^{-5}$ 3; $\alpha(\text{N+..})=4.06\times10^{-6}$ 6 $\alpha(\text{N})=3.84\times10^{-6}$ 6; $\alpha(\text{O})=2.19\times10^{-7}$ 3 Mult.: From DCO=1.51 13.
5914.5	14 <sup>+</sup>	1026.2 3	100	4888.27	12 <sup>+</sup>			
5966.98	14 <sup>-</sup>	718.1 5	15 3	5248.93	13 <sup>-</sup>			

**Adopted Levels, Gammas (continued)** $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>		I <sub>γ</sub> <sup>‡</sup>		E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	$\alpha^{\dagger}$	Comments			
		5966.98	14 <sup>-</sup>	753.8 5	21 5								
50	5984.2	874.4 3	100 16	5092.56	12 <sup>-</sup>	1036.8 3	37 3	E2	1.55×10 <sup>-3</sup>	$\alpha(\text{K})=0.00193\ 3; \alpha(\text{L})=0.000238\ 4; \alpha(\text{M})=4.57\times10^{-5}\ 7;$ $\alpha(\text{N+..})=8.55\times10^{-6}\ 12$ $\alpha(\text{N})=8.10\times10^{-6}\ 12; \alpha(\text{O})=4.46\times10^{-7}\ 7$ Mult.: From DCO=1.64 8.			
		1036.8 3	37 3	4930.26	12 <sup>-</sup>					$\alpha(\text{K})=0.001349\ 19; \alpha(\text{L})=0.0001643\ 23; \alpha(\text{M})=3.15\times10^{-5}\ 5;$ $\alpha(\text{N+..})=5.91\times10^{-6}\ 9$ $\alpha(\text{N})=5.59\times10^{-6}\ 8; \alpha(\text{O})=3.14\times10^{-7}\ 5$ Mult.: From DCO=1.5 2.			
		5758.52	13 <sup>-</sup>	5984.2	14 <sup>-</sup>	225.6 3	100	E2	1.05×10 <sup>-3</sup>	$\alpha(\text{K})=0.000917\ 13; \alpha(\text{L})=0.0001101\ 16; \alpha(\text{M})=2.11\times10^{-5}\ 3;$ $\alpha(\text{N+..})=3.96\times10^{-6}\ 6$ $\alpha(\text{N})=3.75\times10^{-6}\ 6; \alpha(\text{O})=2.14\times10^{-7}\ 3$ Mult.: From DCO=1.38 13.			
		1055 1	186.9 5	100	4930.26	12 <sup>-</sup>				$\alpha(\text{K})=0.0434\ 7; \alpha(\text{L})=0.00533\ 8; \alpha(\text{M})=0.001025\ 15; \alpha(\text{N+..})=0.000193\ 3$ $\alpha(\text{N})=0.000183\ 3; \alpha(\text{O})=1.056\times10^{-5}\ 16$ Mult.: From DCO=0.84 3.			
		186.9 5											
	6100.87	1074.6 2	100	5892.9	(12 <sup>+</sup> ,13 <sup>+</sup> )	6079.8	16 <sup>+</sup>	E2	9.73×10 <sup>-4</sup>	$\alpha(\text{K})=0.000848\ 12; \alpha(\text{L})=0.0001015\ 15; \alpha(\text{M})=1.94\times10^{-5}\ 3;$ $\alpha(\text{N+..})=3.66\times10^{-6}\ 6$ $\alpha(\text{N})=3.46\times10^{-6}\ 5; \alpha(\text{O})=1.98\times10^{-7}\ 3$ B(E2)(W.u.)=50 5 Mult.: From DCO=1.47 5.			
		1171.3 3	100 23	4930.26	12 <sup>-</sup>								
	6101.4	1009 1	20 4	5092.56	12 <sup>-</sup>	6178.5	14 <sup>-</sup>	E2	8.12×10 <sup>-4</sup>	$\alpha(\text{K})=0.000705\ 10; \alpha(\text{L})=8.39\times10^{-5}\ 12; \alpha(\text{M})=1.605\times10^{-5}\ 23;$ $\alpha(\text{N+..})=7.03\times10^{-6}\ 11$ $\alpha(\text{N})=2.86\times10^{-6}\ 4; \alpha(\text{O})=1.647\times10^{-7}\ 23; \alpha(\text{IPF})=4.01\times10^{-6}\ 7$ B(E2)(W.u.)>6.8 Mult.: From DCO=1.3 2.			
		1171.3 3	100 23	4930.26	12 <sup>-</sup>								
		678.5 3	100 27	5500.00	13 <sup>+</sup>					$\alpha(\text{K})=0.00251\ 4; \alpha(\text{L})=0.000314\ 5; \alpha(\text{M})=6.04\times10^{-5}\ 9;$ $\alpha(\text{N+..})=1.126\times10^{-5}\ 16$ $\alpha(\text{N})=1.068\times10^{-5}\ 15; \alpha(\text{O})=5.79\times10^{-7}\ 9$ Mult.: From DCO=1.23 10.			
	6178.5	388.6 5	18 5	5789.95	14 <sup>+</sup>	1152.1 5	15 <sup>+</sup>	(M1)	0.01238	$\alpha(\text{K})=0.01078\ 16; \alpha(\text{L})=0.001300\ 19; \alpha(\text{M})=0.000249\ 4;$ $\alpha(\text{N+..})=4.71\times10^{-5}\ 7$ $\alpha(\text{N})=4.45\times10^{-5}\ 7; \alpha(\text{O})=2.60\times10^{-6}\ 4$ Mult.: From DCO<0.7.			
		678.5 3	100 27	5500.00	13 <sup>+</sup>								
	1152.1 5	46 18	5026.32	14 <sup>+</sup>	5984.2	14 <sup>-</sup>	E2	0.00289	$\alpha(\text{K})=0.000851\ 12; \alpha(\text{L})=9.95\times10^{-5}\ 14; \alpha(\text{M})=1.90\times10^{-5}\ 3;$ $\alpha(\text{N+..})=5.74\times10^{-6}\ 9$ $\alpha(\text{N})=3.40\times10^{-6}\ 5; \alpha(\text{O})=2.03\times10^{-7}\ 3; \alpha(\text{IPF})=2.13\times10^{-6}\ 4$ Mult.: From DCO=1.2 2.				
		46 18	5026.32	14 <sup>+</sup>									

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	α <sup>†</sup>	Comments
6181.45	15 <sup>-</sup>	684.2 3	36 4	5497.29	13 <sup>-</sup>	E2	0.00283	$\alpha(K)=0.00246\ 4; \alpha(L)=0.000307\ 5; \alpha(M)=5.90\times10^{-5}\ 9;$ $\alpha(N+..)=1.101\times10^{-5}\ 16$ $\alpha(N)=1.044\times10^{-5}\ 15; \alpha(O)=5.67\times10^{-7}\ 8$ Mult.: From DCO=1.3 2.
		932.3 3	91 5	5248.93	13 <sup>-</sup>	E2	$1.34\times10^{-3}$	$\alpha(K)=0.001163\ 17; \alpha(L)=0.0001409\ 20; \alpha(M)=2.70\times10^{-5}\ 4;$ $\alpha(N+..)=5.07\times10^{-6}\ 8$ $\alpha(N)=4.80\times10^{-6}\ 7; \alpha(O)=2.71\times10^{-7}\ 4$ Mult.: From DCO=1.40 6.
		1155.2 3	100 7	5026.32	14 <sup>+</sup>	E1	$3.88\times10^{-4}$	$\alpha(K)=0.000325\ 5; \alpha(L)=3.75\times10^{-5}\ 6; \alpha(M)=7.15\times10^{-6}\ 10;$ $\alpha(N+..)=1.77\times10^{-5}\ 3$ $\alpha(N)=1.275\times10^{-6}\ 18; \alpha(O)=7.51\times10^{-8}\ 11; \alpha(IPF)=1.64\times10^{-5}\ 3$ Mult.: From DCO=0.81 6.
6216.9	(14)	1190.6 3	100	5026.32	14 <sup>+</sup>	D		Mult.: From DCO=1.39 14.
6354.3	15 <sup>-</sup>	370.0 3	100	5984.2	14 <sup>-</sup>	M1	0.01399	$\alpha(K)=0.01218\ 18; \alpha(L)=0.001472\ 21; \alpha(M)=0.000282\ 4;$ $\alpha(N+..)=5.33\times10^{-5}\ 8$ $\alpha(N)=5.04\times10^{-5}\ 8; \alpha(O)=2.94\times10^{-6}\ 5$ Mult.: From DCO=0.77 3.
51	6489.9	(1)	4707	1783.496	2 <sup>+</sup>			$E_\gamma:$ From <sup>110</sup> Cd( $\gamma, \gamma'$ ).
		5831		657.7623	2 <sup>+</sup>			$E_\gamma:$ From <sup>110</sup> Cd( $\gamma, \gamma'$ ).
		6490		0.0	0 <sup>+</sup>	D		$E_\gamma, \text{Mult.}:$ From <sup>110</sup> Cd( $\gamma, \gamma'$ ). $I\gamma(150^\circ)/I\gamma(90^\circ)=1.66\ 8, 1.75$ expected for 0(1)1(1)0 transition ( <a href="#">1969Mi13</a> ).
6543.9	(15 <sup>-</sup> )	1295 1	100	5248.93	13 <sup>-</sup>			Mult.: From DCO=1.4 2, very probably a ΔJ=0 transition.
6568.8	14	1542.4 5	100	5026.32	14 <sup>+</sup>	D		$\alpha(K)=0.001261\ 18; \alpha(L)=0.0001532\ 22; \alpha(M)=2.94\times10^{-5}\ 5;$ $\alpha(N+..)=5.51\times10^{-6}\ 8$ $\alpha(N)=5.22\times10^{-6}\ 8; \alpha(O)=2.93\times10^{-7}\ 5$
6575.6	16 <sup>+</sup>	900.1 3	100.0 23	5675.5	14 <sup>+</sup>	E2	$1.45\times10^{-3}$	Mult.: From DCO=1.33 7.  $\alpha(K)=0.000401\ 6; \alpha(L)=4.69\times10^{-5}\ 7; \alpha(M)=8.95\times10^{-6}\ 13;$ $\alpha(N+..)=0.0001016\ 15$ $\alpha(N)=1.597\times10^{-6}\ 23; \alpha(O)=9.36\times10^{-8}\ 14; \alpha(IPF)=9.99\times10^{-5}\ 15$ Mult.: From DCO=1.3 2.
		1549 1	25 5	5026.32	14 <sup>+</sup>	E2	$5.58\times10^{-4}$	Mult.: From DCO=1.33 7.  $\alpha(K)=0.000401\ 6; \alpha(L)=4.69\times10^{-5}\ 7; \alpha(M)=8.95\times10^{-6}\ 13;$ $\alpha(N+..)=0.0001016\ 15$ $\alpha(N)=1.597\times10^{-6}\ 23; \alpha(O)=9.36\times10^{-8}\ 14; \alpha(IPF)=9.99\times10^{-5}\ 15$ Mult.: From DCO=1.3 2.
6584.5	14	1558.1 5	100	5026.32	14 <sup>+</sup>	D		Mult.: From DCO=1.5 2, very probably a ΔJ=0 transition.
6646.1	(16 <sup>+</sup> )	856.1 5	100	5789.95	14 <sup>+</sup>	(E2)	$1.63\times10^{-3}$	$\alpha(K)=0.001417\ 20; \alpha(L)=0.0001730\ 25; \alpha(M)=3.32\times10^{-5}\ 5;$ $\alpha(N+..)=6.22\times10^{-6}\ 9$ $\alpha(N)=5.89\times10^{-6}\ 9; \alpha(O)=3.29\times10^{-7}\ 5$ Mult.: From DCO=1.69 14.
6671.1	(15 <sup>-</sup> )	1422 1	67 33	5248.93	13 <sup>-</sup>			
		1645 1	100 33	5026.32	14 <sup>+</sup>			
6672.6	16 <sup>-</sup>	491.2 5	12.1 14	6181.45	15 <sup>-</sup>			

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>b</sup>	α <sup>†</sup>	Comments
6672.6	16 <sup>-</sup>	705.7 3	100 7	5966.98	14 <sup>-</sup>	E2	0.00262	$\alpha(\text{K})=0.00227\ 4; \alpha(\text{L})=0.000283\ 4; \alpha(\text{M})=5.43\times10^{-5}\ 8; \alpha(\text{N+..})=1.015\times10^{-5}\ 15$ $\alpha(\text{N})=9.62\times10^{-6}\ 14; \alpha(\text{O})=5.24\times10^{-7}\ 8$ Mult.: From DCO=1.40 7.
6798.0	16 <sup>+</sup>	941.7 5	100	5856.3	14 <sup>+</sup>	E2	$1.31\times10^{-3}$	$\alpha(\text{K})=0.001137\ 16; \alpha(\text{L})=0.0001376\ 20; \alpha(\text{M})=2.64\times10^{-5}\ 4;$ $\alpha(\text{N+..})=4.95\times10^{-6}\ 7$ $\alpha(\text{N})=4.68\times10^{-6}\ 7; \alpha(\text{O})=2.65\times10^{-7}\ 4$ Mult.: From DCO=1.3 2.
6836.2	16 <sup>+</sup>	921.7 5	100	5914.5	14 <sup>+</sup>	E2	$1.37\times10^{-3}$	$\alpha(\text{K})=0.001194\ 17; \alpha(\text{L})=0.0001448\ 21; \alpha(\text{M})=2.77\times10^{-5}\ 4;$ $\alpha(\text{N+..})=5.21\times10^{-6}\ 8$ $\alpha(\text{N})=4.93\times10^{-6}\ 7; \alpha(\text{O})=2.78\times10^{-7}\ 4$ Mult.: From DCO=1.3 2.
6879.6	15	295.0 3	100 10	6584.5	14	D		Mult.: From DCO=0.78 3.
6962.8	16 <sup>-</sup>	608.5 3	100	6354.3	15 <sup>-</sup>	M1	0.00416	$\alpha(\text{K})=0.00363\ 5; \alpha(\text{L})=0.000432\ 6; \alpha(\text{M})=8.27\times10^{-5}\ 12; \alpha(\text{N+..})=1.564\times10^{-5}\ 22$ $\alpha(\text{N})=1.477\times10^{-5}\ 21; \alpha(\text{O})=8.71\times10^{-7}\ 13$ Mult.: From DCO=0.84 6.
6993.1	17 <sup>-</sup>	811.6 3	100 4	6181.45	15 <sup>-</sup>	E2	0.00185	$\alpha(\text{K})=0.001609\ 23; \alpha(\text{L})=0.000197\ 3; \alpha(\text{M})=3.79\times10^{-5}\ 6; \alpha(\text{N+..})=7.09\times10^{-6}\ 10$ $\alpha(\text{N})=6.72\times10^{-6}\ 10; \alpha(\text{O})=3.73\times10^{-7}\ 6$ Mult.: From DCO=1.46 12.
		892.2 3	20.2 20	6100.87	16 <sup>+</sup>	E1	$6.06\times10^{-4}$	$\alpha(\text{K})=0.000531\ 8; \alpha(\text{L})=6.15\times10^{-5}\ 9; \alpha(\text{M})=1.173\times10^{-5}\ 17;$ $\alpha(\text{N+..})=2.21\times10^{-6}\ 4$ $\alpha(\text{N})=2.09\times10^{-6}\ 3; \alpha(\text{O})=1.222\times10^{-7}\ 18$ Mult.: From DCO=0.77 6.
7047.6	16 <sup>-</sup>	946.3 3	100 20	6101.4	14 <sup>-</sup>	E2	$1.29\times10^{-3}$	$\alpha(\text{K})=0.001125\ 16; \alpha(\text{L})=0.0001360\ 19; \alpha(\text{M})=2.61\times10^{-5}\ 4;$ $\alpha(\text{N+..})=4.89\times10^{-6}\ 7$ $\alpha(\text{N})=4.63\times10^{-6}\ 7; \alpha(\text{O})=2.62\times10^{-7}\ 4$ Mult.: From DCO=1.7 3.
7184.3	17 <sup>+</sup>	1080.2 5	70 16	5966.98	14 <sup>-</sup>			$\alpha(\text{K})=0.000981\ 14; \alpha(\text{L})=0.0001180\ 17; \alpha(\text{M})=2.26\times10^{-5}\ 4;$ $\alpha(\text{N+..})=4.25\times10^{-6}\ 6$ $\alpha(\text{N})=4.02\times10^{-6}\ 6; \alpha(\text{O})=2.29\times10^{-7}\ 4$ Mult.: From DCO=1.36 10.
7281.0	16	401.4 3	100	6879.6	15	D		Mult.: From DCO=0.87 5.
7285.8	(16)	1068.9 3	100	6216.9	(14)	(Q)		Mult.: From DCO=1.48 13.
7325.3	18 <sup>+</sup>	1224.5 2	100	6100.87	16 <sup>+</sup>	E2	$7.47\times10^{-4}$	$\alpha(\text{K})=0.000643\ 9; \alpha(\text{L})=7.62\times10^{-5}\ 11; \alpha(\text{M})=1.458\times10^{-5}\ 21;$ $\alpha(\text{N+..})=1.325\times10^{-5}\ 19$

## Adopted Levels, Gammas (continued)

 $\gamma^{(110)\text{Cd}}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	α <sup>†</sup>	Comments
7341.6		1358 1	100	5984.2	14 <sup>-</sup>			$\alpha(K)=0.000643\ 9; \alpha(L)=7.62\times10^{-5}\ 11; \alpha(M)=1.458\times10^{-5}\ 21;$ $\alpha(N+..)=1.325\times10^{-5}\ 19$ $\alpha(N)=2.60\times10^{-6}\ 4; \alpha(O)=1.501\times10^{-7}\ 21; \alpha(IPF)=1.051\times10^{-5}\ 15$ B(E2)(W.u.)=41 6 Mult.: From DCO=1.46 4.
7443.3	(17 <sup>-</sup> )	770.7 3	100 17	6672.6	16 <sup>-</sup>			
		772.2 5		6671.1	(15 <sup>-</sup> )			
		1261 1	17 8	6181.45	15 <sup>-</sup>			
7523.2	18 <sup>-</sup>	850.6 3	100	6672.6	16 <sup>-</sup>	E2	$1.65\times10^{-3}$	$\alpha(K)=0.001439\ 21; \alpha(L)=0.0001758\ 25; \alpha(M)=3.37\times10^{-5}\ 5;$ $\alpha(N+..)=6.32\times10^{-6}\ 9$ $\alpha(N)=5.98\times10^{-6}\ 9; \alpha(O)=3.34\times10^{-7}\ 5$ Mult.: From DCO=1.43 5.
7575.2	17 <sup>-</sup>	612.4 3	100	6962.8	16 <sup>-</sup>	M1	0.00410	$\alpha(K)=0.00357\ 5; \alpha(L)=0.000425\ 6; \alpha(M)=8.14\times10^{-5}\ 12;$ $\alpha(N+..)=1.540\times10^{-5}\ 22$ $\alpha(N)=1.455\times10^{-5}\ 21; \alpha(O)=8.57\times10^{-7}\ 12$ Mult.: From DCO=0.87 12.
53								
7594.2		631.4 5	100	6962.8	16 <sup>-</sup>			
7653.1	18 <sup>+</sup>	1077.4 3	100	6575.6	16 <sup>+</sup>	E2	$9.67\times10^{-4}$	$\alpha(K)=0.000843\ 12; \alpha(L)=0.0001009\ 15; \alpha(M)=1.93\times10^{-5}\ 3;$ $\alpha(N+..)=3.63\times10^{-6}\ 5$ $\alpha(N)=3.44\times10^{-6}\ 5; \alpha(O)=1.97\times10^{-7}\ 3$ Mult.: From DCO=1.5 2.
7759.0	17	477.9 5	100	7281.0	16	D		Mult.: From DCO=0.73 3.
7777.9		437 1	67 33	7341.6				
		815 1	100 33	6962.8	16 <sup>-</sup>			
		1423.5 5	57 13	6354.3	15 <sup>-</sup>			
7797.7	(17)	516.8 5	100	7281.0	16	D		Mult.: From DCO=0.64 6.
7801.1	(18 <sup>+</sup> )	1155 1	100	6646.1	(16 <sup>+</sup> )	(E2)	$8.35\times10^{-4}$	$\alpha(K)=0.000727\ 11; \alpha(L)=8.65\times10^{-5}\ 13; \alpha(M)=1.655\times10^{-5}\ 24;$ $\alpha(N+..)=5.83\times10^{-6}\ 11$ $\alpha(N)=2.95\times10^{-6}\ 5; \alpha(O)=1.696\times10^{-7}\ 24; \alpha(IPF)=2.71\times10^{-6}\ 8$ Mult.: From (HI,xny).
7945.9	19 <sup>-</sup>	952.8 3	100	6993.1	17 <sup>-</sup>	E2	$1.27\times10^{-3}$	$\alpha(K)=0.001107\ 16; \alpha(L)=0.0001338\ 19; \alpha(M)=2.56\times10^{-5}\ 4;$ $\alpha(N+..)=4.82\times10^{-6}\ 7$ $\alpha(N)=4.56\times10^{-6}\ 7; \alpha(O)=2.58\times10^{-7}\ 4$ Mult.: From DCO=1.41 9.
7970.3	18 <sup>-</sup>	922.7 5	100	7047.6	16 <sup>-</sup>	E2	$1.37\times10^{-3}$	$\alpha(K)=0.001191\ 17; \alpha(L)=0.0001444\ 21; \alpha(M)=2.77\times10^{-5}\ 4;$ $\alpha(N+..)=5.19\times10^{-6}\ 8$ $\alpha(N)=4.92\times10^{-6}\ 7; \alpha(O)=2.77\times10^{-7}\ 4$ Mult.: From DCO=1.37 13.
8016.5	17	735.2 5	100	7281.0	16			

## Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Cd})$  (continued)

54

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>‡</sup>	I <sub>γ</sub> <sup>‡</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>b</sup>	α <sup>†</sup>	Comments
8278.0	18	261.2 5	29 14	8016.5	17	D		Mult.: From DCO=0.91 6.
		480.5 5	71 14	7797.7	(17)	D		Mult.: From DCO=0.77 6.
		519.0 5	43 14	7759.0	17	D		Mult.: From DCO=0.80 5.
		952.8 5	100 14	7325.3	18 <sup>+</sup>	D		Mult.: From DCO=1.46 10, very probably a ΔJ=0 transition.
8292.3	(18)	967.0 5	100	7325.3	18 <sup>+</sup>			
8372.8		594.9 5	100	7777.9				
8405.3	(19 <sup>-</sup> )	962 1	100	7443.3	(17 <sup>-</sup> )	E2	1.24×10 <sup>-3</sup>	$\alpha(K)=0.001084\ 16; \alpha(L)=0.0001308\ 19; \alpha(M)=2.51\times10^{-5}\ 4;$ $\alpha(N+..)=4.71\times10^{-6}\ 7$ $\alpha(N)=4.46\times10^{-6}\ 7; \alpha(O)=2.52\times10^{-7}\ 4$ Mult.: From DCO=1.4 2.
8481.3	(19 <sup>+</sup> )	1297 1	100	7184.3	17 <sup>+</sup>	(E2)	6.77×10 <sup>-4</sup>	$\alpha(K)=0.000571\ 8; \alpha(L)=6.74\times10^{-5}\ 10; \alpha(M)=1.289\times10^{-5}\ 19;$ $\alpha(N+..)=2.56\times10^{-5}\ 5$ Mult.: From (HI,xny).
8530.7	(18)	1244.9 5	100	7285.8	(16)			
8595.6	19	303.3 5	5.6 19	8292.3	(18)			Mult.: From DCO=0.87 5.
		317.6 3	100 7	8278.0	18	D		$\alpha(K)=0.000796\ 12; \alpha(L)=9.51\times10^{-5}\ 14; \alpha(M)=1.82\times10^{-5}\ 3;$ $\alpha(N+..)=4.06\times10^{-6}\ 6$
8629.7	20 <sup>-</sup>	1106.5 3	100	7523.2	18 <sup>-</sup>	E2	9.14×10 <sup>-4</sup>	$\alpha(N)=3.24\times10^{-6}\ 5; \alpha(O)=1.86\times10^{-7}\ 3; \alpha(IPF)=6.38\times10^{-7}\ 12$ Mult.: From DCO=1.50 14.
8648.3	20 <sup>+</sup>	1323.0 3	100	7325.3	18 <sup>+</sup>	E2	6.56×10 <sup>-4</sup>	$\alpha(K)=0.000548\ 8; \alpha(L)=6.47\times10^{-5}\ 9; \alpha(M)=1.236\times10^{-5}\ 18;$ $\alpha(N+..)=3.11\times10^{-5}\ 5$ $\alpha(N)=2.20\times10^{-6}\ 3; \alpha(O)=1.281\times10^{-7}\ 18; \alpha(IPF)=2.88\times10^{-5}\ 4$ B(E2)(W.u.)=38 7 Mult.: From DCO=1.44 6.
8861.6	20 <sup>+</sup>	1208.5 3	100	7653.1	18 <sup>+</sup>	E2	7.65×10 <sup>-4</sup>	$\alpha(K)=0.000660\ 10; \alpha(L)=7.84\times10^{-5}\ 11; \alpha(M)=1.500\times10^{-5}\ 21;$ $\alpha(N+..)=1.105\times10^{-5}\ 16$ $\alpha(N)=2.67\times10^{-6}\ 4; \alpha(O)=1.542\times10^{-7}\ 22; \alpha(IPF)=8.23\times10^{-6}\ 13$ Mult.: From DCO=1.7 2.
8967.9	20	372.3 3	100	8595.6	19	(M1)	0.01377	$\alpha(K)=0.01200\ 17; \alpha(L)=0.001449\ 21; \alpha(M)=0.000278\ 4; \alpha(N+..)=5.25\times10^{-5}$ 8 $\alpha(N)=4.96\times10^{-5}\ 7; \alpha(O)=2.90\times10^{-6}\ 4$ B(M1)(W.u.)=3.3 4 Mult.: From DCO=0.84 6.
9106.8	21 <sup>-</sup>	1160.9 3	100	7945.9	19 <sup>-</sup>	E2	8.27×10 <sup>-4</sup>	$\alpha(K)=0.000719\ 10; \alpha(L)=8.55\times10^{-5}\ 12; \alpha(M)=1.637\times10^{-5}\ 23;$ $\alpha(N+..)=6.22\times10^{-6}\ 9$ $\alpha(N)=2.91\times10^{-6}\ 4; \alpha(O)=1.678\times10^{-7}\ 24; \alpha(IPF)=3.14\times10^{-6}\ 5$ Mult.: From DCO=1.50 14.
9430.4	21	462.5 3	100	8967.9	20	(M1)	0.00805	$\alpha(K)=0.00702\ 10; \alpha(L)=0.000842\ 12; \alpha(M)=0.0001614\ 23;$

## Adopted Levels, Gammas (continued)


 $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup><i>x</i></sup> <sub><i>i</i></sub>	E <sub><math>\gamma</math></sub> <sup><i>‡</i></sup>	I <sub><math>\gamma</math></sub> <sup><i>‡</i></sup>	E <sub><i>f</i></sub>	J <sup><i>x</i></sup> <sub><i>f</i></sub>	Mult. <sup><i>b</i></sup>	$\alpha^{\dagger}$	Comments
								$\alpha(\text{N+..})=3.05\times10^{-5} \text{ } 5$ $\alpha(\text{N})=2.88\times10^{-5} \text{ } 4; \alpha(\text{O})=1.689\times10^{-6} \text{ } 24$ $\text{B(M1)(W.u.)}=3.2 \text{ } +6-5$ Mult.: From DCO=0.98 6.
9574.3	(21 <sup>-</sup> )	1169 <i>I</i>	100	8405.3 (19 <sup>-</sup> )				
9962.3	22 <sup>+</sup>	1100 <i>I</i>	37 11	8861.6 20 <sup>+</sup>	[E2]	$9.25\times10^{-4}$		$\alpha(\text{K})=0.000806 \text{ } 12; \alpha(\text{L})=9.63\times10^{-5} \text{ } 14; \alpha(\text{M})=1.84\times10^{-5} \text{ } 3;$ $\alpha(\text{N+..})=4.0\times10^{-6} \text{ } 5$ $\alpha(\text{N})=3.28\times10^{-6} \text{ } 5; \alpha(\text{O})=1.88\times10^{-7} \text{ } 3$ $\text{B(E2)(W.u.)}=20 \text{ } 10$
				1314.1 3	100 4	8648.3 20 <sup>+</sup>	E2	$6.63\times10^{-4}$
								$\alpha(\text{K})=0.000556 \text{ } 8; \alpha(\text{L})=6.56\times10^{-5} \text{ } 10; \alpha(\text{M})=1.254\times10^{-5} \text{ } 18;$ $\alpha(\text{N+..})=2.92\times10^{-5} \text{ } 5$ $\alpha(\text{N})=2.24\times10^{-6} \text{ } 4; \alpha(\text{O})=1.298\times10^{-7} \text{ } 19; \alpha(\text{IPF})=2.68\times10^{-5} \text{ } 4$ $\text{B(E2)(W.u.)}=22 \text{ } 8$ Mult.: From DCO=1.50 9.
9971.7	22 <sup>-</sup>	1342 <i>I</i>	100	8629.7 20 <sup>-</sup>	E2	$6.43\times10^{-4}$		$\alpha(\text{K})=0.000532 \text{ } 8; \alpha(\text{L})=6.28\times10^{-5} \text{ } 9; \alpha(\text{M})=1.200\times10^{-5} \text{ } 17;$ $\alpha(\text{N+..})=3.56\times10^{-5} \text{ } 6$ $\alpha(\text{N})=2.14\times10^{-6} \text{ } 3; \alpha(\text{O})=1.244\times10^{-7} \text{ } 18; \alpha(\text{IPF})=3.33\times10^{-5} \text{ } 6$ Mult.: From DCO=1.8 3.
9991.4	22	561 <i>I</i>	100	9430.4 21	(M1)	0.00505		$\alpha(\text{K})=0.00440 \text{ } 7; \alpha(\text{L})=0.000525 \text{ } 8; \alpha(\text{M})=0.0001006 \text{ } 15; \alpha(\text{N+..})=1.90\times10^{-5} \text{ } 3$ $\alpha(\text{N})=1.80\times10^{-5} \text{ } 3; \alpha(\text{O})=1.057\times10^{-6} \text{ } 16$ $\text{B(M1)(W.u.)}=1.9 \text{ } +4-3$ Mult.: From DCO=1.0 2.
10228.7	(22 <sup>+</sup> )	1367 <i>I</i>	100	8861.6 20 <sup>+</sup>				
10495.8	23 <sup>-</sup>	1389 <i>I</i>	100	9106.8 21 <sup>-</sup>	E2	$6.14\times10^{-4}$		$\alpha(\text{K})=0.000497 \text{ } 7; \alpha(\text{L})=5.84\times10^{-5} \text{ } 9; \alpha(\text{M})=1.117\times10^{-5} \text{ } 16;$ $\alpha(\text{N+..})=4.80\times10^{-5} \text{ } 8$ $\alpha(\text{N})=1.99\times10^{-6} \text{ } 3; \alpha(\text{O})=1.161\times10^{-7} \text{ } 17; \alpha(\text{IPF})=4.59\times10^{-5} \text{ } 7$ Mult.: From DCO=1.5 3.
10665.2	23	673.8 3	100	9991.4 22	D			Mult.: From DCO=0.83 7.
11320.3	24 <sup>+</sup>	1358.0 3	100	9962.3 22 <sup>+</sup>	E2	$6.32\times10^{-4}$		$\alpha(\text{K})=0.000520 \text{ } 8; \alpha(\text{L})=6.12\times10^{-5} \text{ } 9; \alpha(\text{M})=1.171\times10^{-5} \text{ } 17;$ $\alpha(\text{N+..})=3.96\times10^{-5} \text{ } 6$ $\alpha(\text{N})=2.09\times10^{-6} \text{ } 3; \alpha(\text{O})=1.215\times10^{-7} \text{ } 17; \alpha(\text{IPF})=3.74\times10^{-5} \text{ } 6$ $\text{B(E2)(W.u.)}=21 \text{ } 6$ Mult.: From DCO=1.33 10.
11451.2	24	786 <i>I</i>	100	10665.2 23	D			Mult.: From DCO=1.12 13.
11454.8	(24 <sup>-</sup> )	1483 <i>I</i>	100	9971.7 22 <sup>-</sup>	(E2)	$5.75\times10^{-4}$		$\alpha(\text{K})=0.000436 \text{ } 7; \alpha(\text{L})=5.11\times10^{-5} \text{ } 8; \alpha(\text{M})=9.77\times10^{-6} \text{ } 14;$ $\alpha(\text{N+..})=7.75\times10^{-5} \text{ } 12$ $\alpha(\text{N})=1.743\times10^{-6} \text{ } 25; \alpha(\text{O})=1.020\times10^{-7} \text{ } 15; \alpha(\text{IPF})=7.57\times10^{-5} \text{ } 12$ Mult.: From (HI,xn $\gamma$ ).
12081.8	(25 <sup>-</sup> )	1586 <i>I</i>	100	10495.8 23 <sup>-</sup>	(E2)	$5.52\times10^{-4}$		$\alpha(\text{K})=0.000383 \text{ } 6; \alpha(\text{L})=4.47\times10^{-5} \text{ } 7; \alpha(\text{M})=8.54\times10^{-6} \text{ } 12;$

**Adopted Levels, Gammas (continued)** $\gamma(^{110}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup><i>a</i></sup> <sub><i>i</i></sub>	E <sub><i>γ</i></sub> <sup><i>b</i></sup>	I <sub><i>γ</i></sub> <sup><i>c</i></sup>	E <sub><i>f</i></sub>	J <sup><i>d</i></sup> <sub><i>f</i></sub>	Mult. <sup><i>e</i></sup>	<i>a</i> <sup>†</sup>	Comments
12763.3	26 <sup>+</sup>	1443 <i>I</i>	100	11320.3	24 <sup>+</sup>	E2	5.89×10 <sup>-4</sup>	$\alpha(\text{N+..})=0.0001161$ <i>I7</i> $\alpha(\text{N})=1.524\times10^{-6}$ <i>22</i> ; $\alpha(\text{O})=8.95\times10^{-8}$ <i>13</i> ; $\alpha(\text{IPF})=0.0001144$ <i>I7</i> Mult.: From (HI,xn $\gamma$ ).
13032.8	(26 <sup>-</sup> )	1578 <i>I</i>	100	11454.8	(24 <sup>-</sup> )			$\alpha(\text{K})=0.000460$ <i>7</i> ; $\alpha(\text{L})=5.40\times10^{-5}$ <i>8</i> ; $\alpha(\text{M})=1.033\times10^{-5}$ <i>15</i> ; $\alpha(\text{N+..})=6.43\times10^{-5}$ <i>10</i>
14206.4	28 <sup>+</sup>	1443	100	12763.3	26 <sup>+</sup>	E2	5.89×10 <sup>-4</sup>	$\alpha(\text{N})=1.84\times10^{-6}$ <i>3</i> ; $\alpha(\text{O})=1.076\times10^{-7}$ <i>16</i> ; $\alpha(\text{IPF})=6.23\times10^{-5}$ <i>10</i> B(E2)(W.u.)=12.0 Mult.: From DCO=1.53 <i>I2</i> .
								$\alpha(\text{K})=0.000460$ <i>7</i> ; $\alpha(\text{L})=5.40\times10^{-5}$ <i>8</i> ; $\alpha(\text{M})=1.033\times10^{-5}$ <i>15</i> ; $\alpha(\text{N+..})=6.43\times10^{-5}$ <i>9</i> $\alpha(\text{N})=1.84\times10^{-6}$ <i>3</i> ; $\alpha(\text{O})=1.076\times10^{-7}$ <i>15</i> ; $\alpha(\text{IPF})=6.23\times10^{-5}$ <i>9</i> Mult.: From DCO=1.53 <i>I2</i> .

<sup>†</sup> Additional information 1.<sup>a</sup> From (HI,xn) reaction, unless otherwise stated.<sup>#</sup> From <sup>110</sup>Ag  $\beta^-$  decay (249.83 d).<sup>@</sup> From <sup>110</sup>Cd(n,n' $\gamma$ ).<sup>&</sup> From <sup>110</sup>In  $\varepsilon$  decay (69.1 min).<sup>a</sup> From <sup>108</sup>Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup>Pd( $\alpha$ ,4n $\gamma$ ).<sup>b</sup> From  $\alpha(\text{K})\exp$  in <sup>110</sup>Ag  $\beta^-$  decay (249.83 d) ([1967Mo12](#)) and/or DCO measurements in (HI,xn $\gamma$ ) ([1994Ju04](#)), unless otherwise stated. DCO ratios are deduced using  $(R(E_\gamma)=I_\gamma(143^\circ \text{ or } 37^\circ)/I_\gamma(79^\circ \text{ or } 101^\circ))$ . For  $\Delta I=0$  dipole and  $\Delta I=2$  quadrupole transitions  $R(E_\gamma)\approx 1.50$ , for stretch dipole transitions  $R(E_\gamma)\approx 0.75$ .<sup>c</sup> From  $\gamma(\theta)$  in <sup>108</sup>Pd( $\alpha$ ,2n $\gamma$ ), <sup>110</sup>Pd( $\alpha$ ,4n $\gamma$ ) ([1990Ke02](#)), unless otherwise stated.<sup>d</sup> Placement of transition in the level scheme is uncertain.




Adopted Levels, GammasLevel Scheme (continued)

Intensities: Type not specified

## Legend

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$




**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Type not specified

**Legend**

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$





**Adopted Levels, Gammas****Level Scheme (continued)**


Intensities: Type not specified


**Legend**


- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$
- $\gamma$  Decay (Uncertain)















---


## Adopted Levels, Gammas

## Level Scheme (continued)





Adopted Levels, Gammas

Band(A): g.s. rotational band




Band(D): Band based on  
8-, 3427.27-keV


Band(C): Band based on 7-,  
2879.185-keV

Band(E): Band based on  
7341.6-keVBand(F): Band based on  
13-, 5758.52-keV

### **Adopted Levels, Gammas (continued)**


**Band(H): Band based on  $3^-$ ,  
2078.548-keV**



Adopted Levels, Gammas (continued)

Adopted Levels, Gammas (continued)

Band(S): Band based on  
14, 6584.5-keV



**Adopted Levels, Gammas**

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	S. Lalkovski, F. G. Kondev		NDS 124, 157 (2015)	1-Aug-2014

Q( $\beta^-$ )=-2585 4; S(n)=9394.0 5; S(p)=9648.5 14; Q( $\alpha$ )=-3476.4 12      [2012Wa38](#) **$^{112}\text{Cd}$  Levels****Cross Reference (XREF) Flags**

<b>A</b>	$^{112}\text{Ag}$ $\beta^-$ decay (3.130 h)	<b>I</b>	$^{112}\text{Cd}(\gamma, \text{pol } \gamma')$	<b>Q</b>	$^{110}\text{Cd}(\text{t},\text{p})$
<b>B</b>	$^{112}\text{In}$ $\varepsilon$ decay (14.88 min)	<b>J</b>	$^{112}\text{Cd}(\gamma, \gamma')$	<b>R</b>	$^{113}\text{Cd}(\text{pol d},\text{t})$
<b>C</b>	Coulomb excitation	<b>K</b>	$^{111}\text{Cd}(\text{d},\text{p}\gamma)$	<b>S</b>	$^{112}\text{Cd}(\alpha, \alpha')$
<b>D</b>	$^{110}\text{Pd}(\alpha, 2\text{n}\gamma)$	<b>L</b>	$^{112}\text{Cd}(\text{pol d},\text{d}')$	<b>T</b>	$^{111}\text{Cd}(\text{d},\text{p})$
<b>E</b>	$^{112}\text{Cd}(\text{n},\text{n}'\gamma)$	<b>M</b>	$^{112}\text{Cd}(\text{d},\text{d}')$	<b>U</b>	$^{112}\text{Cd}(\text{pol p},\text{p}')$
<b>F</b>	$^{112}\text{Cd}(\text{p},\text{p}'\gamma)$	<b>N</b>	$^{112}\text{Cd}(\pi^-, \text{X})$	<b>V</b>	$^{112}\text{Cd}(\text{p},\text{p}')$
<b>G</b>	$^{111}\text{Cd}(\text{n},\gamma)$ E=th:primary	<b>O</b>	$^{112}\text{Cd}(\text{e},\text{e}')$	<b>W</b>	$^{114}\text{Cd}(\text{p},\text{t})$
<b>H</b>	$^{111}\text{Cd}(\text{n},\gamma)$ E=th:secondary	<b>P</b>	$^{110}\text{Pd}({}^3\text{He},\text{n})$		

E(level) <sup>†</sup>	$J^\pi$	$T_{1/2}^{\ddagger}$	XREF	Comments
0.0 <sup>#</sup>	0 <sup>+</sup>	stable	<b>ABCDEFGHIJKLMOPQRSTUVWXYZ</b>	XREF: R(618)S(616)T(619).
617.518 <sup>#</sup> 3	2 <sup>+</sup>	6.46 ps 4	<b>ABCDEFGHIJKLMNO QRSTUVW</b>	$J^\pi$ : L(p,p')=2; 617.52 $\gamma$ E2 to 0 <sup>+</sup> . $T_{1/2}$ : from B(E2) $\uparrow$ (617.52 $\gamma$ )=0.486 3; weighted average of 0.486 5 ( <a href="#">1985Si01</a> ), 0.524 50 from $^{112}\text{Cd}(\text{e},\text{e}')$ in ( <a href="#">1977Gi13</a> ), 0.484 4 ( <a href="#">1976Es02</a> ), 0.478 33 ( <a href="#">1970St17</a> ), 0.524 21 ( <a href="#">1969Mi07</a> ), 0.514 60 ( <a href="#">1965Mc05</a> ) and 0.546 39 ( <a href="#">1962Ec03</a> ). $Q$ : -0.38 3; weighted average of -0.37 4 ( <a href="#">1977Gi13</a> ), -0.39 8 ( <a href="#">1976Es02</a> ), -0.42 8 ( <a href="#">1976Es01</a> ), -0.38 11 ( <a href="#">1977Ma41</a> ). Others: -0.40 +13-20 ( <a href="#">1971Ha47</a> ), -0.15 7 ( <a href="#">1970St17</a> ). $\mu$ : +0.71 3; weighted average of +0.71 5 (conventional kinematics in <a href="#">2011Ch33</a> ), +0.73 4 (inverse kinematics in <a href="#">2011Ch33</a> ), 0.60 12 ( <a href="#">1970St17</a> ), 0.72 22 via IMPAC ( <a href="#">1974Hu01</a> ), 0.74 22 ( <a href="#">1978BrZX</a> ) and 0.64 16 ( <a href="#">1980Br01</a> ) from $\gamma\gamma(\theta,\text{H},\text{t})$ . $\beta_2$ =0.173 11 ( <a href="#">1968Ma34</a> ), 0.20 1 ( <a href="#">1968St18</a> ) and 0.19 ( <a href="#">1967BaZV</a> ).
1224.341@ 7	0 <sup>+</sup>	4.2 ps 11	<b>ABCDEFGHI JKLM PQ TUV</b>	XREF: J(1223.2)P(1250)Q(1223)T(1228). $J^\pi$ : L(p,p')=0; 606.84 $\gamma$ E2 to 2 <sup>+</sup> ; 1223.9ce E0 to 0 <sup>+</sup> . $T_{1/2}$ : from B(E2)(W.u.)=51 13 in <a href="#">1980Ju05</a> .
1312.390& 8	2 <sup>+</sup>	1.9 ps 3	<b>ABCDEFGHI JKLM QRS UVW</b>	XREF: R(1314)S(1310)W(1313). $J^\pi$ : 694.87 $\gamma$ E2+M1 to 2 <sup>+</sup> ; 1312.41 $\gamma$ E2 to 0 <sup>+</sup> ; L(p,p')=2; $T_{1/2}$ : from B(E2)( $\downarrow$ )=0.0021 3 in Coulomb excitation ( <a href="#">1969Mi07</a> ). Other: 1.5 ps +22-5 from DSAM in $^{112}\text{Cd}(\text{n},\text{n}'\gamma)$ ( <a href="#">2007Ga22</a> ).
1415.480 <sup>#</sup> 25	4 <sup>+</sup>	0.87 ps 10	<b>A CDEF H KLM QRS UV</b>	XREF: M(1416)Q(1414)R(1417)S(1414)V(1416). $J^\pi$ : 798.04 $\gamma$ E2 to 2 <sup>+</sup> ; L(p,p')=4; band assignment. $T_{1/2}$ : from B(E2) $\uparrow$ =0.36 4, weighted average of 0.34 5 ( <a href="#">1978Jo07</a> ), 0.356 42 ( <a href="#">1965Mc05</a> ), and 0.41 8 ( <a href="#">1962Ec03</a> ); Others: 0.7 ps +7-2 from DSAM in $^{112}\text{Cd}(\text{n},\text{n}'\gamma)$ ( <a href="#">2007Ga22</a> ). B(E4) $\uparrow$ =0.09 1 W.u. ( <a href="#">1992Pi08</a> ).
1433.27 3	0 <sup>+</sup>	1.9 ns 1	<b>AB DEFGH JKL Q T V</b>	XREF: B(1431.5)J(1429)Q(1431)T(1436). $J^\pi$ : 815.79 $\gamma$ E2 to 2 <sup>+</sup> ; 1433.27 E0 to 0 <sup>+</sup> ; L(d,p)=0. $T_{1/2}$ : from RF-ce(t) in $^{111}\text{Cd}(\text{d},\text{p}\gamma)$ ( <a href="#">1979Lu10</a> , <a href="#">1980Ju05</a> ).

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{112}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF	Comments
1468.822 <sup>@</sup> 14	2 <sup>+</sup>	2.7 ps 5	A B C D E F G H J K L M Q R S T V W	Others: 2.9 ps 9 using B(E2)(W.u.)(120.68γ)=66 20 and 1.4 ps 3 using B(E2)(W.u.)(815.79γ)=0.017 4. Ice(K)(1433.27):Ice(K)(815.79):Ice(K)(208.93):Ice(K)(120.68)= 0.79 8; 0.10 3; 2.5 4; 11 2 ( <b>1980Ju05</b> ) and Ice(K)(1433.27):Ice(K)(815.79)=19.0 17, Ice(K)(1433.27):Ice(K)(120.68)= 0.051 7, Ice(K)(208.93):Ice(K)(815.79)=45 5 and Ice(K)(208.93):Ice(K)(120.68)=0.13 2 in <b>1997Dr03</b> .
1870.68 <sup>@</sup> 4	4 <sup>+</sup>		A D E F	J <sup>π</sup> : 1253.31γ E2 to 2 <sup>+</sup> ; 455.14γ M1+E2 to 4 <sup>+</sup> ; band member.
1870.96 5	0 <sup>+</sup>		A B D E F G H J L M Q R T V	XREF: J(1869.7)Q(1873)R(1872)T(1876). J <sup>π</sup> : 1253.49γ E2 to 2 <sup>+</sup> ; L(pol d,t)=0.
2005.200 <sup>a</sup> 21	3 <sup>-</sup>	0.26 ps 5	A C D E F H J L M Q R S T U V	XREF: J(2000)Q(2006)S(2003)T(2009). J <sup>π</sup> : 1387.68γ E1 to 2 <sup>+</sup> ; L(p,p')=3. B(E3)=0.0207 ( <b>1985De57</b> ) in $^{112}\text{Cd}(p,p')$ and 0.114 9 ( <b>1985Fe05</b> ), 0.158 27 ( <b>1978Jo07</b> ), 0.106 22 ( <b>1965Mc05</b> ) and 0.37 18 ( <b>1963Ha20</b> ) in Coulomb excitation. $\beta_3=0.164$ 11 ( <b>1968Ma34</b> ), 0.15 2 ( <b>1968St18</b> ), 0.049 5 ( <b>1985De57</b> ) and 0.147 ( <b>1984Pi01</b> ) from $^{112}\text{Cd}(p,p')$ , 0.146 ( <b>1965Mc05</b> ) in Coulomb excitation, 0.15 ( <b>1967BaZV</b> ) from $^{112}\text{Cd}(\alpha,\alpha')$ .
2064.53 <sup>&amp;</sup> 3	3 <sup>+</sup>	0.47 ps 13	A D E F G H L R	XREF: L(2064)R(2065). J <sup>π</sup> : 1447.00γ M1+E2 to 2 <sup>+</sup> , 648.91γ M1+E2 to 4 <sup>+</sup> ; band member.
2081.64 <sup>&amp;</sup> 4	4 <sup>+</sup>	0.35 ps 10	D E F H J L Q R T V	XREF: J(2082)Q(2085)R(2082). J <sup>π</sup> : 1464.04γ E2 to 2 <sup>+</sup> , 666.15γ M1+E2 to 4 <sup>+</sup> ; L(p,p')=4; band member. B(E4) <sup>↑</sup> =8.2 10 W.u. ( <b>1992Pi08</b> ).
2121.62 4	2 <sup>+</sup>	0.51 ps 14	B D E G H J L M Q R T V	XREF: B(2124.7)J(2120.2)L(2122)Q(2123)T(2123). J <sup>π</sup> : 2121.49γ E2 to 0 <sup>+</sup> ; L(p,p')=2;
2156.18 5	2 <sup>+</sup>	0.2 ps 2	A B D E G H J L M Q R T V	XREF: J(2155.2)Q(2162)R(2155)T(2159). J <sup>π</sup> : 2156.20γ E2 to 0 <sup>+</sup> ; L(p,p')=2;
2167.76 <sup>#</sup> 5	6 <sup>+</sup>		D E L	XREF: L(2167). J <sup>π</sup> : 752.14γ E2 to 4 <sup>+</sup> ; band member.
2231.12 5	2 <sup>+</sup>	0.15 ps 14	A D E G H J L M Q R T V	XREF: J(2229.2)R(2230)T(2235). J <sup>π</sup> : 1006.81γ E2 to 0 <sup>+</sup> ; L(p,p')=2;
2300.68 7	0 <sup>+</sup>	>623 fs	B E G H J L M Q R T V	XREF: J(2295)M(2299)Q(2306)R(2299, 2305)T(2302)V(2299). J <sup>π</sup> : 1683.22γ E2 to 2 <sup>+</sup> ; L(p,p')=0;
2373.19 <sup>a</sup> 5	5 <sup>-</sup>	0.4 ps +6-2	D E L M Q R T U V	J <sup>π</sup> : 957.72γ E1 to 4 <sup>+</sup> and 367.9γ E2 to 3 <sup>-</sup> ; L(p,p')=5; band member. $\beta_5=0.048$ or 0.044 if two-step contributions through 2 <sup>+</sup> and 3 <sup>-</sup> states are included ( <b>1984Pi01</b> ).
2402.98 5	3 <sup>+</sup>	0.24 ps +10-6	D E G H R	XREF: R(2402). J <sup>π</sup> : 987.89γ M1+E2 to 4 <sup>+</sup> , 1785.48γ to 2 <sup>+</sup> ; 6991.18γ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( <b>1997Dr03</b> ).
2416.00 <sup>c</sup> 5	3 <sup>-</sup>	0.15 ps 3	A D E H L M R V	XREF: R(2414). J <sup>π</sup> : 946.92γ E1 to 2 <sup>+</sup> ; L(p,p')=3.

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{112}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF						Comments	
2418.0 10	(1,2 <sup>+</sup> )	1.29 ps 3	I		ST				B(E3)=0.0019 ( <a href="#">1985De57</a> ). $\beta_3=0.0148$ 17 ( <a href="#">1985De57</a> ), and 0.035 or 0.038 if two-step contributions via the 2 <sup>+</sup> and 3 <sup>-</sup> states are included ( <a href="#">1984Pi01</a> ). XREF: S(2420)T(2424). J <sup>π</sup> : 2418γ to 0 <sup>+</sup> ; L(d,p)=(0,1).	
2454.51 8	4 <sup>+</sup>	0.35 ps +9–6	DE	LM	QR	V			T <sub>1/2</sub> : from $^{112}\text{Cd}(\gamma,\text{pol }\gamma')$ and by assuming J=1. XREF: Q(2457)R(2453). J <sup>π</sup> : 1142.21γ E2 to 2 <sup>+</sup> , 1038.93γ M1+E2 to 4 <sup>+</sup> ; L(p,p')=4.	
2493.15 6	4 <sup>+</sup>	0.4 ps +4–1	DE	H	LM	QR	V		B(E4)↑: 8.4 8 W.u. ( <a href="#">1992Pi08</a> ). XREF: M(2492)R(2491)V(2492). J <sup>π</sup> : 1875.70γ E2 to 2 <sup>+</sup> , 1077.60γ M1+E2 to 4 <sup>+</sup> ; L(p,p')=4.	
2506.36 7	(2) <sup>+</sup>	0.21 ps 3	A	DE	H J L	QR	T		B(E4)↑: 8.2 9 W.u. ( <a href="#">1992Pi08</a> ). XREF: L(2507)Q(2505)R(2505)T(2507). J <sup>π</sup> : 1888.79γ M1+E2 to 2 <sup>+</sup> ; L(pol d,t)=2.	
2506.70 6	1 <sup>-</sup>	36.6 fs 19	A	E	GHIJ	M	UV		XREF: U(2507). J <sup>π</sup> : 2506.70γ E1 to 0 <sup>+</sup> , 1037.8γ E1 to 2 <sup>+</sup> and L(p,p')=(1); T <sub>1/2</sub> : from $^{112}\text{Cd}(\gamma,\text{pol }\gamma')$ . Other: 44 fs 8 in $^{112}\text{Cd}(n,n'\gamma)$ ( <a href="#">2007Ga22</a> ).	
2532.20 12	2 <sup>+</sup>		D	GH	L	R			XREF: L(2533). J <sup>π</sup> : 1116.83γ to 4 <sup>+</sup> , 1099.0γ to 0 <sup>+</sup> ; 6862.10γ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( <a href="#">1997Dr03</a> ).	
2561.27 16	(1,2 <sup>+</sup> )			GH					J <sup>π</sup> : 2561.13γ to 0 <sup>+</sup> , 1248.92γ to 2 <sup>+</sup> .	
2570.21 <sup>b</sup> 6	5 <sup>-</sup>	>693 fs	DE		R				XREF: R(2569). J <sup>π</sup> : 1154.75γ E1 to 4 <sup>+</sup> and 565.10γ E2 to 3 <sup>-</sup> ; band member. configuration: possible ν(s <sub>1/2</sub> ,h <sub>11/2</sub> ). The assignment is tentative.	
2571.47 <sup>@</sup> 6	6 <sup>+</sup>	>693 fs	DE	LM	Q	T	V		XREF: L(2570)M(2569)Q(2570)T(2570)V(2569). J <sup>π</sup> : 1156.21γ E2 to 4 <sup>+</sup> and 403.55γ M1+E2 to 6 <sup>+</sup> ; L(p,p')=6; band member.	
2591.05 <sup>c</sup> 5	4 <sup>-</sup>	>693 fs	DE	H	LM	R	V		XREF: H(2590)L(2589)M(2590)R(2589)V(2590). J <sup>π</sup> : 526.52γ E1 to 3 <sup>+</sup> , 585.78γ M1+E2 to 3 <sup>-</sup> ; band member.	
2632 5	(5) <sup>-</sup>				M		V		J <sup>π</sup> : from L(p,p')=5.	
2634.99 5	3 <sup>+</sup>		DE	H	L	R	T		XREF: T(2637). J <sup>π</sup> : 629.80γ E1 to 3 <sup>-</sup> , 1322.59γ M1+E2 to 2 <sup>+</sup> , 1219.4γ M1+E2 to 4 <sup>+</sup> .	
2650.15 8	0 <sup>+</sup>	0.23 ps +12–6	E		L	P	R		XREF: L(2649)P(2640)R(2649). J <sup>π</sup> : 2032.62γ E2 to 2 <sup>+</sup> , no γ rays were observed to the 0 <sup>+</sup> levels; L(pol d,t)=0.	
2657 1	1 <sup>-</sup>				LM		T	V	XREF: L(2653). J <sup>π</sup> : L(p,p')=1.	
2665.64 <sup>&amp;</sup> 6	5 <sup>+</sup>	>208 fs	DE		L				XREF: L(2667). J <sup>π</sup> : 601.01γ E2 to 3 <sup>+</sup> and 583.92γ M1+E2 to 4 <sup>+</sup> ; band member.	
2668.92 6	(2) <sup>-</sup>	0.21 ps 3	A	DE	GH	M	Q	V	XREF: M(2667)Q(2671)V(2667). J <sup>π</sup> : 1356.522γ E1 to 2 <sup>+</sup> , 663.59γ M1+E2 to 3 <sup>-</sup> ; L(t,p)=(2,6); direct population in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( $J^{\pi}=(1)^+$ ) makes $J^{\pi}=3^-$ unlikely.	
2674.00 10	2 <sup>+</sup>	35 fs 3	A	DE	GH	L	R	T	XREF: D(2673)G(2673.0)L(2673)R(2673)T(2678). J <sup>π</sup> : 2056.48γ M1+E2 to 2 <sup>+</sup> and L(pol d,t)=2.	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{112}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF					Comments
2694.0 10	(1)	0.72 <sup>e</sup> ps 14		I				configuration: possible $\nu(s_{1/2}, d_{3/2})$ . The assignment is tentative.
2711.19 8	4 <sup>+</sup>	0.26 ps +15-7	DE	L	M	R	V	$J^\pi: 2694\gamma$ to 0 <sup>+</sup> ; observation in $^{112}\text{Cd}(\gamma, \text{pol } \gamma')$ . XREF: R(2710).
2723.96 7	2 <sup>+</sup>	159 fs 24	A	DE	H	J	LM	$J^\pi: 705.95\gamma$ E1 to 3 <sup>-</sup> , 1295.74 $\gamma$ M1+E2 to 4 <sup>+</sup> ; L(p,p')=4. B(E4) <sup>†</sup> : 3.6 4 W.u. ( <a href="#">1992Pi08</a> ). XREF: L(2722)M(2724)Q(2718)R(2724)T(2725)V(2724).
2765.72 5	2 <sup>+</sup>	34 fs 3	A	E	G	H	LM	$J^\pi: 718.89\gamma$ E1 to 3 <sup>-</sup> , 1501 $\gamma$ to 0 <sup>+</sup> ; L(p,p')=2; XREF: L(2763)Q(2763)T(2770). $J^\pi: 2765.7\gamma$ E2 to 0 <sup>+</sup> , 1296.9 $\gamma$ M1+E2 to 2 <sup>+</sup> ; L(p,p')=2;
2773.08 8	(0) <sup>+</sup>	>693 fs	E		L			XREF: L(2775). $J^\pi: 1460.83\gamma$ E2 to 2 <sup>+</sup> .
2791.79 11	(4) <sup>-</sup>	>97 fs	E		LM		V	XREF: L(2793). $J^\pi: 786.59\gamma$ M1(+E2) to 3 <sup>-</sup> ; L(p,p')=5.
2793.80 <sup>a</sup> 6	7 <sup>-</sup>		DE					$J^\pi: 420.68\gamma$ E2 to 5 <sup>-</sup> , 625.97 $\gamma$ E1 to 6 <sup>+</sup> ; band member.
2816.71 7	4 <sup>+</sup>	>416 fs	E		LM	R	V	XREF: M(2815)R(2799)V(2815). $J^\pi: 811.3\gamma$ E1 to 3 <sup>-</sup> , 1401.3 $\gamma$ M1+E2 to 4 <sup>+</sup> ; L(p,p')=4. B(E4) <sup>†</sup> : 2.6 3 W.u. ( <a href="#">1992Pi08</a> ).
2817.74 <sup>c</sup> 9	6 <sup>-</sup>		DE		L		RST	XREF: L(2819)R(2818)S(2820)T(2822). $J^\pi: 444.54\gamma$ M1+E2 to 5 <sup>-</sup> ; band member.
2829.19 6	1 <sup>-</sup>	27 fs 3	A	E	G	H		$J^\pi: 2829.20\gamma$ E1 to 0 <sup>+</sup> . T <sub>1/2</sub> : Other: 21.0 fs 16 in $^{112}\text{Cd}(\gamma, \text{pol } \gamma')$ . XREF: J(2832.2)L(2832)Q(2829).
2834.27 7	0 <sup>+</sup>	>347 fs	E	G	H	J	L	$J^\pi: 2216.74\gamma$ E2 to 2 <sup>+</sup> ; L(pol d,t)=0. XREF: L(2835)M(2836)T(2840)V(2836). B(E4) <sup>†</sup> : 1.8 4 W.u. ( <a href="#">1992Pi08</a> ).
2840.22 11	(4) <sup>+</sup>	>485 fs	DE		LM		T V	$J^\pi: 1424.73\gamma$ M1+E2 to 4 <sup>+</sup> ; L(p,p')=4. XREF: J(2850.1)L(2850). $J^\pi: 2852.87\gamma$ E2 to 0 <sup>+</sup> ; L(pol d,t)=0.
2852.90 5	2 <sup>+</sup>	0.44 ps +21-10	E	H	J	L	R	XREF: L(2867)M(2866)Q(2865)V(2866). $J^\pi: 1451.30\gamma$ E1 to 4 <sup>+</sup> ; L(p,p')=3; B(E3)=0.00123 and $\beta_3=0.0122$ 11 ( <a href="#">1985De57</a> ). XREF: A(2866.0)L(2877)R(2868)T(2875).
2866.75 6	3 <sup>-</sup>	0.6 ps +8-2	A	DE	H	LM	Q	$J^\pi: 2249.91\gamma$ M1+E2 to 2 <sup>+</sup> ; assignment in $^{113}\text{Cd}(\text{pol d,t})$ ( <a href="#">1990Bl10</a> ). B(E3)=0.00123 and $\beta_3=0.0122$ 11 ( <a href="#">1985De57</a> ). XREF: A(2866.0)L(2877)R(2868)T(2875).
2867.48 6	(3) <sup>+</sup>	0.09 ps +8-3	A	E		L	R T	$J^\pi: 2276.07\gamma$ E2 to 2 <sup>+</sup> , 811.9 $\gamma$ M1+E2 to 4 <sup>+</sup> ; L(p,p')=4. B(E4) <sup>†</sup> : 4.7 5 W.u. ( <a href="#">1992Pi08</a> ). XREF: L(2897). $J^\pi: 1483.53\gamma$ (E1) to 4 <sup>+</sup> .
2881.02 <sup>#</sup> 8	8 <sup>+</sup>		D					$J^\pi: 713.23\gamma$ E2 to 6 <sup>+</sup> ; band member.
2882.82 8	0 <sup>+</sup>	>693 fs	E		L	R		$J^\pi: 1570.51\gamma$ E2 to 2 <sup>+</sup> ; L(pol d,t)=0. XREF: L(2892)M(2895)R(2894)V(2895).
2893.51 6	4 <sup>+</sup>	>416 fs	E		LM	R	V	$J^\pi: 2276.07\gamma$ E2 to 2 <sup>+</sup> , 811.9 $\gamma$ M1+E2 to 4 <sup>+</sup> ; L(p,p')=4. B(E4) <sup>†</sup> : 4.7 5 W.u. ( <a href="#">1992Pi08</a> ). XREF: L(2897). $J^\pi: 1483.53\gamma$ (E1) to 4 <sup>+</sup> .
2899.02 5	(3 <sup>-</sup> ,5 <sup>-</sup> )	0.13 ps 3	DE		L			XREF: L(2901). $J^\pi: 1505.5\gamma$ E2 to 4 <sup>+</sup> ; band member;
2921.53 <sup>&amp;</sup> 9	6 <sup>+</sup>		DE		L		T	$J^\pi: 1505.5\gamma$ E2 to 4 <sup>+</sup> ; band member; XREF: L(2916)T(2901). $J^\pi: L(\text{pol d, t})=0$ .
2924.29	0 <sup>+</sup>					R		XREF: L(2926). $J^\pi: 551.63\gamma$ M1+E2 to 5 <sup>-</sup> and 919.58 $\gamma$ M1+E2 to 3 <sup>-</sup> ; XREF: L(2922).
2924.83 5	4 <sup>-</sup>	>139 fs	E		L			$J^\pi: L(\text{pol d, t})=0$ .
2928 5	(5) <sup>-</sup>			LM			V	$J^\pi: L(\text{pol d, t})=5$ .

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{112}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF				Comments
			E	G	H	R	
2931.46 6	1 <sup>+</sup>	17 fs 4					XREF: G(2930.2)I(2931)R(2931). J <sup>π</sup> : 2931.42γ M1 to 0 <sup>+</sup> , 2314.12γ M1+E2 to 2 <sup>+</sup> . T <sub>1/2</sub> : Other: 12.3 fs 7 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ .
2931.97 <sup>b</sup> 8	6 <sup>-</sup>		DE		L		XREF: L(2932). J <sup>π</sup> : 558.7γ M1+E2 to 5 <sup>-</sup> ; band member;
2935.50 <sup>b</sup> 6	7 <sup>-</sup>		D				J <sup>π</sup> : 767.65γ E1 to 6 <sup>+</sup> , 365.38γ E2 to 5 <sup>-</sup> ; band member.
2944.94 7	2 <sup>+</sup>	0.4 ps +3-I	E	G	LM	T V	XREF: L(2942)M(2942)T(2936)V(2942). J <sup>π</sup> : 2944.78γ E2 to 0 <sup>+</sup> ; L(p,p')=2.
2947.76 10	(2,3) <sup>+</sup>	83 fs 24	E		L	R	XREF: L(2946,2949)R(2946). J <sup>π</sup> : 2330.22γ M1+E2 to 2 <sup>+</sup> .
2961.92 6	4 <sup>-</sup>		E			R	J <sup>π</sup> : 588.83γ M1+E2 to 5 <sup>-</sup> ; 956.7γ M1+E2 to 3 <sup>-</sup> .
2962.0 7	2 <sup>+</sup>		A		LM	T V	XREF: L(2967)M(2969)T(2965)V(2969). J <sup>π</sup> : 2961.7γ to 0 <sup>+</sup> , 957.1γ to 3 <sup>-</sup> ; L(p,p')=2.
2970.02 10	(4,5) <sup>+</sup>		DE				J <sup>π</sup> : 1554.49γ M1+E2 to 4 <sup>+</sup> , 398.57γ to 6 <sup>+</sup> .
2972.45 7	5 <sup>+</sup>	0.6 ps +1I-2	DE				J <sup>π</sup> : 1556.8γ M1+E2 to 4 <sup>+</sup> , 804.89γ M1+E2 to 6 <sup>+</sup> .
2980.85 9	2 <sup>+</sup>	0.14 ps 3	E		L	QR T	XREF: L(2976,2980)Q(2974)T(2988). J <sup>π</sup> : 2363.274γ M1+E2 to 2 <sup>+</sup> ; L(pol d,t)=2.
3002.06 6	3 <sup>+</sup>	0.19 ps +12-6	E			R	J <sup>π</sup> : 2384.54γ M1+E2 to 2 <sup>+</sup> and 1586.57γ M1+E2 to 4 <sup>+</sup> .
3011.08 11	(4,5,6) <sup>-</sup>		E		L		XREF: L(3022). J <sup>π</sup> : 637.89γ M1+E2 to 5 <sup>-</sup> .
3027.97 10	6 <sup>+</sup>		DE			R	XREF: R(3026). J <sup>π</sup> : 946.39γ E2 to 4 <sup>+</sup> and 859.83γ M1+E2 to 6 <sup>+</sup> .
3046 5	1 <sup>-</sup>			M		V	J <sup>π</sup> : L(p,p')=1.
3049.08 8	(4 <sup>+</sup> )	0.08 ps +12-3	E		L		XREF: L(3046,3050). J <sup>π</sup> : 1633.39γ to 4 <sup>+</sup> ; J <sup>π</sup> =4 <sup>+,1-</sup> in $^{112}\text{Cd}(\text{pol d,d'})$ .
3051.19 11	(5) <sup>+</sup>		E		L		XREF: L(3058). J <sup>π</sup> : 1635.70γ M1+E2 to 4 <sup>+</sup> .
3066.23 10	(2,3) <sup>-</sup>	>207 fs	E	G	L		XREF: G(3065.4)L(3065). J <sup>π</sup> : 2448.76γ E1 to 2 <sup>+</sup> ; $^{112}\text{Cd}(\text{pol d,d'})$ ( <a href="#">1994He22</a> ) and $^{112}\text{Cd}(n,n'\gamma)$ ( <a href="#">2001Ga44</a> ) support 3 <sup>-</sup> assignment.
3068.62 6	4 <sup>+</sup>	>555 fs	A	E		QR t v	XREF: Q(3071)R(3069)t(3071)v(3072). J <sup>π</sup> : 1756.30γ E2 to 2 <sup>+</sup> , 1653.09γ M1+E2 to 4 <sup>+</sup> .
3071.46 8	(4) <sup>+</sup>	>249 fs	E		M	t v	B(E4) <sup>↑</sup> : 4.6 8 W.u. ( <a href="#">1992Pi08</a> ) (unresolved doublet). XREF: M(3072)t(3071)v(3072). J <sup>π</sup> : 1006.9γ to 3 <sup>+</sup> , 1066.28γ to 3 <sup>-</sup> ; L(p,p')=4.
3071.74 5	(1,2 <sup>+</sup> )		E				B(E4) <sup>↑</sup> : 4.6 8 W.u. ( <a href="#">1992Pi08</a> ) (unresolved doublet). J <sup>π</sup> : 3071.2γ to 0 <sup>+</sup> , 949.65γ to 2 <sup>+</sup> .
3075.19 11	(4,5) <sup>+</sup>	0.3 ps +5-I	DE		L		XREF: D(3075.65)L(3074,3080). J <sup>π</sup> : 1659.70γ M1+E2 to 4 <sup>+</sup> .
3081.65 19	2 <sup>+</sup>		E		L	R	XREF: L(3091)R(3085). J <sup>π</sup> : 3081.60γ E2 to 0 <sup>+</sup> .
3093.02 <sup>b</sup> 8	8 <sup>-</sup>		D				J <sup>π</sup> : 299.19γ M1+E2 to 7 <sup>-</sup> ; band member.
3102 <sup>d</sup> 5	4 <sup>+</sup>			LM		V	XREF: L(3100). J <sup>π</sup> : L(p,p')=4.
3102.15 <sup>d</sup> 10	(2) <sup>+</sup>	21 fs 6	E			R	B(E4) <sup>↑</sup> : 0.68 13 W.u. ( <a href="#">1992Pi08</a> ). XREF: R(3101). J <sup>π</sup> : 3102.10γ to 0 <sup>+</sup> ; L(pol d,t)=2.
3102.59 8	(4,5)		E		L		XREF: L(3104). J <sup>π</sup> : 729.41γ to 5 <sup>-</sup> , 1687.08γ to 4 <sup>+</sup> .
3105.50 5	(2) <sup>+</sup>	0.3 ps +5-I	E		QR		XREF: Q(3108)R(3109). J <sup>π</sup> : L(t,p)=2; 2488.14γ to 2 <sup>+</sup> , 1690.1γ to 4 <sup>+</sup> .

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{112}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF					Comments
			E	G	J	T		
3109.98 7	(2) <sup>+</sup>	0.13 ps +6-3						XREF: G(3111.3)J(3110)T(3113). J <sup>π</sup> : 3110.01 $\gamma$ to 0 <sup>+</sup> ; L(d,p)=2.
3130.83 7	5 <sup>-</sup>		A	E	LM	R	V	XREF: L(3124,3131)M(3131)R(3128)V(3131). J <sup>π</sup> : 1125.78 $\gamma$ E2 to 3 <sup>-</sup> ; 1715.08 $\gamma$ E1 to 4 <sup>+</sup> ; Other: L(p,p')=3.
3133.42 9	1 <sup>-</sup>	27 fs 5	A	E	GHI		Q	J <sup>π</sup> : 3133.21 $\gamma$ E1 to 0 <sup>+</sup> ; Other: L(t,p)=(2). T <sub>1/2</sub> : Other: 10.7 fs 5 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ (2005Ko32).
3135.84 6	(2,3) <sup>+</sup>	0.3 ps +3-1		E	GH			J <sup>π</sup> : 2518.43 $\gamma$ to 2 <sup>+</sup> , 1071.26 $\gamma$ to 3 <sup>+</sup> ; 6258.35 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary.
3145.28 8	3 <sup>+,4<sup>+</sup>,5<sup>+</sup></sup>	0.13 ps +5-3	E			R		XREF: R(3146). J <sup>π</sup> : 1729.82 $\gamma$ M1+E2 to 4 <sup>+</sup> .
3163.51 9	2 <sup>+</sup>	0.26 ps +12-7	E	GH				J <sup>π</sup> : 3163.4 $\gamma$ E2 to 0 <sup>+</sup> , 656.74 $\gamma$ E1 to 1 <sup>-</sup> . XREF: L(3168).
3165.46 11	4 <sup>-,5<sup>-</sup>,6<sup>-</sup></sup>		E		L			J <sup>π</sup> : 792.27 $\gamma$ M1+E2 to 5 <sup>-</sup> ; Other: (4 <sup>+</sup> ) in $^{112}\text{Cd}(\text{pol d,d}')$ (1994He22).
3169.46 6	2 <sup>+</sup>	146 fs 14	A	E	GH			J <sup>π</sup> : 1945.14 $\gamma$ E2 to 0 <sup>+</sup> , 1164.2 $\gamma$ E1 to 3 <sup>-</sup> . J <sup>π</sup> : L(t,p)=3.
3175 4	(3) <sup>-</sup>					Q		J <sup>π</sup> : 604.98 $\gamma$ E2 to 6 <sup>+</sup> , 295.19 $\gamma$ M1+E2 to 8 <sup>+</sup> . J <sup>π</sup> : 2559.28 $\gamma$ E2 to 2 <sup>+</sup> .
3176.47 8	8 <sup>+</sup>		D					XREF: L(3177)M(3176)R(3177)T(3184)V(3176). J <sup>π</sup> : 3178.76 $\gamma$ E2 to 0 <sup>+</sup> ; L(p,p')=2;
3176.83 13	(4) <sup>+</sup>		E					J <sup>π</sup> : 1022.09 $\gamma$ to 6 <sup>+</sup> , 1774.30 $\gamma$ to 4 <sup>+</sup> . XREF: G(3189.93)L(3188).
3178.79 7	2 <sup>+</sup>	104 fs 24	E		LM	R	V	J <sup>π</sup> : 2572.51 $\gamma$ to 2 <sup>+</sup> ; 6203.94 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary (1997Dr03).
3189.82 9	4 <sup>+,5,6<sup>+</sup></sup>	>354 fs	E					XREF: J(3193). J <sup>π</sup> : 1189.41 $\gamma$ to 3 <sup>-</sup> , 2576.72 $\gamma$ to 2 <sup>+</sup> ; L(pol d,t)=2.
3190.06 9	0 <sup>+,1,2,3<sup>+</sup></sup>	22.2 fs 14	E	GH	J L			J <sup>π</sup> : 1196.21 $\gamma$ E2 to 3 <sup>-</sup> ; 1785.8 $\gamma$ E1 to 4 <sup>+</sup> . XREF: R(3204). J <sup>π</sup> : 2585.70 $\gamma$ (M1+E2) to 2 <sup>+</sup> . J <sup>π</sup> : 1736.90 $\gamma$ to 2 <sup>+</sup> ; 1790.2 $\gamma$ to 4 <sup>+</sup> . XREF: M(3204)V(3204). J <sup>π</sup> : 1084.93 $\gamma$ to 2 <sup>+</sup> ; L(p,p')=4. B(E4) <sup>↑</sup> : 1.27 24 W.u. (1992Pi08). J <sup>π</sup> : 1792.1 $\gamma$ to 4 <sup>+</sup> ; 1894.30 $\gamma$ to 2 <sup>+</sup> . J <sup>π</sup> : 658.83 $\gamma$ E2 to 6 <sup>+</sup> ; 349.26 $\gamma$ M1+E2 to 8 <sup>+</sup> . XREF: I(3231)R(3230). J <sup>π</sup> : 3231.35 $\gamma$ M1 to the 0 <sup>+</sup> , 2614.02 $\gamma$ M1+E2 to 2 <sup>+</sup> . T <sub>1/2</sub> : Other: 26.7 fs 16 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ .
3194.46 6	(2) <sup>+</sup>	0.10 ps 4	E		J	R		J <sup>π</sup> : 573.31 $\gamma$ E2 to 5 <sup>+</sup> , 1071.24 $\gamma$ M1+E2 to 6 <sup>+</sup> ; band member.
3201.32 10	5 <sup>-</sup>	0.5 ps +5-2	E					XREF: L(3246)T(3240). J <sup>π</sup> : 3242.49 $\gamma$ E2 to the g.s.; L(pol d,t)=2.
3203.25 10	(2,3) <sup>+</sup>	0.12 ps +9-4	E			R		J <sup>π</sup> : 2629.34 $\gamma$ to 2 <sup>+</sup> ; 4385 $\gamma$ E1 from 1 <sup>-</sup> in $^{112}\text{Cd}(\gamma,\gamma')$ (1971Mo31).
3205.74 12	2 <sup>+,3,4</sup>	>111 fs	E					XREF: M(3244)V(3244). J <sup>π</sup> : 1831.67 $\gamma$ to 4 <sup>+</sup> ; L(p,p')=(6).
3206.48 8	(4) <sup>+</sup>	76 fs 24	E		LM		V	J <sup>π</sup> : 155.21 $\gamma$ M1+E2 to 8 <sup>-</sup> ; 316.19 $\gamma$ M1+E2 to 6 <sup>-</sup> ; band member.
3206.71 3	2 <sup>+,3,4</sup>	0.4 ps +3-1	E					XREF: R(3252). J <sup>π</sup> : 2634.31 $\gamma$ E2 to 2 <sup>+</sup> .
3230.29 9	8 <sup>+</sup>		D					J <sup>π</sup> : 458.75 $\gamma$ M1(+E2) to 7 <sup>-</sup> .
3231.59 6	1 <sup>+</sup>	35 fs 4	A	E	GHI	R		J <sup>π</sup> : 1942.01 $\gamma$ to 2 <sup>+</sup> ; 6140.26 $\gamma$ from (1 <sup>+</sup> ) in
3239.04 <sup>&amp;</sup> 7	7 <sup>+</sup>		D					
3242.64 6	2 <sup>+</sup>	0.2 ps +3-1	E	GH	L	QR	T	
3246.86 8	(1,2) <sup>+</sup>	0.16 ps 3	E		J			
3247.17 11	(6) <sup>+</sup>		E		M		V	
3248.25 <sup>c</sup> 8	7 <sup>-</sup>		D					
3251.86 13	(0) <sup>+</sup>	<0.8 ps	E			R		
3252.55 12	(6,7,8) <sup>-</sup>		D					
3254.21 7	(0 <sup>+,1,2</sup> )	0.2 ps +8-1	E	GH				

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{112}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF					Comments
3254.30 8	(3,4) <sup>+</sup>	57 fs 17	<b>E</b>					$^{111}\text{Cd}(n,\gamma)$ E=th:primary. J <sup>π</sup> : 1249.01 $\gamma$ E1 to 3 <sup>-</sup> and 1838.89 $\gamma$ M1+E2 to 4 <sup>+</sup> .
3258.01 11	(3,4) <sup>+</sup>		<b>E</b>					J <sup>π</sup> : 1252.8 $\gamma$ to 3 <sup>-</sup> ; assignment in $^{113}\text{Cd}$ (pol d,t). XREF: L(3265)M(3265)R(3259)V(3265).
3266.54 11	4 <sup>+</sup>	0.19 ps 5	<b>E</b>	<b>L</b> <b>M</b>	<b>R</b>	<b>V</b>		J <sup>π</sup> : 1851.04 $\gamma$ to 4 <sup>+</sup> ; L(p,p')=4. B(E4) $\uparrow$ : 2.5 5 W.u. ( <a href="#">1992Pi08</a> ). J <sup>π</sup> : 1264.25 $\gamma$ to 3 <sup>-</sup> , 1854.04 $\gamma$ to 4 <sup>+</sup> . J <sup>π</sup> : 1419.43 $\gamma$ to 0 <sup>+</sup> .
3269.50 8	2 <sup>+,3,4,5</sup> <sup>-</sup>	0.17 ps +2I-7	<b>E</b>					XREF: L(3293)M(3292)Q(3302)V(3292). J <sup>π</sup> : 1875.7 $\gamma$ to 4 <sup>+</sup> , 1285.95 $\gamma$ to 3 <sup>-</sup> .
3290.40 12	(2 <sup>+</sup> )		<b>E</b>					J <sup>π</sup> : 917.73 $\gamma$ E2 to 5 <sup>-</sup> , 1123.96 $\gamma$ E1 to 6 <sup>+</sup> . XREF: R(3296).
3291.13 7	2 <sup>+,3,4,5</sup> <sup>-</sup>	0.2 ps +5-I	<b>E</b>	<b>L</b> <b>M</b>	<b>Q</b>	<b>V</b>		J <sup>π</sup> : 2679.46 $\gamma$ to 2 <sup>+</sup> , 1881.5 $\gamma$ to 4 <sup>+</sup> ; L(pol d,t)=2. J <sup>π</sup> : 3300.94 $\gamma$ to 0 <sup>+</sup> ; population in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ .
3291.17 9	7 <sup>-</sup>		<b>D</b>					T <sub>1/2</sub> : Other: 40.6 fs 22 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ . XREF: T(3304).
3297.01 8	(2,3) <sup>+</sup>	0.38 ps +24-11	<b>E</b>		<b>R</b>			J <sup>π</sup> : 2685.78 $\gamma$ to 2 <sup>+</sup> ; 886.99 $\gamma$ to 3 <sup>-</sup> ; L(d,p)=2.
3300.99 16	(1)	0.10 ps +12-4	<b>E</b>	<b>I</b>				XREF: J(3309)L(3309). J <sup>π</sup> : 2694.56 $\gamma$ to 2 <sup>+</sup> ; 1306.97 $\gamma$ to 3 <sup>-</sup> ; 4323 $\gamma$ from 1 <sup>-</sup> in $^{112}\text{Cd}(\gamma,\gamma')$ .
3303.24 11	(2,3) <sup>+</sup>	173 fs 24	<b>A</b>	<b>E</b> <b>G</b> <b>H</b>		<b>T</b>		J <sup>π</sup> : 524.28 $\gamma$ E2 to 7 <sup>-</sup> ; band member.
3312.24 6	(1 <sup>-</sup> ,2)	76 fs 17	<b>E</b>	<b>J</b> <b>L</b>	<b>R</b>			J <sup>π</sup> : 2702.24 $\gamma$ to 2 <sup>+</sup> and 1314.6 $\gamma$ to 3 <sup>-</sup> . J <sup>π</sup> : 441.45 $\gamma$ E2 to 8 <sup>+</sup> ; band member.
3318.09 <sup>a</sup> 8	9 <sup>-</sup>		<b>D</b>					B(E3) $\uparrow$ =0.00045 ( <a href="#">1985De57</a> ) $\beta_3$ =0.0073 20 ( <a href="#">1985De57</a> )
3319.83 6	1 <sup>-</sup> ,2,3,4 <sup>+</sup>	0.17 ps 3	<b>E</b>					XREF: V(3326). J <sup>π</sup> : 734.91 $\gamma$ to 4 <sup>-</sup> ; L(p,p')=3.
3322.40 10	10 <sup>+</sup>		<b>D</b>					XREF: M(3327)V(3327). J <sup>π</sup> : 1913.67 $\gamma$ to 4 <sup>+</sup> ; L(p,p')=(5).
3325.96 11	(3) <sup>-</sup>		<b>E</b>		<b>V</b>			XREF: Q(3335)R(3330). J <sup>π</sup> : 1326.83 $\gamma$ to 3 <sup>-</sup> , 1916.72 $\gamma$ to 4 <sup>+</sup> . J <sup>π</sup> : 2714.91 $\gamma$ to 2 <sup>+</sup> . XREF: R(3340). J <sup>π</sup> : 2718.48 $\gamma$ to 2 <sup>+</sup> ; L(pol d,t)=2.
3329.17 11	(5 <sup>-</sup> )		<b>E</b>	<b>L</b> <b>M</b>		<b>V</b>		XREF: T(3344)V(3344). J <sup>π</sup> : 2724.31 $\gamma$ E2+M1 to 2 <sup>+</sup> . Note, that L(p,p')=3.
3332.11 8	2 <sup>+,3,4,5</sup> <sup>-</sup>	0.12 ps 3	<b>E</b>		<b>Q</b> <b>R</b>			XREF: L(3350)R(3352). J <sup>π</sup> : 2735.81 $\gamma$ to 2 <sup>+</sup> ; L(pol d,t)=0.
3332.46 10	1,2,3,4 <sup>+</sup>	97 fs 24	<b>E</b>					XREF: L(3366)M(3359)Q(3365)R(3361)V(3359). J <sup>π</sup> : 3363.67 $\gamma$ E2 to 0 <sup>+</sup> ; L(p,p')=2.
3336.03 10	(2) <sup>+</sup>	0.10 ps 3	<b>E</b>		<b>R</b>			J <sup>π</sup> : 909.48 $\gamma$ to 4 <sup>+</sup> . XREF: L(3372). J <sup>π</sup> : 2752.08 $\gamma$ to 2 <sup>+</sup> , 1952.9 $\gamma$ to 4 <sup>+</sup> .
3341.86 10	(3) <sup>+</sup>	37 fs 4	<b>E</b>		<b>T</b> <b>V</b>			J <sup>π</sup> : 439.95 $\gamma$ D to 7 <sup>-</sup> . J <sup>π</sup> : 3375.40 $\gamma$ to 0 <sup>+</sup> , 2758.02 to 2 <sup>+</sup> ; population in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ .
3353.36 10	0 <sup>+</sup>	0.13 ps 4	<b>E</b>	<b>L</b>	<b>R</b>			T <sub>1/2</sub> : Other: 87 fs 13 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ . J <sup>π</sup> : 283.40 $\gamma$ M1+E2 to 8 <sup>-</sup> ; 444.53 $\gamma$ M1+E2 to 6 <sup>-</sup> .
3363.55 7	2 <sup>+</sup>	0.24 ps +10-6	<b>E</b> <b>G</b>	<b>L</b> <b>M</b>	<b>Q</b> <b>R</b>	<b>V</b>		XREF: L(3380)R(3381). J <sup>π</sup> : 1909.63 $\gamma$ to 2 <sup>+</sup> ; L(pol d,t)=2.
3363.99 13	2 <sup>+,3,4,5,6</sup> <sup>+</sup>	0.2 ps +7-I	<b>A</b>	<b>E</b>				J <sup>π</sup> : 2766.05 $\gamma$ to 2 <sup>+</sup> . J <sup>π</sup> : 3392.72 $\gamma$ to 0 <sup>+</sup> .
3369.62 7	2 <sup>+,3,4</sup> <sup>+</sup>	35 fs 3		<b>E</b>	<b>L</b>			
3375.45 12	(6,7,8)		<b>D</b>					
3375.50 9	(1)	52 fs 8	<b>E</b>	<b>I</b>				
3376.46 11	7 <sup>-</sup>		<b>D</b>					
3378.52 8	(2) <sup>+</sup>	0.4 ps +3-I	<b>E</b> <b>G</b>	<b>L</b>	<b>R</b>			
3383.71 9	0 <sup>+</sup> to 4 <sup>+</sup>	97 fs 17	<b>E</b>					
3392.78 12	1,2 <sup>+</sup>	>693 fs	<b>E</b>					

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{112}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF				Comments
3393.39 4	0 <sup>+</sup> to 4 <sup>+</sup>	>970 fs	<b>E</b>	<b>E</b>	<b>GH</b>	<b>Q</b>	J <sup>π</sup> : 2775.83γ to 2 <sup>+</sup> . XREF: Q(3393).
3393.45 10	(1,2 <sup>+</sup> )		<b>A</b>				J <sup>π</sup> : 3392.72γ to 0 <sup>+</sup> , 2775.78 to 2 <sup>+</sup> . J <sup>π</sup> : 3392.72γ to 3 <sup>-</sup> .
3393.60 7	1 <sup>-</sup> to 5 <sup>-</sup>	0.2 ps +3-I	<b>E</b>				J <sup>π</sup> : 827.54γ E2 to 6 <sup>+</sup> ; 517.99γ M1+E2 to 8 <sup>+</sup> ; band member.
3398.88 <sup>@</sup> 8	8 <sup>+</sup>		<b>D</b>				J <sup>π</sup> : 2087.94γ to 2 <sup>+</sup> . XREF: R(3402). J <sup>π</sup> : 2785.37γ M1+E2 to 2 <sup>+</sup> . XREF: L(3417,3422)M(3417)Q(3415)V(3417). J <sup>π</sup> : 1953.71γ to 2 <sup>+</sup> ; L(p,p')=4. B(E4)↑: 3.1 4 W.u. ( <a href="#">1992Pi08</a> ).
3400.35 10	0 <sup>+</sup> to 4 <sup>+</sup>		<b>E</b>				J <sup>π</sup> : 2113.19γ to 2 <sup>+</sup> . J <sup>π</sup> : 2113.19γ to 2 <sup>+</sup> . J <sup>π</sup> : 2811.2γ M1+E2 to 2 <sup>+</sup> , 3428.71γ E2 to 0 <sup>+</sup> .
3402.93 10	1 <sup>+,2<sup>+,3<sup>+</sup></sup></sup>	>527 fs	<b>E</b>		<b>R</b>		
3422.55 9	(4) <sup>+</sup>		<b>E</b>	<b>LM</b>	<b>QR</b>	<b>V</b>	
3425.60 5	0 <sup>+</sup> to 4 <sup>+</sup>	0.09 ps 3	<b>E</b>				J <sup>π</sup> : 1262.21γ d(+Q) to 6 <sup>+</sup> . XREF: R(3433).
3426.32 14	0 <sup>+</sup> to 4 <sup>+</sup>	33 fs +17-10	<b>E</b>				J <sup>π</sup> : 2018.23γ to 4 <sup>+</sup> . J <sup>π</sup> : 945.26γ to 1 <sup>-</sup> . J <sup>π</sup> : L(p,p')=6.
3428.87 7	2 <sup>+</sup>	0.08 ps +5-3	<b>E</b>	<b>GH</b>			XREF: G(3451.9). J <sup>π</sup> : 3452.1γ to 0 <sup>+</sup> , 2037.4γ to 4 <sup>+</sup> . J <sup>π</sup> : 1985.0γ to 2 <sup>+</sup> . XREF: L(3457). J <sup>π</sup> : 2837.85γ to 2 <sup>+</sup> ; 5938.41γ from (1 <sup>+</sup> ) in <sup>111</sup> Cd(n,γ) E=th:primary ( <a href="#">1997Dr03</a> ). J <sup>π</sup> : 2852.7γ to 2 <sup>+</sup> . J <sup>π</sup> : 2055.8γ to 4 <sup>+</sup> . J <sup>π</sup> : 2166.06γ to 2 <sup>+</sup> ; 5914.9γ from (1 <sup>+</sup> ) in <sup>111</sup> Cd(n,γ) E=th:primary ( <a href="#">1997Dr03</a> ). J <sup>π</sup> : 1322.0 to 2 <sup>+</sup> . J <sup>π</sup> : from L(p,p')=(6). XREF: V(3489). J <sup>π</sup> : 2869.99γ E2 to 2 <sup>+</sup> ; 4 <sup>+</sup> in <sup>112</sup> Cd(p,p'); XREF: L(3492). J <sup>π</sup> : 1368.12γ to 2 <sup>+</sup> ; 2074.36γ to 4 <sup>+</sup> . J <sup>π</sup> : 1138.4γ to 5 <sup>-</sup> . J <sup>π</sup> : 2895.23γ M1+E2 to 2 <sup>+</sup> . J <sup>π</sup> : 2904.95γ to 2 <sup>+</sup> . J <sup>π</sup> : 593.45γ M1+E2 to 7 <sup>-</sup> ; band member.
3429.6 3			<b>E</b>				
3429.98 16	(5,6,7)		<b>D</b>				
3433.73 11	(2 <sup>+</sup> to 6 <sup>+</sup> )	0.11 ps +6-3	<b>E</b>		<b>R</b>		
3451.97 8	(0 <sup>+</sup> )		<b>E</b>				
3452 5	6 <sup>(+)</sup>			<b>M</b>	<b>V</b>		
3452.47 7	2 <sup>+</sup>	0.2 ps +4-I	<b>E</b>	<b>GH</b>			
3453.8 3	0 <sup>+</sup> to 4 <sup>+</sup>		<b>E</b>				
3455.48 9	0 <sup>+,1,2</sup>	0.3 ps +3-I	<b>E</b>	<b>GH</b>	<b>L</b>		
3470.3 12	0 <sup>+</sup> to 4 <sup>+</sup>		<b>A</b>				
3471.32 22	2 <sup>+</sup> to 6 <sup>+</sup>		<b>E</b>				
3478.58 7	0 <sup>+,1,2<sup>+</sup></sup>	0.2 ps +7-I	<b>E</b>	<b>GH</b>			
3478.7 9	0 <sup>+</sup> to 4 <sup>+</sup>		<b>A</b>				
3487 5	(6 <sup>+</sup> )			<b>V</b>			
3487.55 10	(4) <sup>+</sup>	83 fs 17	<b>E</b>		<b>V</b>		XREF: V(3489). J <sup>π</sup> : 2869.99γ E2 to 2 <sup>+</sup> ; 4 <sup>+</sup> in <sup>112</sup> Cd(p,p'); XREF: L(3492). J <sup>π</sup> : 1368.12γ to 2 <sup>+</sup> ; 2074.36γ to 4 <sup>+</sup> . J <sup>π</sup> : 1326.15γ D(+Q) to 6 <sup>+</sup> . J <sup>π</sup> : 2882.85γ to 2 <sup>+</sup> ; 5893.51γ from (1 <sup>+</sup> ) in <sup>111</sup> Cd(n,γ) E=th:primary ( <a href="#">1997Dr03</a> ). J <sup>π</sup> : 1138.4γ to 5 <sup>-</sup> . J <sup>π</sup> : 2895.23γ M1+E2 to 2 <sup>+</sup> . J <sup>π</sup> : 2904.95γ to 2 <sup>+</sup> . J <sup>π</sup> : 593.45γ M1+E2 to 7 <sup>-</sup> ; band member.
3489.85 6	2 <sup>+,3,4<sup>+</sup></sup>	68 fs 13	<b>E</b>	<b>L</b>			
3493.92 13	(6,7)		<b>D</b>				
3500.45 8	0 <sup>+</sup> to 3 <sup>+</sup>	0.15 ps 3	<b>E</b>	<b>GH</b>			
3511.6 3	3 <sup>-</sup> to 7 <sup>-</sup>	>485 fs	<b>E</b>				
3512.97 10	(1,2,3) <sup>+</sup>	0.10 ps 3	<b>E</b>	<b>G</b>			
3522.51 10	0 <sup>+</sup> to 4 <sup>+</sup>	33 fs 3	<b>E</b>				
3528.92 <sup>c</sup> 9	7 <sup>-</sup>		<b>D</b>				
3530.90 5			<b>E</b>				
3531.32 7	4 <sup>+</sup>	76 fs 24	<b>E</b>	<b>LM</b>	<b>V</b>		XREF: L(3543). J <sup>π</sup> : 2913.77γ M1+E2 to 2 <sup>+</sup> ; L(p,p')=4. B(E4)↑: 0.00 1 W.u. ( <a href="#">1992Pi08</a> ). J <sup>π</sup> : 3539.8γ to 0 <sup>+</sup> , 2922.72γ to 2 <sup>+</sup> . J <sup>π</sup> : 1375.02γ E2 to 6 <sup>+</sup> ; band member. J <sup>π</sup> : 3556.78γ to 0 <sup>+</sup> . T <sub>1/2</sub> : Other: 0.52 ps 13 in <sup>112</sup> Cd(γ,pol γ') ( <a href="#">2005Ko32</a> ). XREF: L(3560)M(3557)V(3557). J <sup>π</sup> : 2939.77γ to 2 <sup>+</sup> ; L(p,p')=3.
3540.24 9	1,2 <sup>+</sup>	15.3 fs 21	<b>E</b>	<b>GH</b>			
3542.84 <sup>&amp;</sup> 10	8 <sup>+</sup>		<b>D</b>				
3556.88 10	(1,2 <sup>+</sup> )	48 fs 4	<b>E</b>	<b>G</b>	<b>I</b>		
3557.33 10	(3) <sup>-</sup>	0.07 ps 3	<b>E</b>	<b>H</b>	<b>LM</b>	<b>V</b>	

Continued on next page (footnotes at end of table)

## Adopted Levels, Gammas (continued)

 $^{112}\text{Cd}$  Levels (continued)

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF	Comments
3568.05 6	2 <sup>+</sup>	62 fs 10	E GHI	
3571.05 <sup>b</sup> 10	9 <sup>-</sup>		D	
3572.28 20	(1,2 <sup>+</sup> )		GH	J <sup>π</sup> : 3572.37 $\gamma$ to 0 <sup>+</sup> .
3574.49 9	0 <sup>+</sup> to 4 <sup>+</sup>	≤2.5 ps	E	J <sup>π</sup> : 2956.96 $\gamma$ to 2 <sup>+</sup> .
3577.2 3	0 <sup>+</sup> to 4 <sup>+</sup>		E	J <sup>π</sup> : 2264.8 $\gamma$ to 2 <sup>+</sup> .
3577.55 11	2 <sup>+</sup>		GH	J <sup>π</sup> : 3577.53 $\gamma$ to 0 <sup>+</sup> , 2352.94 $\gamma$ to 4 <sup>+</sup> .
3579.44 7	0 <sup>+</sup> to 4 <sup>+</sup>	0.13 ps 3	E	J <sup>π</sup> : 2961.69 $\gamma$ to 2 <sup>+</sup> .
3583.80 24	5,6,7		D	J <sup>π</sup> : 1416.03 $\gamma$ D(+Q) to 6 <sup>+</sup> .
3586 5	3 <sup>-</sup>		M	J <sup>π</sup> : L(p,p')=L(d,d')=3;
3594.64 9	1,2 <sup>+</sup>	76 fs 14	E I L	XREF: L(3590).
				J <sup>π</sup> : 3594.49 $\gamma$ to 0 <sup>+</sup> , 2977.24 $\gamma$ to 2 <sup>+</sup> .
				T <sub>1/2</sub> : Also: 0.153 ps 25 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ ( <a href="#">2005Ko32</a> ).
3598.81 10	1 <sup>+</sup> ,2 <sup>+,3<sup>+</sup></sup>	31 fs 8	E	J <sup>π</sup> : 2981.25 $\gamma$ M1+E2 to 2 <sup>+</sup> .
3608.91 10	0 <sup>+,1,2,3<sup>+</sup></sup>	0.12 ps 3	E G	J <sup>π</sup> : 2991.30 $\gamma$ to 2 <sup>+</sup> ; 5784.3 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( <a href="#">1997Dr03</a> ).
3613.26 10	1 <sup>+,2<sup>+,3<sup>+</sup></sup></sup>	0.10 ps +6-3	E	J <sup>π</sup> : 2995.85 $\gamma$ M1+E2 to 2 <sup>+</sup> .
3618.48 14	3 <sup>-</sup>	0.06 ps +6-2	E LM	XREF: L(3616)M(3614)V(3614).
3622.18 11	0 <sup>+</sup> to 4 <sup>+</sup>	0.033 ps 10	E	J <sup>π</sup> : 2202.7 $\gamma$ to 4 <sup>+</sup> , 3000.83 $\gamma$ to 2 <sup>+</sup> ; L(p,p')=3.
3627.6 3	2 <sup>+</sup> to 6 <sup>+</sup>		E L	J <sup>π</sup> : 3004.62 $\gamma$ to 2 <sup>+</sup> ; XREF: L(3625).
				J <sup>π</sup> : 2212.1 $\gamma$ to 4 <sup>+</sup> ; (6 <sup>+</sup> ) in $^{112}\text{Cd}(\text{pol d,d'})$ ( <a href="#">1994He22</a> ).
3646.54 10	0 <sup>+,1,2,3<sup>+</sup></sup>	0.24 ps +8-5	E G	J <sup>π</sup> : 3028.88 $\gamma$ to 2 <sup>+</sup> ; 5746.95 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( <a href="#">1997Dr03</a> ).
3652.18 9	1,2 <sup>+</sup>	0.12 ps 4	E G	J <sup>π</sup> : 3652.07 $\gamma$ to 0 <sup>+</sup> , 3034.60 $\gamma$ to 2 <sup>+</sup> .
3658.74 11	8 <sup>-</sup>		D	J <sup>π</sup> : 410.55 $\gamma$ M1+E2 to 7 <sup>-</sup> ; 340.50 $\gamma$ M1+E2 to 9 <sup>-</sup> .
3665.78 10	3 <sup>-</sup>	132 fs 24	E LM	XREF: M(3664)V(3664).
3676.73 8	0 <sup>+</sup> to 4 <sup>+</sup>	0.09 ps 3	E	J <sup>π</sup> : 3048.22 $\gamma$ to 2 <sup>+</sup> ; L(p,p')=3;
3682.83 12	1,2 <sup>+</sup>	32 fs 8	E I	J <sup>π</sup> : 3059.00 $\gamma$ to 2 <sup>+</sup> . J <sup>π</sup> : 3682.76 $\gamma$ to 0 <sup>+</sup> .
				T <sub>1/2</sub> : Other: 88 fs 14 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ .
3684.02 <sup>#</sup> 12	10 <sup>+</sup>		D	J <sup>π</sup> : 802.98 $\gamma$ E2 to 8 <sup>+</sup> .
3685.55 15	6 <sup>-</sup> ,7 <sup>-</sup> ,8 <sup>-</sup>		D	J <sup>π</sup> : 309.09 $\gamma$ M1+E2 to (7 <sup>-</sup> ).
3687.93 10	(1,2 <sup>+</sup> )	0.13 ps 5	E	J <sup>π</sup> : 3687.86 $\gamma$ to 0 <sup>+</sup> .
3690.68 13	(4) <sup>+</sup>	0.10 ps +11-4	E LM	XREF: L(3691)M(3691)V(3691).
				J <sup>π</sup> : 3073.12 $\gamma$ to 2 <sup>+</sup> ; L(p,p')=4. B(E4) <sup>†</sup> : 2.2 4 W.u. ( <a href="#">1992Pi08</a> ).
3696.15 11	0 <sup>+,1,2,3<sup>+</sup></sup>		GH	J <sup>π</sup> : 2383.81 $\gamma$ to 2 <sup>+</sup> ; 5423.9 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( <a href="#">1997Dr03</a> ).
3697.74 12	1 <sup>-,2,3,4<sup>+</sup></sup>	0.3 ps +10-I	E L	XREF: L(3700).
				J <sup>π</sup> : 3080.13 $\gamma$ to 2 <sup>+</sup> ; 1692.8 $\gamma$ to 3 <sup>-</sup> ; (5 <sup>-</sup> ) in $^{112}\text{Cd}(\text{pol d,d'})$ ( <a href="#">1994He22</a> ).
3703.81 10	1,2 <sup>+</sup>	22 fs 4	E I	J <sup>π</sup> : 3703.74 $\gamma$ to 0 <sup>+</sup> .
3707.45 9	1 <sup>-,2,3<sup>+</sup></sup>	36 fs 8	E GH	T <sub>1/2</sub> : Other: 65 fs 6 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ ( <a href="#">2005Ko32</a> ).
3719.75 20	(2 <sup>+,3<sup>+</sup></sup>		E G L	J <sup>π</sup> : 3090.04 $\gamma$ to 2 <sup>+</sup> ; 840.71 $\gamma$ to 3 <sup>-</sup> ; 5686.66 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( <a href="#">1997Dr03</a> ).
3723.25 17	0 <sup>+,1,2,3<sup>+</sup></sup>	16 fs +12-8	E G	J <sup>π</sup> : 2305.1 $\gamma$ to 4 <sup>+</sup> ; 5674.88 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary.
3731.95 10	0 <sup>+</sup> to 4 <sup>+</sup>	0.125 ps +9-4	E	J <sup>π</sup> : 3105.13 $\gamma$ to 2 <sup>+</sup> ; 5670.24 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( <a href="#">1997Dr03</a> ). J <sup>π</sup> : 3114.39 $\gamma$ to 2 <sup>+</sup> .

Continued on next page (footnotes at end of table)

## Adopted Levels, Gammas (continued)

 $^{112}\text{Cd}$  Levels (continued)

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF			Comments
3736.5 3	8 <sup>+</sup>		D			J <sup>π</sup> : 1165.0 $\gamma$ E2 to 6 <sup>+</sup> .
3739.55 10	(1,2,3) <sup>+</sup>	66 fs 20	E	L		XREF: L(3740).
3743.76 10	(1,2,3) <sup>+</sup>	54 fs 8	E	G		J <sup>π</sup> : 3121.99 $\gamma$ M1+E2 to 2 <sup>+</sup> .
3746.8 3	(4) <sup>+</sup>		E	M	V	J <sup>π</sup> : 3126.22 $\gamma$ M1+E2 to 2 <sup>+</sup> ; 5650.8 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( <a href="#">1997Dr03</a> ).
3754.09 11	2 <sup>+</sup> to 6 <sup>+</sup>	>416 fs	E			XREF: M(3748)V(3748).
3755.46 13	(2 <sup>+</sup> )	28 fs 9	E	L		J <sup>π</sup> : 2331.3 $\gamma$ to 4 <sup>+</sup> ; L(p,p')=4.
3763.95 10	(4) <sup>+</sup>	104 fs 14	E	M	V	B(E4) $↑$ : 1.0 3 W.u. ( <a href="#">1992Pi08</a> ).
3770.47 10	0 <sup>+</sup> to 4 <sup>+</sup>	26 fs 6	E			J <sup>π</sup> : 2338.58 $\gamma$ to 4 <sup>+</sup> .
3783.197 11	(1,2,3) <sup>+</sup>	0.2 ps +4-I	E			J <sup>π</sup> : 3755.39 $\gamma$ to 0 <sup>+</sup> .
3785.69 <sup>c</sup> 13	9 <sup>-</sup>		D			XREF: M(3764)V(3764).
3787.3 3	2 <sup>+</sup>		E	G		J <sup>π</sup> : 3146.38 $\gamma$ to 2 <sup>+</sup> ; L(p,p')=4 ( <a href="#">1992Pi08</a> ).
3801.2 3	(4) <sup>+</sup>		E	M	V	B(E4) $↑$ : 0.68 16 W.u. ( <a href="#">1992Pi08</a> ).
3804.87 14	0 <sup>+</sup> to 4 <sup>+</sup>	0.2 ps +5-I	E			J <sup>π</sup> : 3152.90 $\gamma$ to 2 <sup>+</sup> .
3809.39 <sup>b</sup> 9	10 <sup>-</sup>		D			J <sup>π</sup> : 3165.631 $\gamma$ M1+E2 to 2 <sup>+</sup> .
3810.04 10	1,2 <sup>+</sup>	9.7 fs 2I	E	I		J <sup>π</sup> : 692.67 $\gamma$ to 8 <sup>-</sup> ; band member.
3810.88 10	(3 <sup>-</sup> )	0.07 ps +3-2	E	M	V	XREF: G(3795).
3832.66 11	(4) <sup>+</sup>	22 fs 7	E	M	V	J <sup>π</sup> : 3787.2 $\gamma$ E2 to 0 <sup>+</sup> .
3838.85 23	(1,2 <sup>+</sup> )		GH			XREF: M(3800)V(3800).
3844.25 10	0 <sup>+</sup> to 4 <sup>+</sup>	263 fs	E			J <sup>π</sup> : 2385.7 $\gamma$ to 4 <sup>+</sup> ; L(p,p')=4.
3846.48 10	(1,2 <sup>+</sup> )	40 fs 9	E	GHI		B(E4) $↑$ : 1.3 3 W.u. ( <a href="#">1992Pi08</a> ).
3854.4 3	2 <sup>+</sup>		E			J <sup>π</sup> : 3187.30 $\gamma$ to 2 <sup>+</sup> .
3864.51 11	(4) <sup>+</sup>		E	M	V	J <sup>π</sup> : 716.376 $\gamma$ E2 to 8 <sup>-</sup> ; 491.30 $\gamma$ M1+E2 to 9 <sup>-</sup> ; band member.
3869.00 10	(1,2 <sup>+</sup> )	13 fs 3	E	I		J <sup>π</sup> : 3809.97 $\gamma$ to 0 <sup>+</sup> .
3878.62 13	0 <sup>+</sup> to 4 <sup>+</sup>	53 fs 24	E			T <sub>1/2</sub> : Other: 17 fs 3 from $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ .
3892.48 14	0 <sup>+</sup> ,1,2,3 <sup>+</sup>		GH	M	V	XREF: M(3815)V(3815).
3913.69 <sup>&amp;</sup> 9	9 <sup>+</sup>		D			J <sup>π</sup> : 3193.317 $\gamma$ to 2 <sup>+</sup> ; L(p,p')=3 ( <a href="#">1992Pi08</a> ).
3929.21 21	(0) <sup>+</sup>	$\leq$ 0.9 ps	E		P	XREF: M(3835)V(3835).
3930.78 17	12 <sup>+</sup>		D			J <sup>π</sup> : 3215.09 $\gamma$ to 2 <sup>+</sup> ; L(p,p')=4 ( <a href="#">1992Pi08</a> ).
3932.18 12	0 <sup>+</sup> to 4 <sup>+</sup>	0.09 ps +6-3	E			B(E4) $↑$ : 1.0 3 W.u. ( <a href="#">1992Pi08</a> ).
3933.07 13	(1,2 <sup>+</sup> )	12 fs 4	E	I		J <sup>π</sup> : 3215.93 $\gamma$ to 2 <sup>+</sup> .
3939.27 14	(4) <sup>+</sup>	0.05 fs +3-2	E	M	V	T <sub>1/2</sub> : Other: 20 fs 5 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ .
						J <sup>π</sup> : 3261.05 $\gamma$ to 2 <sup>+</sup> .
						J <sup>π</sup> : 2579.77 $\gamma$ to 2 <sup>+</sup> ; 5501.62 $\gamma$ from (1 <sup>+</sup> ) in $^{111}\text{Cd}(n,\gamma)$ E=th:primary ( <a href="#">1997Dr03</a> ).
						J <sup>π</sup> : 674.713 $\gamma$ E2 to 7 <sup>+</sup> ; 514.75 $\gamma$ M1+E2 to 8 <sup>+</sup> ; band member.
						XREF: P(3920).
						J <sup>π</sup> : 3311.64 $\gamma$ to 2 <sup>+</sup> ; L( <sup>3</sup> He,n)=0.
						J <sup>π</sup> : 608.5 $\gamma$ E2 to 10 <sup>+</sup> ; band member.
						J <sup>π</sup> : 3314.61 $\gamma$ to 2 <sup>+</sup> .
						J <sup>π</sup> : 3933.00 $\gamma$ to 0 <sup>+</sup> .
						T <sub>1/2</sub> : Other: 76 fs 10 in $^{112}\text{Cd}(\gamma,\text{pol } \gamma')$ .
						XREF: M(3945)V(3945).
						J <sup>π</sup> : 3321.70 $\gamma$ to 2 <sup>+</sup> ; L(p,p')=4 ( <a href="#">1992Pi08</a> ).
						B(E4) $↑$ : 0.43 14 W.u. ( <a href="#">1992Pi08</a> ).

Continued on next page (footnotes at end of table)

## Adopted Levels, Gammas (continued)

 $^{112}\text{Cd}$  Levels (continued)

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub> <sup>‡</sup>	XREF	Comments
3951.57 13	1,2 <sup>+</sup>	43 fs 6	E GH	XREF: E(3952.25)G(3951.43)H(3951.50). J <sup>π</sup> : 3951.4γ to 0 <sup>+</sup> , 3333.9γ to 2 <sup>+</sup> .
3963.8 4	(1,2 <sup>+</sup> )	0.03 ps +4-2	E	J <sup>π</sup> : 3963.7γ to 0 <sup>+</sup> .
3966.44 14	(9,10,11) <sup>+</sup>		D	J <sup>π</sup> : 644.04γ M1+E2 to 10 <sup>+</sup> .
3970.08 19	(1,2 <sup>+</sup> )	0.05 ps +7-2	E GH	XREF: E(3969.28). J <sup>π</sup> : 3970.0γ to 0 <sup>+</sup> .
3990.40 11	10 <sup>+</sup>		D	J <sup>π</sup> : 591.57γ E2 to 8 <sup>+</sup> ; 306.23γ M1+E2 to 10 <sup>+</sup> .
3997.75 14	1,2 <sup>+</sup>	2.4 <sup>e</sup> fs 6	GHI	XREF: G(3996.1). J <sup>π</sup> : 3997.6γ to 0 <sup>+</sup> , 2685.83γ to 2 <sup>+</sup> .
4003.9 3	(3 <sup>-</sup> )		GH M	XREF: M(4010)V(4010). J <sup>π</sup> : 3386.50γ to 2 <sup>+</sup> ; L(p,p')=3 ( <a href="#">1992Pi08</a> ).
4033.88 20	(3 <sup>-</sup> )	0.06 ps +5-2	E M	XREF: M(4034)V(4034). J <sup>π</sup> : 3416.31γ to 2 <sup>+</sup> ; L(p,p')=3 ( <a href="#">1992Pi08</a> ).
4060 5	(4 <sup>+</sup> )		M	J <sup>π</sup> : L(p,p')=4. B(E4)↑: 0.84 16 W.u. ( <a href="#">1992Pi08</a> ).
4090 5	(3 <sup>-</sup> )		M	J <sup>π</sup> : L(p,p')=3.
4118 5	(4 <sup>+</sup> )		M	J <sup>π</sup> : L(p,p')=4. B(E4)↑: 0.01 3 W.u. ( <a href="#">1992Pi08</a> ).
4125.91 13	10 <sup>+</sup>		D	J <sup>π</sup> : 949.44γ E2 to 8 <sup>+</sup> ; assumed yrast state.
4172 5	(3 <sup>-</sup> )		M	J <sup>π</sup> : L(p,p')=3 ( <a href="#">1992Pi08</a> ).
4174.50 13	10 <sup>+</sup>		D	J <sup>π</sup> : 856.41γ E1 to 9 <sup>-</sup> ; assumed yrast state.
4221 5	(7 <sup>-</sup> )		M	J <sup>π</sup> : L(p,p')=7 ( <a href="#">1992Pi08</a> ).
4248 5	(3 <sup>-</sup> )		M	J <sup>π</sup> : L(p,p')=3 ( <a href="#">1992Pi08</a> ).
4279 5	(3 <sup>-</sup> )		M	J <sup>π</sup> : L(p,p')=3 ( <a href="#">1992Pi08</a> ).
4283.47 <sup>&amp;</sup> 14	10 <sup>+</sup>		D	J <sup>π</sup> : 740.63γ E2 to 8 <sup>+</sup> ; band member.
4284.76 15	(9) <sup>-</sup>		D	J <sup>π</sup> : 908.29γ E2 to (7) <sup>-</sup> ; assumed yrast state.
4285.20 <sup>a</sup> 13	11 <sup>-</sup>		D	J <sup>π</sup> : 967.10γ E2 to 9 <sup>-</sup> ; band member.
4320 5	(4 <sup>+</sup> )		M	J <sup>π</sup> : L(p,p')=4 ( <a href="#">1992Pi08</a> ). B(E4)↑: 0.71 22 W.u. ( <a href="#">1992Pi08</a> ).
4338 5	(7 <sup>-</sup> )		M	J <sup>π</sup> : L(p,p')=7 ( <a href="#">1992Pi08</a> ).
4364 5	(4 <sup>+</sup> )		M	J <sup>π</sup> : L(p,p')=4 ( <a href="#">1992Pi08</a> ). B(E4)↑: 0.62 17 W.u. ( <a href="#">1992Pi08</a> ).
4383.05 14	11 <sup>+</sup>		D	J <sup>π</sup> : 1060.63γ M1+E2 to 10 <sup>+</sup> ; 452.27γ M1(+E2) to 12 <sup>+</sup> .
4385 5	(3 <sup>-</sup> )		M	J <sup>π</sup> : L(p,p')=3 ( <a href="#">1992Pi08</a> ).
4385.16 <sup>c</sup> 13	10 <sup>-</sup>		D	J <sup>π</sup> : 1067.06γ M1+E2 to 9 <sup>-</sup> ; band member.
4419 5	(4 <sup>+</sup> )		M	J <sup>π</sup> : L(p,p')=(4) ( <a href="#">1992Pi08</a> ). B(E4)↑: 0.83 17 W.u. ( <a href="#">1992Pi08</a> ).
4467.74 <sup>b</sup> 14	11 <sup>-</sup>		D	J <sup>π</sup> : 896.683γ E2 to 9 <sup>-</sup> ; band member.
4468 5	3		M	J <sup>π</sup> : From $^{112}\text{Cd}(d,d')$ and $^{112}\text{Cd}(p,p')$ .
4499 5	(3 <sup>-</sup> )		M	J <sup>π</sup> : From $^{112}\text{Cd}(d,d')$ and $^{112}\text{Cd}(p,p')$ .
4546 5	(2 <sup>+</sup> )		V	J <sup>π</sup> : From $^{112}\text{Cd}(p,p')$ .
4587.15 <sup>#</sup> 16	12 <sup>+</sup>		D	J <sup>π</sup> : 903.121γ E2 to 10 <sup>+</sup> ; band member.
4687.17 <sup>&amp;</sup> 13	11 <sup>+</sup>		D	J <sup>π</sup> : 773.48γ E2 9 <sup>+</sup> ; band member.
4720	0 <sup>+,2<sup>+</sup></sup>		P	J <sup>π</sup> : L( $^3\text{He},n$ )=0,2.
4871.47 20	14 <sup>+</sup>		D	J <sup>π</sup> : 940.680γ E2 to 12 <sup>+</sup> ; band member.
5106.22 20	(13) <sup>-</sup>		D	J <sup>π</sup> : 1175.431γ E1 to 12 <sup>+</sup> ; assumed yrast state.
7633.0 5	1 <sup>-</sup>	5.3 fs 9	J	J <sup>π</sup> : 7632γ E1 to 0 <sup>+</sup> . T <sub>1/2</sub> : from $\Gamma_\gamma=0.086 \text{ eV}$ 15 ( <a href="#">1970Mo26</a> ). Other: 0.6 eV +2-I ( <a href="#">1966Mi13</a> ).
(9394.20 3)	(1) <sup>+</sup>		G	J <sup>π</sup> : s-wave capture on J <sup>π</sup> =1/2 <sup>+</sup> in $^{111}\text{Cd}$ suggests 0 <sup>+,1<sup>+</sup>; 9393.63γ to the g.s. and other decay branches to 0<sup>+</sup> states support 1<sup>+</sup> assignments.</sup>

Continued on next page (footnotes at end of table)

---

**Adopted Levels, Gammas (continued)**

---

 **$^{112}\text{Cd}$  Levels (continued)**

<sup>†</sup> From a least-squares fit to E $\gamma$ .

<sup>‡</sup> From DSAM in  $^{112}\text{Cd}(n,n'\gamma)$  ([2007Ga22](#)), unless otherwise stated.

<sup>#</sup> Member of the gsb.

<sup>@</sup> Member of the band based on the 0<sup>+</sup> state at 1224 keV.

<sup>&</sup> Member of the band based on the 2<sup>+</sup> state at 1312 keV.

<sup>a</sup> Member of the band based on the 3<sup>-</sup> state at 2005 keV.

<sup>b</sup> Member of the band based on the 5<sup>-</sup> state at 2570 keV.

<sup>c</sup> Member of the band based on the 3<sup>-</sup> state at 2415 keV.

<sup>d</sup> Unresolved multiplet in (p,p') and (pol d, t).

<sup>e</sup> From  $^{112}\text{Cd}(\gamma, \text{pol } \gamma')$ .

## Adopted Levels, Gammas (continued)

$\gamma(^{112}\text{Cd})$										
E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> <i>f</i>	α <sup>e</sup>	I <sub>(γ+ce)</sub>	Comments
617.518	2 <sup>+</sup>	617.517 <sup>d</sup> 3	100	0.0	0 <sup>+</sup>	E2		0.00371		α(K)=0.00321 5; α(L)=0.000407 6; α(M)=7.82×10 <sup>-5</sup> 11 α(N)=1.381×10 <sup>-5</sup> 20; α(O)=7.37×10 <sup>-7</sup> 11 B(E2)(W.u.)=30.31 19 Mult.: α(K)exp=0.00317 16, α(L)exp=0.00039 4, and α(M)exp=0.000138 15 in <sup>111</sup> Cd(n,γ) E=th:secondary (1997Dr03); α(K)exp=0.0038 7 in <sup>112</sup> In ε decay (14.88 min) (1962Ru05); A <sub>2</sub> =+0.44 2, A <sub>4</sub> =-0.05 2 from γγ(θ) in <sup>110</sup> Pd(α,2nγ) (1997Dr03).
1224.341	0 <sup>+</sup>	606.821 6	100	617.518	2 <sup>+</sup>	E2		0.00388		α(K)=0.00336 5; α(L)=0.000427 6; α(M)=8.21×10 <sup>-5</sup> 12 α(N)=1.450×10 <sup>-5</sup> 21; α(O)=7.71×10 <sup>-7</sup> 11 B(E2)(W.u.)=51 14 Mult.: α(K)exp=0.0034 3 in <sup>111</sup> Cd(n,γ) E=th:secondary (1997Dr03); A <sub>2</sub> =-0.02 7; A <sub>4</sub> =-0.08 10 in <sup>110</sup> Pd(α,2nγ) (1992Ku01).
	1224.341 7			0.0	0 <sup>+</sup>	E0		0.090 7		E <sub>γ</sub> : transition energy from level energy differences. Mult.: from ce measurements 1979Gi05, 1980Ju05 and 1997Dr03; Ice(K)(1224.341γ)/Ice(K)(606.821γ)= 0.300 22, weighted average of 0.30 4 (1979Gi05), 0.33 5 (1980Ju05) and 0.29 3 (1997Dr03). I <sub>(γ+ce)</sub> : from Ice(K)(1224.341γ)/Ice(K)(606.821γ)= 0.300 22 α(K)(606.84γ)=0.00336 5 and Ω <sub>K</sub> /Ω <sub>T</sub> =0.8961 (2008Ki07).
1312.390	2 <sup>+</sup>	694.872 <sup>d</sup> 7	100 <sup>#</sup> 3	617.518	2 <sup>+</sup>	E2+M1	-4.0 7	0.00274		α(K)=0.00238 4; α(L)=0.000296 5; α(M)=5.68×10 <sup>-5</sup> 8 α(N)=1.007×10 <sup>-5</sup> 15; α(O)=5.50×10 <sup>-7</sup> 8 B(M1)(W.u.)=0.0015 6; B(E2)(W.u.)=39 7 Mult.: α(K)exp=0.00242 18 in <sup>111</sup> Cd(n,γ) E=th:secondary (1997Dr03); A <sub>2</sub> =-0.224 7; A <sub>4</sub> =0.008 10 from γγ(θ) in <sup>110</sup> Pd(α,2nγ) (1993De09). δ: From γγ(θ) in <sup>112</sup> Ag β <sup>-</sup> decay (1972Wa03); Others (γ(θ)): -1.6 +5-8 (1997Dr03), -2.6 +4-3 in (2001Ga44), -0.77 6 in <sup>111</sup> Cd(d,pγ) and -0.87 10 or -3.5 9 (1969Mi07).
	1312.36 4		37.7 <sup>#</sup> 4	0.0	0 <sup>+</sup>	E2		6.64×10 <sup>-4</sup>		α(K)=0.000557 8; α(L)=6.58×10 <sup>-5</sup> 10; α(M)=1.258×10 <sup>-5</sup> 18 α(N)=2.24×10 <sup>-6</sup> 4; α(O)=1.302×10 <sup>-7</sup> 19; α(IPF)=2.64×10 <sup>-5</sup> 4 B(E2)(W.u.)=0.65 11 Mult.: α(K)exp=0.00052 6 in <sup>111</sup> Cd(n,γ) E=th:secondary (1997Dr03); A <sub>2</sub> =+0.46 2, A <sub>4</sub> =-0.04 3 from γγ(θ) in <sup>110</sup> Pd(α,2nγ) (1997Dr03).
1415.480	4 <sup>+</sup>	798.04 10	100	617.518	2 <sup>+</sup>	E2		0.00193		α(K)=0.001676 24; α(L)=0.000206 3; α(M)=3.95×10 <sup>-5</sup>

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	a <sup>e</sup>	I <sub>(γ+ce)</sub>	Comments
1433.27	0 <sup>+</sup>	120.68 <sup>#</sup> 10	58 <sup>@</sup> 7	1312.390	2 <sup>+</sup>	E2		0.766	6	$\alpha(N)=7.01\times10^{-6}$ 10; $\alpha(O)=3.89\times10^{-7}$ 6 $B(E2)(W.u.)=63$ 8 Mult.: $\alpha(K)\exp=0.00155$ 15 in <sup>111</sup> Cd(n, $\gamma$ ) E=th:secondary ( <a href="#">1997Dr03</a> ); $A_2=+0.58$ 4, $A_4=-0.15$ 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ).
	208.93 3			1224.341	0 <sup>+</sup>	E0		6.4 10	I <sub>γ</sub> : Others: 61 10 in <sup>112</sup> Cd(p,p' $\gamma$ ), but 27 4 in <sup>110</sup> Pd( $\alpha,2n\gamma$ ). E <sub>γ</sub> : transition energy from level energy differences. Mult.: from $\alpha$ measurements in <a href="#">1980Ju05</a> and <a href="#">1997Dr03</a> .	
	815.79 <sup>d</sup> 3	100 <sup>@</sup> 10		617.518	2 <sup>+</sup>	E2		0.00183	I <sub>(γ+ce)</sub> : from Ice(K)(208.93 $\gamma$ ):Ice(K)(815.79 $\gamma$ )=45 5 ( <a href="#">1997Dr03</a> ), $\alpha(K)(815.79\gamma)=0.001589$ 23, I $\gamma(815.79\gamma)=100$ 11 and $\Omega_K/\Omega_T=0.8941$ ( <a href="#">2008Ki07</a> ); Other: Ice(K)(208.93 $\gamma$ ):Ice(K)(815.79 $\gamma$ )=25 9 ( <a href="#">1980Ju05</a> ), is probably affected by the uncertainties in the ce spectrum around the 183-keV line. $\alpha(K)=0.001589$ 23; $\alpha(L)=0.000195$ 3; $\alpha(M)=3.74\times10^{-5}$ 6 $\alpha(N)=6.63\times10^{-6}$ 10; $\alpha(O)=3.69\times10^{-7}$ 6 $B(E2)(W.u.)=0.0121$ 17 E <sub>γ</sub> : $B(E2)(\downarrow)=0.017$ 4 ( <a href="#">1980Ju05</a> ).	
14	1433.27 3			0.0	0 <sup>+</sup>	E0		2.7 4	I <sub>(γ+ce)</sub> : from Ice(K)(1433.27 $\gamma$ ):Ice(K)(815.79 $\gamma$ )=19.0 17 ( <a href="#">1997Dr03</a> ), $\alpha(K)(815.57\gamma)=0.001589$ 23, I $\gamma(815.57\gamma)=100$ 11 and $\Omega_K/\Omega_T=0.8962$ ( <a href="#">2008Ki07</a> ) Other: Ice(K)(1433.27 $\gamma$ ):Ice(K)(815.79 $\gamma$ )=7.9 25 ( <a href="#">1980Ju05</a> ), but the value is probably affected by the weak population of this level.	
1468.822	2 <sup>+</sup>	244.86 <sup>#</sup> 23	1.0 3	1224.341	0 <sup>+</sup>	(E2)		0.0641	$\alpha(K)=0.0538$ 8; $\alpha(L)=0.00840$ 13; $\alpha(M)=0.001633$ 24 $\alpha(N)=0.000282$ 4; $\alpha(O)=1.143\times10^{-5}$ 17 $B(E2)(W.u.)=1.2\times10^2$ 5 Mult.: from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $B(M1)(W.u.)=2.1\times10^{-6}$ 16	
	851.285 <sup>d</sup> 15	100.0 10		617.518	2 <sup>+</sup>	M1+E2+E0	+0.050 18	0.00195	4	

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	α <sup>e</sup>	Comments
1468.822	2 <sup>+</sup>	1468.84 10	58.3 8	0.0	0 <sup>+</sup>	E2		5.79×10 <sup>-4</sup>	ce(K)/(γ+ce)=0.001664 24; ce(L)/(γ+ce)=0.000196 3; ce(M)/(γ+ce)=3.75×10 <sup>-5</sup> 6 ce(N)/(γ+ce)=6.71×10 <sup>-6</sup> 10; ce(O)/(γ+ce)=3.97×10 <sup>-7</sup> 6 α(K)=0.001667 24; α(L)=0.000196 3; α(M)=3.76×10 <sup>-5</sup> 6 α(N)=6.72×10 <sup>-6</sup> 10; α(O)=3.98×10 <sup>-7</sup> 6 Mult.: from α(K)exp=0.00235 18 in <sup>111</sup> Cd(n,γ) E=th ( <a href="#">1997Dr03</a> ) and α(K)exp=0.00234 12 in <sup>112</sup> In ε decay (14.88 min) ( <a href="#">1991Gi05</a> ); A <sub>2</sub> =0.50 2 from γγ(θ) in <sup>110</sup> Pd(α,2ny) ( <a href="#">1997Dr03</a> ); Others: A <sub>2</sub> =0.07 7 and A <sub>4</sub> =0.03 16 in <sup>112</sup> Ag β <sup>-</sup> decay (3.130 h) ( <a href="#">1972Wa03</a> ). δ: Weighted average of 0.053 30 in <a href="#">1997De03</a> and 0.048 22 in <a href="#">1991Gi05</a> . Others: +0.14 5 from γ(θ) in <sup>112</sup> Cd(n,n'γ) ( <a href="#">2001Ga44</a> ), +0.23 13 or +1.4 5 from γγ(θ) in <sup>110</sup> Pd(α,2ny) ( <a href="#">1997Dr03</a> ), +0.10 7 ( <a href="#">1973Gr16</a> ); 0.05 or +2.0 +7–5 ( <a href="#">1969Mi07</a> ) in Coulomb excitation; +0.22 5 in <sup>112</sup> Ag β <sup>-</sup> decay (3.130 h) ( <a href="#">1972Wa03</a> ). α: 0.00195 4, using q <sup>2</sup> =9.7 35, weighted average of 9.4 54 ( <a href="#">1997Dr03</a> ) and 9.9 46( <a href="#">1991Gi05</a> ), and α from <a href="#">2008Ki07</a> .
1870.68	4 <sup>+</sup>	401.88 13	58 3	1468.822 2 <sup>+</sup>	E2			0.01277	α(K)=0.000444 7; α(L)=5.21×10 <sup>-5</sup> 8; α(M)=9.96×10 <sup>-6</sup> 14 α(N)=1.777×10 <sup>-6</sup> 25; α(O)=1.039×10 <sup>-7</sup> 15; α(IPF)=7.09×10 <sup>-5</sup> 10 B(E2)(W.u.)=0.88 17 Mult.: α(K)exp=0.00050 7 in <sup>111</sup> Cd(n,γ) E=th ( <a href="#">1997Dr03</a> ). Mult.: a <sub>0</sub> =15.6 2; A <sub>2</sub> =0.210 13; A <sub>4</sub> =−0.036 19 from γγ(θ) in <sup>110</sup> Pd(α,2ny) ( <a href="#">1993De09</a> ). α(K)=0.01093 16; α(L)=0.001492 21; α(M)=0.000288 4 α(N)=5.04×10 <sup>-5</sup> 7; α(O)=2.44×10 <sup>-6</sup> 4
		455.26 13	32.0 17	1415.480 4 <sup>+</sup>	M1+E2	+2.7 +4–3		0.00871	Mult.: A <sub>2</sub> =+0.60 2, A <sub>4</sub> =−0.10 2 in <sup>110</sup> Pd(α,2ny) ( <a href="#">1997Dr03</a> ). α(K)=0.00750 11; α(L)=0.000987 15; α(M)=0.000190 3 α(N)=3.35×10 <sup>-5</sup> 5; α(O)=1.706×10 <sup>-6</sup> 24 Mult.: A <sub>2</sub> =0.06 23, A <sub>4</sub> =−0.41 24 from γγ(θ) in <sup>110</sup> Pd(α,2ny) ( <a href="#">1997Dr03</a> ). δ: Other: 2.43 15 or −0.45 14 from γγ(θ) in <sup>110</sup> Pd(α,2ny) ( <a href="#">1997Dr03</a> ). α(K)=0.00421 6; α(L)=0.000542 8; α(M)=0.0001042 15 α(N)=1.84×10 <sup>-5</sup> 3; α(O)=9.62×10 <sup>-7</sup> 14
		558.39 11	100.0 25	1312.390 2 <sup>+</sup>	E2			0.00487	Mult.: A <sub>2</sub> =+0.64 3, A <sub>4</sub> =−0.12 4 from γγ(θ) in <sup>110</sup> Pd(α,2ny) ( <a href="#">1997Dr03</a> ). α(K)=0.000612 9; α(L)=7.25×10 <sup>-5</sup> 11; α(M)=1.387×10 <sup>-5</sup> 20 α(N)=2.47×10 <sup>-6</sup> 4; α(O)=1.431×10 <sup>-7</sup> 20; α(IPF)=1.510×10 <sup>-5</sup> 22 Mult.: A <sub>2</sub> =+0.52 4, A <sub>4</sub> =−0.15 6 from γγ(θ) in <sup>110</sup> Pd(α,2ny) ( <a href="#">1997Dr03</a> ).
		1253.16 12	89 3	617.518 2 <sup>+</sup>	E2			7.17×10 <sup>-4</sup>	

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	$\delta^{\dagger}f$	$\alpha^e$	Comments
1870.96	0 <sup>+</sup>	402.50 16	11.2 12	1468.822	2 <sup>+</sup>	E2		0.01271	$\alpha(K)=0.01088\ 16; \alpha(L)=0.001485\ 21; \alpha(M)=0.000287\ 4$ $\alpha(N)=5.02\times 10^{-5}\ 7; \alpha(O)=2.43\times 10^{-6}\ 4$ Mult.: $A_2=+0.60\ 2, A_4=-0.10\ 2$ from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1997Dr03</a> ).
	558.7	3.5 <sup>@</sup> 9	1312.390	2 <sup>+</sup>	E2		0.00487		$\alpha(K)=0.00420\ 6; \alpha(L)=0.000541\ 8; \alpha(M)=0.0001041\ 15$ $\alpha(N)=1.83\times 10^{-5}\ 3; \alpha(O)=9.61\times 10^{-7}\ 14$
	1253.56 12	100.0 12	617.518	2 <sup>+</sup>	E2		7.16×10 <sup>-4</sup>		$\alpha(K)=0.000612\ 9; \alpha(L)=7.25\times 10^{-5}\ 11;$ $\alpha(M)=1.386\times 10^{-5}\ 20$ $\alpha(N)=2.47\times 10^{-6}\ 4; \alpha(O)=1.430\times 10^{-7}\ 20;$ $\alpha(IPF)=1.517\times 10^{-5}\ 22$ Mult.: $A_2=0.218\ 42$ and $A_4=0.990\ 51$ in $^{112}\text{In}$ ε decay (14.88 min) ( <a href="#">1972Ka34</a> ).
2005.200	3 <sup>-</sup>	536.31 10	1.11 12	1468.822	2 <sup>+</sup>	E1		0.00181	B(E1)(W.u.)=6.5×10 <sup>-5</sup> 15 $\alpha(K)=0.001581\ 23; \alpha(L)=0.000186\ 3; \alpha(M)=3.54\times 10^{-5}$ 5 $\alpha(N)=6.30\times 10^{-6}\ 9; \alpha(O)=3.61\times 10^{-7}\ 5$ Mult.: $A_2=-0.17\ 15$ from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1997Dr03</a> ).
16		692.82 <sup>d</sup> 3	22.2 6	1312.390	2 <sup>+</sup>	E1	1.02×10 <sup>-3</sup>		$\alpha(K)=0.000893\ 13; \alpha(L)=0.0001041\ 15;$ $\alpha(M)=1.99\times 10^{-5}\ 3$ $\alpha(N)=3.54\times 10^{-6}\ 5; \alpha(O)=2.05\times 10^{-7}\ 3$ B(E1)(W.u.)=0.00061 12 Mult.: $A_2/A_0=-0.046\ 17$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1993De09</a> ).
	1387.68 10	100.0 6	617.518	2 <sup>+</sup>	E1		4.19×10 <sup>-4</sup>		B(E1)(W.u.)=0.00034 7 $\alpha(K)=0.000235\ 4; \alpha(L)=2.70\times 10^{-5}\ 4; \alpha(M)=5.15\times 10^{-6}$ 8 $\alpha(N)=9.19\times 10^{-7}\ 13; \alpha(O)=5.44\times 10^{-8}\ 8;$ $\alpha(IPF)=0.0001504\ 21$ Mult.: $A_2=-0.07\ 6$ from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1997Dr03</a> ); Also, $A_2=-0.11\ 3$ and $A_4=-0.02\ 5$ in $^{112}\text{Ag}$ β <sup>-</sup> decay (3.130 h) ( <a href="#">1972Wa03</a> ). Possible M2 admixture; $\delta=-0.06\ 2$ from $^{112}\text{Ag}$ β <sup>-</sup> decay (3.130 h).
2064.53	3 <sup>+</sup>	648.91 10	28.3 7	1415.480	4 <sup>+</sup>	M1+E2	-1.20 +20-15	0.00338 6	$\alpha(K)=0.00294\ 5; \alpha(L)=0.000361\ 6; \alpha(M)=6.93\times 10^{-5}\ 10$ $\alpha(N)=1.230\times 10^{-5}\ 19; \alpha(O)=6.89\times 10^{-7}\ 14$ B(M1)(W.u.)=0.009 4; B(E2)(W.u.)=25 8 Mult.: $A_2=+0.45\ 7$ from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1997Dr03</a> ). δ: Also: -1.6 3 or -0.50 15 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1997Dr03</a> ).
	752.14 <sup>d</sup> 3	100.0 13	1312.390	2 <sup>+</sup>	M1+E2	-2.75 +23-17	0.00227		$\alpha(K)=0.00197\ 3; \alpha(L)=0.000242\ 4; \alpha(M)=4.65\times 10^{-5}\ 7$

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. <sup>d</sup>	$\delta^\dagger f$	$\alpha^e$	Comments
2064.53	3 <sup>+</sup>	1447.00 10	87.7 13	617.518	2 <sup>+</sup>	M1+E2	-1.70 +10-12	6.04×10 <sup>-4</sup>	$\alpha(N)=8.24\times10^{-6}$ 12; $\alpha(O)=4.58\times10^{-7}$ 7 B(M1)(W.u.)=0.0059 19; B(E2)(W.u.)=64 18 Mult.: A <sub>2</sub> =0.303 6; A <sub>4</sub> =-0.092 8 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). $\delta$ : Also: -1.5 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\alpha(K)=0.000474$ 7; $\alpha(L)=5.55\times10^{-5}$ 8; $\alpha(M)=1.062\times10^{-5}$ 16 $\alpha(N)=1.89\times10^{-6}$ 3; $\alpha(O)=1.114\times10^{-7}$ 17; $\alpha(IPF)=6.18\times10^{-5}$ 9 B(M1)(W.u.)=0.0016 5; B(E2)(W.u.)=1.8 5 Mult.: A <sub>2</sub> =-0.47 6, A <sub>4</sub> =+0.10 10 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\delta$ : Also: -1.24 15 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\alpha(K)=0.0519$ 8; $\alpha(L)=0.00638$ 10; $\alpha(M)=0.001226$ 18 $\alpha(N)=0.000218$ 4; $\alpha(O)=1.261\times10^{-5}$ 19 B(M1)(W.u.)=0.14 5
2081.64	4 <sup>+</sup>	211.0 <sup>#</sup> 3	4.9 <sup>#</sup> 7	1870.68	4 <sup>+</sup>	[M1]		0.0597	$\alpha(K)=0.00327$ 5; $\alpha(L)=0.000415$ 6; $\alpha(M)=7.99\times10^{-5}$ 12 $\alpha(N)=1.411\times10^{-5}$ 20; $\alpha(O)=7.52\times10^{-7}$ 11 B(E2)(W.u.)=59 20 Mult.: A <sub>2</sub> =+0.51 18, A <sub>4</sub> =-0.12 10 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\alpha(K)=0.00289$ 4; $\alpha(L)=0.000345$ 5; $\alpha(M)=6.62\times10^{-5}$ 10 $\alpha(N)=1.181\times10^{-5}$ 17; $\alpha(O)=6.89\times10^{-7}$ 10 B(M1)(W.u.)=0.080 24; B(E2)(W.u.)=24 8 Mult.: A <sub>2</sub> =+0.36 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\delta$ : Also: -0.47 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\alpha(K)=0.00183$ 3; $\alpha(L)=0.000226$ 4; $\alpha(M)=4.34\times10^{-5}$ 6 $\alpha(N)=7.69\times10^{-6}$ 11; $\alpha(O)=4.24\times10^{-7}$ 6 B(E2)(W.u.)=58 17 Mult.: A <sub>2</sub> =+0.34 16 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\alpha(K)=0.000447$ 7; $\alpha(L)=5.25\times10^{-5}$ 8; $\alpha(M)=1.003\times10^{-5}$ 14 $\alpha(N)=1.79\times10^{-6}$ 3; $\alpha(O)=1.046\times10^{-7}$ 15; $\alpha(IPF)=6.92\times10^{-5}$ 10 Mult.: A <sub>2</sub> =0.11 6; A <sub>4</sub> =0.05 8 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). B(E2)(W.u.)=25 7
666.17 <sup>d</sup> 6	100.0 22	1415.480	4 <sup>+</sup>	M1+E2	-0.41 3		0.00331	$\alpha(K)=0.00211$ 10	$\alpha(N)=1.181\times10^{-5}$ 17; $\alpha(O)=6.89\times10^{-7}$ 10 B(M1)(W.u.)=0.080 24; B(E2)(W.u.)=24 8 Mult.: A <sub>2</sub> =+0.36 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\delta$ : Also: -0.47 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\alpha(K)=0.00183$ 3; $\alpha(L)=0.000226$ 4; $\alpha(M)=4.34\times10^{-5}$ 6 $\alpha(N)=7.69\times10^{-6}$ 11; $\alpha(O)=4.24\times10^{-7}$ 6 B(E2)(W.u.)=58 17 Mult.: A <sub>2</sub> =+0.34 16 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\alpha(K)=0.000447$ 7; $\alpha(L)=5.25\times10^{-5}$ 8; $\alpha(M)=1.003\times10^{-5}$ 14 $\alpha(N)=1.79\times10^{-6}$ 3; $\alpha(O)=1.046\times10^{-7}$ 15; $\alpha(IPF)=6.92\times10^{-5}$ 10 Mult.: A <sub>2</sub> =0.11 6; A <sub>4</sub> =0.05 8 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). B(E2)(W.u.)=25 7
769.36 10	70.4 18	1312.390	2 <sup>+</sup>	E2			0.00211	$\alpha(K)=0.000447$ 7; $\alpha(L)=5.25\times10^{-5}$ 8; $\alpha(M)=1.003\times10^{-5}$ 14 $\alpha(N)=1.79\times10^{-6}$ 3; $\alpha(O)=1.046\times10^{-7}$ 15; $\alpha(IPF)=6.92\times10^{-5}$ 10 Mult.: A <sub>2</sub> =0.11 6; A <sub>4</sub> =0.05 8 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). B(E2)(W.u.)=25 7	17
1464.04 10	27.7 9	617.518	2 <sup>+</sup>	E2			5.81×10 <sup>-4</sup>	$\alpha(K)=0.000447$ 7; $\alpha(L)=5.25\times10^{-5}$ 8; $\alpha(M)=1.003\times10^{-5}$ 14 $\alpha(N)=1.79\times10^{-6}$ 3; $\alpha(O)=1.046\times10^{-7}$ 15; $\alpha(IPF)=6.92\times10^{-5}$ 10 Mult.: A <sub>2</sub> =0.11 6; A <sub>4</sub> =0.05 8 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). B(E2)(W.u.)=25 7	
2121.62	2 <sup>+</sup>	688.23 10	14.9 9	1433.27	0 <sup>+</sup>	E2		0.00279	$\alpha(K)=0.00242$ 4; $\alpha(L)=0.000302$ 5; $\alpha(M)=5.81\times10^{-5}$ 9 $\alpha(N)=1.028\times10^{-5}$ 15; $\alpha(O)=5.58\times10^{-7}$ 8 Mult.: A <sub>2</sub> =+0.52 19 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). B(E2)(W.u.)=25 7

## Adopted Levels, Gammas (continued)

 $\gamma^{(112\text{Cd})}$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. <sup>d</sup>	$\delta^\dagger f$	$\alpha^e$	Comments
2121.62	2 <sup>+</sup>	808.82 19	3.73 12	1312.390	2 <sup>+</sup>	M1+E2		0.00215	$\alpha(K)=0.00187$ 3; $\alpha(L)=0.000221$ 3; $\alpha(M)=4.23 \times 10^{-5}$ 6 $\alpha(N)=7.56 \times 10^{-6}$ 11; $\alpha(O)=4.48 \times 10^{-7}$ 7 B(E2)(W.u.)=5.3 15 $\alpha(K)=0.001271$ 18; $\alpha(L)=0.0001545$ 22; $\alpha(M)=2.96 \times 10^{-5}$ 5 $\alpha(N)=5.26 \times 10^{-6}$ 8; $\alpha(O)=2.96 \times 10^{-7}$ 5 B(M1)(W.u.)=0.0033 10; B(E2)(W.u.)=2.2 6 $\alpha(K)=0.000444$ 7; $\alpha(L)=5.19 \times 10^{-5}$ 8; $\alpha(M)=9.92 \times 10^{-6}$ 15 $\alpha(N)=1.77 \times 10^{-6}$ 3; $\alpha(O)=1.045 \times 10^{-7}$ 15; $\alpha(IPF)=8.01 \times 10^{-5}$ 12 E <sub>γ</sub> : seen as 1507.3 keV 3 in <sup>112</sup> In ε decay (14.97 min).
1504.04	10	100.0 9	617.518	2 <sup>+</sup>	M1+E2	+1.36 7	5.88×10 <sup>-4</sup>		Mult.: $\alpha(K)\exp=0.00030$ 10 in <sup>111</sup> Cd(n,γ) E=th (1997Dr03); A <sub>2</sub> =0.16 4 from γγ(θ) in (1993De09). δ: Also: +0.15 5 or +1.6 3 from γγ(θ) in <sup>110</sup> Pd(α,2nγ) (1997Dr03).
2121.49	13	2.80 13	0.0	0 <sup>+</sup>	E2		6.14×10 <sup>-4</sup>		B(E2)(W.u.)=0.017 5 $\alpha(K)=0.000222$ 4; $\alpha(L)=2.57 \times 10^{-5}$ 4; $\alpha(M)=4.90 \times 10^{-6}$ 7 $\alpha(N)=8.75 \times 10^{-7}$ 13; $\alpha(O)=5.19 \times 10^{-8}$ 8; $\alpha(IPF)=0.000360$ 5 $\alpha(K)=0.00247$ 22; $\alpha(L)=0.000307$ 15; $\alpha(M)=5.9 \times 10^{-5}$ 3 $\alpha(N)=1.04 \times 10^{-5}$ 6; $\alpha(O)=5.7 \times 10^{-7}$ 7 B(M1)(W.u.)=0.003 +5-3; B(E2)(W.u.)=23 +25-23
2156.18	2 <sup>+</sup>	687.41 10	5.6 8	1468.822	2 <sup>+</sup>	M1+E2	-2.3 19	0.00285 24	$\alpha(K)=0.001706$ 25; $\alpha(L)=0.000201$ 3; $\alpha(M)=3.85 \times 10^{-5}$ 6 $\alpha(N)=6.88 \times 10^{-6}$ 10; $\alpha(O)=4.08 \times 10^{-7}$ 6 B(M1)(W.u.)=0.004 4
842.8 <sup>@</sup>	15	2.5 <sup>@</sup> 7	1312.390	2 <sup>+</sup>	[M1]		0.00195		$\alpha(K)=0.000459$ 7; $\alpha(L)=5.33 \times 10^{-5}$ 8; $\alpha(M)=1.019 \times 10^{-5}$ 15 $\alpha(N)=1.82 \times 10^{-6}$ 3; $\alpha(O)=1.089 \times 10^{-7}$ 16; $\alpha(IPF)=8.67 \times 10^{-5}$ 13 B(M1)(W.u.)=0.03 3; B(E2)(W.u.)=0.06 +8-6 Mult.: A <sub>2</sub> =-0.02 7 from γγ(θ) in <sup>110</sup> Pd(α,2nγ) (1993De09). δ: Also: -0.33 15 from γγ(θ) in <sup>110</sup> Pd(α,2nγ) (1997Dr03).
1538.68 <sup>d</sup>	10	100	617.518	2 <sup>+</sup>	M1+E2	+0.085 +25-22	6.11×10 <sup>-4</sup>		$\alpha(K)=0.000216$ 3; $\alpha(L)=2.49 \times 10^{-5}$ 4;
2156.20	10	8.8 3	0.0	0 <sup>+</sup>	E2		6.23×10 <sup>-4</sup>		

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	α <sup>e</sup>	Comments
2167.76	6 <sup>+</sup>	297.29 <sup>#</sup> 12	0.58 <sup>#</sup> 9	1870.68	4 <sup>+</sup>	E2		0.0334	$\alpha(M)=4.75\times 10^{-6}$ 7 $\alpha(N)=8.49\times 10^{-7}$ 12; $\alpha(O)=5.04\times 10^{-8}$ 7; $\alpha(IPF)=0.000377$ 6 B(E2)(W.u.)=0.14 +15-14 $\alpha(K)=0.0283$ 4; $\alpha(L)=0.00416$ 6; $\alpha(M)=0.000806$ 12 $\alpha(N)=0.0001400$ 20; $\alpha(O)=6.15\times 10^{-6}$ 9 Mult.: $A_2=0.37$ 7; $A_4=0.02$ 10 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
		752.14 <sup>#</sup> 10	100 <sup>#</sup> 3	1415.480	4 <sup>+</sup>	E2		0.00223	$\alpha(K)=0.00194$ 3; $\alpha(L)=0.000240$ 4; $\alpha(M)=4.60\times 10^{-5}$ 7 $\alpha(N)=8.15\times 10^{-6}$ 12; $\alpha(O)=4.48\times 10^{-7}$ 7 Mult.: $A_2=+0.41$ 5, $A_4=-0.11$ 7 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ).
2231.12	2 <sup>+</sup>	226.0 <sup>@</sup> 3	0.61 <sup>@</sup> 15	2005.200	3 <sup>-</sup>	[E1]		0.01665	$\alpha(K)=0.01452$ 21; $\alpha(L)=0.00174$ 3; $\alpha(M)=0.000332$ 5 $\alpha(N)=5.87\times 10^{-5}$ 9; $\alpha(O)=3.18\times 10^{-6}$ 5 B(E1)(W.u.)=0.0009 9
762.41	10	2.07 11	1468.822	2 <sup>+</sup>	M1+E2	-1.4 +8-34	0.00226	13	$\alpha(K)=0.00196$ 12; $\alpha(L)=0.000239$ 10; $\alpha(M)=4.58\times 10^{-5}$ 18 $\alpha(N)=8.1\times 10^{-6}$ 4; $\alpha(O)=4.6\times 10^{-7}$ 4 B(M1)(W.u.)=0.0021 +26-21; B(E2)(W.u.)=6 6
918.72	10	2.72 11	1312.390	2 <sup>+</sup>	M1+E2	+0.21 +20-13	0.00160	4	$\alpha(K)=0.00140$ 3; $\alpha(L)=0.000164$ 3; $\alpha(M)=3.14\times 10^{-5}$ 6 $\alpha(N)=5.62\times 10^{-6}$ 11; $\alpha(O)=3.33\times 10^{-7}$ 8 B(M1)(W.u.)=0.005 5; B(E2)(W.u.)=0.19 +39-19
1006.81	10	4.03 11	1224.341	0 <sup>+</sup>	E2		1.12×10 <sup>-3</sup>		B(E2)(W.u.)=4 4 $\alpha(K)=0.000979$ 14; $\alpha(L)=0.0001177$ 17; $\alpha(M)=2.25\times 10^{-5}$ 4 $\alpha(N)=4.01\times 10^{-6}$ 6; $\alpha(O)=2.28\times 10^{-7}$ 4 Mult.: $A_2=0.14$ 14 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ).
1613.66	10	100.0 2	617.518	2 <sup>+</sup>	M1+E2	-0.020 +20-27	5.90×10 <sup>-4</sup>		B(M1)(W.u.)=0.03 3; B(E2)(W.u.)=0.004 +9-4 $\alpha(K)=0.000416$ 6; $\alpha(L)=4.83\times 10^{-5}$ 7; $\alpha(M)=9.23\times 10^{-6}$ 13 $\alpha(N)=1.650\times 10^{-6}$ 24; $\alpha(O)=9.86\times 10^{-8}$ 14; $\alpha(IPF)=0.0001147$ 16 Mult.: $A_2=-0.05$ 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). δ: Also: -0.6 +2-4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ).

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. <sup>†</sup>	$\delta^\dagger f$	$\alpha^e$	Comments
2300.68	0 <sup>+</sup>	831.79 10	48.4 12	1468.822	2 <sup>+</sup>	E2		$1.75 \times 10^{-3}$	B(E2)(W.u.)<23 $\alpha(K)=0.001517$ 22; $\alpha(L)=0.000186$ 3; $\alpha(M)=3.56 \times 10^{-5}$ 5 $\alpha(N)=6.32 \times 10^{-6}$ 9; $\alpha(O)=3.52 \times 10^{-7}$ 5
		1683.22 10	100.0 12	617.518	2 <sup>+</sup>	E2		$5.45 \times 10^{-4}$	B(E2)(W.u.)<1.4 $\alpha(K)=0.000341$ 5; $\alpha(L)=3.98 \times 10^{-5}$ 6; $\alpha(M)=7.60 \times 10^{-6}$ 11 $\alpha(N)=1.356 \times 10^{-6}$ 19; $\alpha(O)=7.98 \times 10^{-8}$ 12; $\alpha(IPF)=0.0001551$ 22
2373.19	5 <sup>-</sup>	291.5 1	1.08 11	2081.64	4 <sup>+</sup>	E1		0.00834	$\alpha(K)=0.00728$ 11; $\alpha(L)=0.000867$ 13; $\alpha(M)=0.0001656$ 24 $\alpha(N)=2.93 \times 10^{-5}$ 5; $\alpha(O)=1.619 \times 10^{-6}$ 23 B(E1)(W.u.)=0.00031 +16-31 Mult.: $A_2=-0.16$ 13 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1997Dr03</a> ). B(E2)(W.u.)=6.E+1 +4-6
		367.9 1	0.98 20	2005.200	3 <sup>-</sup>	E2		0.01681	$\alpha(K)=0.01435$ 21; $\alpha(L)=0.00200$ 3; $\alpha(M)=0.000386$ 6 $\alpha(N)=6.74 \times 10^{-5}$ 10; $\alpha(O)=3.19 \times 10^{-6}$ 5 Mult.: $A_2=0.38$ 4; $A_4=-0.09$ 5 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1993De09</a> ). B(E1)(W.u.)=0.0008 +4-8
		957.72 10	100	1415.480	4 <sup>+</sup>	E1		$5.28 \times 10^{-4}$	$\alpha(K)=0.000462$ 7; $\alpha(L)=5.34 \times 10^{-5}$ 8; $\alpha(M)=1.020 \times 10^{-5}$ 15 $\alpha(N)=1.82 \times 10^{-6}$ 3; $\alpha(O)=1.065 \times 10^{-7}$ 15 Mult.: $A_2=-0.233$ 7 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1993De09</a> ). B(M1)(W.u.)=0.016 +7-9; B(E2)(W.u.)=16 +17-16
2402.98	3 <sup>+</sup>	531.89 10	10.4 12	1870.68	4 <sup>+</sup>	M1+E2	-0.6 +4-25	0.00569 13	$\alpha(K)=0.00495$ 14; $\alpha(L)=0.000605$ 20; $\alpha(M)=0.000116$ 4 $\alpha(N)=2.06 \times 10^{-5}$ 6; $\alpha(O)=1.17 \times 10^{-6}$ 7 B(M1)(W.u.)=0.0014 +6-7; B(E2)(W.u.)=20 +5-9
		934.19 10	61.2 12	1468.822	2 <sup>+</sup>	M1+E2	-4.0 6	$1.34 \times 10^{-3}$ 2	$\alpha(K)=0.001170$ 17; $\alpha(L)=0.0001413$ 21; $\alpha(M)=2.71 \times 10^{-5}$ 4 $\alpha(N)=4.81 \times 10^{-6}$ 7; $\alpha(O)=2.73 \times 10^{-7}$ 4 Mult.: $A_2=0.09$ 5 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1993De09</a> ). $\delta$ : Also: 0.33 10 from $\gamma\gamma(\theta)$ in <a href="#">1997Dr03</a> . $\alpha(K)=0.001194$ 17; $\alpha(L)=0.0001401$ 20;
		987.89 10	100	1415.480	4 <sup>+</sup>	M1(+E2)	-0.025 +27-36	$1.37 \times 10^{-3}$	$\alpha(M)=2.68 \times 10^{-5}$ 4 $\alpha(N)=4.79 \times 10^{-6}$ 7; $\alpha(O)=2.85 \times 10^{-7}$ 4 B(M1)(W.u.)=(0.032 +8-14); B(E2)(W.u.)=(0.02 +4-2) $\delta$ : Also: -6.2 +10-17 from <a href="#">2001Ga44</a> .

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. <sup>†</sup>	$\delta^{\dagger f}$	$\alpha^e$	Comments
2402.98	3 <sup>+</sup>	1090.56 10	57.7 12	1312.390	2 <sup>+</sup>	M1+E2	+0.099 +27-36	1.10×10 <sup>-3</sup>	B(M1)(W.u.)=0.014 +4-6; B(E2)(W.u.)=0.09 +6-7 $\alpha(K)=0.000958$ 14; $\alpha(L)=0.0001122$ 16; $\alpha(M)=2.15\times10^{-5}$ 3 $\alpha(N)=3.84\times10^{-6}$ 6; $\alpha(O)=2.28\times10^{-7}$ 4 $\alpha(K)=0.000338$ 5; $\alpha(L)=3.91\times10^{-5}$ 6; $\alpha(M)=7.47\times10^{-6}$ 11 $\alpha(N)=1.336\times10^{-6}$ 19; $\alpha(O)=7.99\times10^{-8}$ 12; $\alpha(IPF)=0.000186$ 3 B(M1)(W.u.)=0.0036 +9-15; B(E2)(W.u.)=0.010 8 Mult.: $A_2=-0.26$ 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09). $\delta: -0.25$ 20 from $\gamma(\theta)$ in 1997Dr03.
1785.48 10	66.6 15	617.518 2 <sup>+</sup>	M1+E2	-0.107 +36-43	5.71×10 <sup>-4</sup>				
2416.00	3 <sup>-</sup>	411.39 23	12.9 14	2005.200	3 <sup>-</sup>	M1+E2	-0.35 +18-23	0.01087 23	B(M1)(W.u.)=0.14 4; B(E2)(W.u.)=8.E+1 8 $\alpha(K)=0.00945$ 18; $\alpha(L)=0.00115$ 4; $\alpha(M)=0.000222$ 8 $\alpha(N)=3.95\times10^{-5}$ 13; $\alpha(O)=2.26\times10^{-6}$ 4 I <sub>y</sub> : From <sup>112</sup> Ag $\beta^-$ decay (3.130 h). Mult.: $A_2=0.46$ 9; $A_4=0.19$ 13 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
946.92 10	9.5 12	1468.822 2 <sup>+</sup>	E1		5.39×10 <sup>-4</sup>				$\delta:$ Also: +4.2 + $\infty$ -20 from $\gamma\gamma(\theta)$ in <sup>112</sup> Cd(n,n'γ) (2001Ga44); 0.50 25 or 2.7 10 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09). $\alpha(K)=0.000472$ 7; $\alpha(L)=5.46\times10^{-5}$ 8; $\alpha(M)=1.043\times10^{-5}$ 15 $\alpha(N)=1.86\times10^{-6}$ 3; $\alpha(O)=1.089\times10^{-7}$ 16 B(E1)(W.u.)=0.00012 3
983.8@ 3	5.7@ 3	1433.27 0 <sup>+</sup>							$\alpha(K)=0.000354$ 5; $\alpha(L)=4.08\times10^{-5}$ 6; $\alpha(M)=7.78\times10^{-6}$ 11 $\alpha(N)=1.387\times10^{-6}$ 20; $\alpha(O)=8.16\times10^{-8}$ 12; $\alpha(IPF)=4.47\times10^{-6}$ 7 B(E1)(W.u.)=0.00039 8 Mult.: $A_2=+0.31$ 14 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1997Dr03).
1103.58 10	47.0 14	1312.390 2 <sup>+</sup>	E1		4.08×10 <sup>-4</sup>				$\alpha(K)=0.0001535$ 22; $\alpha(L)=1.751\times10^{-5}$ 25; $\alpha(M)=3.34\times10^{-6}$ 5 $\alpha(N)=5.96\times10^{-7}$ 9; $\alpha(O)=3.55\times10^{-8}$ 5; $\alpha(IPF)=0.000461$ 7 B(E1)(W.u.)=0.00019 4 Mult.: $A_2=-0.20$ 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
1798.50 10	100.0 17	617.518 2 <sup>+</sup>	E1		6.36×10 <sup>-4</sup>				
2418.0	(1,2 <sup>+</sup> )	2418 <sup>a</sup> 1	100	0.0	0 <sup>+</sup>				

### **Adopted Levels, Gammas (continued)**

$\gamma$ ( $^{112}\text{Cd}$ ) (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. $^\dagger$	$\delta^\dagger f$	$\alpha^e$	$I_{(\gamma+ce)}$	Comments
2454.51	$4^+$	1038.93 10	100.0 3	1415.480	$4^+$	M1+E2	-0.27 18	$1.21 \times 10^{-3}$ 3		B(M1)(W.u.)=0.048 +10-14; B(E2)(W.u.)=3 +4-3 $\alpha(K)=0.001057$ 22; $\alpha(L)=0.0001241$ 24; $\alpha(M)=2.37 \times 10^{-5}$ 5 $\alpha(N)=4.24 \times 10^{-6}$ 8; $\alpha(O)=2.52 \times 10^{-7}$ 6 Mult.: $A_2=+0.40$ 9 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ (1997Dr03).
	1142.21 10	8.7 3	1312.390 2 <sup>+</sup>	E2				$8.55 \times 10^{-4}$		B(E2)(W.u.)=2.1 +4-6 $\alpha(K)=0.000744$ 11; $\alpha(L)=8.86 \times 10^{-5}$ 13; $\alpha(M)=1.696 \times 10^{-5}$ 24 $\alpha(N)=3.02 \times 10^{-6}$ 5; $\alpha(O)=1.736 \times 10^{-7}$ 25; $\alpha(IPF)=1.93 \times 10^{-6}$ 3
2493.15	$4^+$	1024.29 10	13.7 5	1468.822 2 <sup>+</sup>	E2			$1.08 \times 10^{-3}$		$\alpha(K)=0.000942$ 14; $\alpha(L)=0.0001132$ 16; $\alpha(M)=2.17 \times 10^{-5}$ 3 $\alpha(N)=3.85 \times 10^{-6}$ 6; $\alpha(O)=2.20 \times 10^{-7}$ 3 B(E2)(W.u.)=4.5 +12-45
	1077.60 10	100.0 6	1415.480 4 <sup>+</sup>	M1+E2	+0.13 +6-5			$1.12 \times 10^{-3}$		$\alpha(K)=0.000983$ 14; $\alpha(L)=0.0001151$ 17; $\alpha(M)=2.20 \times 10^{-5}$ 4 $\alpha(N)=3.94 \times 10^{-6}$ 6; $\alpha(O)=2.34 \times 10^{-7}$ 4 B(M1)(W.u.)=0.036 +9-36; B(E2)(W.u.)=0.4 4 Mult.: $A_2=+0.47$ 23 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ (1997Dr03). $\delta$ : Also: -0.03 25 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ (1997Dr03).
	1875.70 10	5.6 5	617.518 2 <sup>+</sup>	E2				$5.60 \times 10^{-4}$		$\alpha(K)=0.000278$ 4; $\alpha(L)=3.23 \times 10^{-5}$ 5; $\alpha(M)=6.17 \times 10^{-6}$ 9 $\alpha(N)=1.101 \times 10^{-6}$ 16; $\alpha(O)=6.51 \times 10^{-8}$ 10; $\alpha(IPF)=0.000242$ 4 B(E2)(W.u.)=0.089 +24-89
2506.36	(2) <sup>+</sup>	1194.00 10	17.9 5	1312.390 2 <sup>+</sup>	M1+E2	+0.20 +16-12	$9.01 \times 10^{-4}$ 16			$\alpha(K)=0.000783$ 14; $\alpha(L)=9.16 \times 10^{-5}$ 16; $\alpha(M)=1.75 \times 10^{-5}$ 3 $\alpha(N)=3.13 \times 10^{-6}$ 6; $\alpha(O)=1.86 \times 10^{-7}$ 4; $\alpha(IPF)=5.48 \times 10^{-6}$ 11 B(M1)(W.u.)=0.0090 15; B(E2)(W.u.)=0.20 +32-20 Mult.: $A_2=-0.18$ 17 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ (1997Dr03).
	1888.79 10	100.0 5	617.518 2 <sup>+</sup>	M1+E2	-0.18 6			$5.76 \times 10^{-4}$		$\alpha(K)=0.000301$ 5; $\alpha(L)=3.48 \times 10^{-5}$ 5; $\alpha(M)=6.64 \times 10^{-6}$ 10 $\alpha(N)=1.188 \times 10^{-6}$ 17; $\alpha(O)=7.11 \times 10^{-8}$ 10; $\alpha(IPF)=0.000233$ 4 B(M1)(W.u.)=0.0128 19; B(E2)(W.u.)=0.09 7 $\delta$ : Also: +4.2 +15-8 from $\gamma(\theta)$ in 2001Ga44.

22

## Adopted Levels, Gammas (continued)

 $\gamma^{(112\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>†</sup>	δ <sup>†</sup> <i>f</i>	a <sup>e</sup>	Comments
2506.70	1 <sup>-</sup>	1037.9 <sup>@ 3</sup>	6.8 <sup>@ 7</sup>	1468.822	2 <sup>+</sup>	E1		4.53×10 <sup>-4</sup>	$\alpha(K)=0.000396$ 6; $\alpha(L)=4.58\times10^{-5}$ 7; $\alpha(M)=8.73\times10^{-6}$ 13 $\alpha(N)=1.557\times10^{-6}$ 22; $\alpha(O)=9.15\times10^{-8}$ 13 B(E1)(W.u.)=0.00041 5
		1073.32 <sup>@ 17</sup>	4.8 <sup>@ 5</sup>	1433.27	0 <sup>+</sup>	E1		4.25×10 <sup>-4</sup>	$\alpha(K)=0.000372$ 6; $\alpha(L)=4.29\times10^{-5}$ 6; $\alpha(M)=8.19\times10^{-6}$ 12 $\alpha(N)=1.462\times10^{-6}$ 21; $\alpha(O)=8.59\times10^{-8}$ 12 B(E1)(W.u.)=0.00026 3
		1282.29 10	5.5 5	1224.341	0 <sup>+</sup>	E1		3.90×10 <sup>-4</sup>	$\alpha(K)=0.000270$ 4; $\alpha(L)=3.10\times10^{-5}$ 5; $\alpha(M)=5.92\times10^{-6}$ 9 $\alpha(N)=1.056\times10^{-6}$ 15; $\alpha(O)=6.24\times10^{-8}$ 9; $\alpha(IPF)=8.18\times10^{-5}$ 12 B(E1)(W.u.)=0.000177 19
		2506.70 10	100.0 6	0.0	0 <sup>+</sup>	E1		1.04×10 <sup>-3</sup>	$\alpha(K)=9.25\times10^{-5}$ 13; $\alpha(L)=1.050\times10^{-5}$ 15; $\alpha(M)=2.00\times10^{-6}$ 3 $\alpha(N)=3.58\times10^{-7}$ 5; $\alpha(O)=2.14\times10^{-8}$ 3; $\alpha(IPF)=0.000940$ 14 B(E1)(W.u.)=0.000431 23
									Mult.: $\varepsilon=-0.10$ 8 from polarization measurements in <sup>112</sup> Cd( $\gamma$ ,pol $\gamma'$ ) ( <a href="#">2005Ko32</a> ).
2532.20	2 <sup>+</sup>	1063.56 <sup>b 22</sup>	76 <sup>b 12</sup>	1468.822	2 <sup>+</sup>				
		1099.0 <sup>b 3</sup>	45 <sup>b 12</sup>	1433.27	0 <sup>+</sup>				
		1116.83 <sup>b 20</sup>	100 <sup>b 15</sup>	1415.480	4 <sup>+</sup>				
2561.27	(1,2 <sup>+</sup> )	1248.92 <sup>b 24</sup>	61 <sup>b 11</sup>	1312.390	2 <sup>+</sup>				
		2561.13 <sup>b 22</sup>	100 <sup>b 11</sup>	0.0	0 <sup>+</sup>				
2570.21	5 <sup>-</sup>	197.03 10	95 9	2373.19	5 <sup>-</sup>	M1		0.0717	B(M1)(W.u.)<1.3 $\alpha(K)=0.0622$ 9; $\alpha(L)=0.00767$ 11; $\alpha(M)=0.001474$ 21 $\alpha(N)=0.000263$ 4; $\alpha(O)=1.514\times10^{-5}$ 22 I <sub>γ</sub> : 100 in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1997Dr03</a> ). Mult.: $A_2=+0.61$ 13 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ); possible E2 admixture with $\delta=0.00$ 15 in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1997Dr03</a> ).
		565.10 20	31 3	2005.200	3 <sup>-</sup>	E2		0.00472	B(E2)(W.u.)<45 $\alpha(K)=0.00407$ 6; $\alpha(L)=0.000523$ 8; $\alpha(M)=0.0001007$ 15 $\alpha(N)=1.776\times10^{-5}$ 25; $\alpha(O)=9.32\times10^{-7}$ 13 Mult.: $A_2=0.26$ 7 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ). B(E1)(W.u.)<0.00029
		699.59 10	71 4	1870.68	4 <sup>+</sup>	E1		1.00×10 <sup>-3</sup>	$\alpha(K)=0.000874$ 13; $\alpha(L)=0.0001020$ 15; $\alpha(M)=1.95\times10^{-5}$ 3 $\alpha(N)=3.47\times10^{-6}$ 5; $\alpha(O)=2.01\times10^{-7}$ 3 Mult.: $A_2=-0.21$ 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ); possible M2 admixture with $\delta=0.02$ 5 in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ).
		1154.75 10	100	1415.480	4 <sup>+</sup>	E1		3.88×10 <sup>-4</sup>	B(E1)(W.u.)<9.0×10 <sup>-5</sup> $\alpha(K)=0.000326$ 5; $\alpha(L)=3.75\times10^{-5}$ 6; $\alpha(M)=7.15\times10^{-6}$ 10 $\alpha(N)=1.276\times10^{-6}$ 18; $\alpha(O)=7.52\times10^{-8}$ 11; $\alpha(IPF)=1.621\times10^{-5}$

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup><i>π</i></sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup><i>π</i></sup>	Mult. <sup>†</sup>	δ <sup>†</sup> <i>f</i>	α <sup><i>e</i></sup>	Comments
2571.47	6 <sup>+</sup>	403.55 <sup>#</sup> 10	5.9 <sup>#</sup> 7	2167.76	6 <sup>+</sup>	M1+E2 <sup>‡</sup>	-0.57 <sup>‡</sup> 6	0.01159	23 Mult.: A <sub>2</sub> =-0.35 10 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) (1993De09); Possible M2 admixture with δ=-0.13 13 in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) (1993De09).
700.89 <sup>#</sup> 10	100 <sup>#</sup> 3	1870.68	4 <sup>+</sup>	E2				0.00266	B(E2)(W.u.)<20 α(K)=0.01005 15; α(L)=0.001253 21; α(M)=0.000241 4 α(N)=4.28×10 <sup>-5</sup> 7; α(O)=2.38×10 <sup>-6</sup> 4 Mult.,δ: A <sub>2</sub> =0.048 22; A <sub>4</sub> =-0.3 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) (1993De09). δ: Others: +1.8 8 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) (1997Dr03).
1156.21 <sup>#</sup> 10	89 <sup>#</sup> 5	1415.480	4 <sup>+</sup>	E2				8.34×10 <sup>-4</sup>	B(E2)(W.u.)<77 α(K)=0.00231 4; α(L)=0.000288 4; α(M)=5.53×10 <sup>-5</sup> 8 α(N)=9.80×10 <sup>-6</sup> 14; α(O)=5.33×10 <sup>-7</sup> 8 Mult.: A <sub>2</sub> =+0.13 54 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) (1997Dr03).
2591.05	4 <sup>-</sup>	526.52 10	48.0 11	2064.53	3 <sup>+</sup>	E1		0.00189	24 B(E1)(W.u.)<0.00076 α(K)=0.001650 24; α(L)=0.000194 3; α(M)=3.70×10 <sup>-5</sup> 6 α(N)=6.58×10 <sup>-6</sup> 10; α(O)=3.76×10 <sup>-7</sup> 6 Mult.: A <sub>2</sub> =-0.13 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) (1993De09); possible M2 admixture with δ=0.03 5 (1993De09).
585.78 10	23.0 7	2005.200	3 <sup>-</sup>	M1+E2	+0.47 +8-7	0.00450			B(M1)(W.u.)<0.017; B(E2)(W.u.)<11 α(K)=0.00392 6; α(L)=0.000473 7; α(M)=9.06×10 <sup>-5</sup> 13 α(N)=1.616×10 <sup>-5</sup> 23; α(O)=9.34×10 <sup>-7</sup> 15 Mult.: A <sub>2</sub> =0.09 6 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) (1993De09). δ: Other: +0.27 15 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) (1993De09).
720.44 10	11.7 7	1870.68	4 <sup>+</sup>	E1				9.39×10 <sup>-4</sup>	B(E1)(W.u.)<7.2×10 <sup>-5</sup> α(K)=0.000822 12; α(L)=9.57×10 <sup>-5</sup> 14; α(M)=1.83×10 <sup>-5</sup> 3 α(N)=3.25×10 <sup>-6</sup> 5; α(O)=1.89×10 <sup>-7</sup> 3
1175.50 10	100.0 11	1415.480	4 <sup>+</sup>	E1				3.84×10 <sup>-4</sup>	B(E1)(W.u.)<0.00014 α(K)=0.000315 5; α(L)=3.63×10 <sup>-5</sup> 5; α(M)=6.92×10 <sup>-6</sup> 10

## Adopted Levels, Gammas (continued)

 $\gamma^{(112\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†f</sup>	α <sup>e</sup>	Comments
25	2634.99	3 <sup>+</sup>	570.5 1	10.15 16	2064.53 3 <sup>+</sup>	M1+E2		0.00485	$\alpha(N)=1.235\times10^{-6}$ 18; $\alpha(O)=7.28\times10^{-8}$ 11; $\alpha(IPF)=2.42\times10^{-5}$ 4
			629.80 10	38.1 8	2005.200 3 <sup>-</sup>	E1		$1.26\times10^{-3}$	Mult.: A <sub>2</sub> =0.334 18; A <sub>4</sub> =0.111 25 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
			1219.4 1		1415.480 4 <sup>+</sup>	M1+E2		$8.69\times10^{-4}$	$\alpha(K)=0.00423$ 6; $\alpha(L)=0.000504$ 7; $\alpha(M)=9.66\times10^{-5}$ 14 $\alpha(N)=1.725\times10^{-5}$ 25; $\alpha(O)=1.015\times10^{-6}$ 15
			1322.59 10	100.0 5	1312.390 2 <sup>+</sup>	M1+E2	-1.37 +16-15	$6.88\times10^{-4}$ 11	$\alpha(K)=0.001099$ 16; $\alpha(L)=0.0001285$ 18; $\alpha(M)=2.45\times10^{-5}$ 4 $\alpha(N)=4.37\times10^{-6}$ 7; $\alpha(O)=2.52\times10^{-7}$ 4
			2017.5 1	8.67 16	617.518 2 <sup>+</sup>	M1+E2		$5.94\times10^{-4}$	$\alpha(K)=0.000753$ 11; $\alpha(L)=8.79\times10^{-5}$ 13; $\alpha(M)=1.680\times10^{-5}$ 24
			2650.15	0 <sup>+</sup>	1337.75 11	14.2 17	1312.390 2 <sup>+</sup>	E2	$6.46\times10^{-4}$
			2032.62 10	100	617.518 2 <sup>+</sup>	E2		$5.92\times10^{-4}$	B(E2)(W.u.)=2.2 +7-12 $\alpha(K)=0.000536$ 8; $\alpha(L)=6.32\times10^{-5}$ 9; $\alpha(M)=1.208\times10^{-5}$ 17
			2665.64	5 <sup>+</sup>	583.92 10	100	2081.64 4 <sup>+</sup>	M1+E2	+0.30 4
			601.01 10	60 4	2064.53 3 <sup>+</sup>	E2		0.00456	$\alpha(N)=2.15\times10^{-6}$ 3; $\alpha(O)=1.252\times10^{-7}$ 18; $\alpha(IPF)=3.23\times10^{-5}$ 5
			795.08 13	40 3	1870.68 4 <sup>+</sup>	M1(+E2)	+0.14 +18-17	0.00223	B(E2)(W.u.)=1.9 +5-11 $\alpha(K)=0.000240$ 4; $\alpha(L)=2.78\times10^{-5}$ 4; $\alpha(M)=5.30\times10^{-6}$ 8 $\alpha(N)=9.47\times10^{-7}$ 14; $\alpha(O)=5.61\times10^{-8}$ 8; $\alpha(IPF)=0.000317$ 5
			1250.17 10	65.6 24	1415.480 4 <sup>+</sup>	M1+E2	-0.12 +6-5	$8.26\times10^{-4}$	B(M1)(W.u.)<0.19; B(E2)(W.u.)<48 $\alpha(K)=0.00398$ 6; $\alpha(L)=0.000477$ 7; $\alpha(M)=9.13\times10^{-5}$ 13 $\alpha(N)=1.630\times10^{-5}$ 23; $\alpha(O)=9.52\times10^{-7}$ 14 B(E2)(W.u.)<2.4×10 <sup>2</sup> $\alpha(K)=0.00345$ 5; $\alpha(L)=0.000439$ 7; $\alpha(M)=8.44\times10^{-5}$ 12 $\alpha(N)=1.490\times10^{-5}$ 21; $\alpha(O)=7.91\times10^{-7}$ 11 Mult.: A <sub>2</sub> =0.32 6; A <sub>4</sub> =-0.11 9 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09). $\alpha(K)=0.00194$ 4; $\alpha(L)=0.000230$ 4; $\alpha(M)=4.39\times10^{-5}$ 7 $\alpha(N)=7.85\times10^{-6}$ 13; $\alpha(O)=4.64\times10^{-7}$ 9 B(M1)(W.u.)<0.033?; B(E2)(W.u.)<2.7? B(M1)(W.u.)<0.013; B(E2)(W.u.)<0.19

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	$\delta^{\dagger}f$	$a^e$	Comments
2668.92	(2) <sup>-</sup>	663.59 15	6.47 25	2005.200 3 <sup>-</sup>	M1+E2	+1.3 +23-8	0.00319 15		$\alpha(K)=0.000712 \text{ 10}; \alpha(L)=8.31 \times 10^{-5} \text{ 12};$ $\alpha(M)=1.588 \times 10^{-5} \text{ 23}$ $\alpha(N)=2.84 \times 10^{-6} \text{ 4}; \alpha(O)=1.692 \times 10^{-7} \text{ 24};$ $\alpha(IPF)=1.260 \times 10^{-5} \text{ 18}$ Mult.: $A_2=-0.58 \text{ 5}; A_4=0.19 \text{ 6}$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha, 2n\gamma$ ) ( <a href="#">1993De09</a> ). $\delta$ : Other: -2.0 5 or -0.30 12 in <a href="#">1997Dr03</a> . B(M1)(W.u.)=0.007 +16-7; B(E2)(W.u.)=21 +29-21 $\alpha(K)=0.00277 \text{ 14}; \alpha(L)=0.000340 \text{ 9}; \alpha(M)=6.53 \times 10^{-5}$ $\text{ 17}$ $\alpha(N)=1.16 \times 10^{-5} \text{ 4}; \alpha(O)=6.5 \times 10^{-7} \text{ 5}$ B(E1)(W.u.)=0.00045 7 $\alpha(K)=0.000245 \text{ 4}; \alpha(L)=2.81 \times 10^{-5} \text{ 4};$ $\alpha(M)=5.36 \times 10^{-6} \text{ 8}$ $\alpha(N)=9.56 \times 10^{-7} \text{ 14}; \alpha(O)=5.66 \times 10^{-8} \text{ 8};$ $\alpha(IPF)=0.0001287 \text{ 18}$ Mult.: $A_2=0.05 \text{ 4}$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha, 2n\gamma$ ) ( <a href="#">1993De09</a> ).
26				1356.52 10	100	1312.390 2 <sup>+</sup>	E1	$4.08 \times 10^{-4}$	
				2051.50 10	17.9 8	617.518 2 <sup>+</sup>	E1	$7.86 \times 10^{-4}$	B(E1)(W.u.)=2.3 $\times 10^{-5} \text{ 4}$ $\alpha(K)=0.0001249 \text{ 18}; \alpha(L)=1.422 \times 10^{-5} \text{ 20};$ $\alpha(M)=2.71 \times 10^{-6} \text{ 4}$ $\alpha(N)=4.84 \times 10^{-7} \text{ 7}; \alpha(O)=2.89 \times 10^{-8} \text{ 4};$ $\alpha(IPF)=0.000644 \text{ 9}$
2674.00	2 <sup>+</sup>	2056.48 10	100	617.518 2 <sup>+</sup>	M1(+E2)	+0.05 +7-8	$6.01 \times 10^{-4}$		$\alpha(K)=0.000254 \text{ 4}; \alpha(L)=2.93 \times 10^{-5} \text{ 5};$ $\alpha(M)=5.61 \times 10^{-6} \text{ 8}$ $\alpha(N)=1.003 \times 10^{-6} \text{ 14}; \alpha(O)=6.01 \times 10^{-8} \text{ 9};$ $\alpha(IPF)=0.000311 \text{ 5}$
2694.0	(1)	2694 <sup>a</sup> 1	100	0.0	0 <sup>+</sup>	M1		$7.88 \times 10^{-4}$	B(M1)(W.u.)=(0.072 7); B(E2)(W.u.)=(0.03 +10-3) $\alpha(K)=0.0001505 \text{ 21}; \alpha(L)=1.729 \times 10^{-5} \text{ 25};$ $\alpha(M)=3.30 \times 10^{-6} \text{ 5}$ $\alpha(N)=5.90 \times 10^{-7} \text{ 9}; \alpha(O)=3.55 \times 10^{-8} \text{ 5};$ $\alpha(IPF)=0.000617 \text{ 9}$ B(M1)(W.u.)=0.0016 3
2711.19	4 <sup>+</sup>	705.95 10	6.3 9	2005.200 3 <sup>-</sup>	E1			$9.80 \times 10^{-4}$	B(E1)(W.u.)=0.00019 +6-12 $\alpha(K)=0.000858 \text{ 12}; \alpha(L)=0.0001000 \text{ 14};$ $\alpha(M)=1.91 \times 10^{-5} \text{ 3}$ $\alpha(N)=3.40 \times 10^{-6} \text{ 5}; \alpha(O)=1.97 \times 10^{-7} \text{ 3}$ B(M1)(W.u.)=0.036 +10-21; B(E2)(W.u.)=0.11 +17-11 $\alpha(K)=0.000660 \text{ 10}; \alpha(L)=7.69 \times 10^{-5} \text{ 11};$ $\alpha(M)=1.471 \times 10^{-5} \text{ 21}$ $\alpha(N)=2.63 \times 10^{-6} \text{ 4}; \alpha(O)=1.568 \times 10^{-7} \text{ 23};$ $\alpha(IPF)=2.00 \times 10^{-5} \text{ 3}$
				1295.74 10	100	1415.480 4 <sup>+</sup>	M1+E2	$-0.08 \text{ 6}$	$7.74 \times 10^{-4}$

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. $^\dagger$	$\delta^\dagger f$	$\alpha^e$	I $_{(\gamma+ce)}$	Comments
2723.96	2 <sup>+</sup>	718.89 10	7.0 <sup>@</sup> 7	2005.200	3 <sup>-</sup>	E1		$9.43 \times 10^{-4}$		Mult.: A <sub>2</sub> =0.09 3 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2\text{n}\gamma)$ ( <a href="#">1993De09</a> ). δ: Other: -0.33 9 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2\text{n}\gamma)$ ( <a href="#">1997Dr03</a> ). $\alpha(K)=0.000825$ 12; $\alpha(L)=9.62 \times 10^{-5}$ 14; $\alpha(M)=1.84 \times 10^{-5}$ 3 $\alpha(N)=3.27 \times 10^{-6}$ 5; $\alpha(O)=1.90 \times 10^{-7}$ 3 $B(E1)(W.u.)=0.00031$ 6 $I_\gamma$ : 11.5 6 in $^{112}\text{Cd}(n,\gamma)$ . $\alpha(K)=0.000550$ 8; $\alpha(L)=6.40 \times 10^{-5}$ 9; $\alpha(M)=1.224 \times 10^{-5}$ 18 $\alpha(N)=2.19 \times 10^{-6}$ 3; $\alpha(O)=1.306 \times 10^{-7}$ 19; $\alpha(IPF)=4.66 \times 10^{-5}$ 7
	1411.8 <sup>@</sup> 8	1.4 <sup>@</sup> 4	1312.390	2 <sup>+</sup>	[M1+E2]			$6.75 \times 10^{-4}$		
	2106.31 10	100.0 6	617.518	2 <sup>+</sup>	M1(+E2)	+0.05 +6-5		$6.12 \times 10^{-4}$		
27	2723.6 <sup>@</sup> 3	4.1 <sup>@</sup> 4	0.0	0 <sup>+</sup>	[E2]			$8.09 \times 10^{-4}$		$\alpha(K)=0.0001430$ 20; $\alpha(L)=1.641 \times 10^{-5}$ 23; $\alpha(M)=3.13 \times 10^{-6}$ 5 $\alpha(N)=5.59 \times 10^{-7}$ 8; $\alpha(O)=3.34 \times 10^{-8}$ 5; $\alpha(IPF)=0.000645$ 9 $B(E2)(W.u.)=0.027$ 5
	2765.72	2 <sup>+</sup>	894.5 1	7.2 10	1870.96	0 <sup>+</sup>	E2		$1.47 \times 10^{-3}$	$\alpha(K)=0.001280$ 18; $\alpha(L)=0.0001555$ 22; $\alpha(M)=2.98 \times 10^{-5}$ 5 $\alpha(N)=5.29 \times 10^{-6}$ 8; $\alpha(O)=2.98 \times 10^{-7}$ 5 $\alpha(K)=0.000659$ 10; $\alpha(L)=7.68 \times 10^{-5}$ 11; $\alpha(M)=1.469 \times 10^{-5}$ 21 $\alpha(N)=2.63 \times 10^{-6}$ 4; $\alpha(O)=1.567 \times 10^{-7}$ 22; $\alpha(IPF)=2.02 \times 10^{-5}$ 3
	1296.9 1	16 4	1468.822	2 <sup>+</sup>	M1+E2			$7.74 \times 10^{-4}$		$I_\gamma$ : from $^{110}\text{Cd}(n,\gamma)$ E=th.
	1453.4 1	8.9 5	1312.390	2 <sup>+</sup>	M1+E2			$6.50 \times 10^{-4}$		$\alpha(K)=0.000518$ 8; $\alpha(L)=6.02 \times 10^{-5}$ 9; $\alpha(M)=1.150 \times 10^{-5}$ 17 $\alpha(N)=2.06 \times 10^{-6}$ 3; $\alpha(O)=1.228 \times 10^{-7}$ 18; $\alpha(IPF)=5.85 \times 10^{-5}$ 9
	2148.21 10	100 4	617.518	2 <sup>+</sup>	M1(+E2)	+0.06 +7-6		$6.22 \times 10^{-4}$		$\alpha(K)=0.000233$ 4; $\alpha(L)=2.69 \times 10^{-5}$ 4; $\alpha(M)=5.14 \times 10^{-6}$ 8 $\alpha(N)=9.19 \times 10^{-7}$ 13; $\alpha(O)=5.51 \times 10^{-8}$ 8; $\alpha(IPF)=0.000355$ 5 δ: Other: +1.9 +3-2 from $\gamma(\theta)$ in <a href="#">2001Ga44</a> .

**Adopted Levels, Gammas (continued)** $\gamma(^{112}\text{Cd})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^{\dagger}$	$I_\gamma^{\dagger}$	$E_f$	$J_f^\pi$	Mult. <sup>†</sup>	$\delta^{\dagger}f$	$\alpha^e$	$I_{(\gamma+ce)}$	Comments
2765.7 3		5.85 24		0.0	$0^+$	E2		$8.23 \times 10^{-4}$		$\alpha(K)=0.0001393\ 20; \alpha(L)=1.597 \times 10^{-5}\ 23;$

**Adopted Levels, Gammas (continued)** $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†f</sup>	α <sup>e</sup>	I <sub>(γ+ce)</sub>	Comments
2773.08	(0) <sup>+</sup>	541.80 <i>10</i>	19.2 <i>10</i>	2231.12	2 <sup>+</sup>	E2		0.00530		$\alpha(M)=3.05 \times 10^{-6}$ 5 $\alpha(N)=5.45 \times 10^{-7}$ 8; $\alpha(O)=3.25 \times 10^{-8}$ 5; $\alpha(IPF)=0.000665$ 10 $B(E2)(W.u.)=0.136$ 15 $B(E2)(W.u.)<88$ $\alpha(K)=0.00457$ 7; $\alpha(L)=0.000592$ 9; $\alpha(M)=0.0001138$ 16 $\alpha(N)=2.01 \times 10^{-5}$ 3; $\alpha(O)=1.044 \times 10^{-6}$ 15 $B(E2)(W.u.)<3.2$ $\alpha(K)=0.000449$ 7; $\alpha(L)=5.27 \times 10^{-5}$ 8; $\alpha(M)=1.008 \times 10^{-5}$ 15 $\alpha(N)=1.80 \times 10^{-6}$ 3; $\alpha(O)=1.050 \times 10^{-7}$ 15; $\alpha(IPF)=6.82 \times 10^{-5}$ 10
		1460.83 <i>10</i>	100.0 <i>10</i>	1312.390	2 <sup>+</sup>	E2		$5.82 \times 10^{-4}$		
2791.79	(4) <sup>-</sup>	786.59 <i>10</i>	100	2005.200	3 <sup>-</sup>	M1+E2	+0.038 +49-14	0.00229		$\alpha(K)=0.00200$ 3; $\alpha(L)=0.000236$ 4; $\alpha(M)=4.51 \times 10^{-5}$ 7 $\alpha(N)=8.06 \times 10^{-6}$ 12; $\alpha(O)=4.77 \times 10^{-7}$ 7 $B(M1)(W.u.)<0.47$ ; $B(E2)(W.u.)<3.1$
2793.80	7 <sup>-</sup>	222.17# <i>10</i>	3.2# 4	2571.47	6 <sup>+</sup>	(E1)		0.01746		$\alpha(K)=0.01522$ 22; $\alpha(L)=0.00182$ 3; $\alpha(M)=0.000348$ 5 $\alpha(N)=6.15 \times 10^{-5}$ 9; $\alpha(O)=3.33 \times 10^{-6}$ 5 Mult.: $A_2=-0.32$ 22 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\alpha(K)=0.00952$ 14; $\alpha(L)=0.001287$ 19; $\alpha(M)=0.000248$ 4 $\alpha(N)=4.35 \times 10^{-5}$ 7; $\alpha(O)=2.14 \times 10^{-6}$ 3 Mult.: $A_2=0.323$ 7; $A_4=-0.112$ 10 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). $\alpha(K)=0.001114$ 16; $\alpha(L)=0.0001302$ 19; $\alpha(M)=2.49 \times 10^{-5}$ 4 $\alpha(N)=4.43 \times 10^{-6}$ 7; $\alpha(O)=2.55 \times 10^{-7}$ 4 Mult.: $A_2=-0.250$ 6 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). $\alpha(K)=0.00207$ 4; $\alpha(L)=0.000255$ 4; $\alpha(M)=4.90 \times 10^{-5}$ 8 $\alpha(N)=8.69 \times 10^{-6}$ 14; $\alpha(O)=4.79 \times 10^{-7}$ 9 $\delta$ : Also: -0.65 +16-20 from $\gamma(\theta)$ in <a href="#">2001Ga44</a> .
		420.68 <i>19</i>	63 4	2373.19	5 <sup>-</sup>	E2		0.01110		
		625.97 <i>10</i>	100 4	2167.76	6 <sup>+</sup>	E1		$1.27 \times 10^{-3}$		
2816.71	4 <sup>+</sup>	735.20 <i>10</i>		2081.64	4 <sup>+</sup>	M1+E2	+4.0 +39-13	0.00238		$\alpha(K)=0.000642$ 9; $\alpha(L)=7.46 \times 10^{-5}$ 11; $\alpha(M)=1.423 \times 10^{-5}$ 20 $\alpha(N)=2.54 \times 10^{-6}$ 4; $\alpha(O)=1.477 \times 10^{-7}$ 21 $\alpha(K)=0.000559$ 8; $\alpha(L)=6.51 \times 10^{-5}$ 10; $\alpha(M)=1.243 \times 10^{-5}$ 18
		811.3 <i>1</i>		2005.200	3 <sup>-</sup>	E1		$7.33 \times 10^{-4}$		
		1401.3 <i>1</i>		1415.480	4 <sup>+</sup>	M1+E2		$6.82 \times 10^{-4}$		

## Adopted Levels, Gammas (continued)

 $\gamma^{(112\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> <i>f</i>	α <sup>e</sup>	Comments
2817.74	6 <sup>-</sup>	247.54 <sup>#</sup> 10	10.6 <sup>#</sup> 9	2570.21	5 <sup>-</sup>	M1(+E2)	+0.03 3	0.0392	$\alpha(N)=2.22\times10^{-6}$ 4; $\alpha(O)=1.327\times10^{-7}$ 19; $\alpha(IPF)=4.37\times10^{-5}$ 7 $\alpha(K)=0.0341$ 5; $\alpha(L)=0.00417$ 6; $\alpha(M)=0.000801$ 12 $\alpha(N)=0.0001429$ 21; $\alpha(O)=8.27\times10^{-6}$ 12 Mult.: $A_2=-0.18$ 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
		444.54 10	100.0 28	2373.19	5 <sup>-</sup>	M1+E2	-0.29 +5-7	0.00891	$\alpha(K)=0.00776$ 11; $\alpha(L)=0.000940$ 15; $\alpha(M)=0.000180$ 3 $\alpha(N)=3.22\times10^{-5}$ 5; $\alpha(O)=1.86\times10^{-6}$ 3 Mult.: $A_2=-0.73$ 2; $A_4=0.05$ 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09). δ: Other: -0.45 18 from $\gamma(\theta)$ in 1997Dr03.
2829.19	1 <sup>-</sup>	957.80 19	8.0 <sup>@</sup> 10	1870.96	0 <sup>+</sup>	E1		$5.28\times10^{-4}$	$\alpha(K)=0.000462$ 7; $\alpha(L)=5.34\times10^{-5}$ 8; $\alpha(M)=1.019\times10^{-5}$ 15 $\alpha(N)=1.82\times10^{-6}$ 3; $\alpha(O)=1.065\times10^{-7}$ 15 $B(E1)(W.u.)=0.00051$ 9
		1604.6 4	5.0 <sup>@</sup> 14	1224.341	0 <sup>+</sup>	[E1]		$5.24\times10^{-4}$	$\alpha(K)=0.000185$ 3; $\alpha(L)=2.11\times10^{-5}$ 3; $\alpha(M)=4.02\times10^{-6}$ 6 $\alpha(N)=7.19\times10^{-7}$ 10; $\alpha(O)=4.27\times10^{-8}$ 6; $\alpha(IPF)=0.000313$ 5 $B(E1)(W.u.)=6.8\times10^{-5}$ 21
		2211.65 10	100.0 21	617.518	2 <sup>+</sup>	E1		$8.80\times10^{-4}$	$\alpha(K)=0.0001114$ 16; $\alpha(L)=1.267\times10^{-5}$ 18; $\alpha(M)=2.41\times10^{-6}$ 4 $\alpha(N)=4.31\times10^{-7}$ 6; $\alpha(O)=2.58\times10^{-8}$ 4; $\alpha(IPF)=0.000753$ 11 $B(E1)(W.u.)=0.00052$ 6
		2829.20 10	78.6 21	0.0	0 <sup>+</sup>	E1		$1.22\times10^{-3}$	$\alpha(K)=7.77\times10^{-5}$ 11; $\alpha(L)=8.80\times10^{-6}$ 13; $\alpha(M)=1.677\times10^{-6}$ 24 $\alpha(N)=3.00\times10^{-7}$ 5; $\alpha(O)=1.79\times10^{-8}$ 3; $\alpha(IPF)=0.001129$ 16 $B(E1)(W.u.)=0.000195$ 23
2834.27	0 <sup>+</sup>	712.68 10	19 4	2121.62	2 <sup>+</sup>	E2		0.00255	$\alpha(K)=0.00221$ 4; $\alpha(L)=0.000276$ 4; $\alpha(M)=5.29\times10^{-5}$ 8 $\alpha(N)=9.37\times10^{-6}$ 14; $\alpha(O)=5.12\times10^{-7}$ 8 $B(E2)(W.u.)<36$
		1521.82 12	26.2 19	1312.390	2 <sup>+</sup>	E2		$5.64\times10^{-4}$	$\alpha(K)=0.000415$ 6; $\alpha(L)=4.85\times10^{-5}$ 7; $\alpha(M)=9.28\times10^{-6}$ 13 $\alpha(N)=1.655\times10^{-6}$ 24; $\alpha(O)=9.69\times10^{-8}$ 14; $\alpha(IPF)=8.96\times10^{-5}$ 13 $B(E2)(W.u.)<1.1$
		2216.74 10	100	617.518	2 <sup>+</sup>	E2		$6.40\times10^{-4}$	$\alpha(K)=0.000205$ 3; $\alpha(L)=2.37\times10^{-5}$ 4; $\alpha(M)=4.52\times10^{-6}$ 7 $\alpha(N)=8.07\times10^{-7}$ 12; $\alpha(O)=4.80\times10^{-8}$ 7; $\alpha(IPF)=0.000406$ 6 $B(E2)(W.u.)<0.65$

### **Adopted Levels, Gammas (continued)**

$\gamma(^{112}\text{Cd})$  (continued)

$E_i$ (level)	$J^\pi_i$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J^\pi_f$	Mult. $\dagger$	$\delta^\dagger f$	$a^e$	Comments
2840.22	$(4)^+$	1424.73 10	100	1415.480	$4^+$	M1+E2	$-1.28 +18-24$	$6.23 \times 10^{-4}$ 11	$\alpha(K)=0.000498$ 9; $\alpha(L)=5.82 \times 10^{-5}$ 10; $\alpha(M)=1.113 \times 10^{-5}$ 19 $\alpha(N)=1.99 \times 10^{-6}$ 4; $\alpha(O)=1.171 \times 10^{-7}$ 22; $\alpha(IPF)=5.41 \times 10^{-5}$ 9 B(M1)(W.u.)<0.0070; B(E2)(W.u.)<4.3 Mult.: $A_2=-0.33$ 2 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha, 2n\gamma)$ (1993De09). δ: Other: -0.11 8 $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha, 2n\gamma)$ in 1997Dr03.
2852.90	2 <sup>+</sup>	850 <sup>&amp;</sup> 2		2005.200	3 <sup>-</sup>				
		1419.6 1	12.2 4	1433.27	0 <sup>+</sup>	E2		$5.99 \times 10^{-4}$	$B(E2)(W.u.)=0.42 +10-21$ $\alpha(K)=0.000475$ 7; $\alpha(L)=5.59 \times 10^{-5}$ 8; $\alpha(M)=1.068 \times 10^{-5}$ 15 $\alpha(N)=1.90 \times 10^{-6}$ 3; $\alpha(O)=1.111 \times 10^{-7}$ 16; $\alpha(IPF)=5.49 \times 10^{-5}$ 8 $\alpha(K)=0.000458$ 7; $\alpha(L)=5.32 \times 10^{-5}$ 8; $\alpha(M)=1.017 \times 10^{-5}$ 15 $\alpha(N)=1.82 \times 10^{-6}$ 3; $\alpha(O)=1.087 \times 10^{-7}$ 16; $\alpha(IPF)=8.72 \times 10^{-5}$ 13
		1540.4 1	52.8 22	1312.390	2 <sup>+</sup>	M1+E2		$6.11 \times 10^{-4}$	$B(M1)(W.u.)=0.00068 +18-34$ ; $B(E2)(W.u.)=0.017 +16-17$ $\alpha(K)=0.000214$ 4; $\alpha(L)=2.47 \times 10^{-5}$ 5; $\alpha(M)=4.71 \times 10^{-6}$ 8 $\alpha(N)=8.42 \times 10^{-7}$ 15; $\alpha(O)=5.04 \times 10^{-8}$ 10; $\alpha(IPF)=0.000400$ 7
		2235.46 10	34.8 8	617.518	2 <sup>+</sup>	M1+E2	$-0.39 +20-25$	$6.44 \times 10^{-4}$	$B(M1)(W.u.)=0.00068 +18-34$ ; $B(E2)(W.u.)=0.017 +16-17$ $\alpha(K)=0.000214$ 4; $\alpha(L)=2.47 \times 10^{-5}$ 5; $\alpha(M)=4.71 \times 10^{-6}$ 8 $\alpha(N)=8.42 \times 10^{-7}$ 15; $\alpha(O)=5.04 \times 10^{-8}$ 10; $\alpha(IPF)=0.000400$ 7
2852.87	10	100 3		0.0	0 <sup>+</sup>	E2		$8.54 \times 10^{-4}$	$B(E2)(W.u.)=0.106 +25-51$ $\alpha(K)=0.0001321$ 19; $\alpha(L)=1.514 \times 10^{-5}$ 22; $\alpha(M)=2.89 \times 10^{-6}$ 4 $\alpha(N)=5.16 \times 10^{-7}$ 8; $\alpha(O)=3.09 \times 10^{-8}$ 5; $\alpha(IPF)=0.000704$ 10
		450.75 10	16.5 7	2416.00	3 <sup>-</sup>	M1+E2	$+0.73 +69-71$	$0.00873$ 20	$\alpha(K)=0.00757$ 15; $\alpha(L)=0.00094$ 5; $\alpha(M)=0.000182$ 10 $\alpha(N)=3.22 \times 10^{-5}$ 16; $\alpha(O)=1.78 \times 10^{-6}$ 3 $\alpha(K)=0.0001321$ 19; $\alpha(L)=1.514 \times 10^{-5}$ 22; $\alpha(M)=2.89 \times 10^{-6}$ 4 $\alpha(N)=5.16 \times 10^{-7}$ 8; $\alpha(O)=3.09 \times 10^{-8}$ 5; $\alpha(IPF)=0.000704$ 10
		784.91 10	18.3 15	2081.64	4 <sup>+</sup>	E1		$7.85 \times 10^{-4}$	$B(M1)(W.u.)=0.020 +15-20$ ; $B(E2)(W.u.)=4.E+1 +6-4$ $\alpha(K)=0.000687$ 10; $\alpha(L)=7.99 \times 10^{-5}$ 12; $\alpha(M)=1.524 \times 10^{-5}$ 22 $\alpha(N)=2.72 \times 10^{-6}$ 4; $\alpha(O)=1.580 \times 10^{-7}$ 23
		802.3 <sup>@</sup> 4	14 <sup>@</sup> 4	2064.53	3 <sup>+</sup>	[E1]		$7.50 \times 10^{-4}$	$B(E1)(W.u.)=9.E-5 +3-9$ $\alpha(K)=0.000657$ 10; $\alpha(L)=7.63 \times 10^{-5}$ 11; $\alpha(M)=1.456 \times 10^{-5}$ 21 $\alpha(N)=2.59 \times 10^{-6}$ 4; $\alpha(O)=1.511 \times 10^{-7}$ 22
2866.75	3 <sup>-</sup>	100.0 11	2005.200	3 <sup>-</sup>	M1+(E2)		$+0.069 +89-69$	$0.00186$	$B(E1)(W.u.)=6.E-5 +3-6$ $\alpha(K)=0.001621$ 24; $\alpha(L)=0.000191$ 3; $\alpha(M)=3.66 \times 10^{-5}$
		861.68 10							

From ENSDF

## Adopted Levels, Gammas (continued)

<u><math>\gamma(^{112}\text{Cd})</math> (continued)</u>									
$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. <sup>†</sup>	$\delta^{\dagger f}$	$a^e$	Comments
2866.75	3 <sup>-</sup>	1451.30 10	64.7 13	1415.480	4 <sup>+</sup>	E1	$4.45 \times 10^{-4}$		<sup>6</sup> $\alpha(N)=6.53 \times 10^{-6}$ 10; $\alpha(O)=3.87 \times 10^{-7}$ 6 $B(M1)(W.u.)=(0.027 +9-27)$ ; $B(E2)(W.u.)=(0.1 +4-1)$ $\alpha(K)=0.000218$ 3; $\alpha(L)=2.50 \times 10^{-5}$ 4; $\alpha(M)=4.77 \times 10^{-6}$ 7 $\alpha(N)=8.51 \times 10^{-7}$ 12; $\alpha(O)=5.04 \times 10^{-8}$ 7; $\alpha(IPF)=0.000197$ 3 $B(E1)(W.u.)=4.8 \times 10^{-5} +16-48$
2867.48	(3) <sup>+</sup>	1398.64 10		1468.822	2 <sup>+</sup>	M1+E2	$6.84 \times 10^{-4}$		$\alpha(K)=0.000561$ 8; $\alpha(L)=6.53 \times 10^{-5}$ 10; $\alpha(M)=1.249 \times 10^{-5}$ 18 $\alpha(N)=2.23 \times 10^{-6}$ 4; $\alpha(O)=1.333 \times 10^{-7}$ 19; $\alpha(IPF)=4.30 \times 10^{-5}$ 6
		1555.1 1		1312.390	2 <sup>+</sup>	M1+E2	$6.06 \times 10^{-4}$		$\alpha(K)=0.000449$ 7; $\alpha(L)=5.22 \times 10^{-5}$ 8; $\alpha(M)=9.97 \times 10^{-6}$ 14 $\alpha(N)=1.783 \times 10^{-6}$ 25; $\alpha(O)=1.066 \times 10^{-7}$ 15; $\alpha(IPF)=9.26 \times 10^{-5}$ 13
		2249.91 10	100	617.518	2 <sup>+</sup>	M1+E2	$6.48 \times 10^{-4}$		$\alpha(K)=0.000213$ 3; $\alpha(L)=2.45 \times 10^{-5}$ 4; $\alpha(M)=4.69 \times 10^{-6}$ 7 $\alpha(N)=8.38 \times 10^{-7}$ 12; $\alpha(O)=5.03 \times 10^{-8}$ 7; $\alpha(IPF)=0.000405$ 6
2881.02	8 <sup>+</sup>	713.23# 10	100#	2167.76	6 <sup>+</sup>	E2	0.00255		$\alpha(K)=0.00221$ 3; $\alpha(L)=0.000275$ 4; $\alpha(M)=5.28 \times 10^{-5}$ 8 $\alpha(N)=9.36 \times 10^{-6}$ 14; $\alpha(O)=5.11 \times 10^{-7}$ 8 Mult.: $A_2=0.341$ 9; $A_4=-0.121$ 13 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha, 2n\gamma$ ) ( <a href="#">1993De09</a> ).
2882.82	0 <sup>+</sup>	726.79 14	36 5	2156.18	2 <sup>+</sup>	E2	0.00243		$\alpha(K)=0.00211$ 3; $\alpha(L)=0.000262$ 4; $\alpha(M)=5.03 \times 10^{-5}$ 7 $\alpha(N)=8.91 \times 10^{-6}$ 13; $\alpha(O)=4.88 \times 10^{-7}$ 7 $B(E2)(W.u.)<27$
		1413.86 10	100 5	1468.822	2 <sup>+</sup>	E2	$6.02 \times 10^{-4}$		$\alpha(K)=0.000479$ 7; $\alpha(L)=5.63 \times 10^{-5}$ 8; $\alpha(M)=1.077 \times 10^{-5}$ 15 $\alpha(N)=1.92 \times 10^{-6}$ 3; $\alpha(O)=1.120 \times 10^{-7}$ 16; $\alpha(IPF)=5.32 \times 10^{-5}$ 8 $B(E2)(W.u.)<2.7$
		1570.51 14	28.5 25	1312.390	2 <sup>+</sup>	E2	$5.54 \times 10^{-4}$		$\alpha(K)=0.000390$ 6; $\alpha(L)=4.56 \times 10^{-5}$ 7; $\alpha(M)=8.71 \times 10^{-6}$ 13 $\alpha(N)=1.554 \times 10^{-6}$ 22; $\alpha(O)=9.12 \times 10^{-8}$ 13; $\alpha(IPF)=0.0001083$ 16 $B(E2)(W.u.)<0.46$
2893.51	4 <sup>+</sup>	771.76 10	37 4	2121.62	2 <sup>+</sup>	E2	0.00209		$\alpha(K)=0.00182$ 3; $\alpha(L)=0.000224$ 4; $\alpha(M)=4.30 \times 10^{-5}$ 6 $\alpha(N)=7.63 \times 10^{-6}$ 11; $\alpha(O)=4.21 \times 10^{-7}$ 6 $B(E2)(W.u.)<42$
		811.9 1		2081.64	4 <sup>+</sup>	M1+E2	0.00213		$\alpha(K)=0.00186$ 3; $\alpha(L)=0.000219$ 3; $\alpha(M)=4.19 \times 10^{-5}$ 6 $\alpha(N)=7.50 \times 10^{-6}$ 11; $\alpha(O)=4.44 \times 10^{-7}$ 7 $B(E2)(W.u.)<0.51$
		2276.07 10	100 4	617.518	2 <sup>+</sup>	E2	$6.58 \times 10^{-4}$		$\alpha(K)=0.000196$ 3; $\alpha(L)=2.26 \times 10^{-5}$ 4; $\alpha(M)=4.31 \times 10^{-6}$ 6 $\alpha(N)=7.70 \times 10^{-7}$ 11; $\alpha(O)=4.58 \times 10^{-8}$ 7; $\alpha(IPF)=0.000435$ 6 $\alpha(K)=0.000210$ 3; $\alpha(L)=2.41 \times 10^{-5}$ 4; $\alpha(M)=4.59 \times 10^{-6}$ 7 $\alpha(N)=8.20 \times 10^{-7}$ 12; $\alpha(O)=4.86 \times 10^{-8}$ 7; $\alpha(IPF)=0.000221$ 3 $B(E1)(W.u.)=0.00069$ 16 Mult.: $A_2=-0.29$ 3; $A_4=0.07$ 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha, 2n\gamma$ ) ( <a href="#">1993De09</a> ).
2899.02	(3 <sup>-</sup> , 5 <sup>-</sup> )	1483.53 4	100	1415.480	4 <sup>+</sup>	(E1)	$4.60 \times 10^{-4}$		Mult.: stretched transition; $\delta=+0.014 +33-30$ from $\gamma(\theta)$ in <a href="#">2001Ga44</a> .
2921.53	6 <sup>+</sup>	840.00 10	100# 8	2081.64	4 <sup>+</sup>	E2	$1.70 \times 10^{-3}$		$\alpha(K)=0.001482$ 21; $\alpha(L)=0.000181$ 3; $\alpha(M)=3.48 \times 10^{-5}$ 5

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†f</sup>	α <sup>e</sup>	Comments
2921.53	6 <sup>+</sup>	1505.5 <sup>#</sup> 3	40 <sup>#</sup> 5	1415.480	4 <sup>+</sup>	E2		5.68×10 <sup>-4</sup>	$\alpha(N)=6.17\times10^{-6}$ 9; $\alpha(O)=3.44\times10^{-7}$ 5 Mult.: $A_2=0.28$ 3; $A_4=-0.12$ 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
2924.83	4 <sup>-</sup>	333.72 10	60 3	2591.05	4 <sup>-</sup>	M1+E2	-0.21 +18-17	0.0184 5	$\alpha(K)=0.000423$ 6; $\alpha(L)=4.96\times10^{-5}$ 7; $\alpha(M)=9.48\times10^{-6}$ 14 $\alpha(N)=1.691\times10^{-6}$ 24; $\alpha(O)=9.90\times10^{-8}$ 14; $\alpha(IPF)=8.37\times10^{-5}$ 12 Mult.: $A_2=0.13$ 12 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
33	551.63 10	28 3	2373.19	5 <sup>-</sup>	M1+E2			0.00525	$\alpha(K)=0.0160$ 4; $\alpha(L)=0.00195$ 8; $\alpha(M)=0.000375$ 16 $\alpha(N)=6.7\times10^{-5}$ 3; $\alpha(O)=3.84\times10^{-6}$ 7 $B(M1)(W.u.)<0.80$ ; $B(E2)(W.u.)<6.3\times10^2$ $\delta$ : Other: +1.4 +7-5 from $\gamma\gamma(\theta)$ in <a href="#">2001Ga44</a> . $\alpha(K)=0.00458$ 7; $\alpha(L)=0.000547$ 8; $\alpha(M)=0.0001048$ 15
	919.58 10	100 3	2005.200	3 <sup>-</sup>	M1+E2	-0.22 10		1.59×10 <sup>-3</sup> 3	$\alpha(N)=1.87\times10^{-5}$ 3; $\alpha(O)=1.101\times10^{-6}$ 16 $\alpha(K)=0.001392$ 22; $\alpha(L)=0.0001639$ 25; $\alpha(M)=3.14\times10^{-5}$ 5
	1054.24 10	62 3	1870.68	4 <sup>+</sup>	E1			4.40×10 <sup>-4</sup>	$\alpha(N)=5.60\times10^{-6}$ 9; $\alpha(O)=3.32\times10^{-7}$ 6 $B(M1)(W.u.)<0.062$ ; $B(E2)(W.u.)<5.1$ $\alpha(K)=0.000385$ 6; $\alpha(L)=4.44\times10^{-5}$ 7; $\alpha(M)=8.48\times10^{-6}$ 12 $\alpha(N)=1.512\times10^{-6}$ 22; $\alpha(O)=8.88\times10^{-8}$ 13 $B(E1)(W.u.)<0.00034$
	1509.36 10	75.9 23	1415.480	4 <sup>+</sup>	E1			4.73×10 <sup>-4</sup>	$\alpha(K)=0.000204$ 3; $\alpha(L)=2.34\times10^{-5}$ 4; $\alpha(M)=4.46\times10^{-6}$ 7 $\alpha(N)=7.96\times10^{-7}$ 12; $\alpha(O)=4.72\times10^{-8}$ 7; $\alpha(IPF)=0.000240$ 4 $B(E1)(W.u.)<0.00014$
	2931.46	1 <sup>+</sup>	1618.84 11	47.5 20	1312.390	2 <sup>+</sup>	M1+E2	5.89×10 <sup>-4</sup>	$\alpha(K)=0.000413$ 6; $\alpha(L)=4.80\times10^{-5}$ 7; $\alpha(M)=9.16\times10^{-6}$ 13 $\alpha(N)=1.639\times10^{-6}$ 23; $\alpha(O)=9.80\times10^{-8}$ 14; $\alpha(IPF)=0.0001167$ 17
	2314.12 10	53 3	617.518	2 <sup>+</sup>	M1+E2			6.66×10 <sup>-4</sup>	$\alpha(K)=0.000202$ 3; $\alpha(L)=2.32\times10^{-5}$ 4; $\alpha(M)=4.43\times10^{-6}$ 7 $\alpha(N)=7.93\times10^{-7}$ 12; $\alpha(O)=4.76\times10^{-8}$ 7; $\alpha(IPF)=0.000436$ 7
	2931.42 10	100 3	0.0	0 <sup>+</sup>	M1			8.72×10 <sup>-4</sup>	$\alpha(K)=0.0001284$ 18; $\alpha(L)=1.473\times10^{-5}$ 21; $\alpha(M)=2.81\times10^{-6}$ 4 $\alpha(N)=5.03\times10^{-7}$ 7; $\alpha(O)=3.02\times10^{-8}$ 5; $\alpha(IPF)=0.000726$ 11 $B(M1)(W.u.)=0.026$ 7 Mult.: $\varepsilon=+0.08$ 10 from polarization measurements in <sup>112</sup> Cd( $\gamma,\text{pol } \gamma'$ ) ( <a href="#">2005Ko32</a> ).
	2931.97	6 <sup>-</sup>	361.80 <sup>#</sup> 20		2570.21	5 <sup>-</sup>	M1+E2	0.01480	$\alpha(K)=0.01289$ 19; $\alpha(L)=0.001558$ 22; $\alpha(M)=0.000299$ 5 $\alpha(N)=5.33\times10^{-5}$ 8; $\alpha(O)=3.11\times10^{-6}$ 5 Mult.: $A_2=-0.20$ 17 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).

## Adopted Levels, Gammas (continued)

 $\gamma^{(112\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	$\delta^{\dagger f}$	a <sup>e</sup>	Comments
2931.97	6 <sup>-</sup>	558.7 1	100	2373.19	5 <sup>-</sup>	M1+E2		0.00510	$\alpha(K)=0.00445~7; \alpha(L)=0.000530~8;$ $\alpha(M)=0.0001016~15$ $\alpha(N)=1.81\times 10^{-5}~3; \alpha(O)=1.068\times 10^{-6}~15$ Mult.: $A_2=+0.64~3, A_4=-0.12~4$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ).
2935.50	7 <sup>-</sup>	141.69 <sup>#</sup> 11	5.6 <sup>#</sup> 14	2793.80	7 <sup>-</sup>	M1+E2 <sup>‡</sup>	-0.52 <sup>‡</sup> 9	0.230 16	$\alpha(K)=0.193~12; \alpha(L)=0.030~3; \alpha(M)=0.0058~6$ $\alpha(N)=0.00101~10; \alpha(O)=4.37\times 10^{-5}~19$ $\alpha(K)=0.01467~21; \alpha(L)=0.00204~3;$ $\alpha(M)=0.000395~6$ $\alpha(N)=6.90\times 10^{-5}~10; \alpha(O)=3.25\times 10^{-6}~5$ Mult.: $A_2=0.63~10; A_4=-0.15~12$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
		365.38 <sup>#</sup> 10	3.9 <sup>#</sup> 16	2570.21	5 <sup>-</sup>	E2		0.01718	
		562.39 <sup>#</sup> 10	100 <sup>#</sup> 3	2373.19	5 <sup>-</sup>	(E2)		0.00478	$\alpha(K)=0.00413~6; \alpha(L)=0.000531~8;$ $\alpha(M)=0.0001021~15$ $\alpha(N)=1.80\times 10^{-5}~3; \alpha(O)=9.44\times 10^{-7}~14$ Mult.: $A_2=+0.24~8$ ( <a href="#">1997Dr03</a> ).
		767.65 <sup>#</sup> 10	61 <sup>#</sup> 3	2167.76	6 <sup>+</sup>	E1		8.22×10 <sup>-4</sup>	$\alpha(K)=0.000719~10; \alpha(L)=8.37\times 10^{-5}~12;$ $\alpha(M)=1.597\times 10^{-5}~23$ $\alpha(N)=2.84\times 10^{-6}~4; \alpha(O)=1.653\times 10^{-7}~24$ Mult.: $A_2=-0.249~14$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
2944.94	2 <sup>+</sup>	2327.44 10	100 4	617.518	2 <sup>+</sup>	M1+E2	+1.4 +11-14	6.73×10 <sup>-4</sup>	$\alpha(K)=0.000192~8; \alpha(L)=2.21\times 10^{-5}~9;$ $\alpha(M)=4.22\times 10^{-6}~18$ $\alpha(N)=7.5\times 10^{-7}~4; \alpha(O)=4.50\times 10^{-8}~22;$ $\alpha(IPF)=0.000454~13$ $B(M1)(W.u.)=0.0009~+10-9; B(E2)(W.u.)=0.25~+15-23$
		2944.78 10	73 4	0.0	0 <sup>+</sup>	E2		8.87×10 <sup>-4</sup>	$\alpha(K)=0.0001252~18; \alpha(L)=1.433\times 10^{-5}~20;$ $\alpha(M)=2.73\times 10^{-6}~4$ $\alpha(N)=4.89\times 10^{-7}~7; \alpha(O)=2.92\times 10^{-8}~4;$ $\alpha(IPF)=0.000744~11$ $B(E2)(W.u.)=0.084~+22-64$
2947.76	(2,3) <sup>+</sup>	2330.22 10	100	617.518	2 <sup>+</sup>	M1+E2	-3.6 +10-16	6.75×10 <sup>-4</sup>	$\alpha(K)=0.000189~3; \alpha(L)=2.17\times 10^{-5}~4;$ $\alpha(M)=4.15\times 10^{-6}~6$ $\alpha(N)=7.41\times 10^{-7}~11; \alpha(O)=4.41\times 10^{-8}~7;$ $\alpha(IPF)=0.000460~7$ $B(M1)(W.u.)=0.0015~9; B(E2)(W.u.)=2.9~9$
2961.92	4 <sup>-</sup>	370.86 10	37.1 22	2591.05	4 <sup>-</sup>	M1(+E2)	+0.06 +15-10	0.01392 22	$\alpha(K)=0.01212~19; \alpha(L)=0.00146~3;$ $\alpha(M)=0.000281~6$ $\alpha(N)=5.01\times 10^{-5}~10; \alpha(O)=2.92\times 10^{-6}~5$ $\alpha(K)=0.00392~6; \alpha(L)=0.000467~7;$
		588.83 10	60.2 24	2373.19	5 <sup>-</sup>	M1+E2		0.00450	

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. <sup>†</sup>	$\delta^\dagger f$	$\alpha^e$	Comments
2961.92	4 <sup>-</sup>	956.7 1		2005.200	3 <sup>-</sup>	M1+E2		$1.47 \times 10^{-3}$	$\alpha(M)=8.95 \times 10^{-5}$ 13 $\alpha(N)=1.598 \times 10^{-5}$ 23; $\alpha(O)=9.41 \times 10^{-7}$ 14 $\alpha(K)=0.001282$ 18; $\alpha(L)=0.0001506$ 21; $\alpha(M)=2.88 \times 10^{-5}$ 4 $\alpha(N)=5.15 \times 10^{-6}$ 8; $\alpha(O)=3.06 \times 10^{-7}$ 5 $\alpha(K)=0.000196$ 3; $\alpha(L)=2.24 \times 10^{-5}$ 4; $\alpha(M)=4.28 \times 10^{-6}$ 6 $\alpha(N)=7.64 \times 10^{-7}$ 11; $\alpha(O)=4.53 \times 10^{-8}$ 7; $\alpha(IPF)=0.000268$ 4
		1546.35 10	100 3	1415.480	4 <sup>+</sup>	E1		$4.92 \times 10^{-4}$	
2962.0	2 <sup>+</sup>	957.1@ 10	50@ 25	2005.200	3 <sup>-</sup>				
		2961.7@ 10	100@ 25		0.0	0 <sup>+</sup>			
2970.02	(4,5) <sup>+</sup>	398.57# 10	75# 5	2571.47	6 <sup>+</sup>				
		1554.49# 16	100# 11	1415.480	4 <sup>+</sup>	M1+E2 <sup>‡</sup>	+0.42 <sup>‡</sup> 12	$5.99 \times 10^{-4}$ 10	$\alpha(K)=0.000442$ 8; $\alpha(L)=5.14 \times 10^{-5}$ 9; $\alpha(M)=9.81 \times 10^{-6}$ 16 $\alpha(N)=1.75 \times 10^{-6}$ 3; $\alpha(O)=1.046 \times 10^{-7}$ 18; $\alpha(IPF)=9.38 \times 10^{-5}$ 15 Mult.: $A_2=0.27$ 3 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ (1993De09).
2972.45	5 <sup>+</sup>	804.89 10	32.3 17	2167.76	6 <sup>+</sup>	M1+E2	-2.5 +7-12	0.00193 4	$\alpha(K)=0.00168$ 4; $\alpha(L)=0.000205$ 4; $\alpha(M)=3.92 \times 10^{-5}$ 7 $\alpha(N)=6.97 \times 10^{-6}$ 13; $\alpha(O)=3.91 \times 10^{-7}$ 9 $B(M1)(W.u.)=0.0020$ +12-20; $B(E2)(W.u.)=15$ +6-15 $\alpha(K)=0.001499$ 22; $\alpha(L)=0.000177$ 3; $\alpha(M)=3.38 \times 10^{-5}$ 5 $\alpha(N)=6.04 \times 10^{-6}$ 9; $\alpha(O)=3.58 \times 10^{-7}$ 6 $B(M1)(W.u.)=0.008$ +3-8; $B(E2)(W.u.)=0.23$ +21-23 Mult.: $A_2=-0.55$ 8 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ (1993De09). $\delta$ : Other: -0.33 15 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ (1997Dr03).
		890.77 10	25 3	2081.64	4 <sup>+</sup>	M1+E2	+0.17 +7-6	$1.72 \times 10^{-3}$ 3	
		1556.8 1	100 3	1415.480	4 <sup>+</sup>	M1+E2 <sup>‡</sup>	+0.42 <sup>‡</sup> 12	$5.98 \times 10^{-4}$ 10	$\alpha(K)=0.000441$ 8; $\alpha(L)=5.12 \times 10^{-5}$ 9; $\alpha(M)=9.78 \times 10^{-6}$ 16 $\alpha(N)=1.75 \times 10^{-6}$ 3; $\alpha(O)=1.043 \times 10^{-7}$ 18; $\alpha(IPF)=9.47 \times 10^{-5}$ 16 $B(M1)(W.u.)=0.0053$ +19-53; $B(E2)(W.u.)=0.31$ +18-31 Mult.: $A_2=0.02$ 6 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ (1993De09).
2980.85	2 <sup>+</sup>	1512.13 17	15 3	1468.822	2 <sup>+</sup>	M1+E2		$6.22 \times 10^{-4}$	$\alpha(K)=0.000476$ 7; $\alpha(L)=5.53 \times 10^{-5}$ 8; $\alpha(M)=1.058 \times 10^{-5}$ 15

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. $^\dagger$	$\delta^\dagger f$	$a^e$	Comments
2980.85	2 <sup>+</sup>	1668.4	9.6 23	1312.390	2 <sup>+</sup>	M1+E2		$5.80 \times 10^{-4}$	$\alpha(N)=1.89 \times 10^{-6}$ 3; $\alpha(O)=1.130 \times 10^{-7}$ 16; $\alpha(IPF)=7.73 \times 10^{-5}$ 11 $\alpha(K)=0.000388$ 6; $\alpha(L)=4.50 \times 10^{-5}$ 7; $\alpha(M)=8.60 \times 10^{-6}$ 12 $\alpha(N)=1.539 \times 10^{-6}$ 22; $\alpha(O)=9.20 \times 10^{-8}$ 13; $\alpha(IPF)=0.0001361$ 19
		2363.27 10	100 4	617.518	2 <sup>+</sup>	M1(+E2)	-0.01 6	$6.81 \times 10^{-4}$	$\alpha(K)=0.000193$ 3; $\alpha(L)=2.23 \times 10^{-5}$ 4; $\alpha(M)=4.25 \times 10^{-6}$ 6 $\alpha(N)=7.61 \times 10^{-7}$ 11; $\alpha(O)=4.57 \times 10^{-8}$ 7; $\alpha(IPF)=0.000460$ 7 $B(M1)(W.u.)=(0.0096$ 22); $B(E2)(W.u.)=(0.00014$ +165-14) $\delta$ : Other: +2.3 +5-4 from $\gamma(\theta)$ in <a href="#">2001Ga44</a> .
3002.06	3 <sup>+</sup>	996.75 14	37 6	2005.200	3 <sup>-</sup>	E1		$4.89 \times 10^{-4}$	$\alpha(K)=0.000428$ 6; $\alpha(L)=4.95 \times 10^{-5}$ 7; $\alpha(M)=9.44 \times 10^{-6}$ 14 $\alpha(N)=1.683 \times 10^{-6}$ 24; $\alpha(O)=9.87 \times 10^{-8}$ 14 $B(E1)(W.u.)=0.00026$ +10-18
36		1586.57 10	79 3	1415.480	4 <sup>+</sup>	M1+E2	+0.12 6	$5.96 \times 10^{-4}$	$B(M1)(W.u.)=0.010$ +4-7; $B(E2)(W.u.)=0.05$ 5 $\alpha(K)=0.000430$ 6; $\alpha(L)=4.99 \times 10^{-5}$ 7; $\alpha(M)=9.54 \times 10^{-6}$ 14 $\alpha(N)=1.707 \times 10^{-6}$ 25; $\alpha(O)=1.020 \times 10^{-7}$ 15; $\alpha(IPF)=0.0001045$ 15
		1689.7 1		1312.390	2 <sup>+</sup>	M1+E2		$5.77 \times 10^{-4}$	$\alpha(K)=0.000378$ 6; $\alpha(L)=4.39 \times 10^{-5}$ 7; $\alpha(M)=8.38 \times 10^{-6}$ 12 $\alpha(N)=1.499 \times 10^{-6}$ 21; $\alpha(O)=8.97 \times 10^{-8}$ 13; $\alpha(IPF)=0.0001447$ 21
		2384.54 11	100 4	617.518	2 <sup>+</sup>	M1+E2	+8.3 +44-20	$6.93 \times 10^{-4}$	$B(M1)(W.u.)=6.E-5$ +7-6; $B(E2)(W.u.)=0.55$ +18-35 $\alpha(K)=0.000180$ 3; $\alpha(L)=2.08 \times 10^{-5}$ 3; $\alpha(M)=3.96 \times 10^{-6}$ 6 $\alpha(N)=7.08 \times 10^{-7}$ 10; $\alpha(O)=4.22 \times 10^{-8}$ 6; $\alpha(IPF)=0.000487$ 7 $\delta$ : Other: +0.33 +5-6 from $\gamma(\theta)$ in <a href="#">2001Ga44</a> .
3011.08	(4,5,6) <sup>-</sup>	637.89 10	100	2373.19	5 <sup>-</sup>	M1+E2	+3.5 +27-14	0.00342 6	$\alpha(K)=0.00297$ 6; $\alpha(L)=0.000373$ 6; $\alpha(M)=7.16 \times 10^{-5}$ 11 $\alpha(N)=1.267 \times 10^{-5}$ 19; $\alpha(O)=6.85 \times 10^{-7}$ 15 $\delta$ : Other: +0.36 +25-17 from $\gamma(\theta)$ in <a href="#">2001Ga44</a> .
3027.97	6 <sup>+</sup>	859.83 <sup>#</sup> 25	45 <sup>#</sup> 9	2167.76	6 <sup>+</sup>	M1+E2 <sup>#</sup>	-0.39 <sup>#</sup> 9	0.00183	$\alpha(K)=0.00160$ 3; $\alpha(L)=0.000189$ 3; $\alpha(M)=3.62 \times 10^{-5}$ 6 $\alpha(N)=6.47 \times 10^{-6}$ 10; $\alpha(O)=3.81 \times 10^{-7}$ 7 Mult.: $A_2=0.15$ 5; $A_4=0.10$ 8 from $\gamma\gamma(\theta)$ in

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. <sup>†</sup>	$\delta^{\dagger f}$	$\alpha^e$	Comments
3027.97	6 <sup>+</sup>	946.39# 10	100# 7	2081.64	4 <sup>+</sup>	E2		$1.29 \times 10^{-3}$	$^{110}\text{Pd}(\alpha, 2\gamma)$ ( <a href="#">1993De09</a> ). $\delta$ : Also: +1.3 2 from $\gamma(\theta)$ in <a href="#">1997Dr03</a> . $\alpha(K)=0.001124$ 16; $\alpha(L)=0.0001360$ 19; $\alpha(M)=2.61 \times 10^{-5}$ 4 $\alpha(N)=4.63 \times 10^{-6}$ 7; $\alpha(O)=2.62 \times 10^{-7}$ 4 Mult.: $A_2=0.16$ 2; $A_4=-0.08$ 3 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha, 2\gamma)$ ( <a href="#">1993De09</a> ). $\alpha(K)=0.001250$ 18; $\alpha(L)=0.0001468$ 21; $\alpha(M)=2.81 \times 10^{-5}$ 4 $\alpha(N)=5.02 \times 10^{-6}$ 7; $\alpha(O)=2.98 \times 10^{-7}$ 5 $B(M1)(W.u.)=0.07$ +3-7 $\alpha(K)=0.000406$ 6; $\alpha(L)=4.71 \times 10^{-5}$ 7; $\alpha(M)=8.99 \times 10^{-6}$ 13 $\alpha(N)=1.608 \times 10^{-6}$ 23; $\alpha(O)=9.62 \times 10^{-8}$ 14; $\alpha(IPF)=0.0001224$ 18 $B(M1)(W.u.)=0.049$ +19-49
3049.08	(4 <sup>+</sup> )	967.63 10	28.4 22	2081.64	4 <sup>+</sup>	[M1]		$1.43 \times 10^{-3}$	$\alpha(K)=0.001250$ 18; $\alpha(L)=0.0001468$ 21; $\alpha(M)=2.81 \times 10^{-5}$ 4 $\alpha(N)=5.02 \times 10^{-6}$ 7; $\alpha(O)=2.98 \times 10^{-7}$ 5 $B(M1)(W.u.)=0.07$ +3-7 $\alpha(K)=0.000406$ 6; $\alpha(L)=4.71 \times 10^{-5}$ 7; $\alpha(M)=8.99 \times 10^{-6}$ 13 $\alpha(N)=1.608 \times 10^{-6}$ 23; $\alpha(O)=9.62 \times 10^{-8}$ 14; $\alpha(IPF)=0.0001224$ 18 $B(M1)(W.u.)=0.049$ +19-49
3051.19	(5) <sup>+</sup>	1635.70 10	100	1415.480	4 <sup>+</sup>	M1+E2	+0.35 +14-9	$5.81 \times 10^{-4}$	$\alpha(K)=0.000400$ 7; $\alpha(L)=4.64 \times 10^{-5}$ 8; $\alpha(M)=8.87 \times 10^{-6}$ 15 $\alpha(N)=1.59 \times 10^{-6}$ 3; $\alpha(O)=9.46 \times 10^{-8}$ 17; $\alpha(IPF)=0.0001245$ 20
3066.23	(2,3) <sup>-</sup>	1753.8	56.3 23	1312.390	2 <sup>+</sup>	E1		$6.09 \times 10^{-4}$	$B(E1)(W.u.) < 9.4 \times 10^{-5}$ $\alpha(K)=0.0001598$ 23; $\alpha(L)=1.82 \times 10^{-5}$ 3; $\alpha(M)=3.48 \times 10^{-6}$ 5 $\alpha(N)=6.21 \times 10^{-7}$ 9; $\alpha(O)=3.69 \times 10^{-8}$ 6; $\alpha(IPF)=0.000427$ 6
		2448.76 10	100.0 23	617.518	2 <sup>+</sup>	E1		$1.01 \times 10^{-3}$	$B(E1)(W.u.) < 6.1 \times 10^{-5}$ $\alpha(K)=9.57 \times 10^{-5}$ 14; $\alpha(L)=1.087 \times 10^{-5}$ 16; $\alpha(M)=2.07 \times 10^{-6}$ 3 $\alpha(N)=3.70 \times 10^{-7}$ 6; $\alpha(O)=2.21 \times 10^{-8}$ 3; $\alpha(IPF)=0.000904$ 13
3068.62	4 <sup>+</sup>	1063.49 10	100.0 19	2005.200	3 <sup>-</sup>	E1		$4.32 \times 10^{-4}$	$B(E1)(W.u.) < 0.00016$ $\alpha(K)=0.000379$ 6; $\alpha(L)=4.37 \times 10^{-5}$ 7; $\alpha(M)=8.34 \times 10^{-6}$ 12 $\alpha(N)=1.487 \times 10^{-6}$ 21; $\alpha(O)=8.74 \times 10^{-8}$ 13
		1599.70 10	93.4 22	1468.822	2 <sup>+</sup>	E2		$5.50 \times 10^{-4}$	$B(E2)(W.u.) < 1.0$ $\alpha(K)=0.000376$ 6; $\alpha(L)=4.40 \times 10^{-5}$ 7; $\alpha(M)=8.40 \times 10^{-6}$ 12 $\alpha(N)=1.499 \times 10^{-6}$ 21; $\alpha(O)=8.80 \times 10^{-8}$ 13; $\alpha(IPF)=0.0001200$ 17
		1653.09 10	44.8 17	1415.480	4 <sup>+</sup>	M1+E2	-0.54 21	$5.74 \times 10^{-4}$ 10	$B(M1)(W.u.) < 0.0013$ ; $B(E2)(W.u.) < 0.15$ $\alpha(K)=0.000386$ 8; $\alpha(L)=4.48 \times 10^{-5}$ 9; $\alpha(M)=8.57 \times 10^{-6}$ 17 $\alpha(N)=1.53 \times 10^{-6}$ 3; $\alpha(O)=9.13 \times 10^{-8}$ 20; $\alpha(IPF)=0.0001328$ 25
		1756.30 14	36.5 22	1312.390	2 <sup>+</sup>	E2		$5.47 \times 10^{-4}$	$B(E2)(W.u.) < 0.25$ $\alpha(K)=0.000315$ 5; $\alpha(L)=3.66 \times 10^{-5}$ 6; $\alpha(M)=7.00 \times 10^{-6}$ 10 $\alpha(N)=1.249 \times 10^{-6}$ 18; $\alpha(O)=7.36 \times 10^{-8}$ 11; $\alpha(IPF)=0.000188$ 3

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†f</sup>	α <sup>e</sup>	Comments
3071.46	(4) <sup>+</sup>	1006.9 1 1066.28 10 840.613 10 949.65 11 1638.4 10 3071.2 10	100 4 39 4	2064.53 2005.200 2231.12 2121.62 1433.27 0.0	3 <sup>+</sup> 3 <sup>-</sup> 2 <sup>+</sup> 2 <sup>+</sup> 0 <sup>+</sup> 0 <sup>+</sup>				
3071.74	(1,2) <sup>+</sup>								
3075.19	(4,5) <sup>+</sup>	1659.70 10	100	1415.480	4 <sup>+</sup>	M1+E2	+0.13 5	5.81×10 <sup>-4</sup>	B(M1)(W.u.)=0.016 +6-16; B(E2)(W.u.)=0.08 +7-8 α(K)=0.000392 6; α(L)=4.54×10 <sup>-5</sup> 7; α(M)=8.68×10 <sup>-6</sup> 13 α(N)=1.553×10 <sup>-6</sup> 22; α(O)=9.29×10 <sup>-8</sup> 14; α(IPF)=0.0001329 19 Mult.: A <sub>2</sub> =-0.20 6 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ). A <sub>2</sub> =-0.20 6 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ).
3081.65	2 <sup>+</sup>	3081.60 19	100	0.0	0 <sup>+</sup>	E2		9.35×10 <sup>-4</sup>	α(K)=0.0001160 17; α(L)=1.326×10 <sup>-5</sup> 19; α(M)=2.53×10 <sup>-6</sup> 4 α(N)=4.52×10 <sup>-7</sup> 7; α(O)=2.71×10 <sup>-8</sup> 4; α(IPF)=0.000803 12
3093.02	8 <sup>-</sup>	157.50 <sup>#</sup> 10	16.0 <sup>#</sup> 9	2935.50	7 <sup>-</sup>	M1+E2 <sup>‡</sup>	-0.59 <sup>‡</sup> 18	0.174 20	α(K)=0.147 15; α(L)=0.022 4; α(M)=0.0043 8 α(N)=0.00075 12; α(O)=3.30×10 <sup>-5</sup> 24 Mult.: A <sub>2</sub> =-1.01 2; A <sub>4</sub> =0.13 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ). A <sub>2</sub> =-1.01 2; A <sub>4</sub> =0.13 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ).
		299.19 <sup>#</sup> 10	100 <sup>#</sup> 11	2793.80	7 <sup>-</sup>	M1+E2 <sup>‡</sup>	+0.55 <sup>‡</sup> 6	0.0260 5	α(K)=0.0225 5; α(L)=0.00289 8; α(M)=0.000557 14 α(N)=9.85×10 <sup>-5</sup> 24; α(O)=5.28×10 <sup>-6</sup> 9
3102.15	(2) <sup>+</sup>	3102.10 10	100	0.0	0 <sup>+</sup>	[E2]		9.42×10 <sup>-4</sup>	α(K)=0.0001147 16; α(L)=1.312×10 <sup>-5</sup> 19; α(M)=2.50×10 <sup>-6</sup> 4 α(N)=4.47×10 <sup>-7</sup> 7; α(O)=2.68×10 <sup>-8</sup> 4; α(IPF)=0.000812 12 B(E2)(W.u.)=2.9 9
3102.59	(4,5)	729.41 10 1687.08 10	26.7 25 100.0 25	2373.19 1415.480	5 <sup>-</sup> 4 <sup>+</sup>				
3105.50	(2) <sup>+</sup>	1636.7 1 1690.1 1 1792.77 10	50 3	1468.822 1415.480	2 <sup>+</sup> 4 <sup>+</sup> 2 <sup>+</sup>	[M1] [E2]	5.85×10 <sup>-4</sup> 5.45×10 <sup>-4</sup> 5.72×10 <sup>-4</sup>	α(K)=0.000404 6; α(L)=4.69×10 <sup>-5</sup> 7; α(M)=8.96×10 <sup>-6</sup> 13 α(N)=1.602×10 <sup>-6</sup> 23; α(O)=9.58×10 <sup>-8</sup> 14; α(IPF)=0.0001237 18 α(K)=0.000339 5; α(L)=3.95×10 <sup>-5</sup> 6; α(M)=7.54×10 <sup>-6</sup> 11 α(N)=1.345×10 <sup>-6</sup> 19; α(O)=7.92×10 <sup>-8</sup> 11; α(IPF)=0.0001581 23 α(K)=0.000335 5; α(L)=3.88×10 <sup>-5</sup> 6; α(M)=7.41×10 <sup>-6</sup> 11 α(N)=1.326×10 <sup>-6</sup> 19; α(O)=7.94×10 <sup>-8</sup> 12;	

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. $^\dagger$	$\delta^\dagger f$	$a^e$	Comments
3105.50	(2) <sup>+</sup>	2488.14 10	100 3	617.518	2 <sup>+</sup>	[M1]		$7.19 \times 10^{-4}$	$\alpha(\text{IPF})=0.000189\ 3$ $B(\text{M1})(\text{W.u.})=0.0042\ +15-42$ $\alpha(\text{K})=0.0001751\ 25; \alpha(\text{L})=2.01 \times 10^{-5}\ 3; \alpha(\text{M})=3.85 \times 10^{-6}\ 6$ $\alpha(\text{N})=6.88 \times 10^{-7}\ 10; \alpha(\text{O})=4.13 \times 10^{-8}\ 6; \alpha(\text{IPF})=0.000519\ 8$ $B(\text{M1})(\text{W.u.})=0.0032\ +11-32$
3109.98	(2) <sup>+</sup>	1641.14 10	84.0 20	1468.822	2 <sup>+</sup>	[M1]		$5.84 \times 10^{-4}$	$\alpha(\text{K})=0.000402\ 6; \alpha(\text{L})=4.66 \times 10^{-5}\ 7; \alpha(\text{M})=8.91 \times 10^{-6}\ 13$ $\alpha(\text{N})=1.593 \times 10^{-6}\ 23; \alpha(\text{O})=9.52 \times 10^{-8}\ 14;$ $\alpha(\text{IPF})=0.0001254\ 18$ $B(\text{M1})(\text{W.u.})=0.015\ +4-7$
		2492.24 10	100.0 22	617.518	2 <sup>+</sup>	[M1]		$7.20 \times 10^{-4}$	$\alpha(\text{K})=0.0001746\ 25; \alpha(\text{L})=2.01 \times 10^{-5}\ 3; \alpha(\text{M})=3.83 \times 10^{-6}\ 6$ $\alpha(\text{N})=6.86 \times 10^{-7}\ 10; \alpha(\text{O})=4.12 \times 10^{-8}\ 6; \alpha(\text{IPF})=0.000521\ 8$ $B(\text{M1})(\text{W.u.})=0.0049\ +12-23$
		3110.01 16	37.7 18	0.0	0 <sup>+</sup>	[E2]		$9.45 \times 10^{-4}$	$\alpha(\text{K})=0.0001142\ 16; \alpha(\text{L})=1.306 \times 10^{-5}\ 19;$ $\alpha(\text{M})=2.49 \times 10^{-6}\ 4$ $\alpha(\text{N})=4.45 \times 10^{-7}\ 7; \alpha(\text{O})=2.67 \times 10^{-8}\ 4; \alpha(\text{IPF})=0.000815\ 12$ $B(\text{E2})(\text{W.u.})=0.079\ +19-37$
3130.83	5 <sup>-</sup>	714.84 10	30.0 21	2416.00	3 <sup>-</sup>	E2		0.00253	$\alpha(\text{K})=0.00220\ 3; \alpha(\text{L})=0.000274\ 4; \alpha(\text{M})=5.25 \times 10^{-5}\ 8$ $\alpha(\text{N})=9.30 \times 10^{-6}\ 13; \alpha(\text{O})=5.08 \times 10^{-7}\ 8$
		1125.78 10	100	2005.200	3 <sup>-</sup>	E2		$8.81 \times 10^{-4}$	$\alpha(\text{K})=0.000767\ 11; \alpha(\text{L})=9.15 \times 10^{-5}\ 13; \alpha(\text{M})=1.751 \times 10^{-5}\ 25$ $\alpha(\text{N})=3.12 \times 10^{-6}\ 5; \alpha(\text{O})=1.79 \times 10^{-7}\ 3; \alpha(\text{IPF})=1.198 \times 10^{-6}\ 18$
		1715.08 12	23.0 12	1415.480	4 <sup>+</sup>	E1		$5.86 \times 10^{-4}$	$\alpha(\text{K})=0.0001656\ 24; \alpha(\text{L})=1.89 \times 10^{-5}\ 3; \alpha(\text{M})=3.61 \times 10^{-6}\ 5$ $\alpha(\text{N})=6.44 \times 10^{-7}\ 9; \alpha(\text{O})=3.83 \times 10^{-8}\ 6; \alpha(\text{IPF})=0.000397\ 6$
3133.42	1 <sup>-</sup>	1909.53 <sup>b</sup> 17	38.7 <sup>b</sup> 16	1224.341	0 <sup>+</sup>	[E1]		$7.02 \times 10^{-4}$	$\alpha(\text{K})=0.0001396\ 20; \alpha(\text{L})=1.592 \times 10^{-5}\ 23;$ $\alpha(\text{M})=3.03 \times 10^{-6}\ 5$ $\alpha(\text{N})=5.42 \times 10^{-7}\ 8; \alpha(\text{O})=3.23 \times 10^{-8}\ 5; \alpha(\text{IPF})=0.000543\ 8$ $B(\text{E1})(\text{W.u.})=0.00043\ 9$
		3133.21 <sup>b</sup> 10	100 <sup>b</sup> 5	0.0	0 <sup>+</sup>	E1		$1.35 \times 10^{-3}$	$B(\text{E1})(\text{W.u.})=0.00025\ 5$ $\alpha(\text{K})=6.73 \times 10^{-5}\ 10; \alpha(\text{L})=7.62 \times 10^{-6}\ 11;$ $\alpha(\text{M})=1.451 \times 10^{-6}\ 21$ $\alpha(\text{N})=2.59 \times 10^{-7}\ 4; \alpha(\text{O})=1.554 \times 10^{-8}\ 22; \alpha(\text{IPF})=0.001278\ 18$ Mult.: $\varepsilon=-0.13\ 6$ from polarization measurements in $^{112}\text{Cd}(\gamma, \text{pol } \gamma')$ <a href="#">2005Ko32</a> .
3135.84	(2,3) <sup>+</sup>	1071.26 10	28 3	2064.53	3 <sup>+</sup>				$I_\gamma: 96\ 6$ in $^{111}\text{Cd}(n, \gamma)$ E=th:secondary ( <a href="#">1997Dr03</a> ).
		1667.01 <sup>b</sup> 25	27 <sup>b</sup> 5	1468.822	2 <sup>+</sup>				
		1823.39 10	100 5	1312.390	2 <sup>+</sup>				
		2518.43 10	68 6	617.518	2 <sup>+</sup>				
3145.28	3 <sup>+,4<sup>+,5<sup>+</sup></sup></sup>	1063.6 1		2081.64	4 <sup>+</sup>	M1+E2		$1.16 \times 10^{-3}$	$\alpha(\text{K})=0.001014\ 15; \alpha(\text{L})=0.0001188\ 17; \alpha(\text{M})=2.27 \times 10^{-5}\ 4$ $\alpha(\text{N})=4.06 \times 10^{-6}\ 6; \alpha(\text{O})=2.42 \times 10^{-7}\ 4$

**Adopted Levels, Gammas (continued)** $\gamma^{(112)\text{Cd}}$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. $^\dagger$	$\delta^\dagger f$	$a^e$	Comments
3145.28	$3^+, 4^+, 5^+$	1729.82 10	100	1415.480	$4^+$	M1+E2	-0.43 +II-12	$5.69 \times 10^{-4}$ 9	B(M1)(W.u.)=0.028 +7-11; B(E2)(W.u.)=1.4 +7-8 $\alpha(K)=0.000355$ 6; $\alpha(L)=4.11 \times 10^{-5}$ 7; $\alpha(M)=7.86 \times 10^{-6}$ 13 $\alpha(N)=1.405 \times 10^{-6}$ 23; $\alpha(O)=8.39 \times 10^{-8}$ 14; $\alpha(IPF)=0.000164$ 3 $\delta$ : Also: +3.0 +15-7 from $\gamma(\theta)$ in <a href="#">2001Ga44</a> .
3163.51	$2^+$	656.74 <sup>b</sup> 10	100 <sup>b</sup>	2506.70	$1^-$	E1		$1.15 \times 10^{-3}$	B(E1)(W.u.)=0.0025 +7-12 $\alpha(K)=0.001002$ 14; $\alpha(L)=0.0001171$ 17; $\alpha(M)=2.23 \times 10^{-5}$ 4 $\alpha(N)=3.98 \times 10^{-6}$ 6; $\alpha(O)=2.30 \times 10^{-7}$ 4
		3163.4 <sup>b</sup> 3	58 <sup>b</sup> 9	0.0	$0^+$	E2		$9.64 \times 10^{-4}$	B(E2)(W.u.)=0.079 +25-39 $\alpha(K)=0.0001110$ 16; $\alpha(L)=1.269 \times 10^{-5}$ 18; $\alpha(M)=2.42 \times 10^{-6}$ 4 $\alpha(N)=4.33 \times 10^{-7}$ 6; $\alpha(O)=2.59 \times 10^{-8}$ 4; $\alpha(IPF)=0.000838$ 12
3165.46	$4^-, 5^-, 6^-$	792.27 10	100	2373.19	$5^-$	M1+E2		0.00225	$I_\gamma$ : 100 in $^{112}\text{Cd}(n,n'\gamma)$ ( <a href="#">2001Ga44</a> ). $\alpha(K)=0.00196$ 3; $\alpha(L)=0.000232$ 4; $\alpha(M)=4.44 \times 10^{-5}$ 7 $\alpha(N)=7.93 \times 10^{-6}$ 12; $\alpha(O)=4.70 \times 10^{-7}$ 7
3169.46	$2^+$	1164.2 1		2005.200	$3^-$	E1		$3.86 \times 10^{-4}$	$\alpha(K)=0.000321$ 5; $\alpha(L)=3.69 \times 10^{-5}$ 6; $\alpha(M)=7.04 \times 10^{-6}$ 10 $\alpha(N)=1.257 \times 10^{-6}$ 18; $\alpha(O)=7.41 \times 10^{-8}$ 11; $\alpha(IPF)=1.96 \times 10^{-5}$ 3 $\alpha(K)=0.000260$ 4; $\alpha(L)=3.02 \times 10^{-5}$ 5; $\alpha(M)=5.76 \times 10^{-6}$ 8 $\alpha(N)=1.028 \times 10^{-6}$ 15; $\alpha(O)=6.09 \times 10^{-8}$ 9; $\alpha(IPF)=0.000275$ 4 B(E2)(W.u.)=1.80 20
		1945.14 17	74 3	1224.341	$0^+$	E2		$5.72 \times 10^{-4}$	B(M1)(W.u.)=0.0035 6; B(E2)(W.u.)=0.20 6 $\alpha(K)=0.0001647$ 25; $\alpha(L)=1.89 \times 10^{-5}$ 3; $\alpha(M)=3.61 \times 10^{-6}$ 6 $\alpha(N)=6.46 \times 10^{-7}$ 10; $\alpha(O)=3.87 \times 10^{-8}$ 6; $\alpha(IPF)=0.000555$ 8 $\delta$ : Other: -4.8 +19-58 from $\gamma(\theta)$ in $^{112}\text{Cd}(n,n'\gamma)$ ( <a href="#">2001Ga44</a> ).
		2552.01 10	100 3	617.518	$2^+$	M1+E2	-0.68 +13-20	$7.43 \times 10^{-4}$	$\alpha(K)=0.0001106$ 16; $\alpha(L)=1.264 \times 10^{-5}$ 18; $\alpha(M)=2.41 \times 10^{-6}$ 4 $\alpha(N)=4.31 \times 10^{-7}$ 6; $\alpha(O)=2.58 \times 10^{-8}$ 4; $\alpha(IPF)=0.000840$ 12 B(E2)(W.u.)=0.0085 9
		3170.0 <sup>@</sup> 15	4 <sup>@</sup>	0.0	$0^+$	[E2]		$9.66 \times 10^{-4}$	

## Adopted Levels, Gammas (continued)

 $\gamma^{(112\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	a <sup>e</sup>	Comments
3176.47	8 <sup>+</sup>	295.19 <sup>#</sup> 14	8.2 <sup>#</sup> 20	2881.02	8 <sup>+</sup>	M1+E2 <sup>‡</sup>	-0.14 <sup>‡</sup> 10	0.0250 5	$\alpha(K)=0.0217$ 4; $\alpha(L)=0.00266$ 7; $\alpha(M)=0.000511$ 14 $\alpha(N)=9.10\times10^{-5}$ 23; $\alpha(O)=5.25\times10^{-6}$ 9 Mult.: $A_2=0.36$ 3; $A_4=-0.02$ 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2\gamma$ ) ( <a href="#">1993De09</a> ). Mult.: $A_2=+0.07$ 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2\gamma$ ) ( <a href="#">1993De09</a> ).
		382.37 <sup>#</sup> 13	10.6 <sup>#</sup> 23	2793.80	7 <sup>-</sup>				
		604.98 <sup>#</sup> 10	100 <sup>#</sup> 5	2571.47	6 <sup>+</sup>	E2		0.00392	$\alpha(K)=0.00339$ 5; $\alpha(L)=0.000431$ 6; $\alpha(M)=8.28\times10^{-5}$ 12 $\alpha(N)=1.463\times10^{-5}$ 21; $\alpha(O)=7.78\times10^{-7}$ 11 Mult.: $A_2=0.334$ 12; $A_4=-0.12$ 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2\gamma$ ) ( <a href="#">1993De09</a> ).
3176.83	(4) <sup>+</sup>	2559.28 13	100	617.518	2 <sup>+</sup>	E2		7.52×10 <sup>-4</sup>	$\alpha(K)=0.0001593$ 23; $\alpha(L)=1.83\times10^{-5}$ 3; $\alpha(M)=3.49\times10^{-6}$ 5 $\alpha(N)=6.24\times10^{-7}$ 9; $\alpha(O)=3.72\times10^{-8}$ 6; $\alpha(IPF)=0.000570$ 8
3178.79	2 <sup>+</sup>	2561.23 10	100.0 15	617.518	2 <sup>+</sup>	M1+E2		7.43×10 <sup>-4</sup>	$\alpha(K)=0.0001657$ 24; $\alpha(L)=1.90\times10^{-5}$ 3; $\alpha(M)=3.64\times10^{-6}$ 5 $\alpha(N)=6.51\times10^{-7}$ 10; $\alpha(O)=3.91\times10^{-8}$ 6; $\alpha(IPF)=0.000554$ 8
		3178.76 10	35.7 15	0.0	0 <sup>+</sup>	E2		9.70×10 <sup>-4</sup>	B(E2)(W.u.)=0.14 4 $\alpha(K)=0.0001101$ 16; $\alpha(L)=1.259\times10^{-5}$ 18; $\alpha(M)=2.40\times10^{-6}$ 4 $\alpha(N)=4.29\times10^{-7}$ 6; $\alpha(O)=2.57\times10^{-8}$ 4; $\alpha(IPF)=0.000844$ 12
3189.82	4 <sup>+,5,6<sup>+</sup></sup>	1022.09 13	83 4	2167.76	6 <sup>+</sup>				
		1774.30 10	100 4	1415.480	4 <sup>+</sup>				
3190.06	0 <sup>+,1,2,3<sup>+</sup></sup>	2572.51 10	100	617.518	2 <sup>+</sup>				
3194.46	(2) <sup>+</sup>	1189.41 10	59.0 18	2005.200	3 <sup>-</sup>	[E1]		3.83×10 <sup>-4</sup>	$\alpha(K)=0.000309$ 5; $\alpha(L)=3.55\times10^{-5}$ 5; $\alpha(M)=6.77\times10^{-6}$ 10 $\alpha(N)=1.209\times10^{-6}$ 17; $\alpha(O)=7.13\times10^{-8}$ 10; $\alpha(IPF)=3.06\times10^{-5}$ 5 B(E1)(W.u.)=0.0006 3
		1882.1 1		1312.390	2 <sup>+</sup>	[M1]		5.76×10 <sup>-4</sup>	$\alpha(K)=0.000304$ 5; $\alpha(L)=3.51\times10^{-5}$ 5; $\alpha(M)=6.71\times10^{-6}$ 10 $\alpha(N)=1.200\times10^{-6}$ 17; $\alpha(O)=7.19\times10^{-8}$ 10; $\alpha(IPF)=0.000229$ 4
		2576.72 10	100.0 18	617.518	2 <sup>+</sup>	[M1]		7.48×10 <sup>-4</sup>	$\alpha(K)=0.0001638$ 23; $\alpha(L)=1.88\times10^{-5}$ 3; $\alpha(M)=3.59\times10^{-6}$ 5 $\alpha(N)=6.43\times10^{-7}$ 9; $\alpha(O)=3.86\times10^{-8}$ 6; $\alpha(IPF)=0.000561$ 8 B(M1)(W.u.)=0.008 4

## Adopted Levels, Gammas (continued)

 $\gamma^{(112\text{Cd})}$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. <sup>†</sup>	$\delta^\dagger f$	$a^e$	Comments
3201.32	5 <sup>-</sup>	1196.21 19	100	2005.200	3 <sup>-</sup>	E2		$7.80 \times 10^{-4}$	$B(E2)(\text{W.u.})=14 +6-14$ $\alpha(K)=0.000675 10; \alpha(L)=8.01 \times 10^{-5} 12;$ $\alpha(M)=1.533 \times 10^{-5} 22$ $\alpha(N)=2.73 \times 10^{-6} 4; \alpha(O)=1.576 \times 10^{-7} 22;$ $\alpha(IPF)=6.65 \times 10^{-6} 10$
		1785.8 1		1415.480	4 <sup>+</sup>	E1		$6.28 \times 10^{-4}$	$\alpha(K)=0.0001552 22; \alpha(L)=1.771 \times 10^{-5} 25;$ $\alpha(M)=3.38 \times 10^{-6} 5$ $\alpha(N)=6.03 \times 10^{-7} 9; \alpha(O)=3.59 \times 10^{-8} 5;$ $\alpha(IPF)=0.000451 7$
3203.25	(2,3) <sup>+</sup>	2585.70 10	100	617.518	2 <sup>+</sup>	(M1+E2)	-0.10 +5-6	$7.51 \times 10^{-4}$	$\alpha(K)=0.0001626 23; \alpha(L)=1.87 \times 10^{-5} 3;$ $\alpha(M)=3.57 \times 10^{-6} 5$ $\alpha(N)=6.38 \times 10^{-7} 9; \alpha(O)=3.83 \times 10^{-8} 6;$ $\alpha(IPF)=0.000566 8$ $B(M1)(\text{W.u.})=(0.011 +4-8); B(E2)(\text{W.u.})=(0.013 +14-13)$
42	3205.74	2 <sup>+,3,4</sup>	1736.90 12	100	1468.822	2 <sup>+</sup>			
	3206.48	(4) <sup>+</sup>	1790.2		1415.480	4 <sup>+</sup>			
		1084.93 10	76 4	2121.62	2 <sup>+</sup>	[E2]		$9.53 \times 10^{-4}$	$\alpha(K)=0.000831 12; \alpha(L)=9.93 \times 10^{-5} 14;$ $\alpha(M)=1.90 \times 10^{-5} 3$ $\alpha(N)=3.38 \times 10^{-6} 5; \alpha(O)=1.94 \times 10^{-7} 3$ $B(E2)(\text{W.u.})=67 22$
		2588.85 10	100	617.518	2 <sup>+</sup>	[E2]		$7.62 \times 10^{-4}$	$\alpha(K)=0.0001561 22; \alpha(L)=1.79 \times 10^{-5} 3;$ $\alpha(M)=3.42 \times 10^{-6} 5$ $\alpha(N)=6.12 \times 10^{-7} 9; \alpha(O)=3.65 \times 10^{-8} 6;$ $\alpha(IPF)=0.000584 9$ $B(E2)(\text{W.u.})=1.1 4$
	3206.71	2 <sup>+,3,4</sup>	1792.1		1415.480	4 <sup>+</sup>			
		1894.30 3	100	1312.390	2 <sup>+</sup>				
	3230.29	8 <sup>+</sup>	349.26 <sup>#</sup> 10	27 <sup>#</sup> 4	2881.02	8 <sup>+</sup>	M1+E2 <sup>‡</sup>	+0.42 <sup>‡</sup> 20	$0.0167 6$
		436.92 <sup>#g</sup> 6	#	2793.80	7 <sup>-</sup>	E1		0.00295	$\alpha(K)=0.00258 4; \alpha(L)=0.000304 5; \alpha(M)=5.81 \times 10^{-5} 9$ $\alpha(N)=1.032 \times 10^{-5} 15; \alpha(O)=5.84 \times 10^{-7} 9$ Mult.: $A_2=0.42 3; A_4=-0.03 4$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). δ: Also: -0.09 12 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) in <a href="#">1997Dr03</a> .
		658.83 <sup>#</sup> 10	100 <sup>#</sup> 14	2571.47	6 <sup>+</sup>	E2		0.00312	$\alpha(K)=0.00271 4; \alpha(L)=0.000340 5; \alpha(M)=6.54 \times 10^{-5} 10$ $\alpha(N)=1.156 \times 10^{-5} 17; \alpha(O)=6.24 \times 10^{-7} 9$ Mult.: $A_2=+0.43 6$ ( <a href="#">1997Dr03</a> ).
	3231.59	1 <sup>+</sup>	1919.4 1		1312.390	2 <sup>+</sup>	M1+E2		$5.80 \times 10^{-4}$
									$\alpha(K)=0.000292 4; \alpha(L)=3.37 \times 10^{-5} 5;$

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> <i>f</i>	α <sup>e</sup>	Comments
3231.59	1 <sup>+</sup>	2614.02 14	38.9 22	617.518 2 <sup>+</sup>	M1+E2			7.61×10 <sup>-4</sup>	$\alpha(M)=6.45\times10^{-6}$ 9 $\alpha(N)=1.153\times10^{-6}$ 17; $\alpha(O)=6.91\times10^{-8}$ 10; $\alpha(IPF)=0.000247$ 4 I <sub>γ</sub> : 100 in <sup>112</sup> Ag β <sup>-</sup> decay (3.130 h) ( <a href="#">1970Ma45</a> ). $\alpha(K)=0.0001594$ 23; $\alpha(L)=1.83\times10^{-5}$ 3; $\alpha(M)=3.50\times10^{-6}$ 5 $\alpha(N)=6.25\times10^{-7}$ 9; $\alpha(O)=3.76\times10^{-8}$ 6; $\alpha(IPF)=0.000579$ 9
	3231.35 10	100.0 22	0.0	0 <sup>+</sup>	M1			9.79×10 <sup>-4</sup>	B(M1)(W.u.)=0.0134 16 $\alpha(K)=0.0001073$ 15; $\alpha(L)=1.229\times10^{-5}$ 18; $\alpha(M)=2.35\times10^{-6}$ 4 $\alpha(N)=4.20\times10^{-7}$ 6; $\alpha(O)=2.52\times10^{-8}$ 4; $\alpha(IPF)=0.000856$ 12 Mult.: $\varepsilon=+0.27$ 12 from polarization measurements in <sup>112</sup> Cd( $\gamma$ ,pol $\gamma'$ ) ( <a href="#">2005Ko32</a> ).
3239.04	7 <sup>+</sup>	573.31 <sup>#</sup> 10	100 <sup>#</sup> 4	2665.64 5 <sup>+</sup>	E2			0.00453	$\alpha(K)=0.00392$ 6; $\alpha(L)=0.000502$ 7; $\alpha(M)=9.66\times10^{-5}$ 14 $\alpha(N)=1.704\times10^{-5}$ 24; $\alpha(O)=8.97\times10^{-7}$ 13 Mult.: A <sub>2</sub> =0.34 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ). $\alpha(K)=0.00265$ 6; $\alpha(L)=0.000330$ 6; $\alpha(M)=6.33\times10^{-5}$ 11 $\alpha(N)=1.122\times10^{-5}$ 19; $\alpha(O)=6.14\times10^{-7}$ 17 Mult.: A <sub>2</sub> =+0.68 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ). δ: Also: +0.54 +30-15 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ).
	668.18 <sup>#</sup> 18	35 <sup>#</sup> 4	2571.47 6 <sup>+</sup>	M1+E2 <sup>‡</sup>	+2.6 <sup>‡</sup> 10			0.00305 7	$\alpha(K)=0.000857$ 13; $\alpha(L)=0.0001025$ 15; $\alpha(M)=1.96\times10^{-5}$ 3 $\alpha(N)=3.49\times10^{-6}$ 5; $\alpha(O)=2.00\times10^{-7}$ 3 Mult.: A <sub>2</sub> =-0.26 2; A <sub>4</sub> =0.28 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ). B(E2)(W.u.)=16 +9-16 $\alpha(K)=0.000719$ 10; $\alpha(L)=8.55\times10^{-5}$ 12; $\alpha(M)=1.636\times10^{-5}$ 23 $\alpha(N)=2.91\times10^{-6}$ 4; $\alpha(O)=1.677\times10^{-7}$ 24; $\alpha(IPF)=3.16\times10^{-6}$ 5
	1071.24 <sup>#</sup> 10	54 <sup>#</sup> 6	2167.76 6 <sup>+</sup>	E2(+M1) <sup>‡</sup>	-7.2 <sup>‡</sup> 25			9.83×10 <sup>-4</sup> 15	$\alpha(K)=0.0001025$ 15; $\alpha(M)=3.49\times10^{-6}$ 5; $\alpha(O)=2.00\times10^{-7}$ 3 Mult.: A <sub>2</sub> =+0.68 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha$ ,2n $\gamma$ ) ( <a href="#">1993De09</a> ). B(E2)(W.u.)=16 +9-16 $\alpha(K)=0.000719$ 10; $\alpha(L)=8.55\times10^{-5}$ 12; $\alpha(M)=1.636\times10^{-5}$ 23 $\alpha(N)=2.91\times10^{-6}$ 4; $\alpha(O)=1.677\times10^{-7}$ 24; $\alpha(IPF)=3.16\times10^{-6}$ 5
3242.64	2 <sup>+</sup>	1161.08 12	100 8	2081.64 4 <sup>+</sup>	E2			8.27×10 <sup>-4</sup>	$\alpha(K)=0.0005$ +7-5; B(E2)(W.u.)=0.20 +13-20 $\alpha(K)=0.000154$ 3; $\alpha(L)=1.76\times10^{-5}$ 4; $\alpha(M)=3.37\times10^{-6}$ 6 $\alpha(N)=6.02\times10^{-7}$ 11; $\alpha(O)=3.60\times10^{-8}$ 7;
	2625.07 10	92 6	617.518 2 <sup>+</sup>	M1+E2	+1.9 +15-9			7.72×10 <sup>-4</sup> 12	

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> <i>f</i>	a <sup>e</sup>	Comments
3242.64	2 <sup>+</sup>	3242.49 10	64 5	0.0	0 <sup>+</sup>	E2		9.92×10 <sup>-4</sup>	$\alpha(\text{IPF})=0.000597$ 10 δ: Also: +0.10 +35–22 ( <a href="#">2001Ga44</a> ). $B(\text{E}2)(\text{W.u.})=0.06$ +4–6 $\alpha(\text{K})=0.0001065$ 15; $\alpha(\text{L})=1.217\times10^{-5}$ 17; $\alpha(\text{M})=2.32\times10^{-6}$ 4 $\alpha(\text{N})=4.15\times10^{-7}$ 6; $\alpha(\text{O})=2.49\times10^{-8}$ 4; $\alpha(\text{IPF})=0.000871$ 13
3246.86	(1,2) <sup>+</sup>	1778.0 1		1468.822 2 <sup>+</sup>					
		2629.34 10	100	617.518 2 <sup>+</sup>					
3247.17	(6 <sup>+</sup> )	1831.67 10	100	1415.480 4 <sup>+</sup>					
3248.25	7 <sup>-</sup>	155.21# 10	1.02# 23	3093.02 8 <sup>-</sup>	M1+E2 <sup>‡</sup>	+0.18 <sup>‡</sup> 12	0.142 10		$\alpha(\text{K})=0.123$ 8; $\alpha(\text{L})=0.0158$ 18; $\alpha(\text{M})=0.0030$ 4 $\alpha(\text{N})=0.00054$ 6; $\alpha(\text{O})=2.96\times10^{-5}$ 12 Mult.: $a_0=0.96$ 6; $A_2=-0.40$ 10; $A_4=0.15$ 16 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2\text{n}\gamma$ ) ( <a href="#">1993De09</a> ). δ: Other: +7 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2\text{n}\gamma$ ) ( <a href="#">1993De09</a> ).
		312.94# 10	9.9# 5	2935.50 7 <sup>-</sup>	M1(+E2) <sup>‡</sup>	-0.1 <sup>‡</sup> 1	0.0214 4		$\alpha(\text{K})=0.0187$ 3; $\alpha(\text{L})=0.00227$ 5; $\alpha(\text{M})=0.000436$ 10 $\alpha(\text{N})=7.78\times10^{-5}$ 16; $\alpha(\text{O})=4.51\times10^{-6}$ 7 Mult.: $A_2=0.34$ 1; $A_4=-0.01$ 1 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2\text{n}\gamma$ ) ( <a href="#">1993De09</a> ).
		316.19# 10	100#	2931.97 6 <sup>-</sup>	M1+E2 <sup>‡</sup>	+0.28 <sup>‡</sup> 4	0.0213 4		$\alpha(\text{K})=0.0185$ 3; $\alpha(\text{L})=0.00228$ 4; $\alpha(\text{M})=0.000439$ 8 $\alpha(\text{N})=7.81\times10^{-5}$ 14; $\alpha(\text{O})=4.43\times10^{-6}$ 7 Mult.: $A_2=0.19$ 2; $A_4=-0.02$ 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2\text{n}\gamma$ ) ( <a href="#">1993De09</a> ).
3251.86	(0) <sup>+</sup>	2634.31 13	100	617.518 2 <sup>+</sup>	E2			7.77×10 <sup>-4</sup>	$\alpha(\text{K})=0.0001515$ 22; $\alpha(\text{L})=1.739\times10^{-5}$ 25; $\alpha(\text{M})=3.32\times10^{-6}$ 5 $\alpha(\text{N})=5.93\times10^{-7}$ 9; $\alpha(\text{O})=3.54\times10^{-8}$ 5; $\alpha(\text{IPF})=0.000605$ 9 $B(\text{E}2)(\text{W.u.})>0.17$
3252.55	(6,7,8) <sup>-</sup>	458.75# 10	100#	2793.80 7 <sup>-</sup>	M1(+E2) <sup>‡</sup>	-0.02 <sup>‡</sup> 5	0.00821		$\alpha(\text{K})=0.00716$ 10; $\alpha(\text{L})=0.000859$ 12; $\alpha(\text{M})=0.0001647$ 23 $\alpha(\text{N})=2.94\times10^{-5}$ 5; $\alpha(\text{O})=1.723\times10^{-6}$ 25 Mult.: $A_2=+0.39$ 22 ( <a href="#">1997Dr03</a> ).
3254.21	(0 <sup>+,1,2</sup> )	1785.2		1468.822 2 <sup>+</sup>					
		1942.01 10	100 3	1312.390 2 <sup>+</sup>					
		2636.62 11	70 3	617.518 2 <sup>+</sup>					I <sub>γ</sub> : 100 in <sup>111</sup> Cd(n, $\gamma$ ) E=th:secondary ( <a href="#">1997Dr03</a> ).
3254.30	(3,4) <sup>+</sup>	1249.01 10	100 3	2005.200 3 <sup>-</sup>	E1			3.86×10 <sup>-4</sup>	$B(\text{E}1)(\text{W.u.})=0.0017$ 5 $\alpha(\text{K})=0.000283$ 4; $\alpha(\text{L})=3.25\times10^{-5}$ 5;

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>†</sup>	δ <sup>†</sup> <i>f</i>	<i>a</i> <sup>e</sup>	Comments
3254.30	(3,4) <sup>+</sup>	1838.89 10	57 3	1415.480	4 <sup>+</sup>	M1+E2	+3.1 +30-11	5.57×10 <sup>-4</sup>	$\alpha(M)=6.20\times10^{-6}$ 9 $\alpha(N)=1.107\times10^{-6}$ 16; $\alpha(O)=6.53\times10^{-8}$ 10; $\alpha(IPF)=6.28\times10^{-5}$ 9 $\alpha(K)=0.000292$ 6; $\alpha(L)=3.38\times10^{-5}$ 6; $\alpha(M)=6.46\times10^{-6}$ 12 $\alpha(N)=1.154\times10^{-6}$ 21; $\alpha(O)=6.83\times10^{-8}$ 13; $\alpha(IPF)=0.000224$ 4 $\delta$ : Also: -0.45 +30-25 from $\gamma(\theta)$ in <a href="#">2001Ga44</a> .
3258.01	(3,4 <sup>+</sup> )	1252.8 1	100	2005.200	3 <sup>-</sup>				$\alpha(K)=0.000314$ 5; $\alpha(L)=3.63\times10^{-5}$ 5;
3266.54	4 <sup>+</sup>	1851.04 10	100	1415.480	4 <sup>+</sup>	[M1]		5.74×10 <sup>-4</sup>	$\alpha(M)=6.94\times10^{-6}$ 10 $\alpha(N)=1.242\times10^{-6}$ 18; $\alpha(O)=7.43\times10^{-8}$ 11; $\alpha(IPF)=0.000215$ 3 $B(M1)(W.u.)=0.018$ 5
3269.50	2 <sup>+,3,4,5</sup> -	1264.25 10	100.0 25	2005.200	3 <sup>-</sup>				
		1854.04 10	44.3 25	1415.480	4 <sup>+</sup>				
3290.40	(2 <sup>+</sup> )	1419.43 10	100	1870.96	0 <sup>+</sup>				
3291.13	2 <sup>+,3,4,5</sup> -	1209.4 1		2081.64	4 <sup>+</sup>				
		1285.95 10	100	2005.200	3 <sup>-</sup>				
		1875.7 1		1415.480	4 <sup>+</sup>				
3291.17	7 <sup>-</sup>	917.73# 10	100# 8	2373.19	5 <sup>-</sup>	E2		1.39×10 <sup>-3</sup>	$\alpha(K)=0.001206$ 17; $\alpha(L)=0.0001463$ 2I; $\alpha(M)=2.80\times10^{-5}$ 4 $\alpha(N)=4.98\times10^{-6}$ 7; $\alpha(O)=2.81\times10^{-7}$ 4 Mult.: $A_2=+0.07$ 2 ( <a href="#">1997Dr03</a> ).
		1123.96# 15	95# 10	2167.76	6 <sup>+</sup>	E1		3.98×10 <sup>-4</sup>	$\alpha(K)=0.000342$ 5; $\alpha(L)=3.94\times10^{-5}$ 6; $\alpha(M)=7.52\times10^{-6}$ 11 $\alpha(N)=1.341\times10^{-6}$ 19; $\alpha(O)=7.89\times10^{-8}$ 11; $\alpha(IPF)=7.87\times10^{-6}$ 12 Mult.: $A_2=-0.23$ 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> );
3297.01	(2,3) <sup>+</sup>	1881.5 1	100.0 20	1415.480	4 <sup>+</sup>				
		2679.46 10	31.2 20	617.518	2 <sup>+</sup>				
3300.99	(1)	3300.94 16	100.0 4		0.0	0 <sup>+</sup>			
3303.24	(2,3) <sup>+</sup>	629.2@ 4	6.8@ 17	2674.00	2 <sup>+</sup>				
		886.99 <sup>b</sup> 23	17 <sup>b</sup> 3	2416.00	3 <sup>-</sup>				
		2685.83 <sup>b</sup> 17	100 <sup>b</sup> 5	617.518	2 <sup>+</sup>				
3312.24	(1 <sup>-</sup> ,2)	1306.97 10	46.9 13	2005.200	3 <sup>-</sup>				
		2000.01 10	43.8 19	1312.390	2 <sup>+</sup>				
		2694.56 10	100.0 21	617.518	2 <sup>+</sup>				
3318.09	9 <sup>-</sup>	382.37# 13	14# 3	2935.50	7 <sup>-</sup>	E2		0.01489	$\alpha(K)=0.01274$ 18; $\alpha(L)=0.001757$ 25;

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. $^\dagger$	$\delta^\dagger f$	$a^e$	Comments
3318.09	9 <sup>-</sup>	524.28# 10	100#	2793.80	7 <sup>-</sup>	E2		0.00581	$\alpha(M)=0.000339$ 5 $\alpha(N)=5.93\times10^{-5}$ 9; $\alpha(O)=2.84\times10^{-6}$ 4 $\alpha(K)=0.00501$ 7; $\alpha(L)=0.000652$ 10; $\alpha(M)=0.0001255$ 18 $\alpha(N)=2.21\times10^{-5}$ 3; $\alpha(O)=1.143\times10^{-6}$ 16 Mult.: $a_2=0.340$ 10; $a_4=-0.132$ 14 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2\text{ny})$ ( <a href="#">1993De09</a> ).
3319.83	1 <sup>-</sup> ,2,3,4 <sup>+</sup>	1314.6 1 1851.04 10 2702.24 10	100 3 62 3	2005.200	3 <sup>-</sup> 1468.822 2 <sup>+</sup> 617.518 2 <sup>+</sup>				
3322.40	10 <sup>+</sup>	145.87# 10 441.45# 10	11.8# 10 100# 5	3176.47	8 <sup>+</sup>	E2		0.390	$\alpha(K)=0.313$ 5; $\alpha(L)=0.0627$ 9; $\alpha(M)=0.01232$ 18 $\alpha(N)=0.00208$ 3; $\alpha(O)=6.18\times10^{-5}$ 9 $\alpha(K)=0.00824$ 12; $\alpha(L)=0.001104$ 16; $\alpha(M)=0.000213$ 3 $\alpha(N)=3.74\times10^{-5}$ 6; $\alpha(O)=1.86\times10^{-6}$ 3 Mult.: $A_2=+0.72$ 23 ( <a href="#">1997Dr03</a> ).
3325.96	(3) <sup>-</sup>	734.91 10	100	2591.05	4 <sup>-</sup>				
3329.17	(5) <sup>-</sup>	1913.67 10	100	1415.480	4 <sup>+</sup>				
3332.11	2 <sup>+,3,4,5<sup>-</sup></sup>	1326.83 10 1916.72 12	100 8 54 8	2005.200	3 <sup>-</sup> 1415.480 4 <sup>+</sup>				
3332.46	1,2,3,4 <sup>+</sup>	2714.91 10	100	617.518	2 <sup>+</sup>				
3336.03	(2) <sup>+</sup>	2718.48 10	100	617.518	2 <sup>+</sup>	[M1+E2]		$7.97\times10^{-4}$	$\alpha(K)=0.0001479$ 21; $\alpha(L)=1.699\times10^{-5}$ 24; $\alpha(M)=3.24\times10^{-6}$ 5 $\alpha(N)=5.80\times10^{-7}$ 9; $\alpha(O)=3.49\times10^{-8}$ 5; $\alpha(IPF)=0.000628$ 9
3341.86	(3) <sup>+</sup>	2724.31 10	100	617.518	2 <sup>+</sup>	E2+M1	+7.4 +17-16	$8.09\times10^{-4}$	B(M1)(W.u.)=0.00053 25; B(E2)(W.u.)=3.1 4 $\alpha(K)=0.0001430$ 20; $\alpha(L)=1.641\times10^{-5}$ 23; $\alpha(M)=3.13\times10^{-6}$ 5 $\alpha(N)=5.60\times10^{-7}$ 8; $\alpha(O)=3.34\times10^{-8}$ 5; $\alpha(IPF)=0.000646$ 9
3353.36	0 <sup>+</sup>	2735.81 10	100	617.518	2 <sup>+</sup>	[E2]		$8.13\times10^{-4}$	$\alpha(K)=0.0001419$ 20; $\alpha(L)=1.628\times10^{-5}$ 23; $\alpha(M)=3.11\times10^{-6}$ 5 $\alpha(N)=5.55\times10^{-7}$ 8; $\alpha(O)=3.32\times10^{-8}$ 5; $\alpha(IPF)=0.000651$ 10 B(E2)(W.u.)=0.9 3
3363.55	2 <sup>+</sup>	2745.86 10	100 3	617.518	2 <sup>+</sup>	M1+E2	-0.49 +15-17	$8.08\times10^{-4}$	$\alpha(K)=0.0001444$ 21; $\alpha(L)=1.657\times10^{-5}$ 24; $\alpha(M)=3.16\times10^{-6}$ 5 $\alpha(N)=5.66\times10^{-7}$ 9; $\alpha(O)=3.40\times10^{-8}$ 5; $\alpha(IPF)=0.000644$ 10 B(M1)(W.u.)=0.0023 +7-10; B(E2)(W.u.)=0.06 4
		3363.67 10	58 3	0.0	0 <sup>+</sup>	E2		$1.03\times10^{-3}$	$\alpha(K)=0.0001002$ 14; $\alpha(L)=1.144\times10^{-5}$ 16; $\alpha(M)=2.18\times10^{-6}$ 3

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	α <sup>e</sup>	Comments
3363.99	2 <sup>+,3,4,5,6<sup>+</sup></sup>	909.48 10	100	2454.51	4 <sup>+</sup>				$\alpha(\text{N})=3.90\times10^{-7}$ 6; $\alpha(\text{O})=2.34\times10^{-8}$ 4; $\alpha(\text{IPF})=0.000920$ 13 $B(\text{E}2)(\text{W.u.})=0.063$ +16–27
3369.62	2 <sup>+,3,4<sup>+</sup></sup>	1900.77 10	26.9 14	1468.822	2 <sup>+</sup>				
		1952.9 <sup>@</sup> 10	50 <sup>@</sup>	1415.480	4 <sup>+</sup>				
		2752.08 10	100.0 14	617.518	2 <sup>+</sup>				
3375.45	(6,7,8)	439.95 <sup>#</sup> 10	100 <sup>#</sup>	2935.50	7 <sup>–</sup>	D <sup>‡</sup>	<sup>‡</sup>		Mult.: $A_2=-0.281$ 12 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1993De09</a> ).
3375.50	(1)	2758.02 14	95 3	617.518	2 <sup>+</sup>				
		3375.40 10	100 3	0.0	0 <sup>+</sup>				
3376.46	7 <sup>–</sup>	283.40 <sup>#</sup> 12	4.7 <sup>#</sup> 10	3093.02	8 <sup>–</sup>	M1+E2 <sup>‡</sup>	-2.2 <sup>‡</sup> 7	0.0372 17	$\alpha(\text{K})=0.0316$ 14; $\alpha(\text{L})=0.0046$ 3; $\alpha(\text{M})=0.00089$ 6 $\alpha(\text{N})=0.000155$ 10; $\alpha(\text{O})=6.93\times10^{-6}$ 21 Mult.: $A_2=0.32$ 6; $A_4=0.17$ 8 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1993De09</a> ). $\delta$ : Also: -0.42 +15–40 from $\gamma(\theta)$ in <a href="#">1997Dr03</a> .
		444.53 <sup>#</sup> 10	100 <sup>#</sup> 3	2931.97	6 <sup>–</sup>	M1+E2 <sup>‡</sup>	-0.37 <sup>‡</sup> 13	0.00894 14	$\alpha(\text{K})=0.00777$ 12; $\alpha(\text{L})=0.000947$ 18; $\alpha(\text{M})=0.000182$ 4 $\alpha(\text{N})=3.24\times10^{-5}$ 6; $\alpha(\text{O})=1.86\times10^{-6}$ 3 Mult.: $A_2=-0.73$ 2; $A_4=0.05$ 2 from $\gamma\gamma(\theta)$ in $^{110}\text{Pd}(\alpha,2n\gamma)$ ( <a href="#">1993De09</a> ).
3378.52	(2) <sup>+</sup>	1909.63 10	100.0 21	1468.822	2 <sup>+</sup>	[M1]		5.79×10 <sup>-4</sup>	$\alpha(\text{K})=0.000295$ 5; $\alpha(\text{L})=3.41\times10^{-5}$ 5; $\alpha(\text{M})=6.51\times10^{-6}$ 10 $\alpha(\text{N})=1.165\times10^{-6}$ 17; $\alpha(\text{O})=6.98\times10^{-8}$ 10; $\alpha(\text{IPF})=0.000242$ 4 $B(\text{M}1)(\text{W.u.})=0.0059$ +15–45
		2761.18 14	33.9 21	617.518	2 <sup>+</sup>	[M1]		8.12×10 <sup>-4</sup>	$\alpha(\text{K})=0.0001437$ 21; $\alpha(\text{L})=1.650\times10^{-5}$ 23; $\alpha(\text{M})=3.15\times10^{-6}$ 5 $\alpha(\text{N})=5.63\times10^{-7}$ 8; $\alpha(\text{O})=3.38\times10^{-8}$ 5; $\alpha(\text{IPF})=0.000648$ 9 $B(\text{M}1)(\text{W.u.})=0.00066$ +18–50
3383.71	0 <sup>+</sup> to 4 <sup>+</sup>	1227.70 13	30 3	2156.18	2 <sup>+</sup>				
		2766.05 10	100	617.518	2 <sup>+</sup>				
3392.78	1,2 <sup>+</sup>	3392.72 12	100	0.0	0 <sup>+</sup>				
3393.39	0 <sup>+</sup> to 4 <sup>+</sup>	2775.83 4	100	617.518	2 <sup>+</sup>				
3393.45	(1,2 <sup>+</sup> )	2775.78 <sup>b</sup> 18	100 <sup>b</sup>	617.518	2 <sup>+</sup>				
		3393.35 <sup>b</sup> 20	31 <sup>b</sup> 4	0.0	0 <sup>+</sup>				
3393.60	1 <sup>–</sup> to 5 <sup>–</sup>	977.59 5	100	2416.00	3 <sup>–</sup>				
3398.88	8 <sup>+</sup>	222.17 <sup>#</sup> 10	28 <sup>#</sup> 4	3176.47	8 <sup>+</sup>	(M1)		0.0521	$\alpha(\text{K})=0.0452$ 7; $\alpha(\text{L})=0.00556$ 8;

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>t</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>†</sup>	δ <sup>†f</sup>	a <sup>e</sup>	Comments
3398.88	8 <sup>+</sup>	517.99# 12	51# 9	2881.02	8 <sup>+</sup>	M1+E2 <sup>‡</sup>	-0.16 <sup>‡</sup> 14	0.00611	$\alpha(M)=0.001067\ 15$ $\alpha(N)=0.000190\ 3; \alpha(O)=1.099\times 10^{-5}\ 16$ Mult.: $A_2=-0.32\ 22$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha, 2n\gamma$ ) ( <a href="#">1997Dr03</a> ).
		827.54# 10	100# 9	2571.47	6 <sup>+</sup>	E2		$1.77\times 10^{-3}$	$\alpha(K)=0.00533\ 8; \alpha(L)=0.000638\ 10;$ $\alpha(M)=0.0001223\ 18$ $\alpha(N)=2.18\times 10^{-5}\ 4; \alpha(O)=1.279\times 10^{-6}\ 19$ Mult.: $A_2=+0.23\ 5$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha, 2n\gamma$ ) ( <a href="#">1997Dr03</a> ). $\delta$ : Other: $+0.62\ 12$ in <sup>110</sup> Pd( $\alpha, 2n\gamma$ ) ( <a href="#">1997dr3</a> ). $\alpha(K)=0.001536\ 22; \alpha(L)=0.000188\ 3;$ $\alpha(M)=3.61\times 10^{-5}\ 5$ $\alpha(N)=6.40\times 10^{-6}\ 9; \alpha(O)=3.57\times 10^{-7}\ 5$ Mult.: $A_2=0.316\ 9; A_4=-0.111\ 12$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha, 2n\gamma$ ) ( <a href="#">1993De09</a> ).
3400.35	0 <sup>+</sup> to 4 <sup>+</sup>	2087.94 10	100	1312.390	2 <sup>+</sup>				B(M1)(W.u.)<0.00057; B(E2)(W.u.)<0.16
3402.93	1 <sup>+,2<sup>+,3<sup>+</sup></sup></sup>	2785.37 10	100	617.518	2 <sup>+</sup>	M1+E2	-1.8 +3-4	$8.28\times 10^{-4}$	$\alpha(K)=0.0001385\ 20; \alpha(L)=1.588\times 10^{-5}\ 23;$ $\alpha(M)=3.03\times 10^{-6}\ 5$ $\alpha(N)=5.42\times 10^{-7}\ 8; \alpha(O)=3.24\times 10^{-8}\ 5;$ $\alpha(IPF)=0.000670\ 10$ $\delta$ : Also: $-0.34 +10-13$ from G( $\theta$ ) in <a href="#">2001Ga44</a> .
3422.55	(4) <sup>+</sup>	1953.71 16	100.0 24	1468.822	2 <sup>+</sup>				
		2805.0 1	35.7 24	617.518	2 <sup>+</sup>				
3425.60	0 <sup>+</sup> to 4 <sup>+</sup>	2113.19 5	100	1312.390	2 <sup>+</sup>				
3426.32	0 <sup>+</sup> to 4 <sup>+</sup>	2808.76 14	100	617.518	2 <sup>+</sup>				
3428.87	2 <sup>+</sup>	2811.2 1	100.0 16	617.518	2 <sup>+</sup>	M1+E2		$8.30\times 10^{-4}$	$\alpha(K)=0.0001389\ 20; \alpha(L)=1.594\times 10^{-5}\ 23;$ $\alpha(M)=3.04\times 10^{-6}\ 5$ $\alpha(N)=5.44\times 10^{-7}\ 8; \alpha(O)=3.27\times 10^{-8}\ 5;$ $\alpha(IPF)=0.000671\ 10$ $\alpha(K)=9.71\times 10^{-5}\ 14; \alpha(L)=1.108\times 10^{-5}\ 16;$ $\alpha(M)=2.11\times 10^{-6}\ 3$ $\alpha(N)=3.78\times 10^{-7}\ 6; \alpha(O)=2.27\times 10^{-8}\ 4;$ $\alpha(IPF)=0.000946\ 14$ B(E2)(W.u.)=0.058 +23-37
		3428.71 14	14.2 16	0.0	0 <sup>+</sup>	E2		$1.06\times 10^{-3}$	
3429.6		2014.1 3	100	1415.480	4 <sup>+</sup>				
3429.98	(5,6,7)	1262.21# 15	100#	2167.76	6 <sup>+</sup>	D(+Q) <sup>‡</sup>	-0.04 <sup>‡</sup> 5		Mult.: $A_2=-0.30\ 6$ from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha, 2n\gamma$ ) ( <a href="#">1993De09</a> ).
3433.73	(2 <sup>+</sup> to 6 <sup>+</sup> )	2018.23 10	100	1415.480	4 <sup>+</sup>				
3451.97	(0 <sup>+</sup> )	945.26 5	100	2506.70	1 <sup>-</sup>	E1		$5.41\times 10^{-4}$	$\alpha(K)=0.000474\ 7; \alpha(L)=5.48\times 10^{-5}\ 8;$ $\alpha(M)=1.046\times 10^{-5}\ 15$ $\alpha(N)=1.87\times 10^{-6}\ 3; \alpha(O)=1.092\times 10^{-7}\ 16$

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>†</sup>	δ <sup>†</sup> <i>f</i>	α <sup>e</sup>	I <sub>(γ+ce)</sub>	Comments
3452.47	2 <sup>+</sup>	2037.4 3	59 8	1415.480	4 <sup>+</sup>	[E2]		5.93×10 <sup>-4</sup>		$\alpha(K)=0.000239$ 4; $\alpha(L)=2.77\times10^{-5}$ 4; $\alpha(M)=5.28\times10^{-6}$ 8 $\alpha(N)=9.43\times10^{-7}$ 14; $\alpha(O)=5.59\times10^{-8}$ 8; $\alpha(IPF)=0.000320$ 5 B(E2)(W.u.)=0.9 +5-9
		2835.33 10	100 8	617.518	2 <sup>+</sup>	[M1]		8.38×10 <sup>-4</sup>		$\alpha(K)=0.0001367$ 20; $\alpha(L)=1.569\times10^{-5}$ 22; $\alpha(M)=2.99\times10^{-6}$ 5 $\alpha(N)=5.36\times10^{-7}$ 8; $\alpha(O)=3.22\times10^{-8}$ 5; $\alpha(IPF)=0.000682$ 10
		3452.1 4		0.0	0 <sup>+</sup>	[E2]		1.06×10 <sup>-3</sup>		B(M1)(W.u.)=0.0030 +16-30 $\alpha(K)=9.60\times10^{-5}$ 14; $\alpha(L)=1.096\times10^{-5}$ 16; $\alpha(M)=2.09\times10^{-6}$ 3 $\alpha(N)=3.74\times10^{-7}$ 6; $\alpha(O)=2.24\times10^{-8}$ 4; $\alpha(IPF)=0.000955$ 14
										E <sub>γ</sub> : from ce in <sup>111</sup> Cd(n, $\gamma$ ) E=th:secondary (1997Dr03).
3453.8	0 <sup>+</sup> to 4 <sup>+</sup>	1985.0 3	100	1468.822	2 <sup>+</sup>					
3455.48	0 <sup>+,1,2</sup>	2837.85 10	100	617.518	2 <sup>+</sup>					
3470.3	0 <sup>+</sup> to 4 <sup>+</sup>	2852.7@ 12	100@	617.518	2 <sup>+</sup>					
3471.32	2 <sup>+</sup> to 6 <sup>+</sup>	1389.7 3	100	2081.64	4 <sup>+</sup>					
		2055.8 3	100	1415.480	4 <sup>+</sup>					
3478.58	0 <sup>+,1,2<sup>+</sup></sup>	2166.06 10	100	1312.390	2 <sup>+</sup>					
		2861.0 1	37 5	617.518	2 <sup>+</sup>					
		3479.2 <sup>b</sup> 3	100 <sup>b</sup>	0.0	0 <sup>+</sup>					
3478.7	0 <sup>+</sup> to 4 <sup>+</sup>	1322.0@ 10	100@ 17	2156.18	2 <sup>+</sup>					
		2863.0@ 20	33@ 17	617.518	2 <sup>+</sup>					
3487.55	(4) <sup>+</sup>	2869.99 10	100	617.518	2 <sup>+</sup>	E2		8.60×10 <sup>-4</sup>		B(E2)(W.u.)=1.09 23 $\alpha(K)=0.0001308$ 19; $\alpha(L)=1.498\times10^{-5}$ 21; $\alpha(M)=2.86\times10^{-6}$ 4 $\alpha(N)=5.11\times10^{-7}$ 8; $\alpha(O)=3.05\times10^{-8}$ 5; $\alpha(IPF)=0.000711$ 10
3489.85	2 <sup>+,3,4<sup>+</sup></sup>	1368.12 10	39 4	2121.62	2 <sup>+</sup>					
		2074.36 10	100 4	1415.480	4 <sup>+</sup>					
		2872.4 1	55.8 10	617.518	2 <sup>+</sup>					
3493.92	(6,7)	1326.15# 12	100#	2167.76	6 <sup>+</sup>	D(+Q) <sup>‡</sup>	+0.02 <sup>‡</sup> 3			Mult.: A <sub>2</sub> =-0.21 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
3500.45	0 <sup>+</sup> to 3 <sup>+</sup>	2882.85 10	100	617.518	2 <sup>+</sup>					
3511.6	3 <sup>-</sup> to 7 <sup>-</sup>	1138.4 3	100	2373.19	5 <sup>-</sup>					
3512.97	(1,2,3) <sup>+</sup>	2895.23 10	100	617.518	2 <sup>+</sup>	M1+E2	-0.18 6	8.60×10 <sup>-4</sup>		B(M1)(W.u.)=0.009 3; B(E2)(W.u.)=0.027 20 $\alpha(K)=0.0001314$ 19; $\alpha(L)=1.507\times10^{-5}$ 22; $\alpha(M)=2.88\times10^{-6}$ 4

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	α <sup>e</sup>	Comments
3522.51	0 <sup>+</sup> to 4 <sup>+</sup>	2904.95 10	100	617.518	2 <sup>+</sup>				$\alpha(\text{N})=5.15\times10^{-7}$ 8; $\alpha(\text{O})=3.09\times10^{-8}$ 5; $\alpha(\text{IPF})=0.000710$ 10
3528.92	7 <sup>-</sup>	593.45 <sup>#</sup> 10	82 <sup>#</sup> 11	2935.50	7 <sup>-</sup>	M1+E2 <sup>‡</sup>	+1.0 <sup>‡</sup> 5	0.00427 11	$\alpha(\text{K})=0.00371$ 10; $\alpha(\text{L})=0.000457$ 7; $\alpha(\text{M})=8.76\times10^{-5}$ 13 $\alpha(\text{N})=1.556\times10^{-5}$ 23; $\alpha(\text{O})=8.7\times10^{-7}$ 4 Mult.: $A_2=+0.51$ 13 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1997Dr03).
		735.08 <sup>#</sup> 10	100 <sup>#</sup>	2793.80	7 <sup>-</sup>	M1+E2 <sup>‡</sup>	-0.11 <sup>‡</sup> 6	0.00267	$\alpha(\text{K})=0.00233$ 4; $\alpha(\text{L})=0.000276$ 4; $\alpha(\text{M})=5.28\times10^{-5}$ 8 $\alpha(\text{N})=9.43\times10^{-6}$ 14; $\alpha(\text{O})=5.57\times10^{-7}$ 8 Mult.: $A_2=+0.12$ 7 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1997Dr03).
3530.90	4 <sup>+</sup>	1525.69 4	100	2005.200	3 <sup>-</sup>				
3531.32		2218.9 1		1312.390	2 <sup>+</sup>				
		2913.77 10	100	617.518	2 <sup>+</sup>	M1+E2	-0.18 +10-9	8.66×10 <sup>-4</sup>	$\alpha(\text{K})=0.0001298$ 19; $\alpha(\text{L})=1.489\times10^{-5}$ 21; $\alpha(\text{M})=2.84\times10^{-6}$ 4 $\alpha(\text{N})=5.08\times10^{-7}$ 8; $\alpha(\text{O})=3.06\times10^{-8}$ 5; $\alpha(\text{IPF})=0.000718$ 10
3540.24	1,2 <sup>+</sup>	2922.72 10	100 7	617.518	2 <sup>+</sup>				B(M1)(W.u.)=0.011 4; B(E2)(W.u.)=0.03 +4-3
3542.84	8 <sup>+</sup>	3539.8 <sup>b</sup> 4	24 <sup>b</sup> 6	0.0	0 <sup>+</sup>				
		621.41 <sup>#</sup> 15	78 <sup>#</sup> 8	2921.53	6 <sup>+</sup>	E2		0.00364	$\alpha(\text{K})=0.00315$ 5; $\alpha(\text{L})=0.000400$ 6; $\alpha(\text{M})=7.68\times10^{-5}$ 11 $\alpha(\text{N})=1.358\times10^{-5}$ 19; $\alpha(\text{O})=7.25\times10^{-7}$ 11 Mult.: $A_2=0.26$ 10; $A_4=-0.26$ 13 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
		1375.02 <sup>#</sup> 10	100 <sup>#</sup> 6	2167.76	6 <sup>+</sup>	E2		6.22×10 <sup>-4</sup>	$\alpha(\text{K})=0.000507$ 7; $\alpha(\text{L})=5.97\times10^{-5}$ 9; $\alpha(\text{M})=1.141\times10^{-5}$ 16 $\alpha(\text{N})=2.03\times10^{-6}$ 3; $\alpha(\text{O})=1.185\times10^{-7}$ 17; $\alpha(\text{IPF})=4.19\times10^{-5}$ 6 Mult.: $A_2=0.31$ 3; $A_4=-0.07$ 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
3556.88	(1,2 <sup>+</sup> )	3556.78 12	100	0.0	0 <sup>+</sup>				
3557.33	(3) <sup>-</sup>	2939.77 10	100	617.518	2 <sup>+</sup>	[E1]		1.27×10 <sup>-3</sup>	$\alpha(\text{K})=7.36\times10^{-5}$ 11; $\alpha(\text{L})=8.34\times10^{-6}$ 12; $\alpha(\text{M})=1.588\times10^{-6}$ 23 $\alpha(\text{N})=2.84\times10^{-7}$ 4; $\alpha(\text{O})=1.700\times10^{-8}$ 24; $\alpha(\text{IPF})=0.001184$ 17 B(E1)(W.u.)=0.00016 7
3568.05	2 <sup>+</sup>	2099.17 10	100 5	1468.822	2 <sup>+</sup>	M1+E2	$\leq+0.29$	6.10×10 <sup>-4</sup>	$\alpha(\text{K})=0.000243$ 4; $\alpha(\text{L})=2.81\times10^{-5}$ 4;

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	α <sup>e</sup>	Comments
3568.05	2 <sup>+</sup>	2950.52 12	94 4	617.518	2 <sup>+</sup>	M1+E2	+1.6 +12-8	8.86×10 <sup>-4</sup>	$\alpha(M)=5.36\times10^{-6}$ 8 $\alpha(N)=9.60\times10^{-7}$ 14; $\alpha(O)=5.75\times10^{-8}$ 9; $\alpha(IPF)=0.000332$ 5 B(M1)(W.u.)>0.011; B(E2)(W.u.)<0.24 $\delta$ : Other: +2.3 +29-9 from $\gamma(\theta)$ in <sup>112</sup> Cd(n,n'γ) (2001Ga44).
3568.00	10	75 5	0.0	0 <sup>+</sup>	E2			1.10×10 <sup>-3</sup>	$\alpha(K)=0.0001254$ 19; $\alpha(L)=1.436\times10^{-5}$ 22; $\alpha(M)=2.74\times10^{-6}$ 5 $\alpha(N)=4.90\times10^{-7}$ 8; $\alpha(O)=2.93\times10^{-8}$ 5; $\alpha(IPF)=0.000743$ 12 B(M1)(W.u.)=0.0014 +15-14; B(E2)(W.u.)=0.32 15 $\delta$ : Other: +0.15 +40-20 from $\gamma(\theta)$ in <sup>112</sup> Cd(n,n'γ) 2001Ga44.
3571.05	9 <sup>-</sup>	252.88 <sup>#</sup> 10	100 <sup>#</sup> 6	3318.09	9 <sup>-</sup>	M1+E2 <sup>‡</sup>	+0.82 <sup>‡</sup> 13	0.0453 18	$\alpha(K)=0.0387$ 14; $\alpha(L)=0.0054$ 3; $\alpha(M)=0.00104$ 6 $\alpha(N)=0.000181$ 10; $\alpha(O)=8.82\times10^{-6}$ 24 Mult.: A <sub>2</sub> =0.28 4; A <sub>4</sub> =-0.11 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd(α,2nγ) (1993De09). $\delta$ : Other: -0.33 14 in <sup>110</sup> Pd(α,2nγ) (1997Dr03). $\alpha(K)=0.00647$ 9; $\alpha(L)=0.000776$ 11; $\alpha(M)=0.0001487$ 21 $\alpha(N)=2.66\times10^{-5}$ 4; $\alpha(O)=1.555\times10^{-6}$ 22 E <sub>γ</sub> : transition seen only in 1993De09. Mult.: A <sub>0</sub> =3.74 15; A <sub>2</sub> /A <sub>0</sub> =-0.43 8 (1993De09). $\alpha(K)=0.00297$ 5; $\alpha(L)=0.000375$ 6; $\alpha(M)=7.21\times10^{-5}$ 11 $\alpha(N)=1.275\times10^{-5}$ 18; $\alpha(O)=6.84\times10^{-7}$ 10 Mult.: A <sub>2</sub> =0.34 3; A <sub>4</sub> =-0.12 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd(α,2nγ) (1993De09).
635.7 <sup>#</sup> 3	51 <sup>#</sup> 17	2935.50	7 <sup>-</sup>	E2				0.00343	$\alpha(K)=0.00179$ 3; $\alpha(L)=0.000220$ 3; $\alpha(M)=4.22\times10^{-5}$ 6 $\alpha(N)=7.49\times10^{-6}$ 11; $\alpha(O)=4.14\times10^{-7}$ 6 Mult.: A <sub>2</sub> =0.352 10; A <sub>4</sub> =-0.120 14 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd(α,2nγ) (1993De09).
777.36 <sup>#</sup> 15	76 <sup>#</sup> 13	2793.80	7 <sup>-</sup>	E2				0.00206	
3572.28	(1,2 <sup>+</sup> )	3572.37 <sup>b</sup> 23	100 <sup>b</sup>	0.0	0 <sup>+</sup>				
3574.49	0 <sup>+</sup> to 4 <sup>+</sup>	2262.06 10	57 4	1312.390	2 <sup>+</sup>				

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	a <sup>e</sup>	Comments
3574.49	0 <sup>+</sup> to 4 <sup>+</sup>	2956.96 18	100 4	617.518	2 <sup>+</sup>				
3577.2	0 <sup>+</sup> to 4 <sup>+</sup>	2264.8 3	100	1312.390	2 <sup>+</sup>				
3577.55	2 <sup>+</sup>	2352.94 <sup>b</sup> 19	21.9 <sup>b</sup> 19	1224.341	0 <sup>+</sup>				
		2960.13 <sup>b</sup> 16	100 <sup>b</sup> 4	617.518	2 <sup>+</sup>				
		3577.53 <sup>b</sup> 18	18.1 <sup>b</sup> 19	0.0	0 <sup>+</sup>				
3579.44	0 <sup>+</sup> to 4 <sup>+</sup>	2267.21 10	40 3	1312.390	2 <sup>+</sup>				
		2961.69 10	100	617.518	2 <sup>+</sup>				
3583.80	5,6,7	1416.03 <sup>#</sup> 23	100 <sup>#</sup>	2167.76	6 <sup>+</sup>	D(+Q) <sup>‡</sup>	-0.06 <sup>‡</sup> 4		Mult.: A <sub>2</sub> =-0.13 26 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ).
3594.64	1,2 <sup>+</sup>	2977.24 14	43 4	617.518	2 <sup>+</sup>				
		3594.49 10	100	0.0	0 <sup>+</sup>				
3598.81	1 <sup>+,2<sup>+,3<sup>+</sup></sup></sup>	2981.25 10	100	617.518	2 <sup>+</sup>	M1+E2	-0.16 +8-10	8.90×10 <sup>-4</sup>	$\alpha(K)=0.0001244$ 18; $\alpha(L)=1.427\times10^{-5}$ 20; $\alpha(M)=2.72\times10^{-6}$ 4 $\alpha(N)=4.87\times10^{-7}$ 7; $\alpha(O)=2.93\times10^{-8}$ 5; $\alpha(IPF)=0.000748$ 11 B(M1)(W.u.)=0.026 7; B(E2)(W.u.)=0.06 6 $\delta$ : Other: -2.8 +6-11 from G( $\theta$ ) in <a href="#">2001Ga44</a> .
52									
3608.91	0 <sup>+,1,2,3<sup>+</sup></sup>	2991.30 10	100	617.518	2 <sup>+</sup>				
3613.26	1 <sup>+,2<sup>+,3<sup>+</sup></sup></sup>	2143.97 19	96 6	1468.822	2 <sup>+</sup>				
		2995.85 11	100	617.518	2 <sup>+</sup>	M1+E2	+2.0 +21-15	9.03×10 <sup>-4</sup> 14	$\alpha(K)=0.0001220$ 20; $\alpha(L)=1.396\times10^{-5}$ 24; $\alpha(M)=2.66\times10^{-6}$ 5 $\alpha(N)=4.76\times10^{-7}$ 9; $\alpha(O)=2.85\times10^{-8}$ 6; $\alpha(IPF)=0.000764$ 13 B(M1)(W.u.)=0.0008 +15-8; B(E2)(W.u.)=0.30 +16-22
3618.48	3 <sup>-</sup>	1613.8 3		2005.200	3 <sup>-</sup>				
		2202.7 3		1415.480	4 <sup>+</sup>				
		3000.83 18	100	617.518	2 <sup>+</sup>	[E1]		1.29×10 <sup>-3</sup>	$\alpha(K)=7.15\times10^{-5}$ 10; $\alpha(L)=8.10\times10^{-6}$ 12; $\alpha(M)=1.542\times10^{-6}$ 22 $\alpha(N)=2.76\times10^{-7}$ 4; $\alpha(O)=1.651\times10^{-8}$ 24; $\alpha(IPF)=0.001213$ 17 B(E1)(W.u.)=0.00018 +6-18
3622.18	0 <sup>+</sup> to 4 <sup>+</sup>	3004.62 11	100	617.518	2 <sup>+</sup>				
3627.6	2 <sup>+</sup> to 6 <sup>+</sup>	2212.1 3	100	1415.480	4 <sup>+</sup>				
3646.54	0 <sup>+,1,2,3<sup>+</sup></sup>	3028.88 10	100	617.518	2 <sup>+</sup>				
3652.18	1,2 <sup>+</sup>	3034.60 10	100 4	617.518	2 <sup>+</sup>				
		3652.07 23	19 4	0.0	0 <sup>+</sup>				
3658.74	8 <sup>-</sup>	340.50 <sup>#</sup> 15	100 <sup>#</sup>	3318.09	9 <sup>-</sup>	M1+E2 <sup>‡</sup>	-0.18 <sup>‡</sup> 4	0.0174 3	$\alpha(K)=0.01512$ 22; $\alpha(L)=0.00184$ 3; $\alpha(M)=0.000354$ 6 $\alpha(N)=6.31\times10^{-5}$ 10; $\alpha(O)=3.64\times10^{-6}$ 6 Mult.: A <sub>2</sub> =0.09 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	a <sup>e</sup>	Comments
3658.74	8 <sup>-</sup>	410.55 <sup>#</sup> 10		3248.25	7 <sup>-</sup>	M1+E2 <sup>‡</sup>	0.50 <sup>‡</sup> 25	0.01103 25	$\alpha(K)=0.00957$ 19; $\alpha(L)=0.00118$ 5; $\alpha(M)=0.000227$ 9 $\alpha(N)=4.04 \times 10^{-5}$ 15; $\alpha(O)=2.27 \times 10^{-6}$ 4 Mult.: $A_2=0.46$ 9; $A_4=0.19$ 13 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). δ: from <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ); Other: 2.7 10 in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
3665.78	3 <sup>-</sup>	3048.22 10	100	617.518 2 <sup>+</sup>	[E1]			1.32×10 <sup>-3</sup>	$\alpha(K)=6.99 \times 10^{-5}$ 10; $\alpha(L)=7.92 \times 10^{-6}$ 11; $\alpha(M)=1.508 \times 10^{-6}$ 22 $\alpha(N)=2.70 \times 10^{-7}$ 4; $\alpha(O)=1.615 \times 10^{-8}$ 23; $\alpha(IPF)=0.001236$ 18 B(E1)(W.u.)=7.8×10 <sup>-5</sup> 15
3676.73	0 <sup>+</sup> to 4 <sup>+</sup>	2208.09 11	100 4	1468.822 2 <sup>+</sup>					
		3059.00 10	75 4	617.518 2 <sup>+</sup>					
3682.83	1,2 <sup>+</sup>	3682.76 12	100	0.0	0 <sup>+</sup>				
3684.02	10 <sup>+</sup>	802.98 <sup>#</sup> 10	100 <sup>#</sup>	2881.02 8 <sup>+</sup>	E2			0.00190	$\alpha(K)=0.001651$ 24; $\alpha(L)=0.000203$ 3; $\alpha(M)=3.89 \times 10^{-5}$ 6 $\alpha(N)=6.90 \times 10^{-6}$ 10; $\alpha(O)=3.83 \times 10^{-7}$ 6 Mult.: $A_2=+0.53$ 16, $A_4=-0.48$ 20 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1997Dr03</a> ).
3685.55	6 <sup>-</sup> ,7 <sup>-</sup> ,8 <sup>-</sup>	309.09 <sup>#</sup> 10	100 <sup>#</sup>	3376.46 7 <sup>-</sup>	M1+E2 <sup>‡</sup>	-0.29 <sup>‡</sup> 9		0.0226 5	$\alpha(K)=0.0196$ 4; $\alpha(L)=0.00243$ 8; $\alpha(M)=0.000468$ 14 $\alpha(N)=8.32 \times 10^{-5}$ 24; $\alpha(O)=4.71 \times 10^{-6}$ 8 Mult.: $A_2=0.24$ 2; $A_4=-0.04$ 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
3687.93	(1,2 <sup>+</sup> )	3687.86 10	100	0.0 0 <sup>+</sup>					
3690.68	(4) <sup>+</sup>	3073.12 13	100	617.518 2 <sup>+</sup>	[E2]			9.32×10 <sup>-4</sup>	$\alpha(K)=0.0001165$ 17; $\alpha(L)=1.333 \times 10^{-5}$ 19; $\alpha(M)=2.54 \times 10^{-6}$ 4 $\alpha(N)=4.55 \times 10^{-7}$ 7; $\alpha(O)=2.72 \times 10^{-8}$ 4; $\alpha(IPF)=0.000799$ 12 B(E2)(W.u.)=0.6 +3-6
3696.15	0 <sup>+,1,2,3<sup>+</sup></sup>	2383.81 <sup>b</sup> 17	100 <sup>b</sup>	1312.390 2 <sup>+</sup>					
3697.74	1 <sup>-,2,3,4<sup>+</sup></sup>	1692.8 3		2005.200 3 <sup>-</sup>					
		3080.13 12	100	617.518 2 <sup>+</sup>					
3703.81	1,2 <sup>+</sup>	3703.74 10	100	0.0 0 <sup>+</sup>					
3707.45	1 <sup>-,2,3<sup>+</sup></sup>	840.71 <sup>b</sup> 18	40 <sup>b</sup> 4	2866.75 3 <sup>-</sup>					
		2395.00 <sup>b</sup> 18	57 <sup>b</sup> 4	1312.390 2 <sup>+</sup>					
		3090.04 <sup>b</sup> 18	100 <sup>b</sup> 6	617.518 2 <sup>+</sup>					
3719.75	(2 <sup>+,3<sup>+</sup></sup>	2305.1 3	100	1415.480 4 <sup>+</sup>					
3723.25	0 <sup>+,1,2,3<sup>+</sup></sup>	3105.13 24	100	617.518 2 <sup>+</sup>					
3731.95	0 <sup>+</sup> to 4 <sup>+</sup>	3114.39 10	100	617.518 2 <sup>+</sup>					

## Adopted Levels, Gammas (continued)

 $\gamma^{(112\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	$\delta^{\dagger f}$	$\alpha^e$	I <sub>(γ+ce)</sub>	Comments
3736.5	8 <sup>+</sup>	1165.0 <sup>#</sup> 3	100 <sup>#</sup>	2571.47	6 <sup>+</sup>	E2		8.21×10 <sup>-4</sup>		$\alpha(K)=0.000713$ 10; $\alpha(L)=8.49\times10^{-5}$ 12; $\alpha(M)=1.624\times10^{-5}$ 23 $\alpha(N)=2.89\times10^{-6}$ 4; $\alpha(O)=1.666\times10^{-7}$ 24; $\alpha(IPF)=3.47\times10^{-6}$ 6 Mult.: A <sub>2</sub> =0.36 7; A <sub>4</sub> =-0.04 9 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <b>1993De09</b> ). B(M1)(W.u.)=0.010 4; B(E2)(W.u.)=0.08 8 $\alpha(K)=0.0001142$ 16; $\alpha(L)=1.309\times10^{-5}$ 19; $\alpha(M)=2.50\times10^{-6}$ 4 $\alpha(N)=4.47\times10^{-7}$ 7; $\alpha(O)=2.69\times10^{-8}$ 4; $\alpha(IPF)=0.000810$ 12
3739.55	(1,2,3) <sup>+</sup>	3121.99 10	100	617.518	2 <sup>+</sup>	M1+E2	-0.32 +14-20	9.41×10 <sup>-4</sup>		
3743.76	(1,2,3) <sup>+</sup>	3126.22 10	100	617.518	2 <sup>+</sup>	M1+E2	-12 +4-20	9.51×10 <sup>-4</sup>		$\alpha(K)=0.0001132$ 16; $\alpha(L)=1.295\times10^{-5}$ 19; $\alpha(M)=2.47\times10^{-6}$ 4 $\alpha(N)=4.42\times10^{-7}$ 7; $\alpha(O)=2.64\times10^{-8}$ 4; $\alpha(IPF)=0.000822$ 12
3746.8	(4) <sup>+</sup>	2331.3 3	100	1415.480	4 <sup>+</sup>					B(M1)(W.u.)=9.E-5 7; B(E2)(W.u.)=1.09 16
3754.09	2 <sup>+</sup> to 6 <sup>+</sup>	2338.58 10	100	1415.480	4 <sup>+</sup>					
3755.46	(2 <sup>+</sup> )	3755.39 13	100	0.0	0 <sup>+</sup>	[E2]		1.17×10 <sup>-3</sup>		$\alpha(K)=8.37\times10^{-5}$ 12; $\alpha(L)=9.54\times10^{-6}$ 14; $\alpha(M)=1.82\times10^{-6}$ 3 $\alpha(N)=3.25\times10^{-7}$ 5; $\alpha(O)=1.95\times10^{-8}$ 3; $\alpha(IPF)=0.001073$ 15 B(E2)(W.u.)=0.8 3
3763.95	(4) <sup>+</sup>	3146.38 10	100	617.518	2 <sup>+</sup>	[E2]		9.58×10 <sup>-4</sup>		$\alpha(K)=0.0001120$ 16; $\alpha(L)=1.280\times10^{-5}$ 18; $\alpha(M)=2.44\times10^{-6}$ 4 $\alpha(N)=4.37\times10^{-7}$ 7; $\alpha(O)=2.61\times10^{-8}$ 4; $\alpha(IPF)=0.000830$ 12 B(E2)(W.u.)=0.55 8
3770.47	0 <sup>+</sup> to 4 <sup>+</sup>	3152.90 10	100	617.518	2 <sup>+</sup>					B(M1)(W.u.)=0.0004 4; B(E2)(W.u.)=0.24 +13-24
3783.197	(1,2,3) <sup>+</sup>	3165.631 10	100	617.518	2 <sup>+</sup>	M1+E2	-2.7 +10-14	9.64×10 <sup>-4</sup>		$\alpha(K)=0.0001109$ 16; $\alpha(L)=1.268\times10^{-5}$ 18; $\alpha(M)=2.42\times10^{-6}$ 4 $\alpha(N)=4.33\times10^{-7}$ 6; $\alpha(O)=2.59\times10^{-8}$ 4; $\alpha(IPF)=0.000837$ 12 δ: Other: -0.23 +14-20 from $\gamma(\theta)$ in <b>2001Ga44</b> .
3785.69	9 <sup>-</sup>	692.67 <sup>#</sup> 10	100 <sup>#</sup>	3093.02	8 <sup>-</sup>					$\alpha(K)=8.26\times10^{-5}$ 12; $\alpha(L)=9.41\times10^{-6}$ 14;
3787.3	2 <sup>+</sup>	3787.2 3	100	0.0	0 <sup>+</sup>	E2		1.18×10 <sup>-3</sup>		$\alpha(M)=1.79\times10^{-6}$ 3 $\alpha(N)=3.21\times10^{-7}$ 5; $\alpha(O)=1.93\times10^{-8}$ 3; $\alpha(IPF)=0.001085$ 16
3801.2	(4) <sup>+</sup>	2385.7 3	100	1415.480	4 <sup>+</sup>					
3804.87	0 <sup>+</sup> to 4 <sup>+</sup>	3187.30 14	100	617.518	2 <sup>+</sup>					

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†f</sup>	a <sup>e</sup>	Comments
3809.39	10 <sup>-</sup>	238.32 <sup>#</sup> 10		3571.05	9 <sup>-</sup>	M1+E2		0.0433	$\alpha(\text{K})=0.0376$ 6; $\alpha(\text{L})=0.00461$ 7; $\alpha(\text{M})=0.000885$ 13 $\alpha(\text{N})=0.0001579$ 23; $\alpha(\text{O})=9.13\times 10^{-6}$ 13
		491.30 <sup>#</sup> 10		3318.09	9 <sup>-</sup>	M1+E2	-0.78 35	0.00697	$\alpha(\text{K})=0.00605$ 9; $\alpha(\text{L})=0.000751$ 19; $\alpha(\text{M})=0.000144$ 4 $\alpha(\text{N})=2.56\times 10^{-5}$ 6; $\alpha(\text{O})=1.42\times 10^{-6}$ 3 Mult., $\delta$ : $A_2=-1.23$ 5; $A_4=0.06$ 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
		716.38 <sup>#</sup> 10		3093.02	8 <sup>-</sup>	E2		0.00252	$\alpha(\text{K})=0.00219$ 3; $\alpha(\text{L})=0.000272$ 4; $\alpha(\text{M})=5.22\times 10^{-5}$ 8 $\alpha(\text{N})=9.25\times 10^{-6}$ 13; $\alpha(\text{O})=5.05\times 10^{-7}$ 7 Mult.: $A_2=0.445$ 24; $A_4=-0.139$ 33 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
3810.04	1,2 <sup>+</sup>	3809.97 10		0.0	0 <sup>+</sup>				
3810.88	(3 <sup>-</sup> )	3193.31 10	100	617.518	2 <sup>+</sup>	[E1]		1.38×10 <sup>-3</sup>	$\alpha(\text{K})=6.55\times 10^{-5}$ 10; $\alpha(\text{L})=7.42\times 10^{-6}$ 11; $\alpha(\text{M})=1.413\times 10^{-6}$ 20 $\alpha(\text{N})=2.53\times 10^{-7}$ 4; $\alpha(\text{O})=1.514\times 10^{-8}$ 22; $\alpha(\text{IPF})=0.001309$ 19
3832.66	(4 <sup>+</sup> )	3215.09 11	100	617.518	2 <sup>+</sup>	[E2]		9.83×10 <sup>-4</sup>	B(E1)(W.u.)=0.00013 +4-6
									$\alpha(\text{K})=0.0001080$ 16; $\alpha(\text{L})=1.235\times 10^{-5}$ 18; $\alpha(\text{M})=2.35\times 10^{-6}$ 4 $\alpha(\text{N})=4.21\times 10^{-7}$ 6; $\alpha(\text{O})=2.52\times 10^{-8}$ 4; $\alpha(\text{IPF})=0.000859$ 12 B(E2)(W.u.)=2.3 8
3838.85	(1,2 <sup>+</sup> )	3838.84 <sup>b</sup> 24	100 <sup>b</sup>	0.0	0 <sup>+</sup>				
3844.25	0 <sup>+</sup> to 4 <sup>+</sup>	3226.68 10	100	617.518	2 <sup>+</sup>				
3846.48	(1,2 <sup>+</sup> )	3846.41 10	100	0.0	0 <sup>+</sup>				
3854.4	2 <sup>+</sup>	3854.3 3	100	0.0	0 <sup>+</sup>	E2		1.20×10 <sup>-3</sup>	$\alpha(\text{K})=8.03\times 10^{-5}$ 12; $\alpha(\text{L})=9.14\times 10^{-6}$ 13; $\alpha(\text{M})=1.743\times 10^{-6}$ 25 $\alpha(\text{N})=3.12\times 10^{-7}$ 5; $\alpha(\text{O})=1.87\times 10^{-8}$ 3; $\alpha(\text{IPF})=0.001110$ 16
3864.51	(4) <sup>+</sup>	2449.0 1	100	1415.480	4 <sup>+</sup>				
3869.00	(1,2 <sup>+</sup> )	3868.93 10	100 11	0.0	0 <sup>+</sup>				
3878.62	0 <sup>+</sup> to 4 <sup>+</sup>	3261.05 13	100	617.518	2 <sup>+</sup>				
3892.48	0 <sup>+,1,2,3<sup>+</sup>}</sup>	2579.77 <sup>b</sup> 23	100 <sup>b</sup>	1312.390	2 <sup>+</sup>				
3913.69	9 <sup>+</sup>	514.75 <sup>#</sup> 10	3398.88	8 <sup>+</sup>	M1+E2	0.31 7	0.00620	$\alpha(\text{K})=0.00540$ 8; $\alpha(\text{L})=0.000651$ 10; $\alpha(\text{M})=0.0001247$ 18 $\alpha(\text{N})=2.22\times 10^{-5}$ 4; $\alpha(\text{O})=1.292\times 10^{-6}$ 19 Mult., $\delta$ : $A_2=0.26$ 6 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).	$\alpha(\text{K})=0.00254$ 4; $\alpha(\text{L})=0.000319$ 5; $\alpha(\text{M})=6.13\times 10^{-5}$ 9 $\alpha(\text{N})=1.084\times 10^{-5}$ 16; $\alpha(\text{O})=5.87\times 10^{-7}$ 9 Mult.: $A_2=0.322$ 14; $A_4=-0.15$ 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
		674.71 <sup>#</sup> 10		3239.04	7 <sup>+</sup>	E2		0.00294	
		1032.66 <sup>#</sup> 10		2881.02	8 <sup>+</sup>	M1(+E2)	0.09 7	1.24×10 <sup>-3</sup>	$\alpha(\text{K})=0.001081$ 16; $\alpha(\text{L})=0.0001267$ 18; $\alpha(\text{M})=2.42\times 10^{-5}$ 4

**Adopted Levels, Gammas (continued)** $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†f</sup>	α <sup>e</sup>	Comments
3929.21	(0) <sup>+</sup>	3311.64 21	100	617.518 2 <sup>+</sup>	[E2]			1.02×10 <sup>-3</sup>	$\alpha(N)=4.33\times10^{-6}$ 7; $\alpha(O)=2.58\times10^{-7}$ 4 Mult., $\delta$ : $A_2=-0.09$ 4; $A_4=0.17$ 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
3930.78	12 <sup>+</sup>	608.5 <sup>#</sup> 4	100 <sup>#</sup>	3322.40 10 <sup>+</sup>	E2			0.00385	$\alpha(K)=0.0001028$ 15; $\alpha(L)=1.175\times10^{-5}$ 17; $\alpha(M)=2.24\times10^{-6}$ 4 $\alpha(N)=4.01\times10^{-7}$ 6; $\alpha(O)=2.40\times10^{-8}$ 4; $\alpha(IPF)=0.000899$ 13 B(E2)(W.u.)>0.049
3932.18	0 <sup>+</sup> to 4 <sup>+</sup>	3314.61 12	100	617.518 2 <sup>+</sup>					
3933.07	(1,2 <sup>+</sup> )	3933.00 13	100	0.0 0 <sup>+</sup>					
3939.27	(4) <sup>+</sup>	3321.70 14	100	617.518 2 <sup>+</sup>					
3951.57	1,2 <sup>+</sup>	3333.9 <sup>b</sup> 10	100 <sup>b</sup> 5	617.518 2 <sup>+</sup>					E <sub>γ</sub> : a rounded off value and $\Delta E\gamma=1.0$ keV set by the evaluators.
		3951.4 <sup>b</sup> 10	12.5 <sup>b</sup> 18	0.0 0 <sup>+</sup>					E <sub>γ</sub> : a rounded off value and $\Delta E\gamma=1.0$ keV set by the evaluators.
3963.8	(1,2 <sup>+</sup> )	3963.7 4	100	0.0 0 <sup>+</sup>					
3966.44	(9,10,11) <sup>+</sup>	644.04 <sup>#</sup> 10		3322.40 10 <sup>+</sup>	M1+E2	-0.16 2		0.00363	$\alpha(K)=0.00317$ 5; $\alpha(L)=0.000377$ 6; $\alpha(M)=7.21\times10^{-5}$ 11 $\alpha(N)=1.288\times10^{-5}$ 18; $\alpha(O)=7.59\times10^{-7}$ 11 Mult., $\delta$ : $A_2=0.07$ 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
3970.08	(1,2 <sup>+</sup> )	3352.4 <sup>b</sup> 4	44 <sup>b</sup> 11	617.518 2 <sup>+</sup>					E <sub>γ</sub> : 3351.72 20 in <sup>112</sup> Cd(n,n'γ).
		3970.0 <sup>b</sup> 3	100 <sup>b</sup> 9	0.0 0 <sup>+</sup>					
3990.40	10 <sup>+</sup>	306.23 <sup>#</sup> 25	21 5	3684.02 10 <sup>+</sup>	M1+E2 <sup>‡</sup>	-0.50 <sup>‡</sup> 10	0.0241 6		$\alpha(K)=0.0209$ 5; $\alpha(L)=0.00266$ 10; $\alpha(M)=0.000512$ 19 $\alpha(N)=9.1\times10^{-5}$ 4; $\alpha(O)=4.93\times10^{-6}$ 9 Mult.: $A_2=0.17$ 2 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
		591.57 <sup>#</sup> 10	#	3398.88 8 <sup>+</sup>	E2			0.00416	$\alpha(K)=0.00360$ 5; $\alpha(L)=0.000459$ 7; $\alpha(M)=8.83\times10^{-5}$ 13 $\alpha(N)=1.558\times10^{-5}$ 22; $\alpha(O)=8.25\times10^{-7}$ 12 Mult.: $A_2=0.397$ 24; $A_4=-0.22$ 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
		813.86 <sup>#</sup> 15	100 <sup>#</sup> 12	3176.47 8 <sup>+</sup>	(E2)			0.00184	$\alpha(K)=0.001598$ 23; $\alpha(L)=0.000196$ 3; $\alpha(M)=3.76\times10^{-5}$ 6 $\alpha(N)=6.67\times10^{-6}$ 10; $\alpha(O)=3.71\times10^{-7}$ 6 Mult.: $A_2=+0.25$ 22 from $\gamma\gamma(\theta)$ in

**Adopted Levels, Gammas (continued)** $\gamma(^{112}\text{Cd})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. <sup>†</sup>	$\delta^{\dagger f}$	$\alpha^e$	Comments
$^{110}\text{Pd}(\alpha, 2n\gamma)$ (1997Dr03).									

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†f</sup>	α <sup>e</sup>	Comments
3997.75	1,2 <sup>+</sup>	2685.83 <sup>b</sup> 17	100 <sup>b</sup> 5	1312.390	2 <sup>+</sup>				
		3997.6 <sup>b</sup> 3	27 <sup>b</sup> 3		0.0	0 <sup>+</sup>			
4003.9	(3 <sup>-</sup> )	3386.50 <sup>b</sup> 31	100 <sup>b</sup>	617.518	2 <sup>+</sup>				
4033.88	(3 <sup>-</sup> )	3416.31 20	100	617.518	2 <sup>+</sup>	[E1]		1.49×10 <sup>-3</sup>	$\alpha(K)=5.97\times10^{-5}$ 9; $\alpha(L)=6.75\times10^{-6}$ 10; $\alpha(M)=1.287\times10^{-6}$ 18 $\alpha(N)=2.30\times10^{-7}$ 4; $\alpha(O)=1.379\times10^{-8}$ 20; $\alpha(IPF)=0.001420$ 20 $B(E1)(W.u.)=0.00012$ +4-11
4125.91	10 <sup>+</sup>	949.44 <sup>#</sup> 10	100 <sup>#</sup>	3176.47	8 <sup>+</sup>	E2		1.28×10 <sup>-3</sup>	$\alpha(K)=0.001116$ 16; $\alpha(L)=0.0001349$ 19; $\alpha(M)=2.59\times10^{-5}$ 4 $\alpha(N)=4.60\times10^{-6}$ 7; $\alpha(O)=2.60\times10^{-7}$ 4 Mult.: $A_2=0.33$ 5; $A_4=-0.17$ 7 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
4174.50	10 <sup>+</sup>	856.41 <sup>#</sup> 10	100 <sup>#</sup>	3318.09	9 <sup>-</sup>	E1		6.57×10 <sup>-4</sup>	$\alpha(K)=0.000576$ 8; $\alpha(L)=6.68\times10^{-5}$ 10; $\alpha(M)=1.274\times10^{-5}$ 18 $\alpha(N)=2.27\times10^{-6}$ 4; $\alpha(O)=1.325\times10^{-7}$ 19 Mult.: $A_2=-0.39$ 5 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09). $\delta$ : possible M2 admixture of $\delta=-0.08$ 5 <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
4283.47	10 <sup>+</sup>	740.63 <sup>#</sup> 10	100 <sup>#</sup>	3542.84	8 <sup>+</sup>	E2		0.00232	$\alpha(K)=0.00201$ 3; $\alpha(L)=0.000249$ 4; $\alpha(M)=4.79\times10^{-5}$ 7 $\alpha(N)=8.48\times10^{-6}$ 12; $\alpha(O)=4.65\times10^{-7}$ 7 Mult.: $A_2=0.43$ 4; $A_4=-0.08$ 6 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
4284.76	(9) <sup>-</sup>	908.29 <sup>#</sup> 10	100 <sup>#</sup>	3376.46	7 <sup>-</sup>	E2		1.42×10 <sup>-3</sup>	$\alpha(K)=0.001235$ 18; $\alpha(L)=0.0001499$ 21; $\alpha(M)=2.87\times10^{-5}$ 4 $\alpha(N)=5.10\times10^{-6}$ 8; $\alpha(O)=2.87\times10^{-7}$ 4 Mult.: $A_2=0.27$ 7; $A_4=-0.13$ 10 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
4285.20	11 <sup>-</sup>	967.10 <sup>#</sup> 10	100 <sup>#</sup>	3318.09	9 <sup>-</sup>	E2		1.23×10 <sup>-3</sup>	$\alpha(K)=0.001071$ 15; $\alpha(L)=0.0001292$ 18; $\alpha(M)=2.48\times10^{-5}$ 4 $\alpha(N)=4.40\times10^{-6}$ 7; $\alpha(O)=2.49\times10^{-7}$ 4 Mult.: $A_2=0.285$ 39; $A_4=-0.13$ 6 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
4383.05	11 <sup>+</sup>	452.27 <sup>#</sup> 10		3930.78	12 <sup>+</sup>	M1(+E2)	0.05 3	0.00850	$\alpha(K)=0.00741$ 11; $\alpha(L)=0.000890$ 13; $\alpha(M)=0.0001706$ 24 $\alpha(N)=3.05\times10^{-5}$ 5; $\alpha(O)=1.784\times10^{-6}$ 25 Mult.: $a_0/A_2=-0.28$ 10 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
		1060.63 <sup>#</sup> 10		3322.40	10 <sup>+</sup>	M1+E2	0.75 30	0.00111 4	$\alpha(K)=0.00097$ 4; $\alpha(L)=0.000114$ 4; $\alpha(M)=2.18\times10^{-5}$ 7 $\alpha(N)=3.90\times10^{-6}$ 12; $\alpha(O)=2.29\times10^{-7}$ 9 Mult., $\delta$ : $A_2=0.67$ 5; $A_4=0.16$ 6 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) (1993De09).
4383.16	10 <sup>-</sup>	1067.06 <sup>#</sup> 10	100 <sup>#</sup>	3318.09	9 <sup>-</sup>	M1+E2	0.38 10	1.13×10 <sup>-3</sup> 2	$\alpha(K)=0.000988$ 17; $\alpha(L)=0.0001161$ 19; $\alpha(M)=2.22\times10^{-5}$ 4

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> <i>f</i>	α <sup>e</sup>	Comments
4467.74	11 <sup>-</sup>	896.68 <sup>#</sup> 10	100 <sup>#</sup>	3571.05	9 <sup>-</sup>	E2		1.46×10 <sup>-3</sup>	$\alpha(\text{N})=3.97\times10^{-6}$ 7; $\alpha(\text{O})=2.35\times10^{-7}$ 4 Mult., $\delta$ : $A_2=0.35$ 10; $A_4=0.17$ 12 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ). $\delta$ : Other: 3.6 +20–10 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
4587.15	12 <sup>+</sup>	903.12 <sup>#</sup> 10	100 <sup>#</sup>	3684.02	10 <sup>+</sup>	E2		1.44×10 <sup>-3</sup>	$\alpha(\text{K})=0.001251$ 18; $\alpha(\text{L})=0.0001546$ 22; $\alpha(\text{M})=2.96\times10^{-5}$ 5 $\alpha(\text{N})=5.26\times10^{-6}$ 8; $\alpha(\text{O})=2.96\times10^{-7}$ 5 Mult.: $A_2=0.364$ 23; $A_4=-0.06$ 3 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
4687.17	11 <sup>+</sup>	773.48 <sup>#</sup> 10	100 <sup>#</sup>	3913.69	9 <sup>+</sup>	E2		0.00208	$\alpha(\text{K})=0.00181$ 3; $\alpha(\text{L})=0.000223$ 4; $\alpha(\text{M})=4.28\times10^{-5}$ 6 $\alpha(\text{N})=7.59\times10^{-6}$ 11; $\alpha(\text{O})=4.19\times10^{-7}$ 6 Mult.: $A_2=0.31$ 6; $A_4=-0.09$ 8 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
4871.47	14 <sup>+</sup>	940.68 <sup>#</sup> 10	100 <sup>#</sup>	3930.78	12 <sup>+</sup>	E2		1.31×10 <sup>-3</sup>	$\alpha(\text{K})=0.001140$ 16; $\alpha(\text{L})=0.0001379$ 20; $\alpha(\text{M})=2.64\times10^{-5}$ 4 $\alpha(\text{N})=4.70\times10^{-6}$ 7; $\alpha(\text{O})=2.65\times10^{-7}$ 4 Mult.: $A_2=0.35$ 3; $A_4=-0.14$ 4 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
5106.22	(13) <sup>-</sup>	1175.43 <sup>#</sup> 10	100 <sup>#</sup>	3930.78	12 <sup>+</sup>	E1		3.84×10 <sup>-4</sup>	$\alpha(\text{K})=0.000315$ 5; $\alpha(\text{L})=3.63\times10^{-5}$ 5; $\alpha(\text{M})=6.92\times10^{-6}$ 10 $\alpha(\text{N})=1.235\times10^{-6}$ 18; $\alpha(\text{O})=7.28\times10^{-8}$ 11; $\alpha(\text{IPF})=2.42\times10^{-5}$ 4 Mult.: $A_2=0.334$ 18; $A_4=0.111$ 25 from $\gamma\gamma(\theta)$ in <sup>110</sup> Pd( $\alpha,2n\gamma$ ) ( <a href="#">1993De09</a> ).
7633.0	1 <sup>-</sup>	4323 <sup>&amp;</sup> 6	0.36 18	3312.24	(1 <sup>-</sup> ,2)			0.00186	$\alpha(\text{K})=4.28\times10^{-5}$ 6; $\alpha(\text{L})=4.83\times10^{-6}$ 7; $\alpha(\text{M})=9.20\times10^{-7}$ 13 $\alpha(\text{N})=1.645\times10^{-7}$ 24; $\alpha(\text{O})=9.88\times10^{-9}$ 14; $\alpha(\text{IPF})=0.00181$ 3 $B(E1)(W.u.)=3.3\times10^{-6}$ 9 Mult.: $A_2=0.4$ 1 ( <a href="#">1971Mo31</a> ).
		4385 <sup>&amp;</sup> 6	0.91 18	3246.86	(1,2) <sup>+</sup>	E1			
		4439 <sup>&amp;</sup> 6	0.36 18	3190.06	0 <sup>+,1,2,3</sup> <sup>+</sup>	E1(+M2)	≤0.6	0.00177 11	$\alpha(\text{K})=5.0\times10^{-5}$ 8; $\alpha(\text{L})=5.7\times10^{-6}$ 10;

## **Adopted Levels, Gammas (continued)**

### $\gamma(^{112}\text{Cd})$ (continued)

$E_i$ (level)		$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult. $^\dagger$	$\delta^\dagger f$	$\alpha^e$	Comments
7633.0	4522 <sup>&amp;</sup>	0.91 18	3109.98	(2) <sup>+</sup>	E1(+M2)	>-0.28	0.0015 4		$\alpha(M)=1.08\times 10^{-6}$ 18 $\alpha(N)=1.9\times 10^{-7}$ 4; $\alpha(O)=1.16\times 10^{-8}$ 19; $\alpha(IPF)=0.00172$ 12 $B(E1)(W.u.)>4.4\times 10^{-7}$ ?; $B(M2)(W.u.)<0.12$ ? Mult.: $A_2=0.16$ 17 ( <a href="#">1971Mo31</a> ).
	4782 <sup>&amp;</sup> 3	3.5 4	2852.90	2 <sup>+</sup>	E1(+M2)	$\leq+0.21$	0.00197 4		$\alpha(K)=7.E-5$ 3; $\alpha(L)=8.E-6$ 3; $\alpha(M)=1.6\times 10^{-6}$ 6 $\alpha(N)=2.8\times 10^{-7}$ 11; $\alpha(O)=1.7\times 10^{-8}$ 7; $\alpha(IPF)=0.0014$ 4 $B(E1)(W.u.)<3.5\times 10^{-6}$ ?; $B(M2)(W.u.)>0.036$ ? Mult.: $A_2=0.04$ 18 ( <a href="#">1971Mo31</a> ).
	4800 <sup>&amp;</sup> 3	3.09 18	2834.27	0 <sup>+</sup>	E1		0.00199		$\alpha(K)=3.93\times 10^{-5}$ 12; $\alpha(L)=4.44\times 10^{-6}$ 14; $\alpha(M)=8.4\times 10^{-7}$ 3 $\alpha(N)=1.51\times 10^{-7}$ 5; $\alpha(O)=9.1\times 10^{-9}$ 3; $\alpha(IPF)=0.00193$ 4 $B(E1)(W.u.)>7.4\times 10^{-6}$ ?; $B(M2)(W.u.)<0.10$ ? Mult.: $A_2=0.11$ 8 ( <a href="#">1971Mo31</a> ).
	4909 <sup>&amp;</sup> 2	0.36 18	2723.96	2 <sup>+</sup>	[E1]		0.00203		$\alpha(K)=3.70\times 10^{-5}$ 6; $\alpha(L)=4.17\times 10^{-6}$ 6; $\alpha(M)=7.94\times 10^{-7}$ 12 $\alpha(N)=1.421\times 10^{-7}$ 20; $\alpha(O)=8.54\times 10^{-9}$ 12; $\alpha(IPF)=0.00198$ 3 $B(E1)(W.u.)=8.6\times 10^{-6}$ 16 Mult.: $A_2=0.5$ 1 ( <a href="#">1971Mo31</a> ).
	5126 <sup>&amp;</sup> 2	0.73 18	2506.36	(2) <sup>+</sup>	[E1]		0.00209		$\alpha(K)=3.50\times 10^{-5}$ 5; $\alpha(L)=3.95\times 10^{-6}$ 6; $\alpha(M)=7.52\times 10^{-7}$ 11 $\alpha(N)=1.344\times 10^{-7}$ 19; $\alpha(O)=8.08\times 10^{-9}$ 12; $\alpha(IPF)=0.00205$ 3 $B(E1)(W.u.)=9.E-7$ 5
	5337 <sup>&amp;</sup> 4	0.91 18	2300.68	0 <sup>+</sup>	[E1]		0.00215		$\alpha(K)=3.33\times 10^{-5}$ 5; $\alpha(L)=3.75\times 10^{-6}$ 6; $\alpha(M)=7.14\times 10^{-7}$ 10 $\alpha(N)=1.277\times 10^{-7}$ 18; $\alpha(O)=7.68\times 10^{-9}$ 11; $\alpha(IPF)=0.00211$ 3 $B(E1)(W.u.)=1.8\times 10^{-6}$ 5
	5403 <sup>&amp;</sup> 2	0.36 18	2231.12	2 <sup>+</sup>	[E1]		0.00217		$\alpha(K)=3.28\times 10^{-5}$ 5; $\alpha(L)=3.69\times 10^{-6}$ 6; $\alpha(M)=7.03\times 10^{-7}$ 10 $\alpha(N)=1.257\times 10^{-7}$ 18; $\alpha(O)=7.56\times 10^{-9}$ 11; $\alpha(IPF)=0.00213$ 3 $B(E1)(W.u.)=7.E-7$ 4
	5477 <sup>&amp;</sup> 2	0.73 18	2156.18	2 <sup>+</sup>	[E1]		0.00219		$\alpha(K)=3.22\times 10^{-5}$ 5; $\alpha(L)=3.63\times 10^{-6}$ 5; $\alpha(M)=6.91\times 10^{-7}$ 10 $\alpha(N)=1.236\times 10^{-7}$ 18; $\alpha(O)=7.43\times 10^{-9}$ 11; $\alpha(IPF)=0.00215$ 3 $B(E1)(W.u.)=1.4\times 10^{-6}$ 5
	5512 <sup>&amp;</sup> 2	1.27 18	2121.62	2 <sup>+</sup>	[E1]		0.00220		$\alpha(K)=3.20\times 10^{-5}$ 5; $\alpha(L)=3.60\times 10^{-6}$ 5; $\alpha(M)=6.86\times 10^{-7}$ 10 $\alpha(N)=1.226\times 10^{-7}$ 18; $\alpha(O)=7.37\times 10^{-9}$ 11; $\alpha(IPF)=0.00216$ 3 $B(E1)(W.u.)=2.3\times 10^{-6}$ 6
	5551 <sup>&amp;</sup> 4	0.91 18	2081.64	4 <sup>+</sup>	[E3]		$1.40\times 10^{-3}$		$\alpha(K)=6.29\times 10^{-5}$ 9; $\alpha(L)=7.18\times 10^{-6}$ 10; $\alpha(M)=1.370\times 10^{-6}$ 20 $\alpha(N)=2.45\times 10^{-7}$ 4; $\alpha(O)=1.475\times 10^{-8}$ 21; $\alpha(IPF)=0.001327$ 19 $B(E3)(W.u.)=10$ 3
	5763 <sup>&amp;</sup> 2	21.1 16	1870.96	0 <sup>+</sup>	E1		0.00226		$\alpha(K)=3.02\times 10^{-5}$ 5; $\alpha(L)=3.41\times 10^{-6}$ 5; $\alpha(M)=6.48\times 10^{-7}$ 9 $\alpha(N)=1.159\times 10^{-7}$ 17; $\alpha(O)=6.98\times 10^{-9}$ 10; $\alpha(IPF)=0.00223$ 4 $B(E1)(W.u.)=3.4\times 10^{-5}$ 7 Mult.: $A_2=0.51$ 2 ( <a href="#">1971Mo31</a> ).

From ENSDF

112Cd-60

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>†</sup>	δ <sup>†</sup> f	Comments
7633.0	1 <sup>-</sup>	6164 <sup>&amp;</sup> 2	3.5 4	1468.822	2 <sup>+</sup>	E1(+M2)	≤0.15	$\alpha(\text{IPF})=0.00233$ 4 B(E1)(W.u.)>3.5×10 <sup>-6</sup> ?; B(M2)(W.u.)<0.015? Mult.: A <sub>2</sub> =0.08 7 ( <a href="#">1971Mo31</a> ).  6203 <sup>&amp;</sup> 3
			4.0 4	1433.27	0 <sup>+</sup>	E1		$\alpha(\text{IPF})=0.00235$ 4 B(E1)(W.u.)=5.1×10 <sup>-6</sup> 11 Mult.: A <sub>2</sub> =0.57 7 ( <a href="#">1971Mo31</a> ).  6409 <sup>&amp;</sup> 2
			14.6 11	1224.341	0 <sup>+</sup>	E1		$\alpha(\text{IPF})=0.00240$ 4 B(E1)(W.u.)=1.7×10 <sup>-5</sup> 4 Mult.: A <sub>2</sub> =0.52 4 ( <a href="#">1971Mo31</a> ).  7015 2
			21.3 16	617.518	2 <sup>+</sup>	E1+M2	0.06 2	$\alpha(\text{IPF})=0.00254$ 4 B(E1)(W.u.)=1.9×10 <sup>-5</sup> 4; B(M2)(W.u.)=0.006 5 Mult.: A <sub>2</sub> =0.09 2 ( <a href="#">1971Mo31</a> ).  7632 <sup>&amp;</sup> 1
			100 7	0.0	0 <sup>+</sup>	E1		$\alpha(\text{IPF})=0.00267$ 4 B(E1)(W.u.)=6.9×10 <sup>-5</sup> 13 Mult.: from $\gamma(\theta)$ and $\gamma(\text{pol})$ ( <a href="#">1970Mo26</a> ). Mult.: A <sub>2</sub> =0.51 1 ( <a href="#">1971Mo31</a> ).  (9394.20) (1) <sup>+</sup>
	5390.5 <sup>c</sup> 5	2.9 <sup>c</sup> 6	4003.9	(3 <sup>-</sup> )				
	5397.8 <sup>c</sup> 3	5.5 <sup>c</sup> 9	3997.75	1,2 <sup>+</sup>				
	5423.9 <sup>c</sup> 3	4.4 <sup>c</sup> 6	3970.08	(1,2 <sup>+</sup> )				
	5442.48 <sup>c</sup> 13	62.3 <sup>c</sup> 16	3951.57	1,2 <sup>+</sup>				
	5498.9 <sup>c</sup> 6	4.3 <sup>c</sup> 12						
	5501.62 <sup>c</sup> 17	24.5 <sup>c</sup> 19	3892.48	0 <sup>+,1,2,3<sup>+</sup></sup>				
	5547.5 <sup>c</sup> 4	5.3 <sup>c</sup> 8	3846.48	(1,2 <sup>+</sup> )				
	5555.6 <sup>c</sup> 6	2.6 <sup>c</sup> 6	3838.85	(1,2 <sup>+</sup> )				
	5650.8 <sup>c</sup> 5	3.4 <sup>c</sup> 8	3743.76	(1,2,3) <sup>+</sup>				
	5670.24 <sup>c</sup> 24	6.2 <sup>c</sup> 7	3723.25	0 <sup>+,1,2,3<sup>+</sup></sup>				
	5674.88 <sup>c</sup> 25	5.9 <sup>c</sup> 7	3719.75	(2 <sup>+,3<sup>+</sup>)</sup>				
	5686.66 <sup>c</sup> 14	62.6 <sup>c</sup> 19	3707.45	1 <sup>-</sup> ,2,3 <sup>+</sup>				
	5697.93 <sup>c</sup> 13	58.7 <sup>c</sup> 19	3696.15	0 <sup>+,1,2,3<sup>+</sup></sup>				
	5741.76 <sup>c</sup> 18	14.3 <sup>c</sup> 8	3652.18	1,2 <sup>+</sup>				
	5746.95 <sup>c</sup> 24	7.5 <sup>c</sup> 7	3646.54	0 <sup>+,1,2,3<sup>+</sup></sup>				
	5784.3 <sup>c</sup> 4	4.5 <sup>c</sup> 8	3608.91	0 <sup>+,1,2,3<sup>+</sup></sup>				
	5822.2 <sup>c</sup> 4	4.7 <sup>c</sup> 7	3572.28	(1,2 <sup>+</sup> )				
	5825.99 <sup>c</sup> 20	11.3 <sup>c</sup> 9	3568.05	2 <sup>+</sup>				
	5837.08 <sup>c</sup> 18	11.0 <sup>c</sup> 7	3556.88	(1,2 <sup>+</sup> )				
	5853.86 <sup>c</sup> 21	13.6 <sup>c</sup> 13	3540.24	1,2 <sup>+</sup>				
	5879.4 <sup>c</sup> 3	4.4 <sup>c</sup> 6	3512.97	(1,2,3) <sup>+</sup>				
	5893.51 <sup>c</sup> 13	30.5 <sup>c</sup> 10	3500.45	0 <sup>+</sup> to 3 <sup>+</sup>				
	5914.9 <sup>c</sup> 3	5.7 <sup>c</sup> 7	3478.58	0 <sup>+,1,2<sup>+</sup></sup>				
	5938.41 <sup>c</sup> 14	35.6 <sup>c</sup> 13	3455.48	0 <sup>+,1,2</sup>				

## Adopted Levels, Gammas (continued)

 $\gamma(^{112}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>
(9394.20)	(1) <sup>+</sup>	5942.00 <sup>c</sup> 10	8.7 <sup>c</sup> 11	3452.47	2 <sup>+</sup>	(9394.20)	(1) <sup>+</sup>	6627.97 <sup>c</sup> 15	3.0 <sup>c</sup> 7	2765.72	2 <sup>+</sup>
		5965.00 <sup>c</sup> 10	3.9 <sup>c</sup> 5	3428.87	2 <sup>+</sup>			6720.8 <sup>c</sup> 6	3.0 <sup>c</sup> 7	2674.00	2 <sup>+</sup>
		6000.49 <sup>c</sup> 13	28.8 <sup>c</sup> 10	3393.45	(1,2 <sup>+</sup> )			6725.22 <sup>c</sup> 15	38.1 <sup>c</sup> 19	2668.92	(2) <sup>-</sup>
		6015.63 <sup>c</sup> 15	25.7 <sup>c</sup> 10	3378.52	(2) <sup>+</sup>			6832.3 <sup>c</sup> 5	3.4 <sup>c</sup> 5	2561.27	(1,2 <sup>+</sup> )
		6030.58 <sup>c</sup> 16	12.1 <sup>c</sup> 7	3363.55	2 <sup>+</sup>			6862.10 <sup>c</sup> 21	9.5 <sup>c</sup> 7	2532.20	2 <sup>+</sup>
		6090.77 <sup>c</sup> 16	22.3 <sup>c</sup> 13	3303.24	(2,3) <sup>+</sup>			6887.26 <sup>c</sup> 13	100 <sup>c</sup> 4	2506.70	1 <sup>-</sup>
		6140.26 <sup>c</sup> 16	14.5 <sup>c</sup> 8	3254.21	(0 <sup>+</sup> ,1,2)			6991.18 <sup>c</sup> 23	6.1 <sup>c</sup> 6	2402.98	3 <sup>+</sup>
		6150.4 <sup>c</sup> 4	2.9 <sup>c</sup> 5	3242.64	2 <sup>+</sup>			7093.29 <sup>c</sup> 17	10.3 <sup>c</sup> 7	2300.68	0 <sup>+</sup>
		6162.45 <sup>c</sup> 16	13.0 <sup>c</sup> 7	3231.59	1 <sup>+</sup>			7162.1 <sup>c</sup> 5	2.3 <sup>c</sup> 5	2231.12	2 <sup>+</sup>
		6203.94 <sup>c</sup> 15	18.8 <sup>c</sup> 9	3190.06	0 <sup>+</sup> ,1,2,3 <sup>+</sup>			7237.56 <sup>c</sup> 23	6.1 <sup>c</sup> 6	2156.18	2 <sup>+</sup>
		6224.68 <sup>c</sup> 15	20.1 <sup>c</sup> 9	3169.46	2 <sup>+</sup>			7272.28 <sup>c</sup> 17	12.7 <sup>c</sup> 8	2121.62	2 <sup>+</sup>
		6230.36 <sup>c</sup> 14	27.7 <sup>c</sup> 11	3163.51	2 <sup>+</sup>			7328.6 <sup>c</sup> 7	1.5 <sup>c</sup> 5	2064.53	3 <sup>+</sup>
		6258.35 <sup>c</sup> 19	41 <sup>c</sup> 5	3135.84	(2,3 <sup>+</sup> )			7522.80 <sup>c</sup> 25	5.9 <sup>c</sup> 6	1870.96	0 <sup>+</sup>
		6260.63 <sup>c</sup> 25	29 <sup>c</sup> 5	3133.42	1 <sup>-</sup>			7924.8 <sup>c</sup> 4	1.9 <sup>c</sup> 3	1468.822	2 <sup>+</sup>
		6282.6 <sup>c</sup> 3	8.7 <sup>c</sup> 8	3109.98	(2) <sup>+</sup>			7961.03 <sup>c</sup> 11	0.45 <sup>c</sup> 19	1433.27	0 <sup>+</sup>
		6328.5 <sup>c</sup> 3	6.4 <sup>c</sup> 8	3066.23	(2,3) <sup>-</sup>			8081.34 <sup>c</sup> 14	16.8 <sup>c</sup> 12	1312.390	2 <sup>+</sup>
		6448.4 <sup>c</sup> 3	2.7 <sup>c</sup> 4	2944.94	2 <sup>+</sup>			8169.41 <sup>c</sup> 23	8.8 <sup>c</sup> 8	1224.341	0 <sup>+</sup>
		6463.7 <sup>c</sup> 6	1.4 <sup>c</sup> 3	2931.46	1 <sup>+</sup>			8776.11 <sup>c</sup> 14	25.8 <sup>c</sup> 3	617.518	2 <sup>+</sup>
		6559.8 <sup>c</sup> 6	2.7 <sup>c</sup> 6	2834.27	0 <sup>+</sup>			9393.63 <sup>c</sup> 18	4.1 <sup>c</sup> 5	0.0	0 <sup>+</sup>
		6564.67 <sup>c</sup> 13	85 <sup>c</sup> 3	2829.19	1 <sup>-</sup>						

<sup>†</sup> From <sup>112</sup>Cd(n,n'γ), unless otherwise stated. E<sub>γ</sub>'s were rounded off by the evaluators and ΔE<sub>γ</sub>=0.10 was set by the evaluators in cases where the authors quoted ΔE<sub>γ</sub><0.10 keV.

<sup>‡</sup> From γγ(θ) in <sup>110</sup>Pd(α,2nγ) ([1997Dr03](#)).

<sup>#</sup> From <sup>110</sup>Pd(α,2ny). ΔE<sub>γ</sub>=0.10 was set by the evaluators in cases where the authors quoted ΔE<sub>γ</sub><0.10 keV.

<sup>@</sup> From <sup>112</sup>Ag β<sup>-</sup> decay (3.130 h).

<sup>&</sup> From <sup>112</sup>Cd(γ,γ'); Mult and δ based on γ(θ) in [1971Mo31](#), where applicable.

<sup>a</sup> From <sup>112</sup>Cd(γ, pol γ').

<sup>b</sup> From <sup>111</sup>Cd(n,γ) E=th:secondary. ΔE<sub>γ</sub>=0.10 was set by the evaluators in cases where the authors quoted ΔE<sub>γ</sub><0.10 keV, unless value measured with a curved crustal spectrometer.


<sup>c</sup> From <sup>111</sup>Cd(n,γ) E=th:primary.


<sup>d</sup> From curved crustal spectrometer measurements in <sup>111</sup>Cd(n,γ) E=th:secondary ([1997Dr03](#)).


<sup>e</sup> [Additional information 1](#).


<sup>f</sup> If no value given it was assumed δ=0.00 for E2/M1, δ=1.00 for E3/M2 and δ=0.10 for the other multipolarities.

<sup>g</sup> Placement of transition in the level scheme is uncertain.











**Adopted Levels, Gammas****Level Scheme (continued)**


Intensities: Type not specified


**Legend**


- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$



























### Adopted Levels, Gammas

## Level Scheme (continued)

Intensities: Type not specified




### Adopted Levels, Gammas

#### Level Scheme (continued)

Intensities: Type not specified


	Legend	
	$I_\gamma < 2\% \times I_\gamma^{\max}$	2454.51 0.35 ps +9-6
	$I_\gamma < 10\% \times I_\gamma^{\max}$	2418.0 1.29 ps 3
	$I_\gamma > 10\% \times I_\gamma^{\max}$	2416.00 0.15 ps 3



### Adopted Levels, Gammas

## Level Scheme (continued)

Intensities: Type not specified



**Adopted Levels, Gammas**

Type	Author	History
Full Evaluation	Jean Blachot	Citation
		NDS 113,515 (2012)

Q( $\beta^-$ )=-1446.4 9; S(n)=9042.91 14; S(p)=10277 17; Q( $\alpha$ )=-4108.2 8    2012Wa38Note: Current evaluation has used the following Q record -1447.2 9 9042.98 14 10277 17-4095 7    2011AuZZ.  
1991De27 have compared the even-even isotopes  $^{106-116}\text{Cd}$ . **$^{114}\text{Cd}$  Levels****Cross Reference (XREF) Flags**

A	$^{114}\text{Ag}$ $\beta^-$ decay	G	$^{118}\text{Sn}(d,^6\text{Li})$	M	Coulomb excitation
B	$^{114}\text{In}$ $\varepsilon$ decay (71.9 s)	H	$^{112}\text{Cd}(t,p)$	N	$^{115}\text{In}(d,^3\text{He})$
C	$^{114}\text{In}$ $\varepsilon$ decay (49.51 d)	I	(HI,xny)	O	$^{114}\text{Cd}(\gamma,\gamma')$
D	$^{113}\text{Cd}(n,\gamma)$ E=thermal	J	$^{114}\text{Cd}(n,n'\gamma)$	P	$^{114}\text{Cd}(e,e')$
E	$^{113}\text{Cd}(n,\gamma)$ E=2.24 keV	K	$^{114}\text{Cd}(p,p')$	Q	$^{114}\text{Cd}(\alpha,\alpha')$
F	$^{113}\text{Cd}(d,p)$	L	$^{114}\text{Cd}(d,d')$	R	$^{114}\text{Cd}(\gamma,\text{pol } \gamma')$

E(level)	$J^\pi \dagger$	$T_{1/2} \ddagger$	XREF	Comments
0 <sup>#</sup>	0 <sup>+</sup>	stable	ABCDEFGHIJKLMNPQ	E(level): g-factor=+0.321 21 (2011Ch23). $T_{1/2}$ : an upper limit is given for the double $\beta$ decay: $>92 \times 10^{15}$ y (1995Tr07), $>6.0 \times 10^{17}$ y (2003Da24), $>1.3 \times 10^{18}$ y (2008Be22).
558.456 <sup>#</sup> 2	2 <sup>+</sup>	10.2 ps 6	ABCDEFGHIJKLMNPQ	$Q=-0.35$ 5 (2005St24) $\mu=+0.642$ 40 (2011Ch23) $\mu$ : other: +0.58 14 (1980Br01,2005St24). $J^\pi$ : L(p,p')=2.
1134.532 6	0 <sup>+</sup>	9.9 ps 6	AB DEFGH JKLM Q	XREF: L(1150). $J^\pi$ : L(p,p')=0.
1209.708 6	2 <sup>+</sup>	3.1 ps 3	A DEFGH JKLM PQ	$J^\pi$ : L(p,p')=2.
1283.739 <sup>#</sup> 8	4 <sup>+</sup>	1.39 ps 8	A CD FGHIJKLMNOP Q	$J^\pi$ : L(d,p)=4, E2 $\gamma$ to 2 <sup>+</sup> . $T_{1/2}$ : from $\gamma\gamma(\theta)$ in $^{114}\text{In}$ $\beta^-$ decay (1970Mu11); other: 5.2 ps +8–18 from ( $\gamma,\gamma'$ ) (1962Ak01).
1305.609 6	0 <sup>+</sup>	4.7 ns 3	AB DEFGH JK M	$J^\pi$ : L(d,p)=0. $T_{1/2}$ : from $^{16}\text{O}, \gamma(t)$ (1980Ju05).
1364.344 6	2 <sup>+</sup>	5.2 ps 4	A DEFGH JKLMN Q	$J^\pi$ : L(d,p)=2, E2 $\gamma$ to 0 <sup>+</sup> .
1732.246 8	4 <sup>+</sup>	4.8 ps 3	D H J M	$J^\pi$ : E2 $\gamma$ to 2 <sup>+</sup> . Not fed by primary gammas in arc (1967Eg01). L(t,p)=(2) is discrepant.
1784 5	(2 <sup>+</sup> )		H	$J^\pi$ : L(t,p)=(2).
1841.947 8	2 <sup>+</sup>	0.65 ps 12	A DEFG J M	$T_{1/2}$ : $T_{1/2} > 0.83$ ps (2007Ba73). $J^\pi$ : E2 $\gamma$ to 0 <sup>+</sup> g.s.
1859.698 10	0 <sup>+</sup>	1.8 ps 4	A DEFGH J LM	$T_{1/2}$ : $T_{1/2} > 0.73$ ps (2007Ba73). $J^\pi$ : from L(d,p)=0.
1864.262 8	3 <sup>+</sup>	>0.87 ps	DE J	$T_{1/2}$ : From 2007Ba73. $J^\pi$ : M1 $\gamma$ 's to 2 <sup>+</sup> and 4 <sup>+</sup> .
1932.077 8	(4) <sup>+</sup>	>0.31 ps	D J	$T_{1/2}$ : From 2007Ba73. $J^\pi$ : M1 $\gamma$ to 4 <sup>+</sup> and E2 $\gamma$ to 2 <sup>+</sup> , possible E0 component in transition to 4 <sup>+</sup> .
1958.094 8	3 <sup>-</sup>	0.60 ps +15–10	DEFGH JK MN PQ	$T_{1/2}$ : From 2007Ba73. $J^\pi$ : E1 $\gamma$ to 2 <sup>+</sup> , L(d, $^3\text{He})=1$ .
1990.3 <sup>#</sup> 2	6 <sup>+</sup>	0.82 ps 10	IJ LM	XREF: L(1980). $J^\pi$ : E2 $\gamma$ to 4 <sup>+</sup> , no $\gamma$ to J<4.
2048.026 8	2 <sup>+</sup>	0.38 ps 11	A DEF H J M	$T_{1/2}$ : $T_{1/2}=0.57$ ps +25–14 (2007Ba73), 0.00024 eV 11

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{114}\text{Cd}$  Levels (continued)**

E(level)	$J^\pi \dagger$	$T_{1/2} \ddagger$	S	XREF	Comments
2152.266 8	$3^+, 4^+$	>0.35 ps		D J	(2005Ko32). $J^\pi$ : E1 $\gamma$ to $3^-$ , M1,E2 $\gamma$ to $0^+$ . $T_{1/2}$ : From 2007Ba73.
2204.561 8	$3^+$	>0.55 ps		DE J	$J^\pi$ : M1 $\gamma$ 's to $4^+, 3^+$ , M1+E2 $\gamma$ to $4^+$ . $T_{1/2}$ : From 2007Ba73.
2218.860 16	$2^+$	89 fs +8–7		A DEF H JK	$J^\pi$ : E1 $\gamma$ to $3^-$ . M1 $\gamma$ to $2^+$ , arc. $T_{1/2}$ : From 2007Ba73.
2298.93@ 2	$5^-$	>1.04 ps		D IJKL N Q	$J^\pi$ : from L(t,p)=2, M1,E2 to $4^+$ rules out $1^+$ . $T_{1/2}$ : From 2007Ba73.
2317.1 7	$2^+$			J 1	$J^\pi$ : L( ${}^3\text{He},\text{d}$ )=1 from $9/2^+$ , E1 $\gamma$ to $4^+$ .
2384.760 8	$3^-$	0.55 ps +16–10		D F n	$J^\pi$ : M1+E2 $\gamma$ to $2^+$ and $\gamma(\theta)$ in ( $n,n'\gamma$ ). $T_{1/2}$ : From 2007Ba73.
2387.3 10	$3^-$			J n q	$J^\pi$ : E1 $\gamma$ to $2^+$ and M1 $\gamma$ to $3^+$ . $J^\pi$ : J=3 from $\gamma(\theta)$ in ( $n,n'\gamma$ ). L(d, ${}^3\text{He}$ )=1 for E=2390 15 yields $\pi=-$ . 1976De42 in ( $n,n'\gamma$ ) suggest $\pi=+$ , but $\delta$ discrepant with 1987Ar24.
2391.50 4	$4^+$	187 fs +24–21		D H JK n q	$T_{1/2}$ : From 2007Ba73. $J^\pi$ : L(e,e')=4. $\gamma(\theta)$ data in (e,e') analyzed as L=2+4 doublet, possibly distorted by 2387 J=(3) level.
2396	$1^-$	0.0007 eV 2	1.4 4	R	$B(E1)\uparrow=0.14\times10^{-5}$ 4 $T_{1/2}$ : from 2005Ko32.
2400.2 20	(6) $^+$	1.0 ps 3		J LM	XREF: L(2410). E(level): a level at 2412.5 is also seen in ( $n,n'\gamma$ ) with suggested J=(6).
2412.5 5	(6)			J	$J^\pi$ : E2 $\gamma$ to $4^+$ .
2437.64 8	$0^+$	>0.90 ps		DE J	$J^\pi$ : from $\gamma(\theta)$ in ( $n,n'\gamma$ ). $T_{1/2}$ : From 2007Ba73.
2456.005 14	$1^-$	39 fs 4		A DE J N R	$J^\pi$ : E0 $\gamma$ to g.s. $B(E1)\uparrow=2.1\times10^{-5}$ 4 $T_{1/2}$ : From 2007Ba73, $T_{1/2}=0.0110$ eV 18 (2005Ko32).
2460.757 12	$4^-$	>0.68 ps		D J N	$J^\pi$ : E1 $\gamma$ to $0^+$ g.s. $T_{1/2}$ : From 2007Ba73. $J^\pi$ : E1 $\gamma$ 's to $3^+$ and $4^+$ , $\gamma(\theta)$ in ( $n,n'\gamma$ ).
2465.2 7				J	
2503.24 9	(4)	152 fs +35–28		J	
2505 6	$0^+, 1^+$			F	
2525.420 10	$2^+$	>0.35 ps		DEF Jk	$J^\pi$ : from L(d,p)=0. $T_{1/2}$ : From 2007Ba73.
2535.81 2	(5) $^-$	0.18 ps +28–8		H Jkl N	$J^\pi$ : from L(d,p)=2, E1 $\gamma$ to $3^-$ . $T_{1/2}$ : From 2007Ba73.
2553.87 8	$0^+$	0.32 ps +12–7		A DEF J 1	$J^\pi$ : from angular distribution in (d, ${}^3\text{He}$ ). $T_{1/2}$ : From 2007Ba73.
2580.357 12	$2^-$	0.42 ps +9–6		DE J	$J^\pi$ : from L(d,p)=0, E0 $\gamma$ to $0^+$ . $T_{1/2}$ : From 2007Ba73.
2636.52 6	$0^+$	0.25 ps +6–4		A DEF J	$J^\pi$ : E1 $\gamma$ to $2^+$ . M1 $\gamma$ to $3^-$ , arc. $T_{1/2}$ : From 2007Ba73.
2646	1	0.0006 eV 2	1.0 3	R	$J^\pi$ : from L(d,p)=0, arc. $B(M1)\uparrow=0.008$ 2; $B(E1)\uparrow=0.09\times10^{-5}$ 3 $T_{1/2}$ : From 2005Ko32.
2650.120 12	$2^+$	0.41 ps +13–8		DE h J 1	$B(M1)\uparrow=0.010$ 3; $B(E1)\uparrow=0.12\times10^{-5}$ 4 $T_{1/2}$ : From 2007Ba73, $T_{1/2}=0.0008$ eV 2 (2005Ko32).
2660.90 3	$2^+$	22.2 fs 14		A DEF h JKL	$J^\pi$ : E2 $\gamma$ to $0^+$ g.s. $T_{1/2}$ : From 2007Ba73.

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{114}\text{Cd}$  Levels (continued)**

E(level)	$J^\pi \dagger$	$T_{1/2} \ddagger$	XREF	Comments
2669.3 <sup>#</sup> 20	(8 <sup>+</sup> )	1.4 ps 4	I J M	$J^\pi$ : from L(d,p)=2.
2701.066 20	3 <sup>+</sup>	0.31 ps +11-7	DE J	E2 $\gamma$ to 6 <sup>+</sup> . $T_{1/2}$ : From <a href="#">2007Ba73</a> .
				$J^\pi$ : primary $\gamma$ in (n, $\gamma$ ), res, E1 $\gamma$ to 3 <sup>-</sup> .
2735.2 <sup>@</sup> 4	(7 <sup>-</sup> )		I	
2747.21 10	(5)		J	
2749.265 20	2 <sup>+</sup>	0.69 ps +10-7	DEF h J	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : L(d,p)=2, E2 $\gamma$ to 4 <sup>+</sup> .
2756.92 7	3 <sup>-</sup> ,(4 <sup>-</sup> )	0.51 ps +73-19	DE h Jkl	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : E1 $\gamma$ to 4 <sup>+</sup> .
2767.85 10	1 <sup>-</sup>	29.8 fs 28	D F Jkl N	$T_{1/2}$ : From <a href="#">2007Ba73</a> , $T_{1/2}=0.0072$ eV 8 ( <a href="#">2005Ko32</a> ). $J^\pi$ : E1 $\gamma$ to 0 <sup>+</sup> g.s.
2788.501 24	(1,2) <sup>+</sup>	0.25 ps +5-4	DE J l	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : M1, E2 $\gamma$ to g.s.
2799.99 5	(1 <sup>+</sup> ,2 <sup>+</sup> )	19.4 fs 21	A DE J l	$T_{1/2}$ : From <a href="#">2007Ba73</a> , $T_{1/2}=0.0113$ eV 13 ( <a href="#">2005Ko32</a> ). $J^\pi$ : M1, E2 $\gamma$ to 0 <sup>+</sup> g.s.
2806.59 3	3 <sup>+</sup>	125 fs +18-15	DEF J	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : M1 $\gamma$ to 2 <sup>+</sup> , E1 $\gamma$ to 2 <sup>-</sup> .
2812.050 20	2 <sup>+</sup>	0.36 ps +23-10	DE J	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : E1 $\gamma$ to 3 <sup>-</sup> , M1 $\gamma$ to 3 <sup>+</sup> , $\gamma$ to 0 <sup>+</sup> g.s.
2820.22 3	4 <sup>+</sup>		D H	XREF: H(2830). $J^\pi$ : E2 $\gamma$ to 2 <sup>+</sup> , L(t,p)=(4).
2827.88 10	(4) <sup>+</sup>	0.38 ps +44-14	J	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : E2 $\gamma$ to 2 <sup>+</sup> .
2828.2 2	0 <sup>+,1<sup>+</sup></sup>		EF	$J^\pi$ : from L(d,p)=0.
2847 6	2 <sup>-,3<sup>-</sup>,4<sup>-</sup></sup>		F	$J^\pi$ : L(d,p)=3.
2869 4	(4 <sup>+</sup> )		H	$J^\pi$ : L(t,p)=4,(2).
2871.63 7	2,3	125 fs +17-14	J	$T_{1/2}$ : From <a href="#">2007Ba73</a> .
2874.26 6	2,4	>0.62 ps	J	$T_{1/2}$ : From <a href="#">2007Ba73</a> .
2880.56 10	4,3	111 fs +21-17	J	$T_{1/2}$ : From <a href="#">2007Ba73</a> .
2902.6 8	3 <sup>+,0<sup>+</sup>)</sup>		E	$J^\pi$ : arc.
2910.2 3	0 <sup>+,1<sup>+</sup></sup>		EF	$J^\pi$ : from L(d,p)=0.
2918.45 10	3	69 fs +17-14	J	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : L(t,p)=4.
2932.97 10	4 <sup>+</sup>	125 fs +21-17	H J	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : L(t,p)=4.
2935.76 6	2 <sup>+</sup>	>0.35 ps	J	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : E1 $\gamma$ to 4 <sup>+</sup> . Arc gives 0 <sup>+,3<sup>+</sup></sup>
2936.12 5	(3 <sup>-</sup> )		DE	$T_{1/2}$ : From <a href="#">2007Ba73</a> .
2941.27 7	2,3 <sup>+</sup>	0.24 ps +12-6	EF J	$T_{1/2}$ : From <a href="#">2007Ba73</a> .
2953.00 10	3 <sup>+</sup>	62 fs 7	A D J l	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : E2 $\gamma$ to 4 <sup>+</sup> , M1 $\gamma$ to 2 <sup>+</sup> .
2957.26 5	1 <sup>-,2<sup>-,3<sup>-</sup></sup></sup>	166 fs +28-21	DEF J l	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : E1 $\gamma$ to 2 <sup>+</sup> . Tentative $\gamma$ to 0 <sup>+</sup> would rule out 2 <sup>-,3<sup>-</sup>. Doubly placed E1 to 3<sup>+</sup> would rule out 1<sup>-</sup>. Doubly placed <math>\gamma</math> to 4<sup>-</sup> would rule out 1<sup>-</sup>.</sup>
2999.56 2	1 <sup>-</sup>	25.0 fs 28	DE J l	B(M1) $\uparrow=0.107$ 10; B(E1) $\uparrow=1.18\times10^{-5}$ 11 $T_{1/2}$ : From <a href="#">2007Ba73</a> , $T_{1/2}=0.0111$ eV 11 ( <a href="#">2005Ko32</a> ). $J^\pi$ : E1 $\gamma$ to 0 <sup>+</sup> g.s.
3001.63 12	4 <sup>+</sup>		J	
3002.22 3	2 <sup>+</sup>	145 fs +49-28	DEF J l	$T_{1/2}$ : From <a href="#">2007Ba73</a> . $J^\pi$ : E2 $\gamma$ to 0 <sup>+</sup> g.s.
3025.04 11	2,3	0.33 ps +19-9	F J	$T_{1/2}$ : From <a href="#">2007Ba73</a> .
3051.54 11	(2)		J	
3052.90 4	0 <sup>+</sup>		A DEF H l N	$J^\pi$ : L(d,p)=0, L(t,p)=0.
3061.48 8	2 <sup>+</sup>	121 fs +24-17	J	$T_{1/2}$ : From <a href="#">2007Ba73</a> .
3077.44 3	2 <sup>+</sup>	139 fs +66-35	DE G J l	XREF: E(3080).

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{114}\text{Cd}$  Levels (continued)**

E(level)	J $^{\pi \dagger}$	T $_{1/2}^{\pi \ddagger}$	XREF	Comments	
3087	1,2	0.00086 eV 26	R	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3108.640 24	1 $^-$	22 fs 6	DE J	J $^{\pi}$ : M1 $\gamma$ to 2 $^+$ , $\gamma$ to 0 $^+$ g.s., L(d,p)=2.	
3110	1	0.0051 eV 14	R	T $_{1/2}$ : From <a href="#">2007Ba73</a> , T $_{1/2}$ =0.0095 eV 19 ( <a href="#">2005Ko32</a> ).	
3111.74 10	(2)		J	J $^{\pi}$ : E1 $\gamma$ to 0 $^+$ g.s.	
3115.56 7	3,2	146 fs +21-17	J	E(level): from <a href="#">1994Ge07</a> , energy of 3110 in <a href="#">2005Ko32</a> is 3109+3110 unresolved doublet.	
3119 6			F	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3130 6			F	J $^{\pi}$ : L(d,p)=(2,3).	
3140.34 9	3,2	229 fs +42-35	J	J $^{\pi}$ : L(d,p)=(2,3).	
3142 5			H	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3143.3# 20	(10 $^+$ )		I	J $^{\pi}$ : L(t,p)=(6+0).	
3157.16 4	1 $^-,$ (2 $^-,$ 3 $^-$ )		DE H J	XREF: H(3142).	
3167.1 3	0 $^+,$ 1 $^+,$ 2 $^+$		A E J	J $^{\pi}$ : E1 $\gamma$ to 2 $^+$ .	
3168.72 13	2	90 fs +35-21	J	J $^{\pi}$ : log f $t$ =5.8 from 1 $^+$ parent.	
3176.14 7	2,3	0.22 ps +10-6	J	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3192.19 14	2,3	0.17 ps +12-6	J	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3193 6	2 $^-,$ 3 $^-,$ 4 $^-$		F N	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3206.0 3	2 $^+$	173 fs +49-35	DE J	J $^{\pi}$ : L(d,p)=3.	
3213.2 3	(1,2) $^-$	42 fs +5-4	A E J	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3214	1 $^{(+)}$	0.0025 eV 3	R	J $^{\pi}$ : E1 $\gamma$ to 2 $^+$ . Fed by primary $\gamma$ in (n, $\gamma$ ).	
3218.56 4	1 $^-,$ (2 $^-$ )	33.3 fs 35	DE J	R B(M1) $\uparrow$ =0.019 2; B(E1) $\uparrow$ =0.21 $\times 10^{-5}$ 3	
3220	1 $^{(+)}$	0.0126 eV 8	R	J $^{\pi}$ : B(M1) $\uparrow$ =0.098 6; B(E1) $\uparrow$ =1.08 $\times 10^{-5}$ 7	
3221 6	1 $^+,$ 2 $^+,$ 3 $^+$		F	J $^{\pi}$ : L(d,p)=2.	
3222.76 15	0	0.14 ps +9-4	J	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3232.41 12	1,2,3	121 fs +24-17	J	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3249.18 11	1	62 fs +42-21	J	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3250 15	(8 $^+$ )		N	J $^{\pi}$ : from angular distributions in (d, $^3\text{He}$ ).	
3254 5			H	J $^{\pi}$ : L(t,p)=(5+0).	
3258.093 11	1 $^-,$ 2 $^-$	132 fs +62-35	DEF H J	XREF: H(3253).	
3267.27 10	1 $^+,$ 2 $^+$		A	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3282.6@ 4	(9 $^-$ )		I	J $^{\pi}$ : E1 $\gamma$ to 2 $^+$ , M1 $\gamma$ to 1 $^-$ .	
3285.09 12	2,3 $^+$	121 fs +28-21	F J N	J $^{\pi}$ : L(d,p)=2.	
3296.57 11			J	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3298.52 13	2,3	42 fs +10-7	J	J $^{\pi}$ : $\gamma$ to 2 $^+$ .	
3315.7 3	(0,1,2)		A	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3322.29 8	1	0.18 ps +17-7	J	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3334.34 9	2,3,4	114 fs +38-28	J	T $_{1/2}$ : From <a href="#">2007Ba73</a> .	
3343 9			H	J $^{\pi}$ : L(t,p)=(4).	
3350.8 3	0 $^+,$ 1 $^+$		A F J	J $^{\pi}$ : L(d,p)=0.	
3365 1			F J		
3381.95 13	1,2,3		F J		
3409.62 16	1,2		F J N	J $^{\pi}$ : L(d,p)=2. L(d, $^3\text{He}$ )=1+4.	
3445.1 3			EF		
3462.1 3	(1 $^+,$ 2 $^+,$ 3 $^+$ )		EF H J	J $^{\pi}$ : L(d,p)=2, av res (n, $\gamma$ ) gives $\pi=-?$ , L(t,p)=1,(2)	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{114}\text{Cd}$  Levels (continued)**

E(level)	$J^\pi \dagger$	$T_{1/2} \ddagger$	S	XREF	Comments
3478.54 19	-			J	suggests $\pi=-$ , maybe it is another level.
3480 6	-			F N	$J^\pi$ : L(d, $^3\text{He}$ )=1.
3488.79 22				J	
3501.15 8	$0^+, 1^+, 2^+$		A F		$J^\pi$ : log $ft=5.5$ from $1^+$ parent.
3503.80 13				J	
3504.0 <sup>&amp;</sup> 5	(10 $^+$ )			I	
3521 6	-			F N	$J^\pi$ : L(d, $^3\text{He}$ )=1.
3543.74 23				J	
3552.14 25				J	
3557 6				F	
3566 6	(4 $^+, 1^-$ )			H	$J^\pi$ : L(t,p)=(4,1).
3582 6				F	
3604 7	(0)			H	$J^\pi$ : L(t,p)=(0).
3610.7 3				J	
3613 6				F N	$J^\pi$ : L(d, $^3\text{He}$ )=1+4 for E=3610 15.
3670 6				F	
3682	1,2	0.0027 eV 7		R	
3690 15				N	$J^\pi$ : L(d, $^3\text{He}$ )=1+4 for E=3610 15.
3707	1,2	0.0026 eV 9		R	
3711.3 <sup>#</sup> 20	(12 $^+$ )			I	
3712 6	$1^+, 2^+, 3^+$		F		$J^\pi$ : L(d,p)=2.
3747 6			F		
3748	1	0.0119 eV 9		R	$B(M1)\uparrow=0.058$ 4; $B(E1)\uparrow=0.65\times 10^{-5}$ 5 $\Gamma=0.022$ eV 8 ( <a href="#">1994Ge07</a> ), with $R(\exp)=0.82$ 21 ( <a href="#">1994Ge07</a> ).
3789 6	$1^+, 2^+, 3^+$		F N		$J^\pi$ : L(d,p)=2. L(d, $^3\text{He}$ )=1 for E=3780 15 gives $\pi=-$ .
3791	1	0.0014 eV 5		R	$B(M1)\uparrow=0.007$ 2; $B(E1)\uparrow=0.07\times 10^{-5}$ 2
3796	1	0.0031 eV 9		R	$B(M1)\uparrow=0.015$ 4; $B(E1)\uparrow=0.16\times 10^{-5}$ 5
3823 6			F		
3827	1	0.0045 eV 14		R	$B(M1)\uparrow=0.021$ 6; $B(E1)\uparrow=0.23\times 10^{-5}$ 7
3853 6			F		
3857	1	0.0032 eV 6	2.5 5	R	$B(M1)\uparrow=0.014$ 3; $B(E1)\uparrow=0.16\times 10^{-5}$ 3
3876 6			F N		$J^\pi$ : L(d, $^3\text{He}$ )=1 for 3880 15.
3902 6			F		
3916	1	0.0078 eV 16		R	$B(M1)\uparrow=0.034$ 7; $B(E1)\uparrow=0.37\times 10^{-5}$ 8
3936	1,2	0.0039 eV 14		R	
3940 6			F		
3949	1	0.0062 eV 15	4.6 11	R	$B(M1)\uparrow=0.026$ 6; $B(E1)\uparrow=0.29\times 10^{-5}$ 7
3962 6			F		
3994		0.0126 eV 26		R	$B(M1)\uparrow=0.051$ 11; $B(E1)\uparrow=0.57\times 10^{-5}$ 12
3996 6			F		
4017 6			F		
4027.3 <sup>@</sup> 5	(11 $^-$ )			I	
4056	1	0.0141 eV 35		R	
4075	1,2	0.0115 eV 32	F R		
4099 6			F		
4142 6			F		
4177 6			F		
4211 6			F		
4256.4 <sup>&amp;</sup> 5	(12 $^+$ )		I		

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{114}\text{Cd}$  Levels (continued)**

E(level)	$J^\pi$ <sup>†</sup>	XREF
4604.2 <sup>#</sup> 6	(14 <sup>+</sup> )	I
4605.2 <sup>@</sup> 5	(13 <sup>-</sup> )	I

<sup>†</sup> Most of the spins are coming from average resonance neutron capture (arc) and conversion electron measurements.

<sup>‡</sup> From B(E2) in Coulomb excitation ([1976Es02](#),[1988Fa07](#)), unless otherwise noted.

<sup>#</sup> Band(A): g.s. band.

<sup>@</sup> Band(B): Rotational band based on 5<sup>-</sup>.

<sup>&</sup> Band(C): Side band based on (10<sup>+</sup>).

## Adopted Levels, Gammas (continued)

<u><math>\gamma(^{114}\text{Cd})</math></u>										
$E_i(\text{level})$	$J_i^\pi$	$E_\gamma^{\dagger}$	$I_\gamma @$	$E_f$	$J_f^\pi$	Mult. <sup>‡</sup>	$\delta^\ddagger$	$a^&$	$I_{(\gamma+ce)}$	Comments
558.456	2 <sup>+</sup>	558.456 2	100	0	0 <sup>+</sup>	E2				B(E2)(W.u.)=31.1 19
1134.532	0 <sup>+</sup>	576.079 4	100	558.456	2 <sup>+</sup>	E2				B(E2)(W.u.)=27.4 17
		1134.60 5		0	0 <sup>+</sup>	E0				
1209.708	2 <sup>+</sup>	75.177 5	$1.9 \times 10^{-4}$ 3	1134.532	0 <sup>+</sup>	E2		4.2	0.135 8	B(E2)(W.u.)=3.4 7
		651.256 5	100 5	558.456	2 <sup>+</sup>	M1+E2	-1.2 3			B(E2)(W.u.)=22 6; B(M1)(W.u.)=0.008 3
				0	0 <sup>+</sup>	E2				Mult.: from $\alpha(K)\exp$ ( <a href="#">1984Mh01</a> ).
		1209.713 7	29 2							B(E2)(W.u.)=0.48 6
										$I_\gamma$ : $I_\gamma=44$ 2 in $\beta^-$ decay.
										Mult.: M1+E2 from $\alpha(K)\exp$ , but M1 is ruled out since $\Delta J=2$ . $\delta>1.52$ .
1283.739	4 <sup>+</sup>	725.298 9	100	558.456	2 <sup>+</sup>	E2				B(E2)(W.u.)=62 4
1305.609	0 <sup>+</sup>	95.902 3	100 8	1209.708	2 <sup>+</sup>	E2				B(E2)(W.u.)=127 16
		171.077 5		1134.532	0 <sup>+</sup>	E0				
		747.151 6	58 5	558.456	2 <sup>+</sup>	E2				B(E2)(W.u.)=0.0026 4
		1305.59 4		0	0 <sup>+</sup>	E0				
1364.344	2 <sup>+</sup>	80.605 3	0.0090 10	1283.739	4 <sup>+</sup>	E2				B(E2)(W.u.)=45 7
		154.639 3	0.178 16	1209.708	2 <sup>+</sup>	(M1+E2)	1.95			B(E2)(W.u.)=(27 4); B(M1)(W.u.)=(0.00022 3)
		229.812 6	2.45 23	1134.532	0 <sup>+</sup>	E2				B(E2)(W.u.)=65 9
		805.887 5	100 7	558.456	2 <sup>+</sup>	M1+E2	+0.050 25			B(E2)(W.u.)<0.045; B(M1)(W.u.)>0.0037
										$\delta$ : from Bull. Rus. Acad. Sci. Ser. Phys. 51, 45 (1987).
										B(E2)(W.u.)=0.33 4
1732.246	4 <sup>+</sup>	1364.339 6	91 6	0	0 <sup>+</sup>	E2				B(E2)(W.u.)=119 12
		367.893 9	64 4	1364.344	2 <sup>+</sup>	E2				Mult.: M1+E2 from $\alpha(K)\exp$ with $\delta=1$ , but M1 is ruled out ( $\Delta J=2$ ).
										B(E2)(W.u.)=17 6; B(M1)(W.u.)=0.0017 15
		448.518 4	33.4 15	1283.739	4 <sup>+</sup>	M1+E2	-1.6 <sup>#</sup> +10-4			B(E2)(W.u.)=32 4
		522.542 11	100 10	1209.708	2 <sup>+</sup>	E2				B(E2)(W.u.)=0.50 5
		1173.782 19	90 5	558.456	2 <sup>+</sup>	E2				B(E2)(W.u.)=7.E+1 4; B(M1)(W.u.)=0.004 +11-4
1841.947	2 <sup>+</sup>	477.604 6	20.1 10	1364.344	2 <sup>+</sup>	M1+E2	2.3 <sup>#</sup> +37-13			B(E2)(W.u.)=34 8
		536.350 12	14.1 13	1305.609	0 <sup>+</sup>	E2				Mult.: $\alpha(K)\exp$ suggests M1,E2; placement on decay scheme requires $\Delta J=2$ .
										B(E2)(W.u.)=5.6 11
		632.247 6	5.2 2	1209.708	2 <sup>+</sup>	E2				B(E2)(W.u.)=42 9
		707.419 5	69 3	1134.532	0 <sup>+</sup>	E2				B(E2)(W.u.)=0.84 17; B(M1)(W.u.)=0.0048 10
		1283.495 14	100 7	558.456	2 <sup>+</sup>	M1+E2	+2.4 +4-2			$\delta$ : from Bull. Rus. Acad. Sci. Ser. Phys. 51, 45 (1987).
										B(E2)(W.u.)=0.19 4
										Mult.: $\alpha(K)\exp$ suggests M1,E2; placement on decay scheme requires $\Delta J=2$ .
1859.698	0 <sup>+</sup>	495.354 4	6 1	1364.344	2 <sup>+</sup>	E2				B(E2)(W.u.)=18 6

## Adopted Levels, Gammas (continued)

 $\gamma(^{114}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>@</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	δ <sup>‡</sup>	Comments
1859.698	0 <sup>+</sup>	1301.234 18	100 8	558.456	2 <sup>+</sup>	E2		B(E2)(W.u.)=2.4 6
		1859.70 5		0	0 <sup>+</sup>			Mult.: could be E0.
1864.262	3 <sup>+</sup>	132.015 9	0.041	1732.246	4 <sup>+</sup>	M1+E2	<0.65	
		499.92 3	0.4 1	1364.344	2 <sup>+</sup>	M1		
		580.516 5	22.8 12	1283.739	4 <sup>+</sup>	M1		
		654.551 5	100 5	1209.708	2 <sup>+</sup>	M1+E2	-4.2 <sup>#</sup> +8-6	
		1305.783 21	86 5	558.456	2 <sup>+</sup>	M1+E2	-0.10 +6-2	
1932.077	(4) <sup>+</sup>	199.833 4	2.4 10	1732.246	4 <sup>+</sup>	M1		
		567.74 3	34.5 15	1364.344	2 <sup>+</sup>	E2		
		648.316 17	66 6	1283.739	4 <sup>+</sup>	M1,E2(+E0)		
		722.368 6	100 5	1209.708	2 <sup>+</sup>	E2		
1958.094	3 <sup>-</sup>	225.852 5	0.07 2	1732.246	4 <sup>+</sup>	E1		
		593.755 16	1.0 3	1364.344	2 <sup>+</sup>	E1		
		674.30 5	0.3 22	1283.739	4 <sup>+</sup>			
		748.385 7	35 2	1209.708	2 <sup>+</sup>	E1		
		1399.638 11	100 10	558.456	2 <sup>+</sup>	E1		
1990.3	6 <sup>+</sup>	706.6 2	100	1283.739	4 <sup>+</sup>	(E2)		B(E2)(W.u.)=119 15
2048.026	2 <sup>+</sup>	89.929 2	0.168 17	1958.094	3 <sup>-</sup>	E1		B(E1)(W.u.)=0.0014 5
		183.782 8	0.088 21	1864.262	3 <sup>+</sup>	(M1)		B(M1)(W.u.)=0.007 3
		206.090 4	0.113 11	1841.947	2 <sup>+</sup>	M1		Mult.: α(K)exp allows E1 or M1; level scheme requires Δπ=no.
		742.419 7	10.4 6	1305.609	0 <sup>+</sup>	(E2)		B(M1)(W.u.)=0.0061 19
		838.309 6	4.5 4	1209.708	2 <sup>+</sup>	M1(+E2)	<0.75	B(M2)(W.u.)=17 5
		1489.560 10	100 5	558.456	2 <sup>+</sup>	M1,E2		Mult.: α(K)exp allows M1,E2; level scheme requires ΔJ=2.
		2047.7 3	7.6 13	0	0 <sup>+</sup>	(E2)		B(E2)(W.u.)<1.9; B(M1)(W.u.)>0.0016
2152.266	3 <sup>+,4<sup>+</sup></sup>	220.189 4	4.5 4	1932.077	(4) <sup>+</sup>	M1,E2		δ: 0.00 10 or 2.3 +10-5 ( <a href="#">1976De42</a> ).
		287.981 9	24.3 12	1864.262	3 <sup>+</sup>	M1		B(E2)(W.u.)=0.08 3
		310.316 6	20.2 11	1841.947	2 <sup>+</sup>	E2		Mult.: α(K)exp allows M1,E2; level scheme requires ΔJ=2.
		420.023 4	37 3	1732.246	4 <sup>+</sup>	M1+E2		δ: δ=-0.55 13 or +3.2 +21-8.
		786.8 <sup>b</sup> 4	<13	1364.344	2 <sup>+</sup>			I <sub>γ</sub> : reported by <a href="#">1976De42</a> in (n,n'γ) with I <sub>γ</sub> =56 28, not reported in (n,γ); evaluator estimates I <sub>γ</sub> <13 in (n,γ).
		868.513 17	63 4	1283.739	4 <sup>+</sup>	M1,E2		I <sub>γ</sub> : from (n,γ), I <sub>γ</sub> =151 51 in (n,n'γ).
		942.55 3	100 9	1209.708	2 <sup>+</sup>	M1+E2		δ: 0.00 10 or 2.3 +10-5 ( <a href="#">1976De42</a> ).
		1593.3 <sup>b</sup> 6	<43	558.456	2 <sup>+</sup>			I <sub>γ</sub> : reported by <a href="#">1976De42</a> in (n,n'γ) with I <sub>γ</sub> =124 11, not reported in (n,γ); evaluator estimates I <sub>γ</sub> <43 in (n,γ).
2204.561	3 <sup>+</sup>	156.531 3	0.3 3	2048.026	2 <sup>+</sup>	M1(+E2)	<0.42	
		246.472 4	1 1	1958.094	3 <sup>-</sup>	E1		
		340.294 7	3.8 2	1864.262	3 <sup>+</sup>	M1,E2+E0		
		362.608 5	4.4 2	1841.947	2 <sup>+</sup>	M1(+E2)	<0.82	

## Adopted Levels, Gammas (continued)

 $\gamma^{(114\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>@</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ <sup>‡</sup>	Comments
2204.561	3 <sup>+</sup>	472.310 8	4.5 2	1732.246	4 <sup>+</sup>	M1		
		840.217 12	43 5	1364.344	2 <sup>+</sup>	M1		
		920.791 13	73 6	1283.739	4 <sup>+</sup>	M1		
		994.852 9	71 4	1209.708	2 <sup>+</sup>	M1+E2	0.8 <sup>#</sup> +7-3	
2218.860	2 <sup>+</sup>	1646.12 4	100 5	558.456	2 <sup>+</sup>	M1+E2	-0.10 <sup>#</sup> +3-5	
		170.857 15	0.016 3	2048.026	2 <sup>+</sup>			
		359.20 5	0.06 2	1859.698	0 <sup>+</sup>			
		486.647 19	0.20 5	1732.246	4 <sup>+</sup>	(E2)		
		854.62 4	1.2 2	1364.344	2 <sup>+</sup>	M1,E2		
2298.93	5 <sup>-</sup>	1660.368 16	100 6	558.456	2 <sup>+</sup>	M1+E2		$\delta$ : +0.17 6 or +1.5 +8-10 ( <a href="#">1987Ar24</a> ).
		366.91 4	3 1	1932.077	(4) <sup>+</sup>			
		1015.178 17	100	1283.739	4 <sup>+</sup>	E1		
2317.1	2 <sup>+</sup>	1107.4 6	100 8	1209.708	2 <sup>+</sup>	M1+E2	<+0.5 <sup>#</sup>	
		1183.7 9	31 7	1134.532	0 <sup>+</sup>			
		2316.1 9	20 6	0	0 <sup>+</sup>			
		165.895 6	0.250 22	2218.860	2 <sup>+</sup>	E1		
2384.760	3 <sup>-</sup>	180.198 6	0.180 8	2204.561	3 <sup>+</sup>	E1		
		336.743 11	0.31 7	2048.026	2 <sup>+</sup>			
		426.666 6	7.9 6	1958.094	3 <sup>-</sup>	M1		
		1175.076 20	25.1 13	1209.708	2 <sup>+</sup>	E1		
		1826.30 4	100 6	558.456	2 <sup>+</sup>	E1		
		1828.8 8	100 4	558.456	2 <sup>+</sup>	E1(+M2)	+0.01 <sup>#</sup> 3	Mult.: $\delta$ is from <a href="#">1987Ar24</a> . $\delta$ =-0.10 +2-3 ( <a href="#">1976De42</a> ). Mult=E1 from polarization ( <a href="#">1987Ar24</a> ).
2391.50	4 <sup>+</sup>	459.393 25	2.5 3	1932.077	(4) <sup>+</sup>	M1		
		659.20 5	4.5 9	1732.246	4 <sup>+</sup>			
		1107.761 21	100 8	1283.739	4 <sup>+</sup>	M1		
2396	1 <sup>-</sup>	2396	0	0	0 <sup>+</sup>	E1		
2400.2	(6) <sup>+</sup>	668 1	100	1732.246	4 <sup>+</sup>	E2		$B(E2)(W.u.)=1.3\times10^2$ 4
2412.5	(6)	113.6 2		2298.93	5 <sup>-</sup>			
2437.64	0 <sup>+</sup>	1228.00 10	8.6 11	1209.708	2 <sup>+</sup>	E2		
		1879.10 5	100 6	558.456	2 <sup>+</sup>	E2		
		2437.7 1	14	0	0 <sup>+</sup>	E0		
		1091.64 9	15 4	1364.344	2 <sup>+</sup>	E1		
2456.005	1 <sup>-</sup>	2456.0 1	100 40	0	0 <sup>+</sup>	E1		
		256.195 <sup>a</sup> 4	12.5 <sup>a</sup> 6	2204.561	3 <sup>+</sup>	E1		
2460.757	4 <sup>-</sup>	502.667 10	18.0 13	1958.094	3 <sup>-</sup>	M1,E2		
		596.485 5	61 6	1864.262	3 <sup>+</sup>	E1		
		728.56 6	9.7 17	1732.246	4 <sup>+</sup>			
		1177.04 3	100 7	1283.739	4 <sup>+</sup>	E1		
		1902.19 14	97 17	558.456	2 <sup>+</sup>			

## Adopted Levels, Gammas (continued)

 $\gamma^{(114\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>@</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ <sup>‡</sup>	Comments
2465.2		1100.9 1	100	1364.344	2 <sup>+</sup>			
2503.24	(4)	1219.62 8		1283.739	4 <sup>+</sup>			
2525.420	2 <sup>+</sup>	140.659 3	0.5 1	2384.760	3 <sup>-</sup>	E1		
		306.560 7	7.6 4	2218.860	2 <sup>+</sup>	E2+M1	>0.82	
		320.835 13	0.7 1	2204.561	3 <sup>+</sup>	M1		
		567.328 7	30 6	1958.094	3 <sup>-</sup>	E1		
		661.21 3	5.4 6	1864.262	3 <sup>+</sup>	M1		
		665.735 15	10.0 6	1859.698	0 <sup>+</sup>	E2		
		1161.06 3	56 5	1364.344	2 <sup>+</sup>	M1		
		1219.78 3	73 5	1305.609	0 <sup>+</sup>	E2		
		1315.677 22	100 10	1209.708	2 <sup>+</sup>	M1		
		1966.80 20	87 16	558.456	2 <sup>+</sup>			
		2525.1 1	58 10	0	0 <sup>+</sup>			
2535.81	(5 <sup>-</sup> )	236.897 9	100	2298.93	5 <sup>-</sup>	M1		
2553.87	0 <sup>+</sup>	694.45 12		1859.698	0 <sup>+</sup>	E0		
		1995.06 17	100 10	558.456	2 <sup>+</sup>	E2		
		2554.0 1		0	0 <sup>+</sup>	E0		
2580.357	2 <sup>-</sup>	361.501 16	0.3 1	2218.860	2 <sup>+</sup>			
		375.3 10	1.5 4	2204.561	3 <sup>+</sup>			
		532.320 10	5.1 7	2048.026	2 <sup>+</sup>	E1(+M2)	+0.07 +27-18	
		622.259 6	5.7 2	1958.094	3 <sup>-</sup>	M1+E2	+1.2 +13-6	
		738.35 <sup>a</sup> 3	1.4 <sup>a</sup> 1	1841.947	2 <sup>+</sup>			
		1370.617 22	100 6	1209.708	2 <sup>+</sup>	E1(+M2)	+0.01 3	
		2021.9 1	41 8	558.456	2 <sup>+</sup>	E1(+M2)	+0.12 +7-6	
2636.52	0 <sup>+</sup>	1426.6 3	8.5 3	1209.708	2 <sup>+</sup>	E2		
		2078.1 1	100 6	558.456	2 <sup>+</sup>	E2		
2646	1	2646		0	0 <sup>+</sup>			
2650.120	2 <sup>+</sup>	124.698 3	0.15 5	2525.420	2 <sup>+</sup>	M1		
		194.116 6	0.18 11	2456.005	1 <sup>-</sup>	E1		
		212.488 16	0.10 5	2437.64	0 <sup>+</sup>			
		431.263 7	2.5 1	2218.860	2 <sup>+</sup>	M1		
		602.117 16	2.7 2	2048.026	2 <sup>+</sup>			
		692.10 3	4.0 4	1958.094	3 <sup>-</sup>	E1		
		1285.83 8	28 4	1364.344	2 <sup>+</sup>	M1+E2	+0.03 6	
		1344.59 9	12.1 5	1305.609	0 <sup>+</sup>	E2		
		2650.1 1	100 6	0	0 <sup>+</sup>	E2		
2660.90	2 <sup>+</sup>	276.139 19	0.3 1	2384.760	3 <sup>-</sup>			
		2102.4 1	100 5	558.456	2 <sup>+</sup>	M1+E2		
2669.3	(8 <sup>+</sup> )	270		2400.2	(6) <sup>+</sup>			
		678.2 3	100	1990.3	6 <sup>+</sup>	E2		
2701.066	3 <sup>+</sup>	240.301 7	4.0 2	2460.757	4 <sup>-</sup>	E1		
		309.567 15	1.2 2	2391.50	4 <sup>+</sup>			

$\delta$ : =+1.9 1 for J(2660.7)=2 or +0.41 +2-3 for J(2660.7)=3.  
 $E_{\gamma}$ : seen only in Coul. ex. Branching relative to 679 $\gamma$  not given.  
 $B(E2)(W.u.)=85$  25

## Adopted Levels, Gammas (continued)

 $\gamma^{(114\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>@</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ <sup>‡</sup>	Comments
2701.066	3 <sup>+</sup>	316.327 12 496.552 <sup>a</sup> 21 742.945 17 859.21 5 1491.39 23 2143.2 2	1.0 2 7.7 <sup>a</sup> 16 59 3 13.3 16 83 11 100 17	2384.760 2204.561 1958.094 1841.947 1209.708 558.456	3 <sup>-</sup> 3 <sup>+</sup> 3 <sup>-</sup> 2 <sup>+</sup> 2 <sup>+</sup> 2 <sup>+</sup>			
2735.2	(7 <sup>-</sup> )	436.3 744.6		2298.93 1990.3	5 <sup>-</sup> 6 <sup>+</sup>			
2747.21	(5)	1463.59 9		1283.739	4 <sup>+</sup>			
2749.265	2 <sup>+</sup>	597.016 10 2190.8 1 2749.2 2	5 1 100 7 8 1	2152.266 558.456 0	3 <sup>+,4<sup>+</sup></sup> 2 <sup>+</sup> 0 <sup>+</sup>	E2 M1		
2756.92	3 <sup>-</sup> ,(4 <sup>-</sup> )	300.868 17 798.92 5 1024.73 5 1473.40 10 2198.0 4	1.4 2 14 3 39 4 49 10 100 21	2456.005 1958.094 1732.246 1283.739 558.456	1 <sup>-</sup> 3 <sup>-</sup> 4 <sup>+</sup> 4 <sup>+</sup> 2 <sup>+</sup>			M1,E2
2767.85	1 <sup>-</sup>	908.30 10 2209.2 1 2767.5 2	2.1 5 52 5 100 6	1859.698 558.456 0	0 <sup>+</sup> 2 <sup>+</sup> 0 <sup>+</sup>	E1 E1		
2788.501	(1,2) <sup>+</sup>	138.376 12 263.081 12 2230.2 1 2788.4 2	0.060 12 0.40 4 100 7 30 3	2650.120 2525.420 558.456 0	2 <sup>+</sup> 2 <sup>+</sup> 2 <sup>+</sup> 0 <sup>+</sup>	M1 M1+E2 M1,E2		δ: = -0.28 4 or +7.6 +30-19.
2799.99	(1 <sup>+</sup> ,2 <sup>+</sup> )	1590.20 10 2242.0 2 2800.1 1	19 1 20 3 100 6	1209.708 558.456 0	2 <sup>+</sup> 2 <sup>+</sup> 0 <sup>+</sup>	M1+E2 M1+E2 M1,E2	<+0.24 +1 +62-I	
2806.59	3 <sup>+</sup>	226.213 9 281.12 3 1522.90 9 2248.1 3	1.2 6 0.50 8 92 10 100 20	2580.357 2525.420 1283.739 558.456	2 <sup>-</sup> 2 <sup>+</sup> 4 <sup>+</sup> 2 <sup>+</sup>	E1 M1,E2 M1,E2		
2812.050	2 <sup>+</sup>	110.985 5 175.531 13 231.684 8 607.452 14 853.983 14 1447.63 6 2253.4 1 2811.9 2	0.35 4 0.09 6 0.30 16 2.2 3 14.6 13 16.5 13 100 7 36 9	2701.066 2636.52 2580.357 2204.561 1958.094 1364.344 558.456 0	3 <sup>+</sup> 0 <sup>+</sup> 2 <sup>-</sup> 3 <sup>+</sup> 3 <sup>-</sup> 2 <sup>+</sup> 2 <sup>+</sup> 0 <sup>+</sup>	M1+E2 M1,E2 M1,E2 M1,E2 E1 M1,E2 M1,E2	0.42	
2820.22	4 <sup>+</sup>	601.354 20 772.17 3 862.171 24	23 4 40 4 100 7	2218.860 2048.026 1958.094	2 <sup>+</sup> 2 <sup>+</sup> 3 <sup>-</sup>	E2 E2		

## Adopted Levels, Gammas (continued)

 $\gamma^{(114\text{Cd})}$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>@</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	δ <sup>‡</sup>	Comments
2827.88	(4) <sup>+</sup>	1618.25 9	100.0 18	1209.708	2 <sup>+</sup>	E2		
2871.63	2,3	913.57 9	13 1	1958.094	3 <sup>-</sup>			
		2313.24 9	100 5	558.456	2 <sup>+</sup>			
2874.26	2,4	826.11 8	100 2	2048.026	2 <sup>+</sup>			
		916.27 9	19 1	1958.094	3 <sup>-</sup>			
		1664.77 9	33 1	1209.708	2 <sup>+</sup>			
		2316.2 2		558.456	2 <sup>+</sup>			
2880.56	4,3	1596.94 9	100	1283.739	4 <sup>+</sup>			
2918.45	3	1634.83 9	100	1283.739	4 <sup>+</sup>	M1,E2		
2932.97	4 <sup>+</sup>	1649.35 9	100	1283.739	4 <sup>+</sup>	E2		
2935.76	2 <sup>+</sup>	1629.36 10	56 1	1305.609	0 <sup>+</sup>	E2		E <sub>γ</sub> : poor fit, level-energy difference=1630.15.
		1652.53 9	100 2	1283.739	4 <sup>+</sup>	E2		E <sub>γ</sub> : poor fit, level-energy difference=1652.14.
		1725.78 20	85 3	1209.708	2 <sup>+</sup>	M1+E2	-1.5 +1-14	
		2377.67 9	93 6	558.456	2 <sup>+</sup>	M1+E2		E <sub>γ</sub> : level-energy difference=2377.35. δ: =+0.20 +1I-7 or +1.5 3.
2936.12	(3 <sup>-</sup> )	286.021 22	0.5 1	2650.120	2 <sup>+</sup>			
		475.327 21	4.5 5	2460.757	4 <sup>-</sup>			
		1652.59 11	100 23	1283.739	4 <sup>+</sup>	E1		
		2377.8 2	77 15	558.456	2 <sup>+</sup>			
2941.27	2,3 <sup>+</sup>	1731.59 9	100 2	1209.708	2 <sup>+</sup>	M1+E2	-0.9 +2-38	
		2382.90 9	96 6	558.456	2 <sup>+</sup>	M1+E2	+0.18 3	
2953.00	3 <sup>+</sup>	800.99 4	4.4 5	2152.266	3 <sup>+,4<sup>+</sup></sup>	E2		
		905.08 7	3.1 7	2048.026	2 <sup>+</sup>			
		2394.9 1	100 8	558.456	2 <sup>+</sup>	M1,E2		
2957.26	1 <sup>-</sup> ,2 <sup>-</sup> ,3 <sup>-</sup>	256.195 <sup>a</sup> 4	2.86 <sup>a</sup> 16	2701.066	3 <sup>+</sup>	E1		
		496.552 <sup>a</sup> 21	1.8 <sup>a</sup> 4	2460.757	4 <sup>-</sup>			
		738.35 <sup>a</sup> 3	2.1 <sup>a</sup> 3	2218.860	2 <sup>+</sup>			
		1097.35 <sup>b</sup> 11	4.7 10	1859.698	0 <sup>+</sup>			
		2398.6 1	100 7	558.456	2 <sup>+</sup>	E1		
2999.56	1 <sup>-</sup>	780.54 8	2.0 2	2218.860	2 <sup>+</sup>			
		2440.7 3	14 3	558.456	2 <sup>+</sup>			
		2999.7 1	100 6	0	0 <sup>+</sup>	E1		
3001.63	4 <sup>+</sup>	477.57 6		2525.420	2 <sup>+</sup>	E2		
		2443.22 11		558.456	2 <sup>+</sup>	E2		
3002.22	2 <sup>+</sup>	341.321 17	2.2 2	2660.90	2 <sup>+</sup>			
		476.80 3	4.8 11	2525.420	2 <sup>+</sup>	M1,E2		
		3001.8 4	100 23	0	0 <sup>+</sup>	E2		
3025.04	2,3	2466.63 10		558.456	2 <sup>+</sup>			
3051.54	(2)	1841.9 1	100	1209.708	2 <sup>+</sup>			
3052.90	0 <sup>+</sup>	232.689 8	0.1 1	2820.22	4 <sup>+</sup>			
		833.98 3	5.5 4	2218.860	2 <sup>+</sup>	(E2)		

## Adopted Levels, Gammas (continued)

 $\gamma^{(114\text{Cd})}$  (continued)

13

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>@</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ <sup>‡</sup>	Comments
3052.90	0 <sup>+</sup>	1004.91 5	7.8 10	2048.026	2 <sup>+</sup>			
		3053.1 2	100 10	0	0 <sup>+</sup>			
3061.48	2 <sup>+</sup>	1197.26 12	100 15	1864.262	3 <sup>+</sup>			
		2503.12 9	95 10	558.456	2 <sup>+</sup>	M1+E2	-1.5 +5-7	
		3062 1		0	0 <sup>+</sup>			
3077.44	2 <sup>+</sup>	270.804 16	0.8 1	2806.59	3 <sup>+</sup>			
		277.469 12	0.7 1	2799.99	(1 <sup>+,2<sup>+</sup>)</sup>			
		376.347 19	1.4 2	2701.066	3 <sup>+</sup>			
		523.588 20	5.3 10	2553.87	0 <sup>+</sup>			
		1029.471 20	40 4	2048.026	2 <sup>+</sup>	M1,E2		
		2518.9 2	48 10	558.456	2 <sup>+</sup>	M1+E2		
		3077.6 2	100 10	0	0 <sup>+</sup>	E2		
3087	1,2	3087		0	0 <sup>+</sup>			
3108.640	1 <sup>-</sup>	151.378 3	0.1 1	2957.26	1 <sup>-</sup> ,2 <sup>-</sup> ,3 <sup>-</sup>	M1+E2	<0.33	
		2550.1 1	100 6	558.456	2 <sup>+</sup>	E1		
		3108.2 2	37 6	0	0 <sup>+</sup>	E1		
3111.74	(2)	727.37 11	50 6	2387.3	3 <sup>-</sup>	E2		E <sub>γ</sub> : level-energy difference=727.03.
		1746.88 14	15 2	1364.344	2 <sup>+</sup>	E1		E <sub>γ</sub> : level-energy difference=1747.42.
3115.56	3,2	1067.07 10	86 3	2048.026	2 <sup>+</sup>			E <sub>γ</sub> : poor fit, level-energy difference=1067.61, also pure E2 not possible.
		1274.15 11	100 3	1841.947	2 <sup>+</sup>			E <sub>γ</sub> : level-energy difference=1273.80.
		1832.19 20	37 2	1283.739	4 <sup>+</sup>			
		2557.36 11	91 5	558.456	2 <sup>+</sup>			
3140.34	3,2	1276.65 11	46 2	1864.262	3 <sup>+</sup>			E <sub>γ</sub> : level-energy difference=1276.23.
		2581.50 11	100.0 8	558.456	2 <sup>+</sup>			
3143.3	(10 <sup>+</sup> )	474		2669.3	(8 <sup>+</sup> )			
3157.16	1 <sup>-</sup> ,(2 <sup>-</sup> ,3 <sup>-</sup> )	345.073 21	0.4 2	2812.050	2 <sup>+</sup>			
		400.253 15	2.5 2	2756.92	3 <sup>-</sup> ,(4 <sup>-</sup> )	E1		
		2022.7 2	85 17	1134.532	0 <sup>+</sup>			
		2598.6 1	100 6	558.456	2 <sup>+</sup>	E1		
3167.1	0 <sup>+,1<sup>+,2<sup>+</sup></sup></sup>	1802.6 3	53	1364.344	2 <sup>+</sup>			
		1957.5 3	59	1209.708	2 <sup>+</sup>			
		2608.3 8	100	558.456	2 <sup>+</sup>			
3168.72	2	1959.08 12	100	1209.708	2 <sup>+</sup>			
3176.14	2,3	1128.04 10	49 3	2048.026	2 <sup>+</sup>			
		1311.70 12	68 4	1864.262	3 <sup>+</sup>			
		2618.17 11	100 5	558.456	2 <sup>+</sup>			E <sub>γ</sub> : poor fit, level-energy difference=2618.72.
3192.19	2,3	1982.55 13	100	1209.708	2 <sup>+</sup>			
3206.0	2 <sup>+</sup>	203.774 6	0.5 1	3002.22	2 <sup>+</sup>	M1		
		987.20 3	66 3	2218.860	2 <sup>+</sup>	M1		
		1247.85 6	37 7	1958.094	3 <sup>-</sup>	E1		
		1900.3 3	100 16	1305.609	0 <sup>+</sup>	E2		

## Adopted Levels, Gammas (continued)

 $\gamma(^{114}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>@</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	δ <sup>‡</sup>	Comments
3213.2	(1,2) <sup>-</sup>	3213.2 3	100	0	0 <sup>+</sup>			
3214	1 <sup>(+)</sup>	3214		0	0 <sup>+</sup>	(M1)		
3218.56	1 <sup>-</sup> ,(2 <sup>-</sup> )	109.915 3 418.554 14 999.743 19 1260.56 5 1853.7 4 2660.02 3 3217.5 6	0.08 8 0.2 1 3.6 4 4.3 5 4.7 10 100 5 4.7 14	3108.640 1 <sup>-</sup> 2799.99 (1 <sup>+,2<sup>+</sup>)</sup>	(1 <sup>+,2<sup>+</sup>)</sup>	M1+E2	<0.35	
3220	1 <sup>(+)</sup>	3220		0	0 <sup>+</sup>	(M1)		
3222.76	0	2013.12 14	100	1209.708 2 <sup>+</sup>				
3232.41	1,2,3	2673.99 11		558.456 2 <sup>+</sup>				
3249.18	1	811.15 13 2040.06 14	100 20 72 8	2437.64 0 <sup>+</sup> 1209.708 2 <sup>+</sup>				E <sub>γ</sub> : level-energy difference=811.60. E <sub>γ</sub> : level-energy difference=2039.54.
3258.093	1 <sup>-</sup> ,2 <sup>-</sup>	304.855 8 802.076 17 873.31 4 1416.10 11 2699.5 2	0.8 1 10.9 16 6.7 7 26 3 100 10	2953.00 3 <sup>+</sup> 2456.005 1 <sup>-</sup> 2384.760 3 <sup>-</sup> 1841.947 2 <sup>+</sup> 558.456 2 <sup>+</sup>		M1,E2		
3282.6	(9 <sup>-</sup> )	547.4	100	2735.2 (7 <sup>-</sup> )				
3285.09	2,3 <sup>+</sup>	2001.46 11	100	1283.739 4 <sup>+</sup>				
3296.57		1092.43 12	71 4	2204.561 3 <sup>+</sup>				
		2737.68 18	100 28	558.456 2 <sup>+</sup>				
3298.52	2,3	2740.10 12		558.456 2 <sup>+</sup>				
3315.7	(0,1,2)	2757.2 3	100	558.456 2 <sup>+</sup>				
3322.29	1	865.35 11 2764.51 12 3322.24 13	2456.005 1 <sup>-</sup> 100 12 69 14	100 12 558.456 2 <sup>+</sup> 0 0 <sup>+</sup>				E <sub>γ</sub> : poor fit, level-energy difference=865.89. E <sub>γ</sub> : poor fit, level-energy difference=2763.87.
3334.34	2,3,4	753.76 13 2124.92 14 2775.97 13	2580.357 2 <sup>-</sup> 67 3 100 12	1209.708 2 <sup>+</sup> 558.456 2 <sup>+</sup>				
3365		2808.37 15		558.456 2 <sup>+</sup>				
3381.95	1,2,3	2172.19 15 2823.81 23	100 23 68 14	1209.708 2 <sup>+</sup> 558.456 2 <sup>+</sup>				
3409.62	1,2	1545.50 15 3410 1	100	1864.262 3 <sup>+</sup> 0 0 <sup>+</sup>				
3445.1		1397.0 3	100	2048.026 2 <sup>+</sup>				
3462.1	(1 <sup>+,2<sup>+,3<sup>+</sup>)</sup></sup>	3462.18 19	100	0 0 <sup>+</sup>				
3478.54		2114.21 18	100	1364.344 2 <sup>+</sup>				
3488.79		3488.73 22	100	0 0 <sup>+</sup>				
3501.15	0 <sup>+,1<sup>+,2<sup>+</sup></sup></sup>	2136.9 2	100 8	1364.344 2 <sup>+</sup>				

## Adopted Levels, Gammas (continued)


 $\gamma(^{114}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>@</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>@</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>
3501.15	0 <sup>+</sup> ,1 <sup>+</sup> ,2 <sup>+</sup>	2942.5 3	97 8	558.456	2 <sup>+</sup>	3827	1	3269	168 68	558.456	2 <sup>+</sup>
3503.80		1545.50 15		1958.094	3 <sup>-</sup>			3827	100	0	0 <sup>+</sup>
		2198.63 20		1305.609	0 <sup>+</sup>	3857	1	3857		0	0 <sup>+</sup>
3504.0	(10 <sup>+</sup> )	835.2	100	2669.3	(8 <sup>+</sup> )	3916	1	3916		0	0 <sup>+</sup>
3543.74		2985.31 22	100	558.456	2 <sup>+</sup>	3936	1,2	3936		0	0 <sup>+</sup>
3552.14		2993.71 24	100	558.456	2 <sup>+</sup>	3949	1	3949		0	0 <sup>+</sup>
3610.7		3610.6 3	100	0	0 <sup>+</sup>	3994		3994		0	0 <sup>+</sup>
3682	1,2	3682		0	0 <sup>+</sup>	4027.3	(11 <sup>-</sup> )	744.7	100	3282.6	(9 <sup>-</sup> )
3707	1,2	3707		0	0 <sup>+</sup>	4056	1	4056		0	0 <sup>+</sup>
3711.3	(12 <sup>+</sup> )	568.2	100	3143.3	(10 <sup>+</sup> )	4075	1,2	4075		0	0 <sup>+</sup>
3748	1	3190	38 5	558.456	2 <sup>+</sup>	4256.4	(12 <sup>+</sup> )	752.4	100	3504.0	(10 <sup>+</sup> )
		3748		100	0	4604.2	(14 <sup>+</sup> )	892.5	100	3711.3	(12 <sup>+</sup> )
3791	1	3791		0	0 <sup>+</sup>	4605.2	(13 <sup>-</sup> )	577.9	100	4027.3	(11 <sup>-</sup> )
3796	1	3796		0	0 <sup>+</sup>						

<sup>†</sup> From (n, $\gamma$ ). See also (n,n' $\gamma$ ) for additional  $\gamma$ 's.<sup>‡</sup> From (n, $\gamma$ ), unless otherwise noted.<sup>#</sup> From 1976De42.<sup>@</sup> Relative photon branching from each level. Data are averages from (n, $\gamma$ ) and (n,n' $\gamma$ ). Gammas from the 2151 level (not seen in (n, $\gamma$ )) are not included here.<sup>&</sup> Total theoretical internal conversion coefficients, calculated using the BrIcc code (2008Ki07) with Frozen orbital approximation based on  $\gamma$ -ray energies, assigned multipolarities, and mixing ratios, unless otherwise specified.<sup>a</sup> Multiply placed with undivided intensity.<sup>b</sup> Placement of transition in the level scheme is uncertain.


Adopted Levels, GammasLevel Scheme

Intensities: Relative photon branching from each level




**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Relative photon branching from each level




**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Relative photon branching from each level



**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Relative photon branching from each level




Adopted Levels, Gammas

Legend


Level Scheme (continued)

Intensities: Relative photon branching from each level  
 & Multiply placed: undivided intensity given

- - - - -  $\gamma$  Decay (Uncertain)

Adopted Levels, GammasLevel Scheme (continued)


Intensities: Relative photon branching from each level  
 & Multiply placed: undivided intensity given



**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Relative photon branching from each level

&amp; Multiply placed: undivided intensity given




### Adopted Levels, Gammas

### Legend

**Intensities:** Relative photon branching from each level  
  & Multiply placed: undivided intensity given

---► Decay (Uncertain)





114  
48 Cd  
66

### Adopted Levels, Gammas

## Level Scheme (continued)

& Multiply placed: undivided intensity given



Adopted Levels, Gammas

**Adopted Levels, Gammas**

Type	Author	History Citation	Literature Cutoff Date
Full Evaluation	Jean Blachot	NDS 111, 717 (2010)	1-Dec-2009

Q( $\beta^-$ )=-462.8 3; S(n)=8699.5 7; S(p)=11019 19; Q( $\alpha$ )=-4816 7    2012Wa38

Note: Current evaluation has used the following Q record.

Q( $\beta^-$ )=-468 4; S(n)=8700.2 20; S(p)=11028 20; Q( $\alpha$ )=-4794 23    2003Au03,2009AuZZ **$^{116}\text{Cd}$  Levels****Cross Reference (XREF) Flags**

<b>A</b>	Coulomb excitation	<b>G</b>	$^{116}\text{Cd}(n,n'\gamma)$	<b>M</b>	(HI,xn $\gamma$ )
<b>B</b>	$^{116}\text{Ag}$ $\beta^-$ decay (9.3 s)	<b>H</b>	$^{116}\text{Cd}(p,p')$	<b>N</b>	$^{116}\text{Cd}(^{94}\text{Kr},xn\gamma)$
<b>C</b>	$^{116}\text{Ag}$ $\beta^-$ decay (237 s)	<b>I</b>	$^{116}\text{Cd}(p,p'\gamma)$	<b>O</b>	$^{116}\text{Cd}(\gamma,\text{pol } \gamma')$
<b>D</b>	$^{116}\text{Ag}$ $\beta^-$ decay (20 s)	<b>J</b>	$^{120}\text{Sn}(d,^6\text{Li})$	<b>P</b>	$^{116}\text{In } \varepsilon$ decay (14.10 s)
<b>E</b>	$^{116}\text{Cd}(d,d')$	<b>K</b>	$^{114}\text{Cd}(t,p)$	<b>Q</b>	$^{116}\text{Cd}(\alpha,\alpha')$
<b>F</b>	$^{116}\text{Cd}(e,e')$	<b>L</b>	$^{176}\text{Yb}(^{28}\text{Si},F\gamma)$		

E(level) <sup>†</sup>	J <sup>π‡</sup>	T <sub>1/2</sub>	XREF	Comments
0.0@	0 <sup>+</sup>	3.3×10 <sup>19</sup> y 4		% $2\beta^-$ =? T <sub>1/2</sub> : From 2002Ba52 the lower limits of the T <sub>1/2</sub> 1/2 for 2 $\beta^-$ decay is 4×10 <sup>19</sup> y (2005Ra13). Other values: 1.7×10 <sup>20</sup> y (1990Ba52), 2.6×10 <sup>20</sup> y (1994Ku25), 2.7×10 <sup>20</sup> y (1995Da09). Others: 1991Zd01, 1993Kl01, 2000Ar16, 1998Da23, 2003Da09, 2003Da24, 2005Ba01, 2005Ba33, 2005Da03, 2006Wi12, 2006Sh31, 2006Ba35.
513.490@ 15	2 <sup>+</sup>	14.1 ps 5	ABCDEFGHIJKLMNO Q	Q=-0.42 4 (1989Ra17,2005St24) $\mu=+0.60$ 14 (1980Br01,1989Ra17,2005St24) XREF: E(520). J <sup>π</sup> : L(p,p')=2. T <sub>1/2</sub> : from Coul. ex., B(E2)(0-2)=0.560 20 (1987Ra01). Q: average of 1976Es02 and 1977Gi13.
1212.997 13	2 <sup>+</sup>	1.9 ps 3	ABCD GHIJK Q	J <sup>π</sup> : $\gamma(\theta)$ in Coul. ex., $\pi=+$ from L=2+4 (p,p') and (t,p). T <sub>1/2</sub> : from Coul. ex., B(E2)=0.019 3 (1969Mi07).
1219.448@ 18	4 <sup>+</sup>	1.7 ps 4	ABCDE GHIJKLMNOP	J <sup>π</sup> : L(t,p)=2+4 for E=1214. T <sub>1/2</sub> : from Coul. ex., B(E2)(2-4)=0.35 7 (1965Mc05).
1282.560# 20	0 <sup>+</sup>	65 ps 4	C GHIJ N	J <sup>π</sup> : $\gamma(\theta)$ in (n,n' $\gamma$ ), J=2 in (p,p') could be different level. T <sub>1/2</sub> : from 1989Ma33, measured $\beta\gamma\gamma$ with BaF <sub>2</sub> and plastic detector.
1380.310& 20	0 <sup>+</sup>	1.15 ps 23	A CD GHIJK N Q	T <sub>1/2</sub> : from B(E2)(2-0)=0.020 4 (1965Mc05). J <sup>π</sup> : from L(t,p)=0.
1642.499& 17	2 <sup>+</sup>	0.50 ps +14-9	BCDE GHIJ N Q	J <sup>π</sup> : M1+E2 to 2 <sup>+</sup> , E2 $\gamma$ to 0 <sup>+</sup> .
1869.477 19	4 <sup>+</sup>	0.24 ps +17-7	B D G	T <sub>1/2</sub> : From DSA in (n,n' $\gamma$ ) (2003Ka45).
1915.816 22	3 <sup>+</sup>	0.49 ps +17-10	BCD G I	T <sub>1/2</sub> : From DSA in (n,n' $\gamma$ ) (2003Ka45). J <sup>π</sup> : $\gamma(\theta)$ in (n,n' $\gamma$ ),
1921.557 23	3 <sup>-</sup>		ABCD GHIJK Q	J <sup>π</sup> : L(t,p)=0+3 for E=1924 6 and $\gamma(\theta)$ in (n,n' $\gamma$ ). J <sup>π</sup> : L(t,p)=0+3, $\gamma(\theta)$ in (n,n' $\gamma$ ).
1928.44 5	0 <sup>+</sup>		C E G I K	
1951.33# 4	2 <sup>+</sup>	0.56 ps +22-12	C G I K N	T <sub>1/2</sub> : From DSA in (n,n' $\gamma$ ) (2003Ka45). J <sup>π</sup> : L(p)=2 (t,p).
2026.66@ 3	6 <sup>+</sup>	0.44 ps +31-13	B G IJ LMN	T <sub>1/2</sub> : From DSA in (n,n' $\gamma$ ) (2003Ka45). J <sup>π</sup> : E2 $\gamma$ to 4 <sup>+</sup> , no $\gamma$ to 0 <sup>+</sup> .
2037.04 5	2 <sup>+</sup>		G	J <sup>π</sup> : $\gamma(\theta)$ in (n,n' $\gamma$ ), linear polarization.

Continued on next page (footnotes at end of table)

## Adopted Levels, Gammas (continued)

 $^{116}\text{Cd}$  Levels (continued)

E(level) <sup>†</sup>	J <sup>π</sup> <sup>‡</sup>	T <sub>1/2</sub>	XREF	Comments
2041.91 & 4	4 <sup>+</sup>		B GH	J <sup>π</sup> : from M1+E2 $\gamma$ to 4 <sup>+</sup> , E2 $\gamma$ to 2 <sup>+</sup> .
2118.43 3	(2) <sup>+</sup>		C GHIJ	J <sup>π</sup> : M1+E2 $\gamma$ to 2 <sup>+</sup> , 1,3 ruled out by $\gamma(\theta)$ in (n,n' $\gamma$ ). E(level): not confirmed in (n,n' $\gamma$ ) ( <a href="#">1991Ar17</a> ).
2189.0? 5			B	E(level): not confirmed in (n,n' $\gamma$ ) ( <a href="#">1991Ar17</a> ).
2195.4? 4			C	E(level): not confirmed in (n,n' $\gamma$ ) ( <a href="#">1991Ar17</a> ).
2248.837 <sup>a</sup> 23	5 <sup>-</sup>		B e GHIJKL	J <sup>π</sup> : L(t,p)=5.
2291.9 3	5 <sup>-</sup>		B e h JK	J <sup>π</sup> : L(t,p)=2+5. E(level): not confirmed by <a href="#">1991Ar17</a> .
2292.47 10	2 <sup>+</sup>		C e Gh JK	J <sup>π</sup> : L(t,p)=2+5, $\gamma$ to 2 <sup>+</sup> , J≤5.
2293.2 6			C	
2293.7 3	(2,3 <sup>+</sup> ) <sub>+</sub>		C e GhIJ	J <sup>π</sup> : M1+E2 $\gamma$ to 2 <sup>+</sup> .
2296.29 4			G	
2302.95 20			B D	
2339.77 5	4 <sup>-</sup>		B De GH	J <sup>π</sup> : $\gamma(\theta)$ and linear polarization in (n,n' $\gamma$ ). J <sup>π</sup> : L(t,p)=4.
2376.45 4	4 <sup>+</sup>		e GHIJK	J <sup>π</sup> : $\gamma(\theta)$ in (n,n' $\gamma$ ), 3 <sup>-</sup> ruled out from $\delta$ .
2377.073 16	3 <sup>+</sup>		D G i	J <sup>π</sup> : $\gamma(\theta)$ in (n,n' $\gamma$ ), linear polarization ,(3 <sup>-</sup> ) in Ag decay (20s).
2391.50 3	(2 <sup>+,3</sup> )		D GHij	
2435.03 14	2 <sup>+</sup>		C GHI K	XREF: K(2431). J <sup>π</sup> : L(t,p)=2.
2478.15 7	1 <sup>-</sup>	0.0097 eV 6	C E GH	0
2488.0 10	1 <sup>+</sup>	0.0021 eV 3		0
2493.66 20			B D	
2503.83 5	(5 <sup>-</sup> )		B GH	XREF: H(2509).
2517.49 5			C G	
2559 10	2 <sup>+</sup>		H K	J <sup>π</sup> : L(t,p)=2.
2564.7 <sup>&amp;</sup> 10	6 <sup>+</sup>		B MN	J <sup>π</sup> : stretched E2 $\gamma$ to 4 <sup>+</sup> .
2572.16 15			C	
2604.85 5	2 <sup>+,3,4<sup>+</sup></sup>		GHI	XREF: I(2559). J <sup>π</sup> : $\gamma$ 's to 2 <sup>+</sup> and 4 <sup>+</sup> . E(level): not confirmed in (n,n' $\gamma$ ) ( <a href="#">1991Ar17</a> ). XREF: E(2640).
2627.7? 3			C	
2648 8			E HI	
2653.90 6			C G	
2659.0 10	1 <sup>+</sup>	0.0045 eV 4		0
2672.83 7			G	
2690.90 8	(5 <sup>-</sup> )		B	
2693.17 <sup>a</sup> 15	(7 <sup>-</sup> )		B L	
2698.8 5	(5 <sup>-</sup> )		B	
2720.09 7	1 <sup>-</sup>		C GH K	XREF: H(2715)K(2714). J <sup>π</sup> : L(t,p)=1.
2727.25 19			G	
2760.1? 3	(1,2 <sup>+</sup> )		C	E(level): not confirmed in (n,n' $\gamma$ ) ( <a href="#">1991Ar17</a> ). J <sup>π</sup> : $\gamma$ to 0 <sup>+</sup> .
2762.0 10	1	0.0020 eV 5		0
2764.6 3			G	B(E1) $\uparrow=0.27\times10^{-5}$ 6
2779.7 14	(10 <sup>+</sup> )		M	J <sup>π</sup> : from systematics.
2782.6 5	2 <sup>+</sup>		C H K	J <sup>π</sup> : L(t,p)=2.
2786.14 15			D G	
2802.96 6			C GH	
2810.5 3	1,2 <sup>+</sup>		G	J <sup>π</sup> : $\gamma$ to 0 <sup>+</sup> .
2817.6 6			C	
2822.35 15			D G	
2824.9 <sup>@</sup> 8	8 <sup>+</sup>		L N	
2828.3 10	(6 <sup>-</sup> )		B L	
2828.6 3	1 <sup>-</sup>	0.0020 eV 5	C G	0
				J <sup>π</sup> : $\gamma$ to 0 <sup>+</sup> .

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{116}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>‡</sup>	T <sub>1/2</sub>	XREF		Comments
2837.11	(6 <sup>+</sup> )		K		
2845.37	1 <sup>+</sup>	0.0104 eV 10	CD	O	J <sup>π</sup> : L=(t,p)=(6).
2862.4518			C		
2865.6215	(5 <sup>-</sup> )		B		
2873.23	8 <sup>+</sup>			L N	
2877.5212	(6 <sup>-</sup> )		B		
2909.7917				GH K	
2915.3421			B D		
2958.2222	(6 <sup>-</sup> )		B G		J <sup>π</sup> : log f <sub>t</sub> =4.8 from (5 <sup>+</sup> ) parent.
2973.12	(3 <sup>-</sup> )		H K		J <sup>π</sup> : L(t,p)=(3).
2978.1921			C		
3001.449			C		
3013.3810	(5 <sup>-</sup> ,6 <sup>-</sup> )		B		
3014.7424			C		
3040.0@8	10 <sup>+</sup>			L N	
3050.14	4 <sup>+</sup>		H K		J <sup>π</sup> : L(t,p)=4.
3068.010	1 <sup>+</sup>	0.0207 eV 10	C	O	
3087.837	(7 <sup>-</sup> )		B		
3102.73			C		
3118.2115	1 <sup>-</sup>		C H K		J <sup>π</sup> : L(t,p)=1.
3124.63			D		
3130.1422			B		
3137.6220			C		
3156.010	1 <sup>-</sup>	0.0052 eV 5		O	B(E1)↑=0.48×10 <sup>-5</sup> 5
3162.4620			B		
3175.6822			C		
3212.6620			B		
3213.4419	(6 <sup>+</sup> )		BC		
3217.0023	2 <sup>+</sup>		C	K	J <sup>π</sup> : L(t,p)=2.
3218.4420			C		
3227.9914			D		
3250.6520			C		
3275.6517			C		
3282.010	1	0.0009 eV 6		O	B(E1)↑=0.08×10 <sup>-5</sup> 5
3287.2320			C		
3294.3514			D		
3299.34			C		
3303.13			D		
3304.1217			D		
3307.23			C		
3321.14	3 <sup>-</sup>			K	J <sup>π</sup> : L(t,p)=3.
3339.9520			C		
3348.0212	(1,2 <sup>+</sup> )		C		J <sup>π</sup> : γ to 0 <sup>+</sup> .
3354.8819			D		
3359.9413			B		
3372.03			B		
3373.05			B		
3378.1415			C		
3378.63			C		
3382.5 <sup>d</sup> 10	(9 <sup>-</sup> )			L	
3387.73			B		
3398.64	(1,2 <sup>+</sup> )		C		J <sup>π</sup> : γ to 0 <sup>+</sup> .
3401.110	1	0.0017 eV 4		O	B(E1)↑=0.13×10 <sup>-5</sup> 3
3423.110	1 <sup>+</sup>	0.0028 eV 5		O	
3433.35			C		
3471.3320			C		

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{116}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	J <sup>π‡</sup>	T <sub>1/2</sub>	XREF	Comments	
3472.13 12			C		
3483 14	4 <sup>+</sup>		K	J <sup>π</sup> :	L(t,p)=4.
3486.06 21			B		
3511.86 20			C		
3527.30 18			C		
3531.56 20			C		
3542.7 3			C		
3549.54 21			B		
3560.31 20			C		
3578.5 <sup>@</sup> 13	12 <sup>+</sup>		L		
3595.5 3			C		
3601.1 10	1	0.0064 eV 6	C	0	B(E1)↑=0.39×10 <sup>-5</sup> 4
3632.7 5			B		
3641.1 10	1	0.0013 eV 4		0	B(E1)↑=0.08×10 <sup>-5</sup> 2
3655.3 7	1	0.0068 eV 8		0	B(E1)↑=0.25×10 <sup>-5</sup> 6
3664.75 20			B		
3674.56 15			C		
3681.86 20			C		
3708.38 17			C		
3732.1 10	1	0.0067 eV 7		0	B(E1)↑=0.37×10 <sup>-5</sup> 4
3745.53 17			C		
3747.24 20			C		
3758.63 20			C		
3763.1 10	1	0.0024 eV 7		0	B(E1)↑=0.13×10 <sup>-5</sup> 4
3782.3 7	1	0.0142 eV 10		0	B(E1)↑=0.53×10 <sup>-5</sup> 7
3794.27 20			C		
3794.3 3			C		
3805.97 20			C		
3839.17 20			C		
3841.5 3			C		
3849.1 10	1	0.0086 eV 8	C	0	B(E1)↑=0.43×10 <sup>-5</sup> 4
3876.1 10	1	0.0056 eV 7	C	0	B(E1)↑=0.27×10 <sup>-5</sup> 3
3895.3 7	1	0.0273 eV 16		0	B(E1)↑=0.90×10 <sup>-5</sup> 10
3916.1 4	(1,2 <sup>+</sup> )		C		J <sup>π</sup> : γ to 0 <sup>+</sup> .
3924.2 3			C		
3943.07 20			C		
3976.1 10	1	0.0044 eV 7		0	B(E1)↑=0.20×10 <sup>-5</sup> 3
3984.6 3			C		
3997.1 10	1	0.0022 eV 7		0	B(E1)↑=0.10×10 <sup>-5</sup> 3
4009.7 3			C		
4022.97 20			C		
4027.1 10	1	0.0067 eV 9		0	B(E1)↑=0.29×10 <sup>-5</sup> 4
4057.88 20			C		
4059.4 <sup>a</sup> 14	(11 <sup>-</sup> )		L		
4080.2 3			C		
4083.60 17			C		
4135.85 20			C		
4177.2 3			C		
4231.48 20			C		
4247.0 3			C		
4290.19 20			C		
4378.46 20			C		
4380.5 <sup>@</sup> 16	(14 <sup>+</sup> )		L		
4428.29 20			C		
4432.06 20			C		

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{116}\text{Cd}$  Levels (continued)**

E(level) <sup>†</sup>	XREF	E(level) <sup>†</sup>	XREF	E(level) <sup>†</sup>	XREF
4449.5 3	C	4632.0 3	C	4773.0 3	C
4475.94 17	C	4642.66 14	C	4787.17 20	C
4539.20 20	C	4647.4 3	C	4828.88 20	C
4561.89 20	C	4652.85 20	C	4916.6 3	C
4575.1 7	C	4689.22 19	C	4924.6 3	C
4590.80 20	C	4697.55 20	C	4953.6 3	C
4614.81 14	C	4755.16 20	C	4968.88 20	C

<sup>†</sup> Energies of levels are based on least squares fit to the adopted gammas.

<sup>‡</sup> Unless given otherwise,  $J^\pi$  are based on  $\gamma\gamma(\theta)$ , band assignment in ( $^{28}\text{Si},\text{F}\gamma$ ) and ( $^{94}\text{Kr},\text{xny}$ ).

# Band(A): band based on the first  $0^+$ .

@ Band(B): g.s. band.

& Band(C): intruder band based on the second  $0^+$ .

<sup>a</sup> Band(D): band based on  $5^-$ .

## Adopted Levels, Gammas (continued)

 $\gamma^{(116\text{Cd})}$ 

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	δ	a <sup>#</sup>	Comments
513.490	2 <sup>+</sup>	513.50 5	100	0.0	0 <sup>+</sup>	[E2]			B(E2)(W.u.)=33.5 12
1212.997	2 <sup>+</sup>	699.512 14	100 3	513.490	2 <sup>+</sup>	E2+M1	-1.5 +9-4		B(E2)(W.u.)=25 10; B(M1)(W.u.)=0.007 6
									Mult.: from $\gamma(\theta)$ with $\Delta\pi=\text{no}$ required by level scheme, RUL rules out E1+M2.
1219.448	4 <sup>+</sup>	1212.980 14	49.1 12	0.0	0 <sup>+</sup>	[E2]			B(E2)(W.u.)=1.11 18
1282.560	0 <sup>+</sup>	705.950 14	100	513.490	2 <sup>+</sup>	[E2]			B(E2)(W.u.)=56 14
		68.9 8	22 4	1212.997	2 <sup>+</sup>	[E2]			B(E2)(W.u.)=3.0×10 <sup>4</sup> 8
		769.065 14	100 20	513.490	2 <sup>+</sup>	[E2]			B(E2)(W.u.)=0.79 22
1380.310	0 <sup>+</sup>	866.816 14	100	513.490	2 <sup>+</sup>	[E2]			B(E2)(W.u.)=30 6
1642.499	2 <sup>+</sup>	429.6 4	1.0 3	1212.997	2 <sup>+</sup>				$E_\gamma$ : a 422 $\gamma$ seen in $\beta^-$ decay and (p,p'γ) has not been adopted.
		1129.000 14	100 20	513.490	2 <sup>+</sup>	M1+E2	+1.10 20		B(E2)(W.u.)=6.2 +22-26; B(M1)(W.u.)=0.009 4
		1642.53 3	61 12	0.0	0 <sup>+</sup>	E2			B(E2)(W.u.)=1.1 4
1869.477	4 <sup>+</sup>	650.02 2	1.0×10 <sup>2</sup> 4	1219.448	4 <sup>+</sup>	M1+E2	-1.16 +19-32		B(E2)(W.u.)=1.5×10 <sup>2</sup> +8-13; B(M1)(W.u.)=0.06 +4-6
		656.48 2	9.×10 <sup>1</sup> 4	1212.997	2 <sup>+</sup>				
		1356.00 4	45 19	513.490	2 <sup>+</sup>				
1915.816	3 <sup>+</sup>	273.41 5	19.2 14	1642.499	2 <sup>+</sup>				
		696.36 15	50 10	1219.448	4 <sup>+</sup>				
		702.77 5	98 9	1212.997	2 <sup>+</sup>				
		1402.309 19	100 3	513.490	2 <sup>+</sup>	D+Q	-2.3 4		
1921.557	3 <sup>-</sup>	708.7 2	30 4	1212.997	2 <sup>+</sup>				Mult.: from $\gamma(\theta)$ with $\Delta\pi=\text{yes}$ required by level scheme.
		1408.059 18	100 3	513.490	2 <sup>+</sup>	(E1+M2)	$\leq 0.39$		
1928.44	0 <sup>+</sup>	1414.94 5	100	513.490	2 <sup>+</sup>				
1951.33	2 <sup>+</sup>	668.73 7	23.0 20	1282.560	0 <sup>+</sup>				
		731.77 25	2.8 5	1219.448	4 <sup>+</sup>				
		738.4 3	1.4 6	1212.997	2 <sup>+</sup>				
		1437.87 24	100 3	513.490	2 <sup>+</sup>	M1+E2	-0.54 15		B(E2)(W.u.)=0.9 5; B(M1)(W.u.)=0.0081 +20-30
		1951.35 6	17.1 6	0.0	0 <sup>+</sup>				
2026.66	6 <sup>+</sup>	807.21 3	100	1219.448	4 <sup>+</sup>	E2			B(E2)(W.u.)=1.1×10 <sup>2</sup> +4-8
2037.04	2 <sup>+</sup>	656.73 5	100	1380.310	0 <sup>+</sup>				
2041.91	4 <sup>+</sup>	399.40 6	30.8 15	1642.499	2 <sup>+</sup>	E2		0.01301	
		822.47 8	30.7 17	1219.448	4 <sup>+</sup>	M1+E2	-0.37 17		
		1528.40 5	100 3	513.490	2 <sup>+</sup>	E2			
2118.43	(2) <sup>+</sup>	835.7 3	55 8	1282.560	0 <sup>+</sup>				
		905.5 3	5.9 8	1212.997	2 <sup>+</sup>				
		1604.95 3	100 5	513.490	2 <sup>+</sup>	M1+E2	-0.05 5		
2189.0?		974.4 15	100	1212.997	2 <sup>+</sup>				
2195.4?		1681.0 6	100	513.490	2 <sup>+</sup>				
2248.837	5 <sup>-</sup>	1029.380 14	100	1219.448	4 <sup>+</sup>	E1			
		1736.0 14		513.490	2 <sup>+</sup>				
2291.9	5 <sup>-</sup>	102.7 5	34	2189.0?					
		264.3 8	100	2026.66	6 <sup>+</sup>				

## Adopted Levels, Gammas (continued)

 $\gamma(^{116}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult. <sup>‡</sup>	δ	Comments
2292.47	2 <sup>+</sup>	173.8 3 650.0 1	8 4 100 8	2118.43 1642.499	(2) <sup>+</sup> 2 <sup>+</sup>			
2293.2		1080.2 6	100	1212.997	2 <sup>+</sup>			
2293.7	(2,3 <sup>+</sup> )	1780.2 3	100	513.490	2 <sup>+</sup>	M1+E2	+4.7 20	
2296.29	<sup>+</sup>	178.0 3 1083.29 4	4.0 24 100 5	2118.43 1212.997	(2) <sup>+</sup> 2 <sup>+</sup>	M1+E2		Mult.: δ=-0.20 10 or +3 2.
2302.95		1083.5 2	100	1219.448	4 <sup>+</sup>			
2339.77	4 <sup>-</sup>	418.2 3 423.9 2	10.0 20 50 5	1921.557 1915.816	3 <sup>-</sup> 3 <sup>+</sup>			
		1120.32 5	100 8	1219.448	4 <sup>+</sup>			
2376.45	4 <sup>+</sup>	334.5 5 1157.00 4	5.0 20 100 4	2041.91 1219.448	4 <sup>+</sup> 4 <sup>+</sup>	D+Q	-0.07 7	
2377.073	3 <sup>+</sup>	258.83 8 1164.07 1	7.8 11 100.0 7	2118.43 1212.997	(2) <sup>+</sup> 2 <sup>+</sup>			
		1863.49 5	18.5 18	513.490	2 <sup>+</sup>			δ: δ=-0.18 10 or -2.5 9 ( <a href="#">1991Ar17</a> ).
2391.50	(2 <sup>+,3</sup> )	748.6 3 1178.40 15	8.6 18 15.7 14	1642.499 1212.997	2 <sup>+</sup> 2 <sup>+</sup>			
		1878.00 3	100 3	513.490	2 <sup>+</sup>			
2435.03	2 <sup>+</sup>	1152.46 15 2435.0 3	100 7 63 4	1282.560 0.0	0 <sup>+</sup> 0 <sup>+</sup>	E2		
2478.15	1 <sup>-</sup>	2478.12 7	100	0.0	0 <sup>+</sup>	E1		B(E1)(W.u.)=0.000397 25
2488.0	1 <sup>+</sup>	2488	100	0.0	0 <sup>+</sup>	M1		B(M1)(W.u.)=0.0066 10
2493.66		1274.2 2	100	1219.448	4 <sup>+</sup>			
2503.83	(5 <sup>-</sup> )	254.98 5 861.33 10	100 5 37 3	2248.837 1642.499	5 <sup>-</sup> 2 <sup>+</sup>			
		1991.0 5	8.2 19	513.490	2 <sup>+</sup>			
2517.49		1235.1 3 1304.46 5	10.1 15 100 7	1282.560 1212.997	0 <sup>+</sup> 2 <sup>+</sup>			
		2004.3 4	33 13	513.490	2 <sup>+</sup>			
2564.7	6 <sup>+</sup>	538 1	100	2026.66	6 <sup>+</sup>			
2572.16		2059.0 2	100	513.490	2 <sup>+</sup>			
2604.85	2 <sup>+,3,4</sup> <sup>+</sup>	1385.0 2 2091.36 5	72 4 100 5	1219.448 513.490	4 <sup>+</sup> 2 <sup>+</sup>			
		2604.8 3	14 7	0.0	0 <sup>+</sup>			
2627.7?		711.9 4 1414.6 6	100 75 9	1915.816 1212.997	3 <sup>+</sup> 2 <sup>+</sup>			
2653.90		2140.39 6	100	513.490	2 <sup>+</sup>			
2659.0	1 <sup>+</sup>	2659	100	0.0	0 <sup>+</sup>	M1		B(M1)(W.u.)=0.0116 11 pol=+0.11 7.
2672.83		423.86 9 752.4 6 757.2 3 1453.57 13	100 5 13 3 14 3 54 3	2248.837 1921.557 1915.816 1219.448	5 <sup>-</sup> 3 <sup>-</sup> 3 <sup>+</sup> 4 <sup>+</sup>			

## Adopted Levels, Gammas (continued)

 $\gamma(^{116}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	Comments
2690.90	(5 <sup>-</sup> )	351.2 2 442.0 1 664.6 3	6.9 8 18 4 100 23	2339.77 2248.837 2026.66	4 <sup>-</sup> 5 <sup>-</sup> 6 <sup>+</sup>	M1	$\alpha(\text{K})\exp=1.5\times10^{-2}$ 3
2693.17	(7 <sup>-</sup> )	444.2 666.4		2248.837 2026.66	5 <sup>-</sup> 6 <sup>+</sup>		
2698.8	(5 <sup>-</sup> )	450.0 5	100	2248.837	5 <sup>-</sup>	M1,E2	$\alpha(\text{K})\exp=7\times10^{-3}$ 2
2720.09	1 <sup>-</sup>	678.1 3 1500.9 3 2206.56 7	5.7 15 13.5 17 100 3	2041.91 1219.448 513.490	4 <sup>+</sup> 4 <sup>+</sup> 2 <sup>+</sup>		
2727.25		1507.9 3 2213.67 25	30 16 100 9	1219.448 513.490	4 <sup>+</sup> 2 <sup>+</sup>		
2760.1?	(1,2 <sup>+</sup> )	2246.3 6 2759.8 7	100 35 4	513.490	2 <sup>+</sup> 0.0 0 <sup>+</sup>		
2762.0	1	2762	100	0.0	0 <sup>+</sup>		
2764.6		1122.3 5 1384.1 5 2250.8 10	23 11 32 10 100 9	1642.499 1380.310 513.490	2 <sup>+</sup> 0 <sup>+</sup> 2 <sup>+</sup>		
2779.7	(10 <sup>+</sup> )	215 1	100	2564.7	6 <sup>+</sup>		
2782.6	2 <sup>+</sup>	1569.6 6	100	1212.997	2 <sup>+</sup>		
2786.14		2272.63 15	100	513.490	2 <sup>+</sup>		
2802.96		881.7 5 2289.49 6	16 5 100 5	1921.557 513.490	3 <sup>-</sup> 2 <sup>+</sup>		
2810.5	1,2 <sup>+</sup>	2810.5 3	100	0.0	0 <sup>+</sup>		
2817.6		1604.6 6	100	1212.997	2 <sup>+</sup>		
2822.35		901.0 2 1602.5 4 1609.3 5 2308.6 3	30 100 17 50 98 10	1921.557 1219.448 1212.997 513.490	3 <sup>-</sup> 4 <sup>+</sup> 2 <sup>+</sup> 2 <sup>+</sup>		
2824.9	8 <sup>+</sup>	798	100	2026.66	6 <sup>+</sup>		
2828.3	(6 <sup>-</sup> )	579.5	100	2248.837	5 <sup>-</sup>		
2828.6	1 <sup>-</sup>	2315.1 6 2828.5 3	39 5 100 20	513.490 0.0 0 <sup>+</sup>	2 <sup>+</sup> E1		
2845.3	1 <sup>+</sup>	2332 2845	100 20 51 10	513.490 0.0 0 <sup>+</sup>	2 <sup>+</sup> M1		
2862.45		1649.4 3 2348.9 3	58 12 100 20	1212.997 513.490	2 <sup>+</sup> 2 <sup>+</sup>		
2865.62	(5 <sup>-</sup> )	1646.1 2	100	1219.448	4 <sup>+</sup>		
2873.2	8 <sup>+</sup>	846.6 3	100	2026.66	6 <sup>+</sup>		
2877.52	(6 <sup>-</sup> )	186.6 4 373.6 4 537.6 6 628.6 2	18 3 13.4 15 43 4 100 9	2690.90 (5 <sup>-</sup> ) 2503.83 (5 <sup>-</sup> ) 2339.77 4 <sup>-</sup> 2248.837 5 <sup>-</sup>	M1	$\alpha(\text{K})\exp=8\times10^{-2}$ 2 $\alpha(\text{K})\exp=3\times10^{-3}$ 1	
2909.79		2396.27 17	100	513.490	2 <sup>+</sup>		

## Adopted Levels, Gammas (continued)

 $\gamma(^{116}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	Comments
2915.34		1696.0 3	100	1219.448	4 <sup>+</sup>		
		1702.2 3	100	1212.997	2 <sup>+</sup>		
2958.22	(6 <sup>-</sup> )	666.26 17	39.0 20	2291.9	5 <sup>-</sup>		
		708.8 8	100 5	2248.837	5 <sup>-</sup>		
		931.5 4	18 5	2026.66	6 <sup>+</sup>		
2978.19		1056.6 3	1.0×10 <sup>2</sup> 3	1921.557	3 <sup>-</sup>		
		2464.7 3	7.×10 <sup>1</sup> 3	513.490	2 <sup>+</sup>		
3001.44		2487.9 3	98 18	513.490	2 <sup>+</sup>		
		3001.4 1	100 20	0.0	0 <sup>+</sup>		
3013.38	(5 <sup>-</sup> ,6 <sup>-</sup> )	135.6 2	8 3	2877.52	(6 <sup>-</sup> )	M1	$\alpha(K)\exp=1.2\times10^{-1}$ 3
		147.7 2	2.0 5	2865.62	(5 <sup>-</sup> )	M1,E2	$\alpha(K)\exp=2.3\times10^{-1}$ 9
		320.2 2	83 8	2693.17	(7 <sup>-</sup> )	M1,E2	$\alpha(K)\exp=1.9\times10^{-2}$ 3
		673.5 2	100 17	2339.77	4 <sup>-</sup>		
		764.7 2	45 5	2248.837	5 <sup>-</sup>		
		987.0 2	23 3	2026.66	6 <sup>+</sup>		
3014.74		1801.8 3	61 7	1212.997	2 <sup>+</sup>		
		2501.1 4	100 10	513.490	2 <sup>+</sup>		
3040.0	10 <sup>+</sup>	167	40	2873.2	8 <sup>+</sup>		
		215	100	2824.9	8 <sup>+</sup>		
3068.0	1 <sup>+</sup>	3068	100	0.0	0 <sup>+</sup>	M1	B(M1)(W.u.)=0.0346 17
3087.83	(7 <sup>-</sup> )	129.3 3	18.6 23	2958.22	(6 <sup>-</sup> )	M1	$\alpha(K)\exp=1.5\times10^{-1}$ 7
		210.6 3	16 3	2877.52	(6 <sup>-</sup> )	M1	$\alpha(K)\exp=5\times10^{-2}$ 1
		394.6 2	65 6	2693.17	(7 <sup>-</sup> )	M1,E2	$\alpha(K)\exp=1.1\times10^{-2}$ 2
		583.9 2	100 9	2503.83	(5 <sup>-</sup> )	E2	$\alpha(K)\exp=3.8\times10^{-3}$ 8
		839.1 1	37 3	2248.837	5 <sup>-</sup>		
		1061.1 1	15.1 12	2026.66	6 <sup>+</sup>		
3102.7		1180.9 5	50 20	1921.557	3 <sup>-</sup>		
		2589.2 3	1.0×10 <sup>2</sup> 4	513.490	2 <sup>+</sup>		
3118.21	1 <sup>-</sup>	640.06 13	100	2478.15	1 <sup>-</sup>		
3124.6		1911.6 3	100	1212.997	2 <sup>+</sup>		
3130.14		881.1 3	100	2248.837	5 <sup>-</sup>		
3137.62		2624.1 2	100	513.490	2 <sup>+</sup>		
3156.0	1 <sup>-</sup>	3156	100	0.0	0 <sup>+</sup>	E1	B(E1)(W.u.)=0.000103 10
3162.46		1135.8 2	100	2026.66	6 <sup>+</sup>		
3175.68		1533.1 6	0.64 13	1642.499	2 <sup>+</sup>		
		1956.2 3	59 11	1219.448	4 <sup>+</sup>		
		2662.2 4	100 20	513.490	2 <sup>+</sup>		
3212.66		1186.0 2	100	2026.66	6 <sup>+</sup>		
3213.44	(6 <sup>+</sup> )	522.5 5	100 11	2690.90	(5 <sup>-</sup> )	E1	$\alpha(K)\exp=2.1\times10^{-3}$ 7
		964.6 2	81 16	2248.837	5 <sup>-</sup>		
3217.00	2 <sup>+</sup>	1575.1 6	4.0 10	1642.499	2 <sup>+</sup>		
		1836.6 6	5.0 10	1380.310	0 <sup>+</sup>		
		2703.4 3	100 20	513.490	2 <sup>+</sup>		

## Adopted Levels, Gammas (continued)

 $\gamma(^{116}\text{Cd})$  (continued)

10

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Comments
3217.00	2 <sup>+</sup>	3216.6 7	6.0 10	0.0	0 <sup>+</sup>	
3218.44		1267.1 2	100	1951.33	2 <sup>+</sup>	
3227.99		2008.4 2	100	1219.448	4 <sup>+</sup>	
		2015.1 2	40	1212.997	2 <sup>+</sup>	
3250.65		3250.6 2	100	0.0	0 <sup>+</sup>	
3275.65		555.2 3	30 10	2720.09	1 <sup>-</sup>	
		2062.8 2	1.0×10 <sup>2</sup> 3	1212.997	2 <sup>+</sup>	
3282.0	1	3282	100	0.0	0 <sup>+</sup>	
3287.23		2773.7 2	100	513.490	2 <sup>+</sup>	
3294.35		1378.4 3	15.0	1915.816	3 <sup>+</sup>	
		2075.0 4	26	1219.448	4 <sup>+</sup>	
		2081.5 4	100	1212.997	2 <sup>+</sup>	
		2780.8 2	50	513.490	2 <sup>+</sup>	
3299.3		781.8 4	100	2517.49		
3303.1		1381.5 3	100	1921.557	3 <sup>-</sup>	
3304.12		2084.7 2	100	1219.448	4 <sup>+</sup>	
		2091.0 3	55	1212.997	2 <sup>+</sup>	
3307.2		829.0 3	100	2478.15	1 <sup>-</sup>	
3339.95		3339.9 2	100	0.0	0 <sup>+</sup>	
3348.02	(1,2 <sup>+</sup> )	545.6 2	7.0 10	2802.96		
		776.2 2	6.0 20	2572.16		
		830.4 3	9.0 10	2517.49		
		869.0 4	36 4	2478.15	1 <sup>-</sup>	
		1151.7 6	9.0 10	2195.4?		
		1704.9 6	17.0 20	1642.499	2 <sup>+</sup>	
		2062.4 7	0.32 10	1282.560	0 <sup>+</sup>	
		2134.0 6	70 14	1212.997	2 <sup>+</sup>	
		2834.1 7	100 20	513.490	2 <sup>+</sup>	
		3347.4 7	8.0 20	0.0	0 <sup>+</sup>	
3354.88		2135.4 2	23.0	1219.448	4 <sup>+</sup>	
		2841.4 5	100	513.490	2 <sup>+</sup>	
3359.94		229.6 3	6.7 22	3130.14		$\alpha(K)\exp=4\times10^{-2}$ I
		667.1 5	44 16	2693.17	(7 <sup>-</sup> )	
		669.0 5	67 22	2690.90	(5 <sup>-</sup> )	
		1111.1 2	100 13	2248.837	5 <sup>-</sup>	
		1333.3 2	24.4 22	2026.66	6 <sup>+</sup>	
3372.0		1345.3 3	100	2026.66	6 <sup>+</sup>	
3373.0		1124.2 5	100	2248.837	5 <sup>-</sup>	
3378.14		1462.2 3	1.0×10 <sup>2</sup> 7	1915.816	3 <sup>+</sup>	
		2165.1 2	27 10	1212.997	2 <sup>+</sup>	
		2864.9 4	63 13	513.490	2 <sup>+</sup>	
3378.6		861.1 3	100	2517.49		
3382.5	(9 <sup>-</sup> )	689.3	100	2693.17	(7 <sup>-</sup> )	

## Adopted Levels, Gammas (continued)

 $\gamma(^{116}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	Mult. <sup>‡</sup>	Comments
3387.7		559.1 2	100	2828.6	1 <sup>-</sup>		
3398.6	(1,2 <sup>+</sup> )	881.4 5	100 20	2517.49			
		3398.0 7	87 9	0.0	0 <sup>+</sup>		
3401.1	1	3401	100	0.0	0 <sup>+</sup>		
3423.1	1 <sup>+</sup>	3423	100	0.0	0 <sup>+</sup>	M1	B(M1)(W.u.)=0.0034 6
3433.3		2150.6 6	37 8	1282.560	0 <sup>+</sup>		
		2919.9 7	100 20	513.490	2 <sup>+</sup>		
3471.33		2091.0 2	100	1380.310	0 <sup>+</sup>		
3472.13		609.6 3	42 8	2862.45			
		994.05 12	100 20	2478.15	1 <sup>-</sup>		
		1550.3 6	24 5	1921.557	3 <sup>-</sup>		
		2090.8 6	64 13	1380.310	0 <sup>+</sup>		
		2958.2 6	41 8	513.490	2 <sup>+</sup>		
3486.06		1237.1 3	63 13	2248.837	5 <sup>-</sup>		
		1459.5 3	100 13	2026.66	6 <sup>+</sup>		
3511.86		3511.8 2	100	0.0	0 <sup>+</sup>		
3527.30		1009.6 2	80 20	2517.49			
		3014.6 4	1.0x10 <sup>2</sup> 5	513.490	2 <sup>+</sup>		
3531.56		3531.5 2	100	0.0	0 <sup>+</sup>		
3542.7		782.6 2	100 12	2760.1?	(1,2 <sup>+</sup> )		
		3029.4 4	8 4	513.490	2 <sup>+</sup>		
3549.54		1045.7 2	100	2503.83	(5 <sup>-</sup> )		
3560.31		1168.8 2	100	2391.50	(2 <sup>+,3</sup> )		
3578.5	12 <sup>+</sup>	538.4	100	3040.0	10 <sup>+</sup>		
3595.5		3082.0 3	100	513.490	2 <sup>+</sup>		
3601.1	1	3601	100	0.0	0 <sup>+</sup>		
3632.7		1606.0 5	100	2026.66	6 <sup>+</sup>		
3641.1	1	3641	100	0.0	0 <sup>+</sup>		
3655.3	1	3142	5.x10 <sup>1</sup> 3	513.490	2 <sup>+</sup>		
		3655	100	0.0	0 <sup>+</sup>		
3664.75		1415.9 2	100	2248.837	5 <sup>-</sup>		
3674.56		954.6 2	64 7	2720.09	1 <sup>-</sup>		
		1758.6 2	100 7	1915.816	3 <sup>+</sup>		
3681.86		3681.8 2	100	0.0	0 <sup>+</sup>		
3708.38		3194.9 2	100 21	513.490	2 <sup>+</sup>		
		3708.2 3	36 7	0.0	0 <sup>+</sup>		
3732.1	1	3732	100	0.0	0 <sup>+</sup>		
3745.53		1354.0 2	100 8	2391.50	(2 <sup>+,3</sup> )		
		1824.0 3	31 15	1921.557	3 <sup>-</sup>		
3747.24		3233.7 2	100	513.490	2 <sup>+</sup>		
3758.63		2545.6 2	100	1212.997	2 <sup>+</sup>		
3763.1	1	3763	100	0.0	0 <sup>+</sup>		
3782.3	1	3269	43 13	513.490	2 <sup>+</sup>		

## Adopted Levels, Gammas (continued)


 $\gamma(^{116}\text{Cd})$  (continued)

E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>	E <sub>i</sub> (level)	J <sub>i</sub> <sup>π</sup>	E <sub>γ</sub>	I <sub>γ</sub> <sup>†</sup>	E <sub>f</sub>	J <sub>f</sub> <sup>π</sup>
3782.3	1	3782	100	0.0	0 <sup>+</sup>	4290.19		4290.1 2	100	0.0	0 <sup>+</sup>
3794.27		1872.7 2	100	1921.557	3 <sup>-</sup>	4378.46		3864.9 2	100	513.490	2 <sup>+</sup>
3794.3		1276.8 3	100	2517.49		4380.5	(14 <sup>+</sup> )	802	100	3578.5	12 <sup>+</sup>
3805.97		3805.9 2	100	0.0	0 <sup>+</sup>	4428.29		4428.2 2	100	0.0	0 <sup>+</sup>
3839.17		1917.6 2	100	1921.557	3 <sup>-</sup>	4432.06		3918.5 2	100	513.490	2 <sup>+</sup>
3841.5		3328.0 3	100	513.490	2 <sup>+</sup>	4449.5		3935.9 3	100	513.490	2 <sup>+</sup>
3849.1	1	3849	100	0.0	0 <sup>+</sup>	4475.94		3962.4 2	1.0×10 <sup>2</sup> 3	513.490	2 <sup>+</sup>
3876.1	1	3876	100	0.0	0 <sup>+</sup>			4475.8 3	57 14	0.0	0 <sup>+</sup>
3895.3	1	3382	48 12	513.490	2 <sup>+</sup>	4539.20		4539.1 2	100	0.0	0 <sup>+</sup>
		3895	100	0.0	0 <sup>+</sup>	4561.89		2640.3 2	100	1921.557	3 <sup>-</sup>
3916.1	(1,2 <sup>+</sup> )	1133.6 6	32 6	2782.6	2 <sup>+</sup>	4575.1		1729.8 2	100	2845.3	1 <sup>+</sup>
		2703.1 5	100 20	1212.997	2 <sup>+</sup>	4590.80		4590.7 2	100	0.0	0 <sup>+</sup>
		3916.0 7	22 4	0.0	0 <sup>+</sup>	4614.81		3401.8 2	1.0×10 <sup>2</sup> 3	1212.997	2 <sup>+</sup>
3924.2		1406.7 3	100	2517.49				4101.2 2	48 12	513.490	2 <sup>+</sup>
3943.07		3943.0 2	100	0.0	0 <sup>+</sup>	4632.0		4118.4 3	100	513.490	2 <sup>+</sup>
3976.1	1	3976	100	0.0	0 <sup>+</sup>	4642.66		3429.7 2	1.0×10 <sup>2</sup> 3	1212.997	2 <sup>+</sup>
3984.6		3471.1 3	100	513.490	2 <sup>+</sup>			4129.0 2	43 14	513.490	2 <sup>+</sup>
3997.1	1	3997	100	0.0	0 <sup>+</sup>	4647.4		4133.8 3	100	513.490	2 <sup>+</sup>
4009.7		4009.6 3	100	0.0	0 <sup>+</sup>	4652.85		3439.8 2	100	1212.997	2 <sup>+</sup>
4022.97		4022.9 2	100	0.0	0 <sup>+</sup>	4689.22		3476.2 2	1.0×10 <sup>2</sup> 3	1212.997	2 <sup>+</sup>
4027.1	1	4027	100	0.0	0 <sup>+</sup>			4688.9 5	5.3 21	0.0	0 <sup>+</sup>
4057.88		4057.8 2	100	0.0	0 <sup>+</sup>	4697.55		3484.5 2	100	1212.997	2 <sup>+</sup>
4059.4	(11 <sup>-</sup> )	676.9	100	3382.5 (9 <sup>-</sup> )		4755.16		3542.1 2	100	1212.997	2 <sup>+</sup>
4080.2		2867.2 3	100	1212.997	2 <sup>+</sup>	4773.0		4259.4 3	100	513.490	2 <sup>+</sup>
4083.60		2801.1 2	100 17	1282.560	0 <sup>+</sup>	4787.17		4273.6 2	100	513.490	2 <sup>+</sup>
		4083.3 3	50 17	0.0	0 <sup>+</sup>	4828.88		4315.3 2	100	513.490	2 <sup>+</sup>
4135.85		3622.3 2	100	513.490	2 <sup>+</sup>	4916.6		4403.0 3	100	513.490	2 <sup>+</sup>
4177.2		3663.6 3	100	513.490	2 <sup>+</sup>	4924.6		4411.0 3	100	513.490	2 <sup>+</sup>
4231.48		4231.4 2	100	0.0	0 <sup>+</sup>	4953.6		4440.0 3	100	513.490	2 <sup>+</sup>
4247.0		3733.4 3	100	513.490	2 <sup>+</sup>	4968.88		4455.3 2	100	513.490	2 <sup>+</sup>

<sup>†</sup> Average of all available data.<sup>‡</sup> From (n,n'γ) or (γ,poly').# Total theoretical internal conversion coefficients, calculated using the BrIcc code ([2008Ki07](#)) with Frozen orbital approximation based on γ-ray energies, assigned multipolarities, and mixing ratios, unless otherwise specified.


Adopted Levels, GammasLevel Scheme

Intensities: Relative photon branching from each level



Adopted Levels, GammasLevel Scheme (continued)


Intensities: Relative photon branching from each level



Adopted Levels, Gammas

## Level Scheme (continued)


Intensities: Relative photon branching from each level



Adopted Levels, Gammas

## Level Scheme (continued)


Intensities: Relative photon branching from each level



Adopted Levels, Gammas


## Level Scheme (continued)

Intensities: Relative photon branching from each level




**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Relative photon branching from each level



Adopted Levels, GammasLevel Scheme (continued)


Intensities: Relative photon branching from each level



Adopted Levels, Gammas


## Level Scheme (continued)

Intensities: Relative photon branching from each level



Adopted Levels, GammasLevel Scheme (continued)


Intensities: Relative photon branching from each level




## Adopted Levels, Gammas

## Level Scheme (continued)

Intensities: Relative photon branching from each level



Adopted Levels, Gammas

**Adopted Levels, Gammas**

Type	Author	History
Full Evaluation	K. Kitao	Citation
		NDS 75,99 (1995)

Q( $\beta^-$ )=527 22; S(n)=8355 20; S(p)=11809 25; Q( $\alpha$ )=-5635 22

Note: Current evaluation has used the following Q record 520

[2012Wa38](#)228355 2011750 50-5640 30 [1993Au05](#). **$^{118}\text{Cd}$  Levels****Cross Reference (XREF) Flags**

A	$^{118}\text{Ag}$ $\beta^-$ decay (3.76 s)
B	$^{118}\text{Ag}$ $\beta^-$ decay (2.0 s)
C	$^{238}\text{U}({}^7\text{Li},\text{F})$
D	$^{122}\text{Sn}(\text{d},{}^6\text{Li})$

E(level) <sup>‡</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
0.0 <sup>†</sup>	0 <sup>+</sup> #	50.3 min 2	ABCD	% $\beta^-$ =100 T <sub>1/2</sub> : from <a href="#">1968Sc24</a> . Others: 50 min 2 ( <a href="#">1958Gl58</a> ), 49.0 min 15 ( <a href="#">1961Gl02</a> ).
487.77 <sup>†</sup> 8	2 <sup>+</sup> #	17.9 ps 15	ABCD	T <sub>1/2</sub> : from $\beta\gamma\gamma(t)$ ( <a href="#">1989Ma33</a> ).
1164.94 <sup>†&amp;</sup> 9	4 <sup>+</sup> #	<1.9 ps	ABCD	T <sub>1/2</sub> : from $\beta\gamma\gamma(t)$ ( <a href="#">1989Ma33</a> ).
1269	(7 <sup>-</sup> )		D	J <sup>π</sup> : L=(7) in (d, <sup>6</sup> Li).
1269.55 <sup>&amp;</sup> 8	2 <sup>+</sup> @		ABC	
1285.61 <sup>&amp;</sup> 12	0 <sup>+</sup> @	9.7 ps 14	A D	T <sub>1/2</sub> : from $\beta\gamma\gamma(t)$ ( <a href="#">1989Ma33</a> ).
1460 30	(0 <sup>+</sup> )		D	J <sup>π</sup> : L=(0) in (d, <sup>6</sup> Li).
1615.07 10	0 <sup>+</sup> @	<7.1 ps	A D	XREF: D(1600). T <sub>1/2</sub> : from $\beta\gamma\gamma(t)$ ( <a href="#">1989Ma33</a> ).
1915.77 <sup>a</sup> 10	2 <sup>+</sup> @		AB	
1929.14 <sup>a</sup> 9	(3,4 <sup>+</sup> )		ABC	J <sup>π</sup> : 659γ to 2 <sup>+</sup> , 764γ to 4 <sup>+</sup> , no γ to 0 <sup>+</sup> .
1935	3 <sup>-</sup>		D	J <sup>π</sup> : L=3 in (d, <sup>6</sup> Li).
1935.94 <sup>†a</sup> 13	(6 <sup>+</sup> )#		BC	J <sup>π</sup> : 4 <sup>+</sup> , 5 <sup>+</sup> , 6 <sup>+</sup> from $\gamma\gamma(\theta)$ in $^{118}\text{Ag}$ $\beta^-$ decay; systematics of the yrast states in Cd isotopes suggests 6 <sup>+</sup> .
2073.69 <sup>a</sup> 13	0 <sup>+</sup> @		A	
2091.61 <sup>a</sup> 9	3 <sup>+</sup> @		AB	
2110 30			D	
2182.14 25			B	
2223.33 10	3,4,5		ABCD	J <sup>π</sup> : strong γ to 4 <sup>+</sup> .
2322.31 10	3,4 <sup>+</sup>		AB	J <sup>π</sup> : strong γ to 4 <sup>+</sup> , 406γ to 2 <sup>+</sup> .
2395 30			D	
2471.84 11			AB	
2575 30			D	
2590.9 <sup>†</sup> 10	(8 <sup>+</sup> )#		C	
2621.00 11			B	
2640.55 25			BC	
2756.00 20			B	
2788.72 19	(1)		A	J <sup>π</sup> : strong γ to 0 <sup>+</sup> .
3017.9 <sup>†</sup> 15	(10 <sup>+</sup> )#		C	
3031.85 18			B	
3181.73 23	2,3,4		AB	J <sup>π</sup> : γ's to 2 <sup>+</sup> and 4 <sup>+</sup> .
3224.32 17	(1)		A	J <sup>π</sup> : strong γ to 0 <sup>+</sup> .
3265.77 19	2,3,4		AB	J <sup>π</sup> : γ's to 2 <sup>+</sup> and 4 <sup>+</sup> .
3329.0 4			B	
3381.8 3			AB	

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** **$^{118}\text{Cd}$  Levels (continued)**

E(level) <sup>‡</sup>	J <sup>π</sup>	XREF
3579.0 <sup>†</sup> 18	(12 <sup>+</sup> ) <sup>#</sup>	C
4367.0 <sup>†</sup> 20	(14 <sup>+</sup> ) <sup>#</sup>	C

<sup>†</sup> Band(A): yrast band.<sup>‡</sup> From a least-squares fit to adopted E( $\gamma$ 's), for  $\gamma$ -connecting levels. Others are from (d,<sup>6</sup>Li).#  $\gamma$  cascades to 0<sup>+</sup> g.s., and syst in yrast band in <sup>114</sup>Cd-<sup>122</sup>Cd.@ From  $\gamma\gamma(\theta)$  in <sup>118</sup>Ag  $\beta^-$  decay ([1984Ap04](#), [1987Ap01](#)).

&amp; Member of two phonon triplet.

<sup>a</sup> Member of three phonon quintuplet ([1987Ap01](#)). **$\gamma(^{118}\text{Cd})$** 

E <sub>i</sub> (level)	J <sup>π</sup> <sub>i</sub>	E <sub>γ</sub> <sup>†</sup>	I <sub>γ</sub> <sup>#</sup>	E <sub>f</sub>	J <sup>π</sup> <sub>f</sub>	Mult.	δ	Comments
487.77	2 <sup>+</sup>	487.77 10	100	0.0	0 <sup>+</sup>			B(E2)(W.u.)=33 3
1164.94	4 <sup>+</sup>	677.13 10	100	487.77	2 <sup>+</sup>			B(E2)(W.u.)>61
1269.55	2 <sup>+</sup>	781.73 10	100 10	487.77	2 <sup>+</sup>			
		1269.54 10	69 7	0.0	0 <sup>+</sup>			
1285.61	0 <sup>+</sup>	797.83 10	100	487.77	2 <sup>+</sup>			B(E2)(W.u.)=5.3 8
1615.07	0 <sup>+</sup>	345.51 10	<5.1 @	1269.55	2 <sup>+</sup>			B(E2)(W.u.)>13
		1127.32 10	100 @ 10	487.77	2 <sup>+</sup>			B(E2)(W.u.)>1.2
1915.77	2 <sup>+</sup>	646.20 10	39 4	1269.55	2 <sup>+</sup>			
		1428.02 10	100 10	487.77	2 <sup>+</sup>	E2+M1	+1.9	Mult.,δ: from <a href="#">1987Ap01</a> .
1929.14	(3,4 <sup>+</sup> )	659.63 10	100 10	1269.55	2 <sup>+</sup>			
		764.23 10	59 6	1164.94	4 <sup>+</sup>			
		1441.34 10	48 5	487.77	2 <sup>+</sup>			
1935.94	(6 <sup>+</sup> )	771.00 10	100 10	1164.94	4 <sup>+</sup>			
2073.69	0 <sup>+</sup>	1585.91 10	100 @	487.77	2 <sup>+</sup>			
2091.61	3 <sup>+</sup>	822.02 10		1269.55	2 <sup>+</sup>			
		926.53 10		1164.94	4 <sup>+</sup>			
		1603.96 10		487.77	2 <sup>+</sup>	E2+M1	+1.15	Mult.,δ: from <a href="#">1987Ap01</a> .
2182.14		246.2 3	100	1935.94	(6 <sup>+</sup> )			
2223.33	3,4,5	294.20 10	10.8 11	1929.14	(3,4 <sup>+</sup> )			
		1058.39 10	100 10	1164.94	4 <sup>+</sup>			
		1735.52 10		487.77	2 <sup>+</sup>			
2322.31	3,4 <sup>+</sup>	230.66 10		2091.61	3 <sup>+</sup>			
		406.54 10	15.6 16	1915.77	2 <sup>+</sup>			
		1157.40 10	100 10	1164.94	4 <sup>+</sup>			
2471.84		248.50 10		2223.33	3,4,5			
		542.70 10		1929.14	(3,4 <sup>+</sup> )			
2590.9	(8 <sup>+</sup> )	655 <sup>‡</sup>		1935.94	(6 <sup>+</sup> )			
2621.00		397.67 10	100 10	2223.33	3,4,5			
		691.87 10		1929.14	(3,4 <sup>+</sup> )			
2640.55		704.6 3	100	1935.94	(6 <sup>+</sup> )			
2756.00		433.6 3	29 3	2322.31	3,4 <sup>+</sup>			
		532.7 3	100 10	2223.33	3,4,5			
2788.72	(1)	2300.9 3	5.4 6	487.77	2 <sup>+</sup>			
		2788.7 3	100 10	0.0	0 <sup>+</sup>			
3017.9	(10 <sup>+</sup> )	427 <sup>‡</sup>		2590.9	(8 <sup>+</sup> )			
3031.85		275.8 3	41 4	2756.00				
		391.3 3	41 4	2640.55				
		410.9 3	34 4	2621.00				

Continued on next page (footnotes at end of table)

**Adopted Levels, Gammas (continued)** $\gamma(^{118}\text{Cd})$  (continued)

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\#$	$E_f$	$J_f^\pi$	$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\#$	$E_f$	$J_f^\pi$
3031.85		808.5 3	100 10	2223.33	3,4,5	3265.77	2,3,4	1336.8 3	12.8 13	1929.14	(3,4 <sup>+</sup> )
		849.7 3	45 5	2182.14				2100.8 3	99 10	1164.94	4 <sup>+</sup>
3181.73	2,3,4	2016.9 3	54 6	1164.94	4 <sup>+</sup>			2777.8 3	100 10	487.77	2 <sup>+</sup>
		2693.8 3	100 10	487.77	2 <sup>+</sup>	3329.0		2164.0 3	100	1164.94	4 <sup>+</sup>
3224.32	(1)	435.6 3	4.6 5	2788.72	(1)	3381.8		2894.0 3	100	487.77	2 <sup>+</sup>
		1938.6 3	35 4	1285.61	0 <sup>+</sup>	3579.0	(12 <sup>+</sup> )	561 <sup>‡</sup>		3017.9	(10 <sup>+</sup> )
		2736.7 3	18.8 19	487.77	2 <sup>+</sup>	4367.0	(14 <sup>+</sup> )	788 <sup>‡</sup>		3579.0	(12 <sup>+</sup> )
		3224.2 3	100 10	0.0	0 <sup>+</sup>						

<sup>†</sup> From  $^{118}\text{Ag}$   $\beta^-$  decay (3.76-s, 2.0-s), unless otherwise noted.

<sup>‡</sup> From  $^{238}\text{U}(^7\text{Li},\text{F})$ .


# From the combined  $\beta^-$  decay of 3.76-s and 2.0-s given by [1979HiZR](#), unless otherwise noted. Uncertainty of 10% assumed by evaluator.

@ From [1984Ap04](#). Uncertainty of 10% assumed by evaluator.

### **Adopted Levels, Gammas**

Level Scheme


Intensities: Relative photon branching from each level



Adopted Levels, Gammas


## Level Scheme (continued)

Intensities: Relative photon branching from each level



Adopted Levels, Gammas

Band(A): Yrast band



**Adopted Levels, Gammas**

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	K. Kitao, Y. Tendow and A. Hashizume		NDS 96,241 (2002)	1-Dec-2001

 $Q(\beta^-)=1.77\times 10^3$  4;  $S(n)=8.05\times 10^3$  4;  $S(p)=12601$  16;  $Q(\alpha)=-6550$  8    [2012Wa38](#)Note: Current evaluation has used the following Q record 1760    448138    8312705    92-6437    59    [1995Au04](#). **$^{120}\text{Cd}$  Levels****Cross Reference (XREF) Flags**

A	$^{120}\text{Ag}$ $\beta^-$ decay (0.32 s)	D	$^{124}\text{Sn}(^3\text{He}, ^7\text{Be})$
B	$^{120}\text{Ag}$ $\beta^-$ decay (1.23 s)	E	$^{173}\text{Yb}(^{24}\text{Mg,F}), ^{208}\text{Pb}(^{18}\text{O,F})$ ,
C	$^{124}\text{Sn}(\text{d}, ^6\text{Li})$		

E(level) <sup>‡</sup>	J <sup>π</sup> @	T <sub>1/2</sub> #	XREF	Comments
0.0 <sup>†</sup>	0 <sup>+</sup>	50.80 s 21	A CDE	% $\beta^-$ =100 T <sub>1/2</sub> : from <a href="#">1973Sc19</a> . Other: 50.9 s 5 ( <a href="#">1974Gr29</a> ).
505.94 <sup>†</sup> 17	2 <sup>+</sup>	18.0 ps 21	ABCDE	
975? 25			C	
1203.7 <sup>†b</sup> 3	(4 <sup>+</sup> ) <sup>a</sup>	3.5 ps 28	ABC E	
1323	(7 <sup>-</sup> ) <sup>a</sup>		CdE	XREF: d(1300). E(level): from (d, <sup>6</sup> Li).
1323.07 <sup>b</sup> 17	(2 <sup>+</sup> )		B d	XREF: d(1300).
1388.9 <sup>b</sup> 11	(0 <sup>+</sup> )&	<13 ps	B	
1744.9 11	(0 <sup>+</sup> )&	<13 ps	B	
1899.9 19	(3 <sup>-</sup> ) <sup>a</sup>		BC	XREF: C(1920).
2033.7 <sup>†</sup> 4	(6 <sup>+</sup> )		A C E	
2093.9 13			B	
2129.6 4			A E	
2449.8 11			B	
2524.7 8			E	
2886.2 <sup>†</sup> 10	(8 <sup>+</sup> )		E	
2921.4 10			E	
3129.8 <sup>†</sup> 11	(10 <sup>+</sup> )		E	
3329.0 11			B	
3423.9 16			B	
3500.9 8			B	
3536.0 8			B	
3549.9 8			B	
3559.0 11			B	
3746.1 <sup>†</sup> 15	(12 <sup>+</sup> )		E	
3880.1 10			B	
4579.9 <sup>†</sup> 18	(14 <sup>+</sup> )		E	
5522.7 <sup>†</sup> 21	(16 <sup>+</sup> )		E	

† Band(A): yrast band.

‡ From a least-squares fit to the adopted E( $\gamma$ 's) by the evaluators, unless otherwise noted. Uncertainty of 1 keV is assumed for E( $\gamma$ ), if not given by authors.# From  $\beta\gamma\gamma(t)$  in  $^{120}\text{Ag}$   $\beta^-$  decay, except that of g.s.


**Adopted Levels, Gammas (continued)** **$^{120}\text{Cd}$  Levels (continued)**<sup>a</sup>  $\gamma$ -cascades to g.s. and from an expected band structure, unless otherwise noted.<sup>&</sup> Suggested by 1984ApZZ, based on  $\gamma\gamma(\theta)$ , and systematics of phonon state.<sup>a</sup> From systematics on ( $d, ^6\text{Li}$ ) in even Cd isotopes.<sup>b</sup> Member of two phonon triplet. **$\gamma(^{120}\text{Cd})$** 

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma$	$E_f$	$J_f^\pi$	$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma$	$E_f$	$J_f^\pi$	
505.94	2 <sup>+</sup>	505.9	2	100	0 <sup>+</sup>	3329.0		2823.0	100	505.94	2 <sup>+</sup>	
1203.7	(4 <sup>+</sup> )	697.8	2	100	505.94	2 <sup>+</sup>	3423.9		1330.0	2093.9		
1323.07	(2 <sup>+</sup> )	817.1	2		505.94	2 <sup>+</sup>		1524.0		1899.9	(3 <sup>-</sup> )	
		1323.1	2		0.0	0 <sup>+</sup>	3500.9		1407.0	2093.9		
1388.9	(0 <sup>+</sup> )	883.0	100		505.94	2 <sup>+</sup>		2297.0		1203.7	(4 <sup>+</sup> )	
1744.9	(0 <sup>+</sup> )	1239.0	100		505.94	2 <sup>+</sup>		2995.0		505.94	2 <sup>+</sup>	
2033.7	(6 <sup>+</sup> )	830.0	2	100	1203.7	(4 <sup>+</sup> )	3536.0		3030.0	505.94	2 <sup>+</sup>	
2129.6		925.8	2	100	1203.7	(4 <sup>+</sup> )		3536.0		0.0	0 <sup>+</sup>	
2449.8		1246.0		100	1203.7	(4 <sup>+</sup> )	3549.9		2346.0	1203.7	(4 <sup>+</sup> )	
2524.7		395 <sup>‡</sup>		71	2129.6			3044.0		505.94	2 <sup>+</sup>	
		491 <sup>‡</sup>		100	21	2033.7	(6 <sup>+</sup> )	3559.0		3053.0	100	
2886.2	(8 <sup>+</sup> )	852.5 <sup>‡</sup>		100	2033.7	(6 <sup>+</sup> )	3746.1	(12 <sup>+</sup> )	616.3 <sup>‡</sup>	3129.8	(10 <sup>+</sup> )	
2921.4		887.7 <sup>‡</sup>			2033.7	(6 <sup>+</sup> )	3880.1		3880.0	100	0.0	0 <sup>+</sup>
3129.8	(10 <sup>+</sup> )	208.3 <sup>‡</sup>			2921.4		4579.9	(14 <sup>+</sup> )	833.8 <sup>‡</sup>	3746.1	(12 <sup>+</sup> )	
		243.5 <sup>‡</sup>			2886.2	(8 <sup>+</sup> )	5522.7	(16 <sup>+</sup> )	942.8 <sup>‡</sup>	4579.9	(14 <sup>+</sup> )	

<sup>†</sup> From  $^{120}\text{Ag}$   $\beta^-$  decay (1.23 s), unless otherwise noted.<sup>‡</sup> From  $^{173}\text{Yb}(^{24}\text{Mg}, \text{F}), ^{208}\text{Pb}(^{18}\text{O}, \text{F}), ^{232}\text{Th}(^{18}\text{O}, \text{F})$ .


Adopted Levels, GammasLevel Scheme

Intensities: Relative photon branching from each level




**Adopted Levels, Gammas****Level Scheme (continued)**

Intensities: Relative photon branching from each level



Adopted Levels, Gammas

Band(A): Yrast band



**Adopted Levels, Gammas**

Type	Author	History Citation	Literature Cutoff Date
Full Evaluation	T. Tamura	NDS 108,455 (2007)	30-Sep-2006

 $Q(\beta^-)=2.96 \times 10^3$  5;  $S(n)=7610$  3;  $S(p)=13499$  13;  $Q(\alpha)=-7648$  4    [2012Wa38](#)Note: Current evaluation has used the following Q record 2850    707740    9013.36e<sup>+315</sup>-7.69e<sup>+321</sup>    [2003Au03](#). **$^{122}\text{Cd}$  Levels****Cross Reference (XREF) Flags**

<b>A</b>	$^{122}\text{Ag}$ $\beta^-$ decay (0.529 s)	<b>D</b>	Coulomb excitation
<b>B</b>	$^{122}\text{Ag}$ $\beta^-$ decay: mixed source	<b>E</b>	$^{123}\text{Ag}$ $\beta^-n$ decay
<b>C</b>	$^{238}\text{U}(\gamma\text{Li},\text{X}\gamma)$	<b>F</b>	$^{124}\text{Sn}({}^{18}\text{O},{}^{20}\text{Ne})$

E(level) <sup>†</sup>	J <sup>π</sup>	T <sub>1/2</sub>	XREF	Comments
0.0	0 <sup>+</sup>	5.24 s 3	<b>ABCDEF</b>	% $\beta^-$ =100 T <sub>1/2</sub> : from $\beta^-$ -multiscaler counting, $\Delta T_{1/2}$ : statistical uncertainty only ( <a href="#">1981Ru07</a> ). Others: 3.13 s 12 ( <a href="#">1974Gr29</a> ), 5.78 s 9 ( <a href="#">1973Sc19</a> ). B(E2)↑=0.37 12
569.45 8	2 <sup>+</sup>	10 ps 5	<b>ABCD F</b>	BE2↑ from Coulomb excitation ( <a href="#">2005BeZS</a> ); other: BE2↑=0.58 27 deduced from $\tau=15$ ps 7 ( <a href="#">1995Za01</a> ). J <sup>π</sup> : (1135γ)(569γ)(θ) and (1422γ)(569γ)(θ) clearly indicate 0-2-0 spin sequences, RUL assigns mult.(569γ)=E2. T <sub>1/2</sub> : from centroid-shift analysis of $\beta\gamma(t)$ coincidence ( <a href="#">1995Za01</a> ); other: 14 ps 5 from B(E2) in Coulomb excitation ( <a href="#">2005BeZS</a> ).
915			<b>F</b>	
1329.15 12	(4 <sup>+</sup> )		<b>ABC F</b>	J <sup>π</sup> : γ to 2 <sup>+</sup> ; no γ to 0 <sup>+</sup> ; log ft≈5.9 from (3 <sup>+</sup> ).
1367.8 3	(2) <sup>+</sup>		<b>AB F</b>	J <sup>π</sup> : γ's to 0 <sup>+</sup> and 2 <sup>+</sup> ; log ft≈5.7 from (3 <sup>+</sup> ).
1704.7 4	0 <sup>(+)</sup>		<b>B F</b>	J <sup>π</sup> : from (1135γ)(569γ)(θ).
1909.1 4	(3 <sup>-</sup> )		<b>B F</b>	J <sup>π</sup> : systematics of 3 <sup>-</sup> in even Cd isotopes, <sup>106</sup> Cd- <sup>120</sup> Cd.
1979.34 16	(3,4 <sup>+</sup> )		<b>ABC F</b>	J <sup>π</sup> : γ to (4 <sup>+</sup> ); log ft≈5.5 from (3 <sup>+</sup> ).
1991.9 4	0 <sup>(+)</sup>		<b>B</b>	J <sup>π</sup> : from (1422γ)(569γ)(θ).
2178.02 25	(6 <sup>+</sup> )		<b>BC F</b>	J <sup>π</sup> : γ to (4 <sup>+</sup> ); no γ's to 0 <sup>+</sup> and 2 <sup>+</sup> ; systematics of yrast states in <sup>114</sup> Cd- <sup>120</sup> Cd ( <a href="#">1989DuZW</a> ).
2197.11 23			<b>B</b>	
2315.7 4			<b>B</b>	
2444.8 4			<b>B</b>	
2502.6 3			<b>B</b>	
2536.1 4			<b>B</b>	
2577.0 4			<b>B</b>	
2644.5 3			<b>B</b>	
2668.5 4			<b>B</b>	
2800.4 4			<b>B</b>	
2823.4 4	(8 <sup>+</sup> )		<b>BC F</b>	J <sup>π</sup> : systematics of yrast states in <sup>114</sup> Cd- <sup>120</sup> Cd ( <a href="#">1989DuZW</a> ).
3062.0 4	(8 <sup>+</sup> )		<b>B F</b>	J <sup>π</sup> : γ to (6 <sup>+</sup> ).
3170.2 4			<b>B</b>	

<sup>†</sup> From a least-squares fit to the Eγ's (evaluator).

**Adopted Levels, Gammas (continued)** $\gamma(^{122}\text{Cd})$ 

$E_i$ (level)	$J_i^\pi$	$E_\gamma^\dagger$	$I_\gamma^\dagger$	$E_f$	$J_f^\pi$	Mult.	Comments
		569.45 8	100	0.0	0 <sup>+</sup>	E2	
569.45	2 <sup>+</sup>						B(E2)(W.u.)=26 14 Mult.: $\gamma\gamma(\theta)$ and RUL; Coulomb excitation.
1329.15	(4 <sup>+</sup> )	759.70 8	100	569.45	2 <sup>+</sup>		
1367.8	(2) <sup>+</sup>	798.4 3	100 38	569.45	2 <sup>+</sup>		
		1367.8 5	33 15	0.0	0 <sup>+</sup>		
1704.7	0 <sup>(+)</sup>	1135.2 3	100	569.45	2 <sup>+</sup>	Q	
1909.1	(3 <sup>-</sup> )	1339.6 3	100	569.45	2 <sup>+</sup>		
1979.34	(3,4 <sup>+</sup> )	650.20 12	100	1329.15	(4 <sup>+</sup> )		
1991.9	0 <sup>(+)</sup>	1422.4 3	100	569.45	2 <sup>+</sup>	Q	
2178.02	(6 <sup>+</sup> )	848.8 3	100	1329.15	(4 <sup>+</sup> )		
2197.11		868.0 3	100 3	1329.15	(4 <sup>+</sup> )		
		1627.6 3	93 3	569.45	2 <sup>+</sup>		
2315.7		1746.2 3	100	569.45	2 <sup>+</sup>		
2444.8		465.5 3	100	1979.34	(3,4 <sup>+</sup> )		
2502.6		324.6 3	65 2	2178.02	(6 <sup>+</sup> )		
		523.2 3	100 3	1979.34	(3,4 <sup>+</sup> )		
2536.1		556.8 3	100	1979.34	(3,4 <sup>+</sup> )		
2577.0		2007.5 3	100	569.45	2 <sup>+</sup>		
2644.5		466.4 3	100 3	2178.02	(6 <sup>+</sup> )		
		665.3 3	89 3	1979.34	(3,4 <sup>+</sup> )		
2668.5		689.2 3	100	1979.34	(3,4 <sup>+</sup> )		
2800.4		821.1 3	100	1979.34	(3,4 <sup>+</sup> )		
2823.4	(8 <sup>+</sup> )	645.4 3	100	2178.02	(6 <sup>+</sup> )		
3062.0	(8 <sup>+</sup> )	884.0 3	100	2178.02	(6 <sup>+</sup> )		
3170.2		667.6 3	100	2502.6			

<sup>†</sup> From  $^{122}\text{Ag}$   $\beta^-$  decay (0.529 s),  $^{122}\text{Ag}$   $\beta^-$  decay: mixed source.

**Adopted Levels, Gammas****Level Scheme**

Intensities: Relative photon branching from each level

