| Group I.T. | TTC Group IT |
|------------------|---------------------|
| www.itropics.com | |
| | User Guide Document |

Content Hub 2.0 API User Guide (Brands Edition)

Version 2.0/April 2015



SUMMARY

| Reference (JIRA) | Content Hub 2.0 | Document Version | 2.0 |
|------------------|--|---------------------|-------------|
| Owner | Dave Ford Owning Module | | Content Hub |
| Summary | User Guide for Brands to describe how to use Content Hub 2.0 APIs using SOAP requests and RESTful Services | | |

REVISION HISTORY

| Version | Date | Author | Description |
|---------|------------|-----------|-----------------|
| 2.0 | April 2015 | Dave Ford | Go Live Version |

DISTRIBUTION HISTORY

| Version | Date | Distributed To | Purpose/Details |
|---------|------------|----------------|-----------------|
| 2.0 | April 2015 | Brand Users | Go Live Version |

Table of Contents

| Sl | JMM <i>A</i> | ARY | 2 |
|----|----------------|--|----|
| RE | EVISI | ON HISTORY | 2 |
| DI | STRII | BUTION HISTORY | 2 |
| | | | |
| 1 | Intr | oduction | 5 |
| 2 | Cor | npatibility and Access to Content Hub 2.0 APIs | 5 |
| 3 | WS | DL/API Locations | 6 |
| 4 | Mig | rating from Content Hub 1.0 to Content Hub 2.0 | 7 |
| 5 | SO | AP Request and Response Parameters v1 | 8 |
| į | 5.1 | SearchTours | 8 |
| | 5.1.1 | Schema Layout | 8 |
| | 5.1.2 5.1.3 | Input ParametersReturn Values | |
| | 5.1.4 | Sample Return (Truncated) | |
| ı | 5.2 | tourDetailsFull | 12 |
| ` | 5.2.1 | Schema Layout | |
| | 5.2.2 | Input Parameters | |
| | 5.2.3 5.2.4 | Return Values | |
| 6 | SO | AP Request and Response Parameters v3 | 16 |
| (| 5.1 | SearchTours | 16 |
| | 6.1.1 | Schema Layout | 16 |
| | 6.1.2 | Input Parameters | |
| | 6.1.3 6.1.4 | Return Values | |
| , | | GetTourDetailsFull | |
| , | 6.2.1 | Schema Layout | |
| | 6.2.2 | Input Parameters | |
| | 6.2.3 | Return Values | |
| | 6.2.4 | Sample Return (Truncated) | 26 |
| (| 5.3 | SearchToursAggregated | 26 |
| | 6.3.1 | Schema Layout | |
| | 6.3.2 6.3.3 | Input ParametersReturn Values | |
| | 6.3.4 | Sample Return (Truncated) | |
| | 5.4 | GetTourCategories | 21 |
| , | 6.4.1 | Schema Layout | |
| | 6.4.2 | Input Parameters | |
| | 6.4.3 | Return Values | |
| | 6.4.4 | Sample Return | |
| (| 6.5 | GetContinentsAndCountriesVisited | 33 |
| | 6.5.1 | Schema Layout | |
| | 6.5.2 6.5.3 | Input ParametersReturn Values | |
| | 6.5.4 | Sample Return (Truncated) | |
| | 6.6 | GetBrochure | |
| , | 6.6.1 | Schema Layout | |
| | 6.6.2 | Input Parameters | 34 |
| | 6.6.3 | Return Values | |
| | 6.6.4 | Sample Return | |
| (| 5.7 | UploadTourInfo | 35 |

| 6.7 | 7.1 Schema Layout | 35 |
|--------------|--------------------------------|----|
| _ | 7.2 Input Parameters | |
| _ | 7.3 Return Values | |
| 6. | 7.4 Sample Return | 36 |
| 6.8 | GetTourDataUploadStatus | 36 |
| 6.8 | 8.1 Schema Layout | |
| 6.8 | 8.2 Input Parameters | 37 |
| 6.8 | 8.3 Return Values | 37 |
| 6.8 | 8.4 Sample Return | 37 |
| | | |
| 7 R | ESTful Service Requests | 37 |
| | - | |
| 7.1 | Central Repository | 38 |
| 7.2 | eBrochures | 39 |
| | | |
| 7.3 | File Collect | 39 |
| | | |
| 8 F | requently Asked Questions | 41 |
| | | |
| Appe | ndix 1 – Selling Companies | 42 |
| , .ppo | | |
| 1 nno | ndiv 2 Continent Codes | 42 |
| Appe | ndix 2 – Continent Codes | 42 |
| | | |
| Appe | ndix 3 – Country Codes | 43 |
| | | |
| Anne | ndix 4 – Order By Codes | 48 |
| Appe | ndix + Order by Oodes minimum | |
| A | undin E. Bustonnad Bassa Tomas | 40 |
| Appe | ndix 5 – Preferred Room Types | 48 |
| | | |
| Appe | ndix 6 - Brand Codes | 49 |
| • • | | |
| Anna | ndix 7 – Referenced Documents | 49 |
| ~hhe | 11418 7 — Neierencea Documents | 49 |

1 Introduction

This manual has been created to help TTC Brand Web Teams and associated development partners understand how to use the APIs for Content Hub 2.0, so that they are able to carry out the functions and processes associated with the system.

Content Hub 2.0 is a replacement for Content Hub 1.0. The new version has been developed to:

- Provide the best rich web content and associated departure data we feasibly can, for use in our partners' websites and applications and for our own core brands' websites,
- Further enable functional exploitation in the consuming applications, and end-to-end consistency of data provisions for search through to book
- Demonstrate our understanding of and ability to respond to consuming parties' data and associated functional needs and our commitment to them/value we place in our partnerships and to continuous improvement and our ability to evolve with them
- Meet critical needs of priority new partners
- Look to avert gaps/issues we can address remaining and potentially becoming blockers to future critical partnerships

2 Compatibility and Access to Content Hub 2.0 APIs

TTC's Content API has been designed to be compatible with .NET 3.5 and java web service clients. Other clients may be compatible, but are not officially supported. **The webservice is SSL encrypted and delivered over secure https port.**

Each Brand shall be provided with a unique **Security Key** value, which they can then use as value entry for securityKey in their API request calls, in order to access the Content API services in Production at the location indicated in the WSDL /API Location section below. The same single securityKey value is used in all the operations available in the web service.

Content Hub 2.0 contains two Versions of the APIs:

- Version 1 (v1) contains the exact same web services used in Content Hub 1.0.
 This is so that users can move to using Content Hub 2.0 as soon as it available without having to make any development changes save for changing the location of the WDSL. This will allow consumers to take advantage of the enhanced security features that Content Hub 2.0 offers. This will also allow TTC to be able to decommission Content Hub 1.0 and ensure that all consumers are running on identical infrastructure.
- Version 3 (v3) contains the enhanced content listed in Section 3 below and should be adopted by all consumers as soon as possible to benefit from these new features.

3 WSDL/API Locations

v1:

https://content.travcorp.com/ccapi/v1/CCAPIv1.wsdl

v3:

https://content.travcorp.com/ccapi/v3/CCAPIv3.wsdl

Content Hub 2.0 API web services v1 and v3 enable Brand Web Teams to:

- 1 Send requests to **SearchTours** and receive in return results of all tours matching the search criteria with summary details and a lead in, guide price (v1) or preferred room price (v3).
- 2 Send requests to **GetTourDetailsFull (tourDetailsFull in v1)** and in return receive further descriptive content about an individual tour product along with departures, further pricing and availability data.

In addition to the above, v3 allows Brand Web Teams to:

- 3 Send requests to **SearchToursAggregated** and receive in return, segregated by catalogue codes, a compressed set of results to those returned in the **SearchTours** request. This is new in Content Hub 2.0.
- 4 Send requests to *GetTourCategories* and in return receive a list of the different types/style of tours for each of the related Brands. This is new in Content Hub 2.0.
- 5 Send requests to **GetContinentsAndCountriesVisited** and in return receive a list of Country Codes that have associated tours pertaining to the Continents and Countries in the request. This is new in Content Hub 2.0.
- 6 Send requests to *GetBrochure* and in return receive a pdf version of a personalised brochure based on specified parameters. This is new in Content Hub 2.0.
- 7 Send requests to *UploadTourInfo* as a way of automating the process by which the Brands submit content to the Central Repository of the Content Hub. This is new in Content Hub 2.0.
- 8 Send requests to *GetTourDataUploadStatus* to obtain a status check on content uploaded to the Central Repository via the *UploadTourInfo* request.

The above data that is returned/sent from/to the Central Repository of Content Hub 2.0 is to a consistent xml schema definition for all the brands and with standard rules applied with regard to the types of values populated to each element/attribute for all brands.

API calls for content are in real-time, provided by the API services described in this document, is the preferred method of obtaining multi-brand TTC content for consumers who do not wish to take and cache/store bulk TTC data in their own

Content Management Systems for use with their own search engine, but instead wish to make calls to our content provision web services in real-time using our search facility.

(For consumers who prefer instead to take bulk files of data from the TTC Content Hub as and when they choose, for import to their own content management systems and reference via their own search function etc., there is a ready facility to collect/download zip files over https, with files refreshed a minimum of four times daily and download taking just a matter of seconds – see Section 7 of this document).

4 Migrating from Content Hub 1.0 to Content Hub 2.0

The key points for Brands switching to the new Content Hub can be found in this document, but also in the following documents/processes that have been distributed previously and are also available on via links in Appendix 7:

- Content Hub Current and Future Usage
- Content Hub Business Overview
- Content Hub Editorial Standards
- Tour Info Schema Definition and Diagrams

5 SOAP Request and Response Parameters v1

5.1 SearchTours

5.1.1 Schema Layout

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:ccap="http://CCAPI.TravelCorp.com/">
   <soapenv:Header/>
  <soapenv:Body>
     <ccap:SearchTours>
        <!--Optional:-->
        <ccap:securityKey>?</ccap:securityKey>
        <!--Optional:-->
        <ccap:sellingCompanyCodes>
           <!--Zero or more repetitions:-->
           <ccap:string>?</ccap:string>
        </cap:sellingCompanyCodes>
        <!--Optional:-->
        <ccap:continent>?</ccap:continent>
        <!--Optional:-->
        <ccap:country>?</ccap:country>
        <ccap:duration>?</ccap:duration>
        <!--Optional:-->
        <ccap:months>?</ccap:months>
        <!--Optional:-->
        <ccap:keywords>
           <!--Zero or more repetitions:-->
           <ccap:string>?</ccap:string>
        </ccap:keywords>
        <ccap:FirstRecordNumber>?</ccap:FirstRecordNumber>
        <ccap:NumberOfRecords>?</ccap:NumberOfRecords>
        <!--Optional:-->
        <ccap:OrderBy>?</ccap:OrderBy>
        <!--Optional:-->
        <cap:OrderDirection>?</cap:OrderDirection>
      </ccap:SearchTours>
  </soapenv:Body>
</scapenv:Envelope>
```

5.1.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description |
|---------------------|------------------------|---|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up |
| sellingCompanyCodes | Mandatory | Search by selling company code. As part of user account/access set up, each user will be given access to use these API services for obtaining data for a specific sub-set of selling companies. |
| | | A full set of selling companies can be found in Appendix 1. Where searching on multiple selling companies, multiple values must appear as a series of sub-nodes within the sellingCompanyCodes node in the input value entry for this parameter. |
| | | If a sellingCompanyCodes value is entered to which the user has not been given access, then no results for that search will be returned and an error message will be |

| | | thrown. |
|-----------|-----------|---|
| string | Mandatory | The sub-node within the sellingCompanyCodes node where multiple values for selling companies are input. |
| continent | Optional | Accepts 4-character continent codes. |
| | | Multiple values can be entered, i.e. if requiring search to be Continent-specific, more than one Continent value can be entered as input if desired. Multiple values must be separated by commas within a single node. Multiple values entry will return all matches to first or second value. |
| | | A full set of continent codes can be found in Appendix 2 |
| | | Note that there is a relationship in original source content between continents and countries. The Search does not enforce country value entries being definitively associated to continent value entries. |
| | | If entering both Continent and Country (both of which are optional, and if entering a Country value you do not have to enter a Continent value), and if the search is intended for a specific country/countries only, then for best, specific matches to be returned the user should look to ensure that the Continent value is correct in relation to Continent-Countries mappings used in the source content. |
| | | Not all of the Continents / Countries listed in the appendices are travelled to, and those that are travelled to vary for each brand selling company. |
| country | Optional | Accepts 2-letter ISO 3166 country codes. |
| | | Multiple values can be entered, in which case multiple values must be comma-delimited within a single node. Multiple country value entries, comma delimited, will trigger an or type of search, so if search is requested on GB,FR for example, this will return results of tours which visit country United Kingdom or visit country France. |
| | | A full set of selling country codes can be found in Appendix 3. |
| | | If entering both Continent and Country (both of which are optional, and if entering a Country value you do not have to enter a Continent value as Country values take precedence i.e. all matches will be at country level wherever country values are entered), and if the search is intended for a specific country/countries only, then for best, specific matches to be returned the user should look to ensure that the Continent value is correct in relation to Continent-Countries mappings used in the source content. Not all of the Continents / Countries listed in the appendices are travelled to, and those that are travelled to |
| | | vary for each brand selling company. |
| duration | Optional | Format: [mindays]-[maxdays] |
| | | e.g.: 7-14 (returns tours between 7 and 14 days duration) |

| | | -10 (returns tours between 1 and 10 days duration) |
|----------|----------|---|
| | | 4- (returns tours 4 days or greater duration) |
| months | Optional | Format: [month],[month], |
| | | e.g.: 5 (returns tours starting in May) |
| | | 1,2,3 (returns tours starting in January, February, or March) |
| | | Multiple values must be separated by commas within a single node. |
| | | Multiple months do not have to be sequential. |
| keywords | Optional | Keyword(s) to search. |
| | | As a general rule, multiple values must appear as a series of sub-nodes within the Keywords node. |
| | | However, - multiple Location names, e.g. Paris London Rome, can be entered as text in a single node without any double quotes* |
| | | but if there are also further non-location values: |
| | | - if a single word value, then this should be entered in a separate node, e.g. sub-node with value exciting |
| | | - and if a multi-word phrase value eg "exciting and cosmopolitan cities" then the phrase should be entered in a separate sub-node and text phrases need to be enclosed in double quotes. |
| | | *Note, for entering city / location names as Keyword entries: |
| | | - If you enter the Country Code value(s) against the Country parameter as well, you will be surer of a location match, e.g. if you enter Country value FR as well, then enter Keyword value Paris, you will get best matches for Paris location in France (as opposed to also getting returned things like, the Paris Ballroom Hotel in some other city in some other country based purely on keyword match). |
| | | - If searching multiple location / city names in the keywords, then if you put each location name as a separate individual keyword, in separate nodes, you will get all matches for tours that contain both of those words, i.e. that contain both Paris and London. |
| | | - If you enter a phrase but without any expression marks such as <i>Paris London</i> you will get matches that contain Paris or London. A space represents an OR condition. |
| | | - If you want to Search for tours that contain Paris AND London, put them in separate nodes or separate by a use comma. A comma represents an AND condition. |

| | | - If you want all location matches then entering Country value(s), then entering each location individually in individual keyword node will bring you back everything that includes both of those location words in any order. |
|-------------------|-----------|---|
| string | Optional | The sub-node within the keywords node where multiple values are input as described above. |
| FirstRecordNumber | Mandatory | Pagination allows the user to retrieve subsets of search results. FirstRecordNumber specifies the first record to be returned in the current batch; NumberOfRecords (see row below) specifies the total number to be returned. |
| NumberOfRecords | Mandatory | Pagination allows the user to retrieve subsets of search results. FirstRecordNumber (see above) specifies the first record to be returned in the current batch; NumberOfRecords specifies the total number of results to be returned. |
| OrderBy | Optional | Specifies the value by which the search results are required to be ordered in the return. A full set of order by codes can be found in Appendix 4. |
| OrderDirection | Optional | Specifies whether results are required to be returned in ascending or descending direction for the OrderBy criterion. Default direction is ascending. Value can be ASC for ascending order or DESC for descending order direction. |

5.1.3 Return Values

| Return Parameter | Description | |
|---------------------------|--|--|
| searchResultsTotalRecords | Total number of records returned matching the search expression. | |
| numberOfRecords | Number of records returned in the current response. | |
| subsetReturned | Range of record numbers returned in the current response, in the format [first record] - [last record]. | |
| orderBy | Specifies the value by which the search results are required to be ordered in the return. A full set of order by codes can be found in Appendix 4. | |
| orderDirection | Specifies whether results are required to be returned in ascending or descending direction for the OrderBy criterion. Default direction is ascending. Value can be ASC for ascending order or DESC for descending order direction. | |
| mvCode | Market Variation Code, the unique identifier of a tour product. (Must be used in tourDetailsFull operation for population of the marketVariationCode parameter in Request to specify an individual tour for which further details are required to be returned). | |
| sellingCompanyCode | Identifier of the brand Selling Company, market region(s) in which the tour is available for sale for each brand. A full set of selling company codes can be found in Appendix 1. | |
| brochureCode | TTC code for the published brochure in which the tour is marketed. | |
| brochureName | Descriptive name for the published brochure in which the tour is marketed. | |
| price | 'Lead in' / Guide Price for use on initial search results display. This price is obtained from a cache which is refreshed a minimum of four | |

| | times daily. |
|------------|---|
| duration | Total number of days" Duration defined for the tour. |
| highlights | Sightseeing Highlights of the tour – Describes key places of interest / attractions to be enjoyed on the tour. |
| sellable | Indicates whether it is possible to book the tour directly online. A value of true indicates that it can generally be booked via TTC's online booking services. A value of false indicates that a call to a reservations agent is required in order to proceed to book. |

5.1.4 Sample Return (Truncated)

```
CYMIN WERSON*1.0* encoding**UTF-8**7>

- CSOAP-ENV.Envelope simms.Sub-Env.*http://ccApt.traveCorp.com/*>
- CSOAP-ENV.Envelope simms.Sub-Envelope simms.Sub-Enve
```

5.2 tourDetailsFull

5.2.1 Schema Layout

5.2.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description |
|---------------------|------------------------|---|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up |
| sellingCompanyCode | Mandatory | The selling company code value entered here must be one specifically indicated in the SearchTours return for the marketVariationCode in question. |
| | | It shall be for sellingCompanyCode which is included in those selling companies to which the user of the content api service has been granted access for the entered securityKey account. |
| | | Single value entry only. |
| | | Population of this value should be treated as mandatory. It is important that it is populated to further ensure that where the same market variation code product is used across more than one selling region, the right returns are got with the right currency pricing for the specific selling region for which the details are returned, i.e. USD prices only for USAS selling company, CAD prices only for CANS selling company. |
| marketVariationCode | Mandatory | Value identifying the individual tour product for which more details are required to be returned. |
| | | Obtained from SearchTours return marketVariationCode value for the chosen individual tour. |

5.2.3 Return Values

| Return Parameter | Description |
|--------------------------|---|
| MarketLocalisedTourData> | |
| BookableOnline | The BookableOnline flag indicates whether it is possible to book tour departures directly online. |
| | A value of true indicates that it can be booked online via TTC's booking services. |
| | A value of false indicates that a call to a reservations agent is always required in order to proceed to book. |
| | Even if the value is false, indicating a call is required to book, the product can still be displayed in the website even where the site generally supports online booking, just that customer must call a contact centre if they wish to proceed further with booking of the |
| | tour |
| BrandCode | 2 character code which identifies the TTC Brand operating the tour: A full set of brand codes can be found in Appendix 6. |
| CatalogueCode | This is the generally four/five character code for each tour that is printed in the published brochures as the tour Ref / Code value, above the dates and prices panel for each tour in the printed |
| | brochure. |
| Currency | Indicates the currency of the Selling Company/Region |

| Duration | Number of days duration of the tour |
|------------------------------|---|
| MarketVariationCode | Unique identifier of the tour, lowest level of granularity for product |
| | identification. |
| | (0 |
| | (Same value as was entered in marketVariationCode parameter in |
| Operation Draduat Code | the tourDetailsFull request for which the return is being made). Code used in product build for the base template of a tour for tour |
| OperatingProductCode | operating purposes, for which Departures are first defined, after |
| | which priced products (Market Variations) can be defined. This |
| | item is not of specific relevance to content API service consumers |
| | or display of returns to their customers. It can be ignored by |
| | consumers of this API direct web service. |
| SellingCompanyCode | Identifier of the brand Selling Company, market region(s) in which |
| | the tour is available for sale for each brand. A full set of selling |
| | companies can be found in Appendix 1. |
| TropicsBrochureCode | TTC code for a brochure to which the tour is associated in the |
| | Tropics Product Build source system. |
| | Note, this may not be the same as the value/any one of the values |
| | populated in Brochures - Brochure Code in the tour_info file, for |
| | various reasons specific to our product build systems. |
| TourInfo>DepartureInfo> | |
| TourSeriesPricing> | |
| AdultPortTax | The value of any adult port taxes |
| AirPriceIncluded | Indicates if Air is included in the price |
| ChildPortTax | The value of any child port taxes |
| FoodFundPrice | The value of any included food |
| PriceIsIndicative | There may be some departures for which actual contracts are not |
| | in place, therefore the costs for these departures are based on estimates. The prices for these departures are marked as |
| | 'indicative' in the brochure price panel, and may be subject to |
| | change. |
| Departures> | ÿ |
| AvailabilityStatus | Indicates if this departure is available to book. |
| DefiniteDeparture | Indicates if the departure will definitely run or not. |
| DepartureCode | Indicates the unique departure code for the tour. |
| EndDate | Indicates the end date of the departure. |
| StartDate | Indicates the start date of the departure. |
| DeparturePricing> | |
| AdultSingleRoomPrice | The cost of a single room for an adult net of surcharges |
| AdultSingleRoomPriceCombined | The cost of a single room for an adult including all surcharges, taxes etc. |
| AdultTwinRoomPrice | The cost of a twin room for an adult net of surcharges |
| AdultTwinRoomPriceCombined | The cost of a twin room for an adult including all surcharges, taxes etc. |
| ChildPrice | The cost of a room for a child net of surcharges |
| LandOnlyReduction | The amount of reduction for a land departure |
| TeenagerDiscount | The discount value for a teenager |

5.2.4 Sample Return

```
C7-bill version="1.0" encoding="UTF-0" ??>

- SOAP-ENV.Envelops xmins_SOAP-ENV="http://schemas.xmlosap.org/soap/envelope/">
- SOAP-ENV.Envelops xmins_SOAP-ENV="http://schemas.xmlosap.org/soap/envelope/">
- COAP-ENV.Envelops xmins_SOAP-ENV="http://schemas.xmlosap.org/soap/envelope/">
- coap-SuketicolasedForusas-Soap-Entity://schemas.xmlosap.org/soap/envelope/">
- coap-SuketicolasedForusas-Soap-Entity://schemas.xmlosap.org/soap/envelope/">
- coap-SuketicolasedForusas-Soap-Entity://schemas.xmlosap.org/soap/envelope/">
- coap-SuketicolasedForusas-Soap-Entity://schemas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas-New-Forusas
```

6 SOAP Request and Response Parameters v3

6.1 SearchTours

6.1.1 Schema Layout

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:v3="http://www.ttc.com/ch2/api/ccapi/v3">
   <soapenv:Header/>
   <soapenv:Body>
     <v3:SearchToursRequest>
        <v3:securityKey>?</v3:securityKey>
        <!--1 or more repetitions:-->
        <v3:sellingCompanies>?</v3:sellingCompanies>
        <!--Optional:-->
        <v3:continentCodes>?</v3:continentCodes>
        <!--Optional:-->
        <v3:countryCodes>?</v3:countryCodes>
        <!--Optional:-->
        <v3:durationFrom>?</v3:durationFrom>
        <!--Optional:-->
        <v3:durationTo>?</v3:durationTo>
        <!--Optional:-->
         <v3:months>?</v3:months>
        <!--Zero or more repetitions:-->
         <v3:kevwordsAndPhrases> Greece</v3:kevwordsAndPhrases>
        <!--Optional:-->
         <v3:preferedRoomType>?</v3:preferedRoomType>
         <!--Optional:-->
         <v3:priceFrom>?</v3:priceFrom>
         <!--Optional:-->
         <v3:priceTo>?</v3:priceTo>
         <v3:firstRecordNumber>?</v3:firstRecordNumber>
        <v3:numberOfRecords>?</v3:numberOfRecords>
        <!--Optional:-->
         <v3:orderBy>?</v3:orderBy>
        <!--Optional:-->
         <v3:orderDirection>?</v3:orderDirection>
      </v3:SearchToursRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

6.1.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description |
|------------------|------------------------|--|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up |
| sellingCompanies | Mandatory | Search by selling company code. As part of user account/access set up, each user will be given access to use these API services for obtaining data for a specific sub-set of selling companies. |
| | | A full set of selling companies can be found in Appendix 1. Where searching on multiple selling companies, multiple values must appear as separate lines within the sellingCompanies node in the input value entry for this parameter. If a sellingCompanies value is entered to which the user has not been given access, then no results for that search will be |

| continentCodes | Optional | Accepts 4-character continent codes. |
|----------------|----------|--|
| | | Multiple values can be entered, i.e. if requiring search to be continent-specific, more than one continentCodes value can be entered as input if desired; a space represents an OR condition, whilst a comma represents an AND condition. |
| | | A full set of continent codes can be found in Appendix 2. |
| | | Note that there is a relationship in original source content between continents and countries. The Search does not enforce country value entries being definitively associated to continent value entries. |
| | | If entering both continentCodes and countryCodes (both of which are optional, and if entering a Country value you do not have to enter a continentCodes value), and if the search is intended for a specific country/countries only, then for best, specific matches to be returned the user should look to ensure that the continentCodes value is correct in relation to Continent-Countries mappings used in the source content. |
| | | Not all of the continents / countries listed in the appendices are travelled to, and those that are travelled to vary for each brand selling company. |
| countryCodes | Optional | Accepts 2-letter ISO 3166 country codes. |
| | | Multiple values can be entered; a space represents an OR condition, whilst a comma represents an AND condition. |
| | | A full set of selling country codes can be found in Appendix 3. |
| | | If entering both continentCodes and countryCodes (both of which are optional, and if entering a countryCodes value you do not have to enter a continentCodes value as countryCodes values take precedence i.e. all matches will be at country level wherever countryCodes values are entered), and if the search is intended for a specific country/countries only, then for best, specific matches to be returned the user should look to ensure that the continentCodes value is correct in relation to Continent-Countries mappings used in the source content. |
| | | Not all of the Continents / Countries listed in the appendices are travelled to, and those that are travelled to vary for each brand selling company. |
| durationFrom | Optional | Sets the minimum stay for a tour in number of days. If set without a durationTo parameter this value acts as a Greater Than or Equal To condition. The schema expects a numeric value (integer); if the field is left empty an error is thrown. A null is required but the field has to be removed from the request. |
| durationTo | Optional | Sets the maximum stay for a tour in number of days. If set without a durationFrom parameter this value acts as a Less Than or Equal To condition. The schema expects a numeric value (integer); if the field is left empty an error is thrown. A null is required but the field has to be removed from the request |
| months | Optional | Format: [month] [month], |

| | | e.g.: 5 (returns tours starting in May) |
|--------------------|----------|---|
| | | 1 2 3 (returns tours starting in January, February, or March) |
| | | Multiple values must be separated by a space within a single node. |
| | | Multiple months do not have to be sequential. |
| keywordsAndPhrases | Optional | Keyword(s) and Phrase(s) to search. |
| | | As a general rule, multiple values must appear as separate lines within the keywordsAndPhrases node in the input value entry for this parameter. |
| | | However, - multiple Location names, e.g. Paris London Rome, can be entered as text in a single node without any double quotes* |
| | | but if there are also further non-location values: |
| | | - if a single word value, then this should be entered in a separate node, e.g. new line with value exciting |
| | | - and if a multi-word phrase value e.g. "exciting and cosmopolitan cities" then the phrase should be entered in a separate line and text phrases need to be enclosed in double quotes. |
| | | *Note, for entering city / location names as keywordsAndPhrases entries: |
| | | - If you enter the Country Code value(s) against the Country parameter as well, you will be surer of a location match, e.g. if you enter Country value FR as well, then enter keywordsAndPhrases value Paris, you will get best matches for Paris location in France (as opposed to also getting returned things like, the Paris Ballroom Hotel in some other city in some other country based purely on keywordsAndPhrases match). |
| | | - If searching multiple location / city names in keywordsAndPhrases, then if you put each location name as a separate individual keywordsAndPhrases, in separate nodes, you will get all matches for tours that contain both of those words, i.e. that contain both Paris and London. |
| | | - If you enter a phrase but without any expression marks such as <i>Paris London</i> you will get matches that contain Paris or London. A space represents an OR condition. |
| | | - If you want to Search for tours that contain Paris AND London, put them in separate nodes or separate by a use comma. A comma represents an AND condition. |
| | | - If you want all location matches then entering Country value(s), then entering each location individually in an individual keywordsAndPhrases node will bring you back everything that includes both of those location words in any order. |
| preferedRoomType | Optional | Sets the room type to search, one value allowed only. |

| | | A full set of room types can be found in Appendix 5. |
|-------------------|-----------|--|
| PriceFrom | Optional | Sets the minimum price for a tour in numeric format, decimal places allowed. If set without a priceTo parameter this value acts as a Greater Than or Equal To parameter. The schema expects a numeric value (integer); if the field is left empty an error is thrown. A null is required but the field has to be removed from the request. |
| priceTo | Optional | Sets the maximum price for a tour in numeric format, decimal places allowed. If set without a priceFrom parameter this value acts as a Less Than or Equal To parameter. The schema expects a numeric value (integer); if the field is left empty an error is thrown. A null is required but the field has to be removed from the request. |
| firstRecordNumber | Mandatory | Pagination allows the user to retrieve subsets of search results. FirstRecordNumber specifies the first record to be returned in the current batch; NumberOfRecords (see row below) specifies the total number to be returned. |
| numberOfRecords | Mandatory | Pagination allows the user to retrieve subsets of search results. FirstRecordNumber (see above) specifies the first record to be returned in the current batch; NumberOfRecords specifies the total number of results to be returned. |
| orderBy | Optional | Specifies the value by which the search results are required to be ordered in the return. A full set of order by codes can be found in Appendix 4. |
| orderDirection | Optional | Specifies whether results are required to be returned in ascending or descending direction for the OrderBy criterion. Default direction is ascending. Value can be ASC for ascending order or DESC for descending order direction. |

6.1.3 Return Values

| Return Parameter | Description |
|--------------------|---|
| totalRecords | Total number of records returned matching the search expression. |
| numberOfRecords | Number of records returned in the current response. |
| subsetReturned | Range of record numbers returned in the current response, in the format [first record] - [last record]. |
| searchResults> | |
| tourCode | Tour Code, the unique identifier of a tour product. |
| tourName | Descriptive Name of the tour product. |
| sellingCompanyCode | Identifier of the brand Selling Company, market region(s) in which the tour is available for sale for each brand. A full set of selling companies can be found in Appendix 1. |
| priceFrom | Lowest price for use on initial search results display. It is the land only tour price per adult inclusive of any taxes based on sharing a twin room. This price is obtained from a cache which is refreshed a minimum of four times daily. If preferred room is specified uses that room type, if null preferred room uses twin room where available, if twin not available uses cheapest available room type. |
| priceTo | Highest price for use on initial search results display. It is the land only tour price per adult inclusive of any taxes based on sharing a twin room. |

| | This price is obtained from a cache which is refreshed a minimum of | |
|--|--|--|
| | four times daily. If preferred room is specified uses that room type, if | |
| | null preferred room uses twin room where available, if twin not available | |
| | uses cheapest available room type. | |
| brochureCode | TTC code for the published brochure in which the tour is marketed. | |
| brochureName | Descriptive name for the published brochure in which the tour is | |
| | marketed. | |
| marketingFlags | Indicates if marketing flags are present | |
| highlights>Section | | |
| Title | Sightseeing Highlights of the tour – Describes key places of interest / attractions to be enjoyed on the tour. | |
| Text | Sightseeing Highlights of the tour - Describes key places of interest / | |
| | attractions to be enjoyed on the tour. | |
| assets>Images> | | |
| Image | Images for the tour | |
| continentsVisited>Continent> | | |
| Code | Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. | |
| Name | Textual name of the continent | |
| countriesVisited>Country> | | |
| Code | ISO3166 defined two-character country code. A full set of country | |
| | codes can be found in Appendix 3. | |
| Name | Textual name of the country | |
| ContinentCode | Four-character continent code associated with the country code | |
| earlyPaymentDiscountAvailable | Indicates if an early payment discount is available for the departure. | |
| definiteDeparturesAvailable | Indicates if a departure will definitely run or not. | |
| duration | Total number of days duration defined for the tour. | |
| accommodations | Lists all accommodation for the tour | |
| startCity | Start city defined for the departure. | |
| airportsStartCity | Start airport city defined for the departure. | |
| endCity | End city defined for the departure. | |
| airportsEndCity | End airport city defined for the departure. | |
| sellableRoomTypes>RoomType> | | |
| Sellable | Indicates whether it is possible to book the tour directly online. A value | |
| | of true indicates that it can generally be booked via TTC's online | |
| | booking services. A value of false indicates that a call to a reservations | |
| | agent is required in order to proceed to book. | |
| Туре | Indicates the room type. A full set of room types can be found in Appendix 5. | |
| operatingProductCode | Indicates the unique code for the operating product. | |
| contractingSeason | Indicates the season that the tour is applicable | |
| earliestDepartureStartDate | The first departure start date the tour. | |
| latestDepartureStartDate | The last departure start date the tour. | |
| includedSubProducts> | | |
| includedSubProduct> | | |
| Code | The Code for the Sub Product | |
| Name | The descriptive name for the sub product | |
| Category | The category for the sub product | |
| ServiceType | The service type for the sub product | |
| includedCruiseCabinType | For cruise elements, the cabin type that is included as part of the tour | |
| additionalDefiners | Other miscellaneous | |
| ServiceType includedCruiseCabinType | The service type for the sub product For cruise elements, the cabin type that is included as part of the tour | |

6.1.4 Sample Return (Truncated)

```
| Gibbs: | Decided | Processing | Processing
```

6.2 GetTourDetailsFull

6.2.1 Schema Layout

6.2.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description |
|-----------------|------------------------|---|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up |
| sellingCompany | Mandatory | The selling company code value entered here must be one specifically indicated in the SearchTours return for the tourCode in question. |
| | | It shall be for sellingCompany which is included in those selling companies to which the user of the content api service has been granted access for the entered securityKey account. |
| | | Single value entry only. |
| tourCode | Mandatory | Value identifying the individual tour product for which more details are required to be returned. |
| | | Obtained from SearchTours return tourCode value for the chosen individual tour. |

6.2.3 Return Values

| Return Parameter | Description |
|---|---|
| TourDepartures> | |
| OnlineBookable | The BookableOnline flag indicates whether it is possible to book tour departures directly online. |
| | A value of true indicates that it can be booked online via TTC's booking services. |
| | A value of false indicates that a call to a reservations agent is always required in order to proceed to book. Even if the value is false, indicating a call is required to book, the product can still be displayed in the website even where the site generally supports online booking, just that customer must call a contact centre if they wish to proceed further with booking of the tour |
| TourCode | Tour Code, the unique identifier of a tour product. |
| OperatingProductCode | Indicates the unique code for the operating product. |
| SellingCompanies>SellingCompany> | |
| Code | Identifier of the brand Selling Company, market region(s) in which the tour is available for sale for each brand. A full set of selling companies can be found in Appendix 1. |
| CurrencyCode | Indicates the currency of the Selling Company/Region |
| InventoryBrochureCode | Indicates the unique code for the tour as where inventory is available |
| Departures>Departure> | |
| DepartureCode | Indicates the unique departure code for the tour. |
| AvailabilityStatus | Indicates if this departure is available to book. |
| StartDateTime | Indicates the start date and time of the departure. |
| EndDateTime | Indicates the end date and time of the departure. |
| DateRangeIncludesTravelTime | Indicates if the start and end dates include travel time before and after the tour |
| DefiniteDeparture | Indicates if the departure will definitely run or not. |
| Notes | Any notes e.g. payment guidance |
| Passengers>Passenger> | |
| Type | Type of passenger e.g. adult |
| AgeFrom | Minimum required age of passenger |
| AgeTo | Maximum age limit of passenger |
| Rooms>Room>OccupancyRule> | |
| MaximumAdults | The maximum number of adults allowed per room |
| MaximumPassengers | The total number of passengers allowed per room |
| MinimumAdults | The minimum number of adults allowed per room |
| MinimumPassengers | The total minimum number of passengers allowed per room |
| MinimumPayingAdults | The minimum number of paying adults allowed per room |
| Rooms>Room>Price>Adult> | |
| Base | The cost of the room for an adult net of surcharges |
| Combined | The cost of the room for an adult including all surcharges, taxes etc. |
| Rooms>Room>Price>Child> | |
| Base | The cost of the room for a child net of surcharges |
| Combined | The cost of the room for a child including all surcharges, taxes etc. |
| Rooms>Room> | |
| Туре | The room type. A full set of room types can be found in Appendix 5. |
| CombinedIncludedCharges>Port Tax>Price> | |

© Copyright Travcorp Technology Services, 2015. Content Hub 2.0 API User Guide (Brands)

Page 22 of 49

| Adult | The adult price of any port taxes |
|--|--|
| Child | The child price of any port taxes |
| PriceIsIndicative | There may be some departures for which actual contracts |
| | are not in place, therefore the costs for these departures |
| | are based on estimates. The prices for these departures |
| | are marked as 'indicative' in the brochure price panel, and |
| In Eliable For Engagement Transculler Discount | may be subject to change. |
| IsEligibleForFrequentTravellerDiscount | Indicates if a frequent traveller discount is available |
| CanSearchForFlights | Indicates if Air can be requested as part of the process |
| TourRules>AssociatedProducts> | |
| AccommodationProducts> | |
| AccommodationProduct> | |
| Type | The type of accommodation |
| Code | The unique product code for the accommodation product |
| Name | The name of the accommodation product |
| Address> | |
| Line1 | The address of the accommodation |
| City | The address of the accommodation |
| Region | The address of the accommodation |
| Postcode | The address of the accommodation |
| Country | The address of the accommodation |
| Rooms>Room | |
| Туре | The room type. A full set of room types can be found in |
| 71 | Appendix 5. |
| Price> | |
| Adult | The price of the room for an adult |
| Child | The price of the room for a child |
| MiscellaneousProducts> | |
| MiscellaneousProduct> | |
| Code | Miscellaneous product code |
| Category | Category name of the miscellaneous product. |
| Name | Descriptive name of the miscellaneous product. |
| Price> | Descriptive flame of the miscellaneous product. |
| Adult | The adult price of the miscellaneous product |
| Child | The child price of the miscellaneous product |
| TourInfo> | The child price of the miscellaneous product |
| | 2 abarratar and which identifies the TTC Brand enerating |
| BrandCode | 2 character code which identifies the TTC Brand operating |
| | the tour: A full set of brand codes can be found in |
| CMSId | Appendix 6. |
| | The unique identifier of the source of brand web content |
| Duration | Number of days duration of the tour |
| TourCode | Tour Code, the unique identifier of a tour product. |
| TourName | Descriptive Name of the tour product. |
| CataloguedTour> | |
| Code | This is the generally four/five character code for each tour |
| | that is printed in the published brochures as the tour Ref / |
| | Code value, above the dates and prices panel for each |
| N. | tour in the printed brochure. |
| Name | Descriptive Name of the catalogued tour product. |
| SellingCompanies>SellingCompany>Brochure> | |
| Code | TTC code for the published brochure(s) in which the tour |
| | is marketed. |
| Name | Descriptive name for the published brochure(s) in which |
| | the tour is marketed. |
| TourCategories>TourCategory> | |
| Name | The Name for the tour category |
| CategoryValue | The descriptive name for the tour category |
| MarketingFlags> | |
| · | · |

| MarketingPriority | Indicator for the Marketing Preferences |
|---|---|
| MostPopular | True/False indicator |
| KeywordsPhrases> | Track also indicates |
| Text | Text line(s) with keywords and phrases to aid search |
| TOM | capabilities |
| TourVariationDefiners>OperatingProduct> | oupublisioo |
| Code | The unique code for the specific tour variation |
| ContractingSeason | Indicates the season that the tour is applicable |
| Category | The category code for the specific tour variation |
| Classification | The classification code for the specific tour variation |
| StandardName | The descriptive name for the specific tour variation |
| IncludedSubProducts>IncludedSubProduct> | The decement hame for the epocine tour variation |
| Code | The Code for the Sub Product |
| Name | The descriptive name for the sub product |
| Category | The category for the sub product |
| ServiceType | The service type for the sub product |
| RoomTypes>RoomType> | The service type for the sas product |
| Sellable | Indicates whether it is possible to book the tour directly |
| Seliable | online. A value of true indicates that it can generally be |
| | booked via TTC's online booking services. A value of |
| | false indicates that a call to a reservations agent is |
| | required in order to proceed to book. |
| Туре | Indicates the room type. A full set of room types can be |
| Туре | found in Appendix 5. |
| StartCity> | Tourid III Appendix 3. |
| Name | Start city defined for the departure. |
| EndCity> | Start city defined for the departure. |
| Name | End city defined for the departure. |
| | End dity defined for the departure: |
| Airports>Airport> | |
| Airports>Airport> | The country code for the airport |
| IATACode | The country code for the airport |
| IATACode Name | The airport name |
| IATACode Name City | The airport name The city in which the airport is located |
| IATACode Name City Region | The airport name The city in which the airport is located The region in which the airport is located |
| IATACode Name City Region Country | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located |
| IATACode Name City Region Country DefaultForCity | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts |
| IATACode Name City Region Country DefaultForCity IsTourPackage | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package |
| IATACode Name City Region Country DefaultForCity | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name CountriesVisited>Country> | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent ISO3166 defined two-character country code. A full set of |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name CountriesVisited>Country> Code | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent ISO3166 defined two-character country code. A full set of country codes can be found in Appendix 3. |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name CountriesVisited>Country> Code Name | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent ISO3166 defined two-character country code. A full set of country codes can be found in Appendix 3. Textual name of the country |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name CountriesVisited>Country> Code | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent ISO3166 defined two-character country code. A full set of country codes can be found in Appendix 3. Textual name of the country Four-character continent code associated with the country |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name CountriesVisited>Country> Code Name ContinentCode | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent ISO3166 defined two-character country code. A full set of country codes can be found in Appendix 3. Textual name of the country |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name CountriesVisited>Country> Code Name ContinentCode LocationsVisited>Location> | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent ISO3166 defined two-character country code. A full set of country codes can be found in Appendix 3. Textual name of the country Four-character continent code associated with the country code |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name CountriesVisited>Country> Code Name ContinentCode | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent ISO3166 defined two-character country code. A full set of country codes can be found in Appendix 3. Textual name of the country Four-character continent code associated with the country code The country code for the location(s) visited on the tour. A |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name CountriesVisited>Country> Code Name ContinentCode LocationsVisited>Location> CountryCode | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent ISO3166 defined two-character country code. A full set of country codes can be found in Appendix 3. Textual name of the country Four-character continent code associated with the country code The country code for the location(s) visited on the tour. A full set of country codes can be found in Appendix 3. |
| IATACode Name City Region Country DefaultForCity IsTourPackage IncludedCruiseCabinType AdditionalDefiners>Section> Title Text ContinentsVisited>Continent> Code Name CountriesVisited>Country> Code Name ContinentCode LocationsVisited>Location> | The airport name The city in which the airport is located The region in which the airport is located The country in which the airport is located The default airport for the city where the tour starts Indicates if the operating product is a tour package Indicates what type of cabin is included in the tour (if applicable) Spare field for future use Spare field for future use Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. Textual name of the continent ISO3166 defined two-character country code. A full set of country codes can be found in Appendix 3. Textual name of the country Four-character continent code associated with the country code The country code for the location(s) visited on the tour. A |

| Assets>Images> | |
|-----------------------------------|---|
| Image Caption | Images for the tour |
| Height | and get it and it is |
| Name | Type value currently map or photo. |
| Type Url | Name value for map type Image = route_map. |
| Width | This may be provided in several different Width Height size variations. Width / Height (pxl) values are provided for each Image in the return. Name values for photo type Image as may be available for the brand: |
| | primary_image = main photographic image for marketing of the tour. |
| | This same image may be provided in several different Width Height size variations. |
| | Width / Height (pxl) values are provided for each Image in the return. |
| | Secondary_image = a second, different photograph which may be available for marketing of the tour. This same second image may be provided in several different Width Height size variations. |
| Videos> | |
| VideoAspectRatio | Videos for the tour |
| Caption Name | |
| Type | |
| Url | |
| | |
| Itinerary>ItinerarySegment> | |
| Duration | Duration of the particular segment of the tour. |
| StartDay | The start day number of the tour. |
| Title | The title for the segment. |
| Text | A textual description for the segment. |
| Accommodation | e.g. Name of Hotel included |
| LocationsVisited> | |
| LocationCountryCode | Country Code of Location |
| Name | Name of city |
| Meals>Meal | Mool type o a Propletost |
| Type Number | Meal type e.g. Breakfast Number of meals included |
| OptionalExtras>Extra> | Number of meals included |
| Code | Optional Experiences – Reference Code |
| Price> | Optional Exponences Transferred Code |
| PassengerType | Optional Experiences – Type of passenger |
| CurrencyCode | Optional Experiences – Currency code of price |
| AmountFrom | Optional Experiences – Amount range lower value |
| AmountTo | Optional Experiences – Amount range higher value |
| Notes>Section> | |
| Title | Optional Experiences – Title |
| Text | Optional Experiences – Description |
| WhatsIncluded>Highlights>Section> | |
| Title | A title for any particular highlights for the segment. |
| Text | A textual description for any particular highlights for the segment |

| AirportTransfers> | |
|-------------------|--|
| Section> | |
| Title | A title for the airport transfer |
| Text | A textual description detailing airport transfer information |
| AdditionalInfo> | |
| Section> | |
| Title | A title for the additional information |
| Text | A textual description detailing additional information |

6.2.4 Sample Return (Truncated)

6.3 SearchToursAggregated

6.3.1 Schema Layout

6.3.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description |
|------------------|------------------------|---|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up |
| sellingCompanies | Mandatory | Search by selling company code. |
| | | As part of user account/access set up, each user will be given access to use these API services for obtaining data for a specific sub-set of selling companies. |
| | | A full set of selling companies can be found in Appendix 1. |
| | | Where searching on multiple selling companies, multiple values must appear as separate lines within the sellingCompanies node in the input value entry for this parameter. |
| | | If a sellingCompanies value is entered to which the user has not been given access, then no results for that search will be returned and an error message will be thrown. |
| continentCodes | Optional | Accepts 4-character continent codes. |
| | | Multiple values can be entered, i.e. if requiring search to be continent-specific, more than one continentCodes value can be entered as input if desired; a space represents an OR condition, whilst a comma represents an AND condition. |
| | | A full set of continent codes can be found in Appendix 2. |
| | | Note that there is a relationship in original source content between continents and countries. The Search does not enforce country value entries being definitively associated to continent value entries. |
| | | If entering both continentCodes and countryCodes (both of which are optional, and if entering a Country value you do not have to enter a continentCodes value), and if the search is intended for a specific country/countries only, then for best, specific matches to be returned the user should look to ensure that the continentCodes value is correct in relation to Continent-Countries mappings used in the source content. |
| | | Not all of the continents / countries listed in the appendices are travelled to, and those that are travelled to vary for each brand selling company. |
| countryCodes | Optional | Accepts 4-character continent codes. |
| | | Multiple values can be entered, i.e. if requiring search to be continent-specific, more than one continentCodes value can be entered as input if desired; a space represents an OR condition, whilst a comma represents an AND condition. |
| | | A full set of continent codes can be found in Appendix 2. |
| | | Note that there is a relationship in original source content between continents and countries. The Search does not enforce country value entries being definitively associated to continent value entries. |

| | 1 | 7 |
|--------------------|----------|---|
| | | If entering both continentCodes and countryCodes (both of which are optional, and if entering a Country value you do not have to enter a continentCodes value), and if the search is intended for a specific country/countries only, then for best, specific matches to be returned the user should look to ensure that the continentCodes value is correct in relation to Continent-Countries mappings used in the source content. Not all of the continents / countries listed in the appendices are |
| | | travelled to, and those that are travelled to vary for each brand selling company. |
| durationFrom | Optional | Sets the minimum stay for a tour in number of days. If set without a durationTo parameter this value acts as a GE parameter. |
| durationTo | Optional | Sets the maximum stay for a tour in number of days. If set without a durationFrom parameter this value acts as a LE parameter. |
| months | Optional | Format: [month] [month], |
| | | e.g.: 5 (returns tours starting in May) |
| | | 1 2 3 (returns tours starting in January, February, or March) |
| | | Multiple values must be separated by a space within a single node. |
| | | Multiple months do not have to be sequential. |
| keywordsAndPhrases | Optional | Keyword(s) and Phrase(s) to search. |
| | | As a general rule, multiple values must appear as separate lines within the keywordsAndPhrases node in the input value entry for this parameter. |
| | | However, - multiple Location names, e.g. <i>Paris London Rome</i> , can be entered as text in a single node without any double quotes* |
| | | but if there are also further non-location values: |
| | | |
| | | - if a single word value, then this should be entered in a separate node, e.g. new line with value exciting |
| | | - and if a multi-word phrase value e.g. "exciting and cosmopolitan cities" then the phrase should be entered in a separate line and text phrases need to be enclosed in double quotes. |
| | | *Note, for entering city / location names as keywordsAndPhrases entries: |
| | | - If you enter the Country Code value(s) against the Country parameter as well, you will be surer of a location match, e.g. if you enter Country value FR as well, then enter keywordsAndPhrases value Paris, you will get best matches for Paris location in France (as opposed to also getting returned |

| | | things like, the Paris Ballroom Hotel in some other city in some other country based purely on keywordsAndPhrases match). |
|-------------------|-----------|--|
| | | - If searching multiple location / city names in keywordsAndPhrases, then if you put each location name as a separate individual keywordsAndPhrases, in separate nodes, you will get all matches for tours that contain both of those words, i.e. that contain both Paris and London. |
| | | - If you enter a phrase but without any expression marks such as <i>Paris London</i> you will get matches that contain Paris or London. A space represents an OR condition. |
| | | - If you want to Search for tours that contain Paris AND London, put them in separate nodes or separate by a use comma. A comma represents an AND condition. |
| | | - If you want all location matches then entering Country value(s), then entering each location individually in an individual keywordsAndPhrases node will bring you back everything that includes both of those location words in any order. |
| preferedRoomType | Optional | Sets the room type to search, one value allowed only. |
| | | A full set of room types can be found in Appendix 5 |
| priceFrom | Optional | Sets the minimum price for a tour in numeric format, decimal places allowed. If set without a priceTo parameter this value acts as a Greater Than or Equal To parameter. The schema expects a numeric value (integer); if the field is left empty an error is thrown. A null is required but the field has to be removed from the request. |
| priceTo | Optional | Sets the maximum price for a tour in numeric format, decimal places allowed. If set without a priceFrom parameter this value acts as a Less Than or Equal To parameter. The schema expects a numeric value (integer); if the field is left empty an error is thrown. A null is required but the field has to be removed from the request. |
| firstRecordNumber | Mandatory | Pagination allows the user to retrieve subsets of search results. FirstRecordNumber specifies the first record to be returned in the current batch; NumberOfRecords (see row below) specifies the total number to be returned. |
| numberOfRecords | Mandatory | Pagination allows the user to retrieve subsets of search results. FirstRecordNumber (see above) specifies the first record to be returned in the current batch; NumberOfRecords specifies the total number of results to be returned. |
| orderBy | Optional | Specifies the value by which the search results are required to be ordered in the return. |
| | | A full set of order by codes can be found in Appendix 4. |
| orderDirection | Optional | Specifies whether results are required to be returned in ascending or descending direction for the OrderBy criterion. Default direction is ascending. Value can be ASC for ascending order or DESC for descending order direction. |

6.3.3 Return Values

| Return Parameter | Description |
|-------------------------------|--|
| totalRecords | Total number of records returned matching the search expression. |
| numberOfRecords | Number of records returned in the current response. |
| subsetReturned | Range of record numbers returned in the current response, in the format |
| - Substitution | [first record] - [last record]. |
| searchAggregatedResults> | [morrosora] [morrosora]. |
| cataloguedTourCode | The unique code for the catalogued tour |
| cataloguedTourName | The descriptive name for the catalogued tour |
| searchAggregatedSubResults> | The decomplife hame for the datalogued teal |
| tourCode | Tour Code, the unique identifier of a tour product. |
| tourName | Descriptive Name of the tour product. |
| sellingCompanyCode | Identifier of the brand Selling Company, market region(s) in which the |
| seiingcompanycode | tour is available for sale for each brand. A full set of selling companies can be found in Appendix 1. |
| priceFrom | Lowest price for use on initial search results display. It is the land only tour price per adult inclusive of any taxes based on sharing a twin room. This price is obtained from a cache which is refreshed a minimum of four times daily. If preferred room is specified uses that room type, if null preferred room uses twin room where available, if twin not available |
| priceTo | uses cheapest available room type. Highest price for use on initial search results display. It is the land only tour price per adult inclusive of any taxes based on sharing a twin room. This price is obtained from a cache which is refreshed a minimum of four times daily. If preferred room is specified uses that room type, if null preferred room uses twin room where available, if twin not available uses cheapest available room type. |
| brochureCode | TTC code for the published brochure in which the tour is marketed. |
| brochureName | Descriptive name for the published brochure in which the tour is marketed. |
| marketingFlags | Indicates if marketing flags are present |
| Highlights>Section | |
| Title | Sightseeing Highlights of the tour – Describes key places of interest / attractions to be enjoyed on the tour. |
| Text | Sightseeing Highlights of the tour – Describes key places of interest / attractions to be enjoyed on the tour. |
| assets | Images for the tour |
| continentsVisited>Continent> | |
| Code | Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. |
| Name | Textual name of the continent |
| countriesVisited>Country> | |
| Code | ISO3166 defined two-character country code. A full set of country codes can be found in Appendix 3. |
| Name | Textual name of the country |
| ContinentCode | Four-character continent code associated with the country code |
| earlyPaymentDiscountAvailable | Indicates if an early payment discount is available for the departure. |
| definiteDeparturesAvailable | Indicates if a departure will definitely run or not. |
| duration | Total number of days duration defined for the tour. |
| accommodations | Lists all accommodation for the tour |
| startCity | Start city defined for the departure. |
| airportsStartCity | Start airport city defined for the departure. |
| endCity | End city defined for the departure. |
| airportsEndCity | End airport city defined for the departure. |
| sellableRoomTypes>RoomType> | |

© Copyright Travcorp Technology Services, 2015. Content Hub 2.0 API User Guide (Brands)

Page 30 of 49

| Sellable | Indicates whether it is possible to book the tour directly online. A value of true indicates that it can generally be booked via TTC's online booking services. A value of false indicates that a call to a reservations agent is required in order to proceed to book. |
|----------------------------|---|
| Туре | Indicates the room type. A full set of room types can be found in Appendix 5. |
| operatingProductCode | Indicates the unique code for the operating product. |
| contractingSeason | Indicates the season that the tour is applicable |
| earliestDepartureStartDate | The first departure start date the tour. |
| latestDepartureStartDate | The last departure start date the tour. |
| includedSubProducts> | |
| includedSubProduct> | |
| Code | The Code for the Sub Product |
| Name | The descriptive name for the sub product |
| Category | The category for the sub product |
| ServiceType | The service type for the sub product |
| includedCruiseCabinType | For cruise elements, the cabin type that is included as part of the tour |
| additionalDefiners | Other miscellaneous |

6.3.4 Sample Return (Truncated)

```
| Column | C
```

6.4 GetTourCategories

6.4.1 Schema Layout

6.4.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description |
|-----------------|------------------------|---|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up |
| sellingCompany | Mandatory | Search by selling company code. |
| | | As part of user account/access set up, each user will be given access to use these API services for obtaining data for a specific sub-set of selling companies. |
| | | A full set of selling companies can be found in Appendix 1. |
| | | Single value entry only. |
| | | If a sellingCompany value is entered to which the user has not been given access, then no results for that search will be returned and an error message will be thrown. |

6.4.3 Return Values

| Return Parameter | Description |
|------------------|---|
| tourCategories> | |
| tourCategory | A breakdown of the types of elements within a tour e.g. Accommodation Type, Location Type, Tour Styles etc. |
| categoryValue | A subset of values within each tour category e.g. Budget, Premium etc. |

6.4.4 Sample Return

```
### STATE OF THE PROPERTY OF T
```

6.5 GetContinentsAndCountriesVisited

6.5.1 Schema Layout

6.5.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description |
|------------------|------------------------|--|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up |
| continent | Optional | Accepts 4-character continent codes. Multiple values can be entered, i.e. if requiring search to be |
| | | continent-specific, more than one continentCodes value can be entered as input if desired; a space represents an OR condition, whilst a comma represents an AND condition. |
| | | A full set of continent codes can be found in Appendix 2. |
| sellingCompanies | Mandatory | Search by selling company code. As part of user account/access set up, each user will be given access to use these API services for obtaining data for a specific sub-set of selling companies. |
| | | A full set of selling companies can be found in Appendix 1. |
| | | Where searching on multiple selling companies, multiple values must appear as separate lines within the sellingCompanies node in the input value entry for this parameter. |
| | | If a sellingCompanies value is entered to which the user has not been given access, then no results for that search will be returned and an error message will be thrown. |

6.5.3 Return Values

| Return Parameter | Description |
|-------------------------|--|
| continentsAndCountries> | |
| continent | Four-character code defined for geographic continents. A full set of continent codes can be found in Appendix 2. |

| countries | ISO3166 defined two-character country code. | A full set of country codes can |
|-----------|---|---------------------------------|
| | be found in Appendix 3. | - |

6.5.4 Sample Return (Truncated)

```
| Continues | March | Continues | Continue
```

6.6 GetBrochure

6.6.1 Schema Layout

6.6.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description |
|-----------------|------------------------|--|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up |
| title | Optional | This is free form text that the consumer will enter on the web site |
| brandCode | Mandatory | This is the code pertaining to the TTC brand. |
| | | A full set of TTC Brand Codes can be found in Appendix 6. |

| sellingCompanyCode | Mandatory | As part of user account/access set up, each user will be given access to use these API services for obtaining data for a specific sub-set of selling companies. A full set of selling companies can be found in Appendix 1. Single value entry only. If a sellingCompany value is entered to which the user has not been given access, then no results for that search will be returned. |
|--------------------|-----------|---|
| agentText | Optional | This is free form text that the consumer will enter on the web site |
| agentImage | Optional | This is the URL location of an image (typically a Travel Agent's logo). |
| tour | Mandatory | Value identifying the individual tour product(s) for which more details are required to be returned. Where searching on multiple tour codes, multiple values must appear as separate lines within the tour node in the input value entry for this parameter. |

6.6.3 Return Values

| Return Parameter | Description |
|------------------|---|
| fileData | The GUID that specifies the location of the brochure file for the purposes of |
| | rendering the requested parameters. |

6.6.4 Sample Return

6.7 UploadTourInfo

6.7.1 Schema Layout

6.7.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description |
|----------------------------------|------------------------|--|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up |
| fileName | Mandatory | The 27 character zip file name that includes the file extension ".zip" |
| fileData | Mandatory | The 27 character zip file name that includes the file extension ".zip", prefixeded by "cid:" |
| <attach file="" zip=""></attach> | Mandatory | In addition to the above parameters, the zip file needs to be attached to the request and the name must be unique. |

6.7.3 Return Values

| Return Parameter | Description | |
|-----------------------------|---|--|
| status | Indicates if the upload was successful or not | |
| successful | Indicates if the upload was successful or not | |
| <error messages=""></error> | If the upload failed, there will be additional response parameters detailing the reason for the upload failure. | |

6.7.4 Sample Return

6.8 GetTourDataUploadStatus

6.8.1 Schema Layout

6.8.2 Input Parameters

| Input Parameter | Optional/ Mandatory | Description | |
|-----------------|------------------------|--|--|
| securityKey | Mandatory | This value is your unique access code (token) and will be provided to you as part of your set up | |
| brandCode | Mandatory | This is the code pertaining to the TTC brand. | |
| | | A full set of TTC Brand Codes can be found in Appendix 6. | |
| fileName | Optional | The 27 character zip file name that includes the file extension ".zip" | |

6.8.3 Return Values

| Return Parameter | Description |
|--------------------|---|
| successful | Indicates if the call was successful or not |
| currentBrandStatus | Indicates the status of the tour upload process |
| uploadFileStatus | Indicates the current status of the upload process |
| | e.g. Pre-processing, Processing, Fail, Success, Warning, Rejected |

6.8.4 Sample Return

7 RESTful Service Requests

RESTful Services can be used place of SOAP requests to allow brands to access the Central Repository for Tour Info and Tour Departure schemas as well as eBrochures. They also provide access to the File Collect System in order to download the entire Content Hub for the purposes of using the data to publish on your own web site as you see fit.

The Security Key (token) is provided to the agreed consuming partner for their sole use, for partnership purposes defined and agreed with The Travel Corporation. If a partner is operating across multiple selling regions / selling currencies, they shall be provided with a separate account and securityKey for each specific selling region and should ensure that they enter the correct value for the region for which returns are required, e.g. US account specific securityKey for obtaining returns for a USAS selling company in USD; Canadian account specific securityKey for obtaining returns for a CANS selling company in CAD.

7.1 Central Repository

Tour Info v1 URL – Browser View https://content.travcorp.com/tour_info/CH/?&token=[your_token]&format=ui-plain

Tour Info v1 URL – XML View** https://content.travcorp.com/tour info/CH/?&token=[your token]&format=xml

Tour Info v3 URL – Browser View https://content.travcorp.com/tour info/CH/V3/?&token=[your token]&format=ui-plain

Tour Info v3 URL – XML View** https://content.travcorp.com/tour_info/CH/V3/?&token=[your_token]&format=xml


Tour Departures v1 URL – Browser View https://content.travcorp.com/tour_departure/CH/?&token=[your_token]&format=ui-plain

Tour Departures v1 URL – XML View** https://content.travcorp.com/tour_departure/CH/?&token=[your_token]&format=xml

Tour Departures v3 URL – Browser View https://content.travcorp.com/tour_departure/CH/V3/?&token=[your_token]&format=ui-plain

Tour Departures v3 URL – XML View**
https://content.travcorp.com/tour-departure/CH/V3/?&token=[your-token]&format=xml

**Note XML views are provided in order for developers to integrate these into their own systems should this be a requirement



Additionally you can construct a URL that will point directly to a specific tour, e.g.:

v1 Tour Departure for CH Tour Code 14SWAM10:

https://content.travcorp.com/tour_departure/CH/14SWAM10.xml?&token=[your_token]

v3 Tour Departure for CH Tour Code 14SWAM10:

https://content.travcorp.com/tour_departure/CH/V3/14SWAM10.xml?&token=[your_token]

7.2 eBrochures

Template URL to download an eBrochure for a specific tour:

https://content.travcorp.com/brochure_engine/brochure.pdf?&token=[your_token]&title=[ebrochure_title]&brandCode=[brand_code]&sellingCompanyCode=[Selling company code]&tours=[tour_code]

For multiple tours, simply add &tours=[tourcode">[tourcode] at the end, i.e.:

7.3 File Collect

Version1 URL - Browser Version

https://content.travcorp.com/outgoing_archives/?&token=[your_token]&format=ui-plain

Version1 URL - XML Version**

https://content.travcorp.com/outgoing_archives/?&token=[your_token]&format=xml


Version3 URL – Browser Version

https://content.travcorp.com/outgoing_archives/V3/?&token=[your_token]&format=ui-plain

Version3 URL - XML Version**

https://content.travcorp.com/outgoing_archives/V3/?&token=[your_token]&format=xml

**Note XML views are provided in order for developers to integrate these into their own systems should this be a requirement



Additionally you can construct a URL that will point directly to a specific tour and download it automatically, e.g.:

v1 zip files for Selling Company CHAKLS:

https://content.travcorp.com/outgoing_archives/CHAKLS.zip?&token=[your_token]

v3 zip files for Selling Company CHAKLS:

https://content.travcorp.com/outgoing_archives/V3/CHAKLS.zip?&token=[your_token]

8 Frequently Asked Questions

- 1. Q: I get an authentication error when using REST functions but my credentials are correct. Why is that?
 - A: Please check your URL; it should have a token credential at the end. Also you must not be logged in to the CH2 UI application within the same session. Additionally it might be that your user is disabled or you are not assigned to the specific function, version (v1/v3) or Selling Company. Please contact the Application Support Team.
- 2. Q: I executed a SearchTours request a few times in a row getting different results (each time more tours were returned). How is this possible?
 - A: A process called *indexing* is already taking place. It lasts for a short period of time after the upload of Tour Info or a Tour Departure import to get the current state of data.
- 3. Q: Are SOAP request parameters values case sensitive?
 - A: Some of them are (e.g. SellingCompany, BrandCode, SecurityKey, CountryCode) and some of them are not (e.g. ContinentCode, KeywordsAndPhrases).
- 4. Q: What are the differences between Uploading Tour Info using v1 and v3?
 - A: Brands continuing to Upload Tour Info using v1 of the schema should continue to do this into Content Hub 1.0. The Application Support Team will acknowledge this in the settings of Content Hub 2.0 and the TI v1 data will be pushed to Content Hub 2.0 during the Tour Departures import process. Note that this data will contain none of the enhanced features available in Content Hub 2.0.

When Brands are ready to start importing enhanced TI into Content Hub 2.0 using the v3 schema, the Application Support team will change the settings for that Brand, and Content Hub 1.0 will be auto populated from Content Hub 2.0 with TI data as part of the v3 import process.

Appendix 1 – Selling Companies

| Code | Description |
|--------|-----------------------------------|
| BVUSAS | Brendan Vacations United States |
| CHAKLS | Contiki Holidays New Zealand |
| CHCANS | Contiki Holidays Canada |
| CHEUOS | Contiki Holidays Europe |
| CHJBGS | Contiki Holidays South Africa |
| CHSINS | Contiki Holidays Singapore |
| CHSYDS | Contiki Holidays Australia |
| CHUKLS | Contiki Holidays UK |
| CHUSAS | Contiki Holidays United States |
| IVAKLS | Insight Vacations New Zealand |
| IVCANS | Insight Vacations Canada |
| IVEUOS | Insight Vacations Europe |
| IVGSAS | Insight Vacations EMEA |
| IVJBGS | Insight Vacations South Africa |
| IVSINS | Insight Vacations Singapore |
| IVSYDS | Insight Vacations Australia |
| IVUKLS | Insight Vacations UK |
| IVUSAS | Insight Vacations United States |
| TTAKLS | Trafalgar Tours New Zealand |
| TTCANS | Trafalgar Tours Canada |
| TTEUOS | Trafalgar Tours Europe |
| TTGSAS | Trafalgar Tours EMEA |
| TTJBGS | Trafalgar Tours South Africa |
| TTOTHS | Trafalgar Tours Rest of the World |
| TTSYDS | Trafalgar Tours Australia |
| TTUKLS | Trafalgar Tours UK |
| TTUSAS | Trafalgar Tours United States |

Appendix 2 – Continent Codes

| Code | Description |
|------|-----------------|
| AFRI | Africa |
| ANTA | Antarctica |
| ASIA | Asia |
| AUST | South Pacific |
| CAME | Central America |
| EURO | Europe |
| NAME | North America |
| SAME | South America |

Appendix 3 – Country Codes

| Code | Description | Associated Continent Code |
|------|---------------------------------------|---------------------------|
| AD | Andorra | EURO |
| AE | United Arab Emirates | AFRI |
| AF | Afghanistan | ASIA |
| AG | Antigua And Barbuda | CAME |
| Al | Anguilla | CAME |
| AL | Albania | EURO |
| AM | Armenia | EURO |
| AN | Netherlands Antilles | CAME |
| AO | Angola | AFRI |
| AQ | Antarctica | ANTA |
| AR | Argentina | SAME |
| AS | American Samoa | AUST |
| AT | Austria | EURO |
| AU | Australia | AUST |
| AW | Aruba | CAME |
| AX | Åland Islands | EURO |
| AZ | Azerbaijan | EURO |
| ВА | Bosnia and Herzegovina | EURO |
| BB | Barbados | CAME |
| BD | Bangladesh | ASIA |
| BE | Belgium | EURO |
| BF | Burkina Faso | AFRI |
| BG | Bulgaria | EURO |
| BH | Bahrain | AFRI |
| BI | Burundi | AFRI |
| BJ | Benin | AFRI |
| BM | Bermuda | CAME |
| BN | Brunei | AFRI |
| ВО | Bolivia | SAME |
| BR | Brazil | SAME |
| BS | Bahamas | CAME |
| ВТ | Bhutan | ASIA |
| BV | Bouvet Island | ANTA |
| BW | Botswana | AFRI |
| BY | Belarus | EURO |
| BZ | Belize | CAME |
| CA | Canada | NAME |
| CC | Cocos (Keeling) Islands | ASIA |
| CD | Congo, the Democratic Republic of the | AFRI |
| CF | Central African Republic | AFRI |
| CG | Congo | AFRI |
| CH | Switzerland | EURO |

© Copyright Travcorp Technology Services, 2015. Content Hub 2.0 API User Guide (Brands)

Page 43 of 49

| CI | Cote D'Ivoire | AFRI |
|----|--------------------------------------|------|
| CK | Cook Islands | AUST |
| CL | Chile | SAME |
| CM | Cameroon | AFRI |
| CN | China | ASIA |
| CO | Colombia | SAME |
| CR | Costa Rica | SAME |
| CU | Cuba | CAME |
| CV | Cape Verde | AFRI |
| CX | Christmas Island | AUST |
| CY | Cyprus | EURO |
| CZ | Czech Republic | EURO |
| DE | Germany | EURO |
| DJ | Djibouti | AFRI |
| DK | Denmark | EURO |
| DM | Dominica | CAME |
| DO | Dominican Republic | CAME |
| DZ | Algeria | AFRI |
| EC | Ecuador | SAME |
| EE | Estonia | EURO |
| EG | Egypt | AFRI |
| EH | Western Sahara | AFRI |
| ER | Eritrea | AFRI |
| ES | Spain | EURO |
| ET | Ethiopia | AFRI |
| FI | Finland | EURO |
| FJ | Fiji | AUST |
| FK | Falkland Islands (Malvinas) | SAME |
| FM | Micronesia, Federated States of | AUST |
| FO | Faroe Islands | EURO |
| FR | France | EURO |
| GA | Gabon | AFRI |
| GB | United Kingdom | EURO |
| GD | Grenada | CAME |
| GE | Georgia | EURO |
| GF | French Guiana | CAME |
| GG | Guernsey | EURO |
| GH | Ghana | AFRI |
| GI | Gibraltar | EURO |
| GL | Greenland | EURO |
| GM | Gambia | AFRI |
| GN | Guinea | AFRI |
| GP | Guadeloupe | CAME |
| GQ | Equatorial Guinea | AFRI |
| GR | Greece | EURO |
| GS | South Georgia and the South Sandwich | ANTA |

| | Islands | |
|----|--|------|
| GT | Guatemala | CAME |
| GU | Guam | AUST |
| GW | Guinea-Bissau | AFRI |
| GY | Guyana | SAME |
| HK | Hong Kong | ASIA |
| НМ | Heard Island | ANTA |
| HN | Honduras | CAME |
| HR | Croatia | EURO |
| HT | Haiti | CAME |
| HU | Hungary | EURO |
| ID | Indonesia | ASIA |
| IE | Ireland | EURO |
| IL | Israel | EURO |
| IM | Isle of Man | EURO |
| IN | India | ASIA |
| Ю | British Indian Ocean Territory | ASIA |
| IQ | Iraq | ASIA |
| IR | Iran, Islamic Republic of | ASIA |
| IS | Iceland | EURO |
| IT | Italy | EURO |
| JE | Jersey | EURO |
| JM | Jamaica | CAME |
| JO | Jordan | AFRI |
| JP | Japan | ASIA |
| KE | Kenya | AFRI |
| KG | Kyrgyzstan | EURO |
| KH | Cambodia | ASIA |
| KI | Kiribati | AUST |
| KM | Comoros | AFRI |
| KN | Saint Kitts and Nevis | CAME |
| KP | Korea, Democratic People's Republic of (commonly known as North Korea) | ASIA |
| KR | Korea, Republic of (commonly known as South Korea) | ASIA |
| KW | Kuwait | AFRI |
| KY | Cayman Islands | CAME |
| KZ | Kazakhstan | ASIA |
| LA | Laos | ASIA |
| LB | Lebanon | AFRI |
| LC | Saint Lucia | CAME |
| LI | Liechtenstein | EURO |
| LK | Sri Lanka | ASIA |
| LR | Liberia | AFRI |
| LS | Lesotho | AFRI |
| LT | Lithuania | EURO |

| LU | Luxembourg | EURO |
|----|--|------|
| LV | Latvia | EURO |
| LY | Libyan Arab Jamahiriya | AFRI |
| MA | Morocco | AFRI |
| MC | Monaco | EURO |
| MD | Moldova, Republic of | ASIA |
| ME | Montenegro | EURO |
| MG | Madagascar | AFRI |
| MH | Marshall Islands | AUST |
| MK | Macedonia, The Former Yugoslav Republic of | EURO |
| ML | Mali | AFRI |
| MM | Myanmar (Burma) | ASIA |
| MN | Mongolia | ASIA |
| MO | Macao | ASIA |
| MP | Northern Mariana Islands | AUST |
| MQ | Martinique | CAME |
| MR | Mauritania | AFRI |
| MS | Montserrat | EURO |
| MT | Malta | EURO |
| MU | Mauritius | AFRI |
| MV | Maldives | ASIA |
| MW | Malawi | AFRI |
| MX | Mexico | NAME |
| MY | Malaysia | ASIA |
| MZ | Mozambique | AFRI |
| NA | Namibia | AFRI |
| NC | New Caledonia | AUST |
| NE | Niger | AFRI |
| NF | Norfolk Island | AUST |
| NG | Nigeria | AFRI |
| NI | Nicaragua | CAME |
| NL | Netherlands | EURO |
| NO | Norway | EURO |
| NP | Nepal | ASIA |
| NR | Nauru | AUST |
| NU | Niue | AUST |
| NZ | New Zealand | AUST |
| ОМ | Oman | AFRI |
| PA | Panama | CAME |
| PE | Peru | SAME |
| PF | French Polynesia | SAME |
| PG | Papua New Guinea | ASIA |
| PH | Philippines | ASIA |
| PK | Pakistan | ASIA |
| PL | Poland | EURO |
| PM | Saint Pierre and Miquelon | CAME |

| PN | Pitcairn | AUST |
|----|----------------------------------|------|
| PR | Puerto Rico | NAME |
| PS | Palestinian Territory (Occupied) | ASIA |
| PT | Portugal | EURO |
| PW | Palau | AUST |
| PY | Paraguay | SAME |
| QA | Qatar | ASIA |
| RE | Reunion | AFRI |
| RO | Romania | EURO |
| RS | Serbia | EURO |
| RU | Russia | EURO |
| RW | Rwanda | AFRI |
| SA | Saudi Arabia | AFRI |
| SB | Solomon Islands | AUST |
| SC | Seychelles | AFRI |
| SD | Sudan | AFRI |
| SE | Sweden | EURO |
| SG | Singapore | ASIA |
| SH | Saint Helena | CAME |
| SI | Slovenia | EURO |
| SJ | Svalbard and Jan Mayen | EURO |
| SK | Slovakia | EURO |
| SL | Sierra Leone | AFRI |
| SM | San Marino | EURO |
| SN | Senegal | AFRI |
| SO | Somalia | AFRI |
| SR | Suriname | SAME |
| ST | Sao Tome and Principe | AFRI |
| SV | El Salvador | CAME |
| SY | Syrian Arab Republic | AFRI |
| SZ | Swaziland | AFRI |
| TC | Turks And Caicos Islands | CAME |
| TD | Chad | AFRI |
| TF | French Southern Territories | ANTA |
| TG | Togo | AFRI |
| TH | Thailand | ASIA |
| TJ | Tajikistan | EURO |
| TK | Tokelau | AUST |
| TL | Timor-Leste | ASIA |
| TM | Turkmenistan | EURO |
| TN | Tunisia | AFRI |
| TO | Tonga | AUST |
| TR | Turkey | EURO |
| TT | Trinidad And Tobago | CAME |
| TV | Tuvalu | AUST |
| TW | Taiwan, Province of China | ASIA |

| TZ | Tanzania, United Republic of | AFRI |
|----|--------------------------------------|------|
| UA | Ukraine | EURO |
| UG | Uganda | AFRI |
| UM | United States Minor Outlying Islands | AUST |
| US | United States | NAME |
| UY | Uruguay | SAME |
| UZ | Uzbekistan | EURO |
| VA | Holy See (Vatican City State) | EURO |
| VC | Saint Vincent and the Grenadines | CAME |
| VE | Venezuela | SAME |
| VG | Virgin Islands, British | CAME |
| VI | Virgin Islands, U.S. | CAME |
| VN | Vietnam | ASIA |
| VU | Vanuatu | AUST |
| WF | Wallis And Futuna | CAME |
| WS | Samoa | AUST |
| YE | Yemen | AFRI |
| YT | Mayotte | AFRI |
| ZA | South Africa | AFRI |
| ZM | Zambia | AFRI |
| ZW | Zimbabwe | AFRI |

Appendix 4 – Order By Codes

| Code | Description | |
|------|-------------|--|
| 1 | Price | |
| 2 | Tour Name | |
| 3 | Duration | |

Appendix 5 – Preferred Room Types

| Code | Description |
|-------------|-------------------|
| SINGLE | Single Occupancy |
| TWIN | Twin Room |
| TWINSHARE | Twin Share Room |
| TRIPLE | Triple Room |
| TRIPLESHARE | Triple Share Room |
| QUAD | Quad Room |
| QUADSHARE | Quad Share Room |

Appendix 6 – Brand Codes

| Code | Description |
|------|-------------------|
| AT | AAT Kings |
| BV | Brendon Vacations |
| CH | Contiki Holidays |
| IV | Insight Vacations |
| TT | Trafalgar Tours |

Appendix 7 – Referenced Documents

Content Hub Current and Future Usage

Content Hub Business Overview

Content Hub Editorial Standards

Tour Info Schema Definition and Diagrams