Carmine API

Carmine API

Auth

Authentication to the Carmine API is done with an API key. Your Carmine account has one API key for the entire company. This API key can be found by logging in to the Carmine dashboard and going to the company settings page. If at any point you need to revoke access to your existing API key, you can regenerate a new one in the Dashboard.

The API key must be provided as the `api_key` parameter on each request. This can be passed as either a query parameter for GET requests or a form parameter on POST request. For example:

List trips.

GET   /v2/trips/

Parameters

vehicle[]

array   Filter trips by vehicles.

driver[]

array   Filter trips by drivers.

start_time

string   Filter trips by start time.

end_time

string   Filter trips by end time.

per_page   100

integer   Number of results per page.

lang   ⌄

string   Localization language.

Test this endpoint

RESPONSE SAMPLE

```
[
  {
    "id": "d838c926-69c1-3d37-0252-536d930d2cd9",
    "distance": 0,
    "time_parked": 0,
    "max_speed": 0,
    "trip_cost": 0,
    "is_personal": true,
    "is_stationary": true,
    "is_after_hours": true,
    "has_events": true,
    "start_time": "2026-01-09T18:41:38.899Z",
    "end_time": "2026-01-09T18:41:38.900Z",
    "vehicle": "03e66aed-779f-0aa5-86d2-bc0ef53eeb11",
    "driver": "44b19f47-745b-7091-d932-5aaaaa30a7dc",
    "start_location": {
      "address": "string",
      "category": "fuel_station",
      "created": "2026-01-09T18:41:38.900Z",
      "creator": "ca383d3c-5429-d23b-9a97-de194716182a",
      "geometry": "string",
      "id": "e5562428-9bd5-c7dd-2cc8-fdc323e36679",
      "last_activity_time": "f5366a5f-1636-95f4-f2d6-81bceec7edbd",
      "last_activity_driver": "e9b27f8a-9d1c-1ab7-c88d-968b4c0707a0",
      "latitude": 0,
      "longitude": 0,
      "name": "string",
      "notes": "string",
      "popularity": 0,
      "type": "google_cache"
    },
    "end_location": {
      "address": "string",
      "category": "fuel_station",
      "created": "2026-01-09T18:41:38.900Z",
      "creator": "5f0ebdf5-380e-aa27-3314-0514361a9692",
      "geometry": "string",
      "id": "a41a663b-f143-a10d-031f-376236216f12",
      "last_activity_time": "6507e115-181f-d23a-0bf2-25e1aa91a1e0",
      "last_activity_driver": "df48be53-b399-fce2-7ce1-2df2cb6a2a5a",
      "latitude": 0,
      "longitude": 0,
      "name": "string",
      "notes": "string",
      "popularity": 0,
      "type": "google_cache"
    },
    "events": [
      "1d5a5dbd-3f65-f556-9e39-979d1f5a8e05"
    ],
    "waypoints": [
      "55feb565-a3e6-fa7e-8bc7-7220cc0ba997"
    ],
    "is_hidden": true,
    "object": "string"
  }
]
```

```
GET /v2/users?api_key=xJ1YHOqA
C1sa4IRF0aoFy679drzGcFOP
```

Localization

All endpoints support the `lang` parameter which can be used to specify the desired localization of the API content.

Object Type

All resource endpoints will return an `object` property with the type of resource that the object represents. This is helpful if you are using a framework that loads the response data into a model instance.

BASE URL: API VERSION: 2.0.0

TRY

Response Type   application/json ▾

RESPONSE SCHEMA

Read a trip.

GET   /v2/trips/{id}

Parameters

| id | (required) |

`string`   Trip ID.

| lang | ▾ |

`string`   Localization language.

Test this endpoint

TRY

Response Type   application/json ▾

RESPONSE SAMPLE

```json
{
  "id": "0f93e9f1-5ec5-1a22-7e70-3e2a1ddcf046",
  "distance": 0,
  "time_parked": 0,
  "max_speed": 0,
  "trip_cost": 0,
  "is_personal": true,
  "is_stationary": true,
  "is_after_hours": true,
  "has_events": true,
  "start_time": "2026-01-09T18:41:38.904Z",
  "end_time": "2026-01-09T18:41:38.904Z",
  "vehicle": {
    "id": "ea3f9902-572b-3127-2306-842711366bf4",
    "created": "f5ad2cdc-bcfa-731f-a0e9-e344593df6d1",
    "last_activity": "2026-01-09T18:41:38.904Z",
    "vin": "string",
    "status": "active",
    "fault_codes": [
      "string"
    ],
    "fuel_level": 0,
    "odometer": 0,
    "year": 0,
    "make": "string",
    "model": "string",
    "fuel_economy": 0,
    "color": "string",
    "license_plate": "string",
    "notes": "string",
    "current_latitude": 0,
    "current_longitude": 0,
    "last_trip": "0bbd0915-7d04-d15d-aa01-d406d04ccbf8",
    "current_driver": "6e9235df-b774-fb61-5d5f-c7160d0364f9",
    "carbon_footprint": 0,
    "object": "string"
  },
  "driver": {
    "active": true,
    "can_share_eta": true,
    "color": "string",
    "created": "2026-01-09T18:41:38.904Z",
    "current_vehicle": "e771962a-80df-3ccb-838d-de9e3a53296e",
    "email": "string",
    "id": "155f822c-748f-d4a7-eac4-0ae3a23bc0f8",
    "last_activity": "2026-01-09T18:41:38.904Z",
    "last_trip": "feac5958-ddd3-728b-1fd4-fed8ddb3b21e",
    "name": "string",
    "photo_url": "string",
    "role": "driver",
    "sms": "string",
    "validated": true
  },
  "start_location": {
    "address": "string",
    "category": "fuel_station",
    "created": "2026-01-09T18:41:38.904Z",
    "creator": "cbcff33b-9e10-be35-4742-6317c6b4804c",
    "geometry": "string",
    "id": "445c1303-90af-5102-15df-33f10c41f38a",
    "last_activity_time": "0c5acf35-1146-bdce-08e4-060a79ca5449",
    "last_activity_driver": "afa6d42a-17e7-e697-4e38-23d1d3c5ca26",
    "latitude": 0,
    "longitude": 0,
    "name": "string",
```

```
    "notes": "string",
    "popularity": 0,
    "type": "google_cache"
  },
  "end_location": {
    "address": "string",
    "category": "fuel_station",
    "created": "2026-01-09T18:41:38.904Z",
    "creator": "550bda7b-a484-36ac-a75a-afb4680b4c7a",
    "geometry": "string",
    "id": "4a0a85ad-b469-de20-16b6-785331e97e0f",
    "last_activity_time": "36964a7d-9b19-1a32-d4e2-e6ea1a986487",
    "last_activity_driver": "ff366d85-a8ca-1530-2ae8-6ba74ca52bd8",
    "latitude": 0,
    "longitude": 0,
    "name": "string",
    "notes": "string",
    "popularity": 0,
    "type": "google_cache"
  },
  "events": [
    {
      "end_time": "2026-01-09T18:41:38.904Z",
      "event_data": "{\"example\":\"value\"}",
      "event_type": "harsh_acceleration",
      "id": "1ad3e532-f366-7108-18ec-711fa79fdecd",
      "object": "string",
      "start_time": "2026-01-09T18:41:38.904Z",
      "trip": "1fadeb87-87d3-fde0-7df3-847eb930c374"
    }
  ],
  "waypoints": [
    {
      "altitude": 0,
      "distance": 0,
      "latitude": 0,
      "longitude": 0,
      "object": "string",
      "rpm": 0,
      "speed": 0,
      "time": "2026-01-09T18:41:38.904Z",
      "trip_id": "4e3152d8-255d-e4e5-4cb3-553d17d5972d"
    }
  ],
  "is_hidden": true,
  "object": "string"
}
```

RESPONSE SCHEMA

List users.

GET /v2/users/

Parameters

name [_____]

RESPONSE SAMPLE

| | string | List users with a partially matching name. |

roles[]

[dropdown]

| array | List users by role. |

search

[text input]

| string |

List users matching name or email, supports SQL % LIKE syntax.

active

[dropdown]

| boolean | List only active or inactive users. |

expand[]

[dropdown]

| array | Related resources to expand. |

lang

[dropdown]

| string | Localization language. |

Test this endpoint

TRY

Response Type   [application/json]

```
[
  {
    "active": true,
    "can_share_eta": true,
    "color": "string",
    "created": "2026-01-09T18:41:38.907Z",
    "current_vehicle": "08bef4ba-9bef-95d6-bce7-00c16bdbcd1b",
    "email": "string",
    "id": "a791965f-91ce-e100-bcbf-38052e056d8a",
    "last_activity": "2026-01-09T18:41:38.907Z",
    "last_trip": "3b1cf37a-6f5e-71c1-92e5-91cda96233cb",
    "name": "string",
    "photo_url": "string",
    "role": "driver",
    "sms": "string",
    "validated": true
  }
]
```

RESPONSE SCHEMA

Read a user.

GET /v2/users/{id}

Parameters

id

| (required) |

`string` User ID.

expand[]

| ⌄ |

`array` Related resources to expand.

lang

| ⌄ |

`string` Localization language.

Test this endpoint

TRY

Response Type | application/json ⌄ |

RESPONSE SAMPLE

```
{
  "active": true,
  "can_share_eta": true,
  "color": "string",
  "created": "2026-01-09T18:41:38.910Z",
  "current_vehicle": "30b3d547-8383-5929-df68-fa136076b4ea",
  "email": "string",
  "id": "3574d564-ccbc-022e-1b68-4358bcdc3f5a",
  "last_activity": "2026-01-09T18:41:38.910Z",
  "last_trip": "8dc8c98e-cb53-d929-1ef6-ebdaa01341db",
  "name": "string",
  "photo_url": "string",
  "role": "driver",
  "sms": "string",
  "validated": true
}
```

RESPONSE SCHEMA

Read a vehicle.

GET   /v2/vehicles/

Parameters

search

`string`

Filter vehicles by vin, license plate, year, make, or model.

status

`string`   Filter vehicles by status.

lang

`string`   Localization language.

Test this endpoint

TRY

Response Type   application/json

```
{
  "id": "f418c8a8-f1f3-7ea5-4611-bf3a94c06768",
  "created": "e84401b6-f884-1c5f-987f-d59888d74855",
  "last_activity": "2026-01-09T18:41:38.911Z",
  "vin": "string",
  "status": "active",
  "fault_codes": [
    "string"
  ],
  "fuel_level": 0,
  "odometer": 0,
  "year": 0,
  "make": "string",
  "model": "string",
  "fuel_economy": 0,
  "color": "string",
  "license_plate": "string",
  "notes": "string",
  "current_latitude": 0,
  "current_longitude": 0,
  "last_trip": "090d6f19-7d39-4022-1f8b-00494fc376a7",
  "current_driver": "51085593-4748-1ebf-175a-154803369d54",
  "carbon_footprint": 0,
  "object": "string"
}
```

RESPONSE SCHEMA

List vehicles.

GET /v2/vehicles/{id}

Parameters

id

(required)

`string` Vehicle ID.

expand[]

`array` Related resources to expand.

lang

`string` Localization language.

Test this endpoint

TRY

Response Type application/json

RESPONSE SAMPLE

```
[
  {
    "id": "df191124-5c48-7e51-10da-5a929c704712",
    "created": "8a22a785-a15d-afde-9f78-2f1294dcc536",
    "last_activity": "2026-01-09T18:41:38.914Z",
    "vin": "string",
    "status": "active",
    "fault_codes": [
      "string"
    ],
    "fuel_level": 0,
    "odometer": 0,
    "year": 0,
    "make": "string",
    "model": "string",
    "fuel_economy": 0,
    "color": "string",
    "license_plate": "string",
    "notes": "string",
    "current_latitude": 0,
    "current_longitude": 0,
    "last_trip": "07783eef-46d2-3489-0b3f-3a607f1fa60c",
    "current_driver": "c716daf1-eb17-b1a3-dfcc-5d79a204810c",
    "carbon_footprint": 0,
    "object": "string"
  }
]
```

RESPONSE SCHEMA

List waypoints for a trip.

GET /v2/waypoints

Parameters

trip
[(required)]

`string` Trip ID.

lang
[⌄]

`string` Localization language.

Test this endpoint

TRY

Response Type [application/json ⌄]

RESPONSE SAMPLE

```
{
  "altitude": 0,
  "distance": 0,
  "latitude": 0,
  "longitude": 0,
  "object": "string",
  "rpm": 0,
  "speed": 0,
  "time": "2026-01-09T18:41:38.915Z",
  "trip_id": "8d33937a-b885-741a-d31d-822aa188d0ae"
}
```

RESPONSE SCHEMA