

BANNER / SLIDESHOW WITH SMOOTH TEXT ANIMATION

[Download](#)

Developed by FMedia

Implementation:

On source folder you can see index.html, banner.fla, banner.swf, swfobject.js and banner_asset folder. On the banner_asset folder data.xml, and images are placed.

Embed the banner.swf file into index.html file using embedded code (see the index.html). On embedded code you need to send the path of the data.xml file to flash using below code.

```
so.addVariable("dataPath", "banner_asset/data.xml");
```

About data.xml file:

The data.xml file is used to send the "Banner/Slideshow" settings and text data. Below code show the "Banner/Slideshow" settings in data.xml file.

```
<main
  stageWidth="490"
  stageHeight="300"
  stageBgColor="ffffff"
  stageBgTransparency="100"

  imageWidth=""
  imageHeight=""
  imageTransitionType="auto"
  imageResize="none"
  imageAlign="TL"
  imageRandomDisplay="no"
  imageAutoPlay="yes"

  thumbnails="yes"
  thumbnailWidth="0"
  thumbnailHeight="0"
  thumbnailToThumbnailSpacing="3"
  thumbnailsArrangeHorizontal="yes"
  thumbnailsAutoHide="yes"
  thumbnailsMaskSize="0"
  thumbnailsScrollSpeed="95"
  thumbnailsAlign="BR"
  thumbnailsLeftSpace="20"
  thumbnailsRightSpace="90"
  thumbnailsTopSpace="0"
  thumbnailsBottomSpace="7"

  textEmbedFont="yes"
  textShadowTransparency="70"
  textShadowDistance="2"
```

```

        buttonAutoHide="yes"
        buttonBgColor="ffffff"
        buttonIconColor="000000"
        buttonAutoPosition="yes"
    />

```

<code>stageWidth="490"</code>	Flash width. Default value is blank (<code>stageWidth=""</code>). Blank value takes the flash stage width.
<code>stageHeight="300"</code>	Flash Height. Default value is blank (<code>stageHeight=""</code>). Blank value takes the flash stage Height.
<code>stageBgColor="ffffff"</code>	Background color
<code>stageBgTransparency="100"</code>	Background transparence value.
<code>imageWidth=""</code>	Image width. Default value is blank. Blank values take the flash stage width or <code>stageWidth</code> value.
<code>imageHeight=""</code>	Image height. Default value is blank. Blank values take the flash stage height or <code>stageHeight</code> value.
<code>imageTransitionType="auto"</code>	5 types of large image transitions is available. 1. <code>slide</code> 2. <code>fade</code> 3. <code>diagonalfade</code> 4. <code>radialfade</code> 5. <code>circularmask</code> 6. <code>auto</code> (random transition)
<code>imageResize="none"</code>	3 types of resize the large image is available (<code>fittoarea</code>, <code>fit</code>, <code>none</code>). 1. <code>fittoarea</code> (resize the image to fit the <code>imageWidth</code> & <code>imageHeight</code>) 2. <code>fit</code> (resize the image to cover over <code>imageWidth</code> & <code>imageHeight</code>) 3. <code>none</code> (display without resize)
<code>imageAlign="TL"</code>	Image alignment Options are: <code>TL</code>, <code>TC</code>, <code>TR</code>, <code>CL</code>, <code>C</code>, <code>CR</code>, <code>BL</code>, <code>BC</code>, <code>BR</code> Note: T for top; L for left; R for right, B for bottom, C for center

<code>imageRandomDisplay="no"</code>	Display the image in random order Option: yes , no
<code>imageAutoPlay="yes"</code>	Banner auto play Option: yes , no
<code>thumbnails="yes"</code>	Option for enable or disable to create thumbnails Options: yes , no
<code>thumbnailWidth="0"</code>	Thumbnail width in Number. Default value is zero. Zero value takes the thumbnail text width.
<code>thumbnailHeight="0"</code>	Thumbnail height in Number. Default value is zero. Zero value takes the thumbnail text height.
<code>thumbnailToThumbnailSpacing="3"</code>	The space between the thumbnails
<code>thumbnailsArrangeHorizontal="yes"</code>	Option to arrange the thumbnails in horizontally or vertically Options: yes , no
<code>thumbnailsAutoHide="yes"</code>	Option to enable or disable the auto hide for thumbnails Option: yes , no
<code>thumbnailsMaskSize="0"</code>	Thumbnails mask width/height. Default value is zero. Zero value takes the corresponding width for horizontal arrange thumbnails and height for vertical arrange thumbnails.
<code>thumbnailsScrollSpeed="95"</code>	Scrolling speed of the thumbnails. It's only use if the number of thumbnails is overflow.
<code>thumbnailsAlign="BR"</code>	Overall thumbnails alignment Options are: TL , TC , TR , CL , C , CR , BL , BC , BR Note: T for top; L for left; R for right, B for bottom, C for center
<code>thumbnailsLeftSpace="20"</code>	Left space of the overall thumbnails
<code>thumbnailsRightSpace="90"</code>	Right space of the overall thumbnails
<code>thumbnailsTopSpace="0"</code>	Top space of the overall thumbnails

<code>thumbnailsBottomSpace="7"</code>	Bottom space of the overall thumbnails
<code>textEmbedFont="yes"</code>	Embed font / none Embed font option for Text. Option: yes , no
<code>textShadowTransparency="70"</code>	Text shadow transparency value.
<code>textShadowDistance="2"</code>	Distance of the text shadow
<code>buttonAutoHide="yes"</code>	Option to enable or disable the auto hide for next, previous and Playpause buttons. Option: yes , no
<code>buttonBgColor="ffffff"</code>	Background color of the thumbnails, next, previous and Playpause buttons in hexadecimal value.
<code>buttonIconColor="000000"</code>	Icon (arrow / text) color of the thumbnails, next, previous and Playpause buttons in hexadecimal value.
<code>buttonAutoPosition="yes"</code>	This option is used to position the button by automatically or manually. If you need to place the button manually, then set the <code>buttonAutoPosition="no"</code> . Options: yes , no

Below code show the structure of the slide node in data.xml file:

Using the `<slide>` node you can add the image, text transition type, text width, overall text alignment, overall text spacing (left, right, top and bottom), delay time, image link with target, animate text, text field bold and text field left margin.

Just copy and past the below code after the end of `</slide>` tag to add more slide.

```
<slide
  image="banner_asset/image1.jpg"
  thumbnailText="BUTTON Text"
  textTransitionType="2"
  textWidth=""
  textAlign="BL"
  textLeftSpace="35"
  textRightSpace=""
  textTopSpace=""
  textBottomSpace="35"
  slideShowDelay="4"
  url=" http://flashden.net/user/FMedia" target="_blank">
  <text font="1" leftMargin="" ><![CDATA[<b><font size="30" >BANNER / SLIDESHOW</font></b>]]></text>
  <text font="2" leftMargin="15" ><![CDATA[<font size="20" color="#CFFAFC">Copy Text</font>]]></text>
  <text font="2" leftMargin="30" ><![CDATA[<font size="20" color="#CFFAFC">Copy Text</font>]]></text></slide>
```

1	<code>image="banner_asset/image1.jpg"</code>	Image Path
2	<code>thumbnailText="BUTTON Text"</code>	Thumbnail text
3	<code>textTransitionType="2"</code>	Over 5 different Text transition available: Options: 1, 2,3,4 and 5 1 simple fade in 2 move from bottom. 3 move from top. 4 move from right. 5 move from left.
4	<code>textWidth="250"</code>	Text field width in number. Default value is empty. It's take the stage width. The value is assign to all text fields on that slide node. Mostly this attribute is useful if you align the text filed in center using <code><p align="center">text</p></code> tag.
5	<code>textAlign="BL"</code>	Text alignment Options are: TL, TC, TR, CL, C, CR, BL, BC, BR Note: T for top; L for left; R for right, B for bottom, C for center
6	<code>textLeftSpace="35"</code>	Left space of the slide text
7	<code>textRightSpace="0"</code>	Right space of the slide text
8	<code>textTopSpace=""</code>	Top space of the slide text
9	<code>textBottomSpace="25"</code>	Bottom space of the slide text
10	<code>slideShowDelay="4"</code>	Delay time in second

11	<code>url="http://flashden.net/"</code>	url of the image link
12	<code>target="_blank"</code>	Target of the link (<code>_blank</code> , <code>_self</code> , <code>_parent</code> or <code>_top</code>)
13	<code><text font="1" leftMargin="15"> <![CDATA[BANNER/SLIDESHOW]]></text></code>	The <code><text></code> node is use to add the multiple text. Just copy and past the <code><text></code> node after the end of the <code></text></code> tag to add new text. Each text will animate separately one after another. Each <code><text></code> node have an option to set font type (<code>font="1"</code>) and left margin (<code>leftMargin="15"</code>) of that text field. Options for <code>font</code> type: 1 textField1 2 textField2

How to change the animate text font:

Open the flash library you can see the "textField1" movie clip double click over that movie clip will lead to that movie clip area. You can see the three layers named as "Embed Font Normal", "Embed Font Bold", and "Non Embed Font".

Now you can change the font type that placed on "Embed Font Normal" and "Embed Font Bold" Layer. Make sure the bold option on the text filed that placed on "Embed Font Normal" layer must be disabled and text filed that placed on "Embed Font Bold" layer must be enabled.

Repeat the same procedure for "textField2" movie clip.


Don't change the "Non Embed Font" text field.

How to change the thumbnail text font:

Open the flash library you can see the "thumbnailIcon" movie clip double click over that movie clip will lead to that movie clip area. You can see the text filed Just change the font as per you need.


How to embed the special character and different Language in embed font:

The below graphics clearly show how to embed the different character in embed font.




STEP 1

On the banner.fla Open the Library panel using "ctrl + L" key.



STEP 2

Double click over the "textField1" Movie clip that show on the library panel. it's lead to that movie clip area. see the below picture



STEP 3

Select the text field that shows on the first layer (Embed Font Normal). Open the properties of that text field using "Ctrl + F3" Key

STEP 4

You can see the Character Embedding window after you Click the "Embed..." button that show on the properties panel.

STEP 5

Select the character that you want to embed to that text field and click "OK" button.

Repeat the step 3, 4 and 5 for the text field show on the second layer (Embed Font Bold).

Don't change the text field properties that show on the third Layer (Non Embed Font).

Do the same procedure for "textField2"

Finally publish the file using "Ctrl + Enter"

How to use swf file instead of image:

If you use swf file in banner then you must place an stage dimension object and write stop(); script on first frame then only banner receive the correct swf dimension and it align properly otherwise the swf file align in wrong position.

From second frame you can place your animations and objects. Actually I play your swf file from the second frame after the particular swf file loading is finished. Please see the swf_file fla.

How to reduce the file size:

The normal file size is 83.4 kb with "Qlassik Medium" and "Arial Narrow" embed font, If you don't need the embed font, than delete the font that place on the "Embed Font Normal" and "Embed Font Bold" layer in "textField1" and "textField2" movie clip.

The file size of the banner without Embed font is only 10.8kb.

You can download the font "Qlassik Medium" in daFont.com. This font is free to download.

Link: <http://www.dafont.com/search.php?psize=m&q=Qlassik+Medium>

Support:

If you see any bug, contact me through my [profile page](#) with details.