THE DECISION BEFORE EXECUTION

Governing agent actions at runtime

Approve Deny Escalate

Record the attempt. Then allow execution.

PRODUCTION IS THE BOUNDARY

Agents now write to production.

Their decisions are probabilistic.
The consequences aren't.

Every proposed write needs a decision
before it executes.

One proposal. Three outcomes.

Model the action. Evaluate policy and risk.


APPROVE	Allowed by policy and risk assessment	Record, execute, verify
DENY	Unsupported or outside policy	No upstream action
ESCALATE	Requires human authority	Wait for scoped approval

In the ONTAP proxy: modeled tools, configured risk priors, reversibility checks.

The attempt is recorded before execution. The outcome follows.

The action meets the gate

RECORDED RUN / SIMULATED ONTAP



01 / READ

Allowlisted read passes through.

02 / WRITE

Attempt recorded. Result read back.

03 / DELETE

Scoped approval. Unknown tool refused.

3 OCT 2026 · 30-SECOND RECAP · EXISTING ARF RUN

Approve / deny / escalate, visible in the record

A record you can verify

Hash-chained entries. Ed25519 signatures.
Offline verification with the public key.

Signed audit path with signing enabled.
Completeness requires a separately retained chain head.

Probabilistic in.
Auditable action out.