Sky LIS — Response to the Reviewer's Comments

Point-by-point answer to the two review documents of Shahed (V1): the client portal (17 points) and the Super Admin portal (5 points). For every point: what the application does today, the answer or proposal, and how the application will deal with it.

DOCUMENT
LIS-RC-001 · v1.0

DATE
2026-10-24

SOFTWARE STATE
v0.20.0 (github.com/arfaawadnt/Sky-LIS), installed on WIN-9S2KO4FA64L at https://192.168.80.38:5443

SOURCES
"SaaS Ai Comments Shahed V1.docx" (client portal), "SaaS Admin Portal Ai Comments Shahed V1.docx" (Super Admin portal) — both received 2026-10-24

RELATED
LIS-SRS-001 v1.5 (page ids CP-nn / SA-nn), LIS-RP-001 (remaining points), change requests LIS-CR-003…006

PREPARED BY
Claude Code (AI engineer), for review by Mohamed Hashem

1. Summary

Of the 22 points, 4 are already answered by the installed build (done or built and hidden by the Release-1 scope), 8 are quick user-interface changes, 7 are new features that deserve a change request each, and 3 are questions that need a business decision before any code. Nothing in the comments contradicts the architecture; every proposal below fits the modules as built.

4 already done or built (switch on / explain)

8 quick changes (a day or less each)

7 new features → change requests

3 business decisions first

done already in v0.20.0 quick change small change, no new data change request new feature with its own brief, migration and UAT decision the business owner decides first

ID	POINT (REVIEWER'S WORDS, SHORTENED)	SCREEN	STATUS	SIZE	PACKAGE
C-01	Find your lab: ask to add to the browser bookmarks the first time	Find your laboratory (/login)	quick change	S	CR-007
C-02	"Sample collected outside the lab" should be per sample, not per visit	CP-06 Registration	change request	M	CR-008
C-03	We don't need the treasury — make it simple	CP-06 / Payments	done	—	LIS-CR-004 (v0.16.0)
C-04	More detailed address: districts, centres and villages	Subscribe wizard, SA-04 Client	change request	M	CR-008
C-05	Telephone in two fields (country code + number), leading zero removed	Subscribe wizard, patient form, users	quick change	S	CR-007
C-06	Row actions in one horizontal line	CP-10 Visits register	quick change	S	CR-007
C-07	Payment box at the top, not the bottom	CP-23 Payments	quick change	S	CR-007
C-08	Reference range shows only after the result is saved	CP-19 Results by accession	quick change	S	CR-007
C-09	Why is the doctor code not auto-generated?	CP-48 Doctors	quick change	S	CR-007
C-10	All list actions vertical — make them horizontal	Every register	quick change	S	CR-007 (with C-06)
C-11	What is "Drug types"? Where are culture sample types?	CP-56 Microbiology	quick change	S	CR-007
C-12	Services / tests must be simpler; drug list per country	CP-40…CP-44, CP-56 Catalogue	decision + CR	L	CR-009
C-13	Need full data (sample types, units …)	CP-43, CP-44, SA master data	change request	M	CR-009
C-14	Need 5 report designs	CP-13 Print reports, CP-54 Report templates	change request	L	CR-010

ID	POINT (REVIEWER'S WORDS, SHORTENED)	SCREEN	STATUS	SIZE	PACKAGE
C-15	Simplified cash ledger for the lab	Finance (new page)	change request	M	CR-011
C-16	Subscription expiry reminder: at sign-in, on screen, e-mail, SMS	Shell, Platform jobs	change request	M	CR-012
C-17	Advertisements on the login / splash screen and normal pages	Sign-in, shell, SA (new page)	decision + CR	M	CR-013
A-01	Dashboard: the customers inactive for 3 days	SA-03 Dashboard	quick change	S	CR-007
A-02	One admin for all countries or one per country? Prefer one for all	SA (all)	done (as preferred)	—	—
A-03	Subscriptions & wallets: explain how it works	SA-05 Subscriptions & wallets	explained §3	—	—
A-04	Test rules not found in the client portal — why?	CP-52 Test rules	built, hidden (R2)	XS	switch on
A-05	Shortcut sets not found in the client portal — why?	CP-51 Shortcut sets	built, hidden (R2)	XS	switch on

Size: XS = a configuration switch · S = up to one day · M = two to five days · L = one to two weeks, including tests, UAT script and documentation.

2. Client portal — the 17 points

C-01 Bookmark the laboratory's address on the first visit

quick change S

> Find your lab >>> on the first time, ask if we want to add to bookmarks in the browser.

TODAY

Since v0.18.0 every laboratory has its own sign-in address `…/lab/<slug>`; the bare address shows "Find your laboratory". Nothing prompts the user to keep the address.

ANSWER

Agreed, with one technical limit: a web page cannot add a bookmark by itself — browsers forbid it. The page can prompt and guide, and it can remember the laboratory on this device.

HOW THE APPLICATION WILL DEAL WITH IT

- After the first successful sign-in from a "found" address, the laboratory sign-in page shows a one-time strip: "*Save this address: press Ctrl+D (⌘+D on Mac) to bookmark it, or copy it*" with a *Copy address* button and a "Don't show again" choice. The strip is dismissed per device (a cookie flag, no web storage in the SPA).
- The "Find your laboratory" page lists the laboratories recently signed into on this device (slug + name) so the user clicks instead of typing; the list is a per-device cookie, never a user record.
- The laboratory's address is also printed on the welcome SMS / e-mail of the subscription (notification code `portal-url`, already exists) and on SA-04 Client.

C-02 "Collected outside the laboratory" per sample, not per visit

change request

M · CR-008

> Sample collected outside the lab should be on sample level not visit level.

TODAY

The flag is one of the visit flags (Urgent · Biohazard · Sample collected outside the laboratory) on CP-06 and is stored on the visit (`Visit.CollectedOutside`), as in LDM.

ANSWER

Agreed: a visit with blood drawn in the laboratory and a urine cup brought from home is the common case. The flag moves to the tube (sample) and the visit keeps a derived "any sample collected outside" for lists and reports.

HOW THE APPLICATION WILL DEAL WITH IT

- **Data**: `VisitTube.CollectedOutside` (new column, migration; the old visit flag is copied to every tube of the visits that carry it, then kept read-only as history).
- **Registration (CP-06)**: the visit chip becomes a per-sample toggle inside the sample list that appears once services are entered (one row per tube: sample type, colour, "Collected outside" switch). A quick action "All outside" keeps the one-click case.
- **Samples**: a tube marked outside skips the collection step (it is Collected on save with the time typed by the clerk, optional) and still passes the Received gate; the label prints "EXT".
- **Reports and tracker**: the report shows the collection time per sample as today; the Lab Tracker shows an "ext" tag on the samples cell.
- API: `POST /api/v1/registration/visits` takes `samples[].collectedOutside` ; the old visit-level field stays accepted for one release and marks every tube.

C-03 No treasury — keep it simple

done v0.16.0, 2026-10-20

> I think we don't need the treasury >>> make it simple.

TODAY

Done by change request LIS-CR-004: the treasury (cash drawers, device-bound access requests, rule BR-27) was removed from the whole system. A payment carries the visit, amount, method, reference, cashier and branch — nothing else.

ANSWER

The installed build already works this way; the screenshot in the review predates it or shows the registration payment block, which only asks for amount and method.

HOW THE APPLICATION DEALS WITH IT

Payments (CP-23) and the payment block of registration (CP-06) take a payment in two fields; the collections report groups by branch, user or method; cash closing (CP-30, Release 2) will close by session branch + cashier + period. See also C-15 for the cash ledger.

C-04 More detailed address: districts, centres and villages

change request · M · CR-008

> Need more detailed address
>
> الأحياء و المراكز و القرى

TODAY

The subscription wizard and the client record (SA-04) hold Country · Governorate · free-text Address. The platform already keeps a three-level hierarchy under the governorate — City / District / Area (LIS-CR-003 A2, SA-11 Governorates) — and the *patient* file already uses it.

ANSWER

Agreed. The same hierarchy maps onto the Egyptian division: Governorate → Markaz / City (المركز) → District (الحي) → Village (القرية). The laboratory address and the branch address get the same pick lists as the patient.

HOW THE APPLICATION WILL DEAL WITH IT

- **Subscribe wizard**: after Governorate, cascading pick lists City (markaz) → District → Area (village); only Governorate stays mandatory, the rest optional; the free-text line keeps street and building.
- **Client record (SA-04)** and **Branch (CP-36)**: the same four fields; `Tenant.CityId / DistrictId / AreaId`, `Branch.CityId / DistrictId / AreaId` (migration, nullable, validated through the existing chain).
- **Data**: the pick lists are only as good as the master data. SA-11 gains a CSV import of cities / districts / areas per governorate so operations can load the official list of Egypt once (the reference list is a business deliverable, see decision D-2).
- Reports and the public laboratory card print "Area, District, City, Governorate" when filled.

C-05 Telephone in two fields, leading zero removed

quick change · S · CR-007

> Telephone break into two fields: country code and phone with auto removal of zero on the left if entered.

TODAY

One field. The server stores every mobile in international form (E.164, `+201004439855`) and already accepts `0100…`, `+20100…` and `0020100…`, dropping the trunk zero. The hint says "10 digits after +20", which is what confused the reviewer.

ANSWER

Agreed on the presentation: a fixed country-code box (from the country's dial code) beside a national-number box that strips a leading zero as you type. Storage stays E.164 (nothing to migrate).

HOW THE APPLICATION WILL DEAL WITH IT

- A shared `app-mobile-input` control (SPA) with two visual parts: dial code (read-only from the selected country, or a small select where no country is chosen) and the national number; a typed leading 0 is removed on blur, pasting `+20…` or `0020…` is recognised; the hint reads "10 digits, without the leading 0".
- Used on the subscribe wizard (laboratory and manager mobiles), the patient form (mobile and second phone), users, doctors, payer contacts and branches.
- Server unchanged (E.164 and the unique check in every spelling, validation C-03 of LIS-VR-002).

C-06 · C-10

Row actions in one horizontal line

quick change | S · CR-007

> Actions in one line below each record. — All actions >>> always vertical, need to make it horizontal.

TODAY

Every register uses the shared data table; its Actions column is a flex row that *wraps* inside a 1 %-wide column, so with more than two or three buttons the actions stack vertically (visits register: eight actions in a tall column; master-data lists: status badge, edit, deactivate in three rows).

ANSWER

Agreed. This is one fix in the shared table, so every list changes at once.

HOW THE APPLICATION WILL DEAL WITH IT

- `app-data-table` : the Actions column no longer wraps; actions render as a single horizontal row of icon buttons with tooltips (text stays in the accessible name and in the tooltip); the status badge moves to its own cell.
- Up to four actions show inline; more fold into a "⋯ More" menu, except the primary action of the page (e.g. Details). Narrow screens keep the horizontal row and scroll the column.
- The visits register (CP-10) also gets a second, denser layout option: the actions line *below* the record text, as the reviewer sketched, when the table is narrower than 1,100 px.

C-07

Payment box at the top

quick change | S · CR-007

> Payment box should be at the top not the bottom.

TODAY

Payments (CP-23): accession lookup → visit account (totals) → two columns: "Take a payment" (left) and "Payments of the visit" (right). On a laptop the payment card is below the fold.

ANSWER

Agreed: the cashier's job is to take the payment; the history is secondary.

HOW THE APPLICATION WILL DEAL WITH IT

The page becomes: lookup strip (one line) → **Take a payment** beside the visit totals in one row (amount, method, reference, *Collect* button, F10 saves) → payments and refunds of the visit below, collapsed to the last three with "Show all". The amount field receives focus as soon as the visit is found, so scan → type amount → F10 needs no mouse.

C-08 Reference range visible before the result is saved

quick change · S · CR-007

> The reference range appeared only once the results were saved, not while loading the sample.

TODAY

The range of a result is resolved (sex, age, patient condition) when a value is entered and stored with the result, so an *Ordered* line with no value shows an empty Reference range cell until the first save.

ANSWER

A defect in presentation, not in data: the technician should see the expected range while typing.

HOW THE APPLICATION WILL DEAL WITH IT

The result case query resolves the range for every ordered line from the test's range bands and the patient's sex / age / condition (the same resolver used at entry) and sends it as the row's `range`; the grid shows it greyed until a value is saved, then the stored range. Amended patient demographics re-resolve on the next load. One functional test covers "range shown on an ordered line".

C-09 Auto-generated doctor code

quick change · S · CR-007

> Why is the code not autogenerated?

TODAY

Doctors (CP-48), like the other master data, ask for a code typed by the user (LDM convention: short codes the clerks know by heart, e.g. DR01).

ANSWER

Offer both: the form proposes the next code and the user may overwrite it.

HOW THE APPLICATION WILL DEAL WITH IT

- On "Add doctor" the Code field is pre-filled with `DR-nnn` from the tenant's reference counters (atomic, per tenant, the mechanism used for ACC / PAT numbers) and stays editable; a typed code is validated as today (unique, pattern).
- The same pattern is applied to Sending labs (`SL-nnn`), Payers (`PY-nnn`) and Diagnoses have ICD codes already. Services and tests keep user codes (they are the typing shortcuts of registration).
- Setup › Parameters gains "Propose codes for master data: on/off" so a laboratory migrating from LDM can keep its own codes.

C-11 "Drug types" and culture sample types

quick change · S · CR-007

> What is "Drug Types"? Where are culture sample types?

TODAY

Microbiology (CP-56) holds five tabs: Drug types = classes of antimicrobials (Penicillins, Cephalosporins …) that group the antibiotics on the sensitivity panel; Commercial names; Antibiotics; Organisms; Sensitivity values (S / I / R). Culture specimens are ordinary *Sample types* (CP-43: urine, wound swab, blood culture …) and a culture service points to its sample type like any other service.

ANSWER

The naming hides the meaning. Rename and add a direct path to the specimens used by cultures.

HOW THE APPLICATION WILL DEAL WITH IT

- Rename the tab to **Antibiotic classes** (فئات المضادات الحيوية) with the subtitle "Groups the antibiotics of the sensitivity panel"; the hint on the Antibiotic form says "Class: Penicillins …".
- Add a sixth tab **Culture specimens**: the sample types flagged *Used for cultures* (new boolean on Sample type, default on for the seeded microbiology specimens), with a link to the full Sample types page. A culture service's sample-type picker offers these first.
- Tab order: Organisms · Antibiotics · Antibiotic classes · Commercial names · Sensitivity values · Culture specimens.

C-12 Simpler services / tests; drug list per country

decision · change request · L · CR-009

> We discussed the service / tests must be more simple. Need drug list for each country.

TODAY

The catalogue follows the Sky LIS model agreed in the SRS: a *Test* (what is measured: unit, ranges, method) is sold through a *Service* (test, profile, culture, text report or package with a price). A simple test therefore needs two records; the Test page already lets a test join profiles, and the Super Admin's global catalogue is copied into every new laboratory.

ANSWER

Keep the model (it is what makes profiles, packages and prices work) but hide it: one "Add test" form that creates both records, and a ready-made global catalogue so a laboratory starts with hundreds of tests instead of an empty list. The drug list per country is a master-data content question, not a structure question — the structure exists.

HOW THE APPLICATION WILL DEAL WITH IT

- **Quick add test (CP-41)**: one form — code, name (en/ar), clinical group, sample type, unit, result type, reference range, price — creates the test and its single-test service together; "Advanced" opens the full editors. Editing a simple test edits both.
- **Catalogue view**: the Services and Tests pages merge into one *Catalogue* register with a type filter (Test · Profile · Culture · Package · Text report); profiles and packages open their members inline.
- **Global catalogue by country** (Super Admin, SA-12…SA-14 master data): the master data gets a *country* scope — antibiotics and commercial (trade) names per country (Egypt first), organisms and classes shared. A new laboratory receives the lists of its country at provisioning; an existing laboratory imports or refreshes them from Setup › Catalogue › "Import from Sky LIS" (this also answers remaining point A-02 of LIS-RP-001 on the update policy).
- **Decision D-1**: confirm that the two-level model stays (recommended) rather than a one-level "test with price" model, which would lose profiles, packages and contract prices.

C-13 Full reference data (sample types, units ...)

change request · M · CR-009

> Need full data.

TODAY

Sample types (CP-43) and Units of measurement (CP-44) hold what the demo laboratory seeded; the global catalogue of the Super Admin is still small. Every list has CSV export; import exists for price lines only.

ANSWER

Ship complete standard lists with the product and let operations maintain them centrally.

HOW THE APPLICATION WILL DEAL WITH IT

- **Seed packs** in the Super Admin master data: units (the common clinical set, UCUM-based, ~120 units), sample types and containers (~40 specimens with tube colours), antibiotics / classes / organisms (CLSI panels), common test and profile definitions with reference ranges by sex and age (the pilot laboratory's own LDM catalogue is the best source: decision D-2).
- **CSV import** on every master-data page (client and Super Admin) with a dry run that reports what would be created / updated / refused, reusing the all-or-nothing import built for price lists (LIS-CR-003 C21).
- Provisioning copies the full packs into a new laboratory; existing laboratories pull them through "Import from Sky LIS" (C-12).

C-14 Five report designs

change request · L · CR-010

> Need 5 report designs.

TODAY

One result-report layout (CP-13 / CP-19 print): laboratory header with logo, patient block with QR, one table per unit, flags, signature line, footer. Report templates (CP-54) set logo, signature, header / footer text, QR and language per template type, not the layout.

ANSWER

Agreed. Five layouts, selectable per laboratory (default) and per report template, all driven by the same data so verification, printing and the status log do not change.

HOW THE APPLICATION WILL DEAL WITH IT

- **Layouts**: 1 · Classic (today's table) · 2 · Modern (two-column header, coloured flag bars, range bar per result) · 3 · Compact (dense, one page where possible, for high-volume labs) · 4 · Letterhead (blank top band for pre-printed stationery, no logo) · 5 · Cumulative (the last three results of each test side by side, for chronic patients). Each in Arabic and English, A4 and Letter.
- **Selection**: Setup › Parameters › Printing "Report design" (default) and an override per report template (CP-54) and per payer contract (insurance companies often prescribe a layout); live preview with sample data in the template editor.
- **Build**: the SPA's report document component becomes five print components sharing one view model; the e-mail / PDF export uses the same components. Design mock-ups on the canvas first for the owner's choice of colours.

C-15 Simplified cash ledger

change request · M · CR-011

> Need simplified cash ledger for the lab.

TODAY

Payments register (CP-23) lists receipts; the Collections report (on Payments) sums posted payments and refunds by branch, user or method for a period; Cash closing (CP-30) is built but parked in Release 2 and scoped by branch + cashier + period.

ANSWER

Provide one page a laboratory owner understands at a glance: a day book of money in and out per branch and cashier, with a running balance and a one-click day close.

HOW THE APPLICATION WILL DEAL WITH IT

- **Cash ledger (new page, Finance)**: a day (or range) per branch: opening balance (previous close), receipts by method, refunds, voids, expenses (new: a simple "Cash out" entry with reason — supplier, petty cash — which is the part today's model lacks), closing balance; rows link to the receipt. Export to Excel and a printable A4 "Daily cash sheet".
- **Close the day**: reuses Cash closing (CP-30): the cashier counts, enters the counted cash, the difference is recorded with a reason; closed days are read-only. CP-30 moves to Release 1 in this simplified form.
- Data: `app.cash_entries` for cash-out lines (migration); everything else is read from payments and refunds. Rights: `billing.view` to read, `billing.approve` (the Approve action of the Billing group) to close.

C-16 Subscription expiry reminders

change request · M · CR-012

> Need subscription expiry reminder while log in, on screen, e-mail, SMS.

TODAY

A client is Trial (with an end date), Active or Inactive; the plan fee is charged from the prepaid wallet every period by the hourly charge job; a wallet at or below zero pauses metered services. Nobody is warned before a trial ends or a wallet runs dry.

ANSWER

Agreed. A reminder policy with three channels, driven by the same job that charges wallets.

HOW THE APPLICATION WILL DEAL WITH IT

- **Events**: trial ends in 7 / 3 / 1 days and today; wallet covers fewer than 7 / 3 / 1 days of the monthly fee (projected) or is at zero; subscription suspended. Computed by a `SubscriptionReminderJob` (next to the wallet charge job), once a day per client, idempotent (a reminder is recorded, never sent twice).
- **On screen**: the session profile carries a `subscriptionNotice` (level, days left, amount to top up) → a banner under the top bar for administrators (dismissable for the day) and a modal at sign-in when fewer than 3 days remain; the Super Admin dashboard gets an "Expiring soon" tile and list.
- **E-mail / SMS**: notification templates `subscription-expiry` and `wallet-low` (SA-20, editable, placeholders laboratory, days, amount, link), sent to the manager's mobile and e-mail through the existing delivery stack; SMS needs the gateway (remaining point B-01).
- **Grace**: a configurable grace period (platform parameter, default 7 days) before the system blocks sign-in with a clear page "Subscription expired — contact …"; read-only access to reports stays during grace (decision D-3).

C-17 **Advertisements on sign-in, splash and normal pages** decision change request

M · CR-013

> Advertisements, login or splash screen, normal pages.

TODAY

Nothing of the kind. The sign-in page (design 5c) has a free hero area on the left; the shell has a top bar and a sidebar.

ANSWER

Feasible as an *Announcements* feature managed by National Technology in the Super Admin. Two decisions first (D-4): whose advertisements (National Technology's own products and partners only, or third-party paid ads) and where they may appear (sign-in and a splash card after sign-in are harmless; banners inside working pages compete with the bench and the cashier's screen).

HOW THE APPLICATION WILL DEAL WITH IT

- **Super Admin › Announcements (new page)**: title, image (≤ 512 KB, same sniffing as logos), link, text en/ar, placement (sign-in hero · welcome card after sign-in · in-app strip), schedule (from / to), audience (country, plan, trial / active, specific clients), active flag; impressions and clicks counted per announcement.
- **Delivery**: a public endpoint serves the sign-in placement (cached, no session); the session profile carries the in-app placements. The laboratory administrator can hide the in-app strip for their laboratory if the business allows (decision).
- **Recommended placements**: the sign-in hero (replaces the slogan when an announcement is active), one dismissible welcome card on the dashboard; no banners on registration, results or payments.

3. Super Admin portal — the 5 points

A-01 **Customers inactive for 3 days** quick change S · CR-007

> Need the inactive customers for 3 days.

TODAY

The dashboard (SA-03) counts clients by status (active / inactive / trial), served patients, tests and registrations for a period, wallets at or below zero and the recent clients. "Inactive" there means the client's status, not its activity.

ANSWER

Add a "No activity for 3 days" tile with its list, so operations call the laboratory before it churns.

HOW THE APPLICATION WILL DEAL WITH IT

Last activity per client = the latest of last sign-in (login logs) and last registration (visits). Tile "Silent for 3+ days: n" (threshold a platform parameter, default 3; trial clients highlighted) → a list on Clients with the last activity date, the administrator's mobile, a "Call" note field and CSV export. Computed by one query, no new table.

A-02 One administration for all countries

done, as preferred

> Will there be one admin for all countries or one per country? Prefer one for all.

TODAY

One Super Admin portal and one platform tenant for all countries, exactly as preferred. Countries (SA-10) carry dial code, currency, language, time zone and mobile length; governorates and the lower levels hang under them; clients, plans and wallets carry the country and its currency.

ANSWER

Confirmed: one administration. Country is a *filter and a scope*, not a separate installation.

HOW THE APPLICATION DEALS WITH IT

Lists (Clients, Subscriptions, Login logs, Dashboard) get a country filter where it is missing; plans can be limited to a country; master data gets a country scope (C-12). If one day a country team must see only its own clients, a *country-scoped administrator role* (platform role + allowed countries) is a small addition on top of the existing role model, not a new portal.

A-03 How subscriptions & wallets work

explained

> Need explanation how does it work.

THE MODEL AS BUILT (SA-05, INTAKE PLT-001)

- **Plan** (tab *Plans*): code, name, *monthly fee* in the plan's currency, limits (branches, users, analysers) and an *SMS quota* per month. Every client is on one plan.
- **Wallet** (tab *Client wallets*): a prepaid balance per client in its currency. *Top up* adds credit (reference and note kept, every transaction listed and exportable).
- **Charging**: once per period (monthly), the wallet is debited the plan's monthly fee — automatically by the charge job (hourly check, each client charged once per period) or at once with *Run charges now*. "Next charge" shows the date.
- **Trial**: a client created through Subscribe starts in *Trial* for the configured days and is not charged; activating it (or the trial ending) makes it *Active* and chargeable. A client made inactive is not charged.
- **Balance at or below zero**: the laboratory keeps working, but *metered services pause* (today: SMS beyond the quota is not sent). The dashboard tile "Wallets at or below zero" lists them; the reminder policy of C-16 will warn before it happens.
- **SMS used**: counts the messages of the month against the plan quota; per-message pricing beyond the quota is not built because the price is not yet decided (business point Q12 of PLT-001).

The screenshot shows a client with balance 0.00, monthly fee 222.00 EGP and next charge 28/10: on that day the charge job will try to debit 222.00; with no top-up the wallet goes negative and metered services stay paused. A one-page "How billing works" help card will be added to the page header (and to the laboratory's Subscription parameters group) with this text in both languages.

A-04 · A-05 **Test rules and shortcut sets in the client portal** built

hidden by the Release-1 scope · XS

> Not found in client portal. Is there a reason?

TODAY

Both pages exist in the client portal (CP-52 Test rules — companion services added automatically to an order; CP-51 Shortcut sets — typing shortcuts that add several services at once), with their API and tests; their Super Admin twins are walked in UAT-MDR-02. They are marked *Release 2* in the navigation registry because the Release-1 prototype build (v2.1) did not show them, so the menu and the route guard hide them. The Super Admin's copies are in Release 1 because the global catalogue defines them.

ANSWER

No functional reason. If the reviewer wants them in the pilot, they are switched on with one line each (`release: 'R1'`) and walked with a client-side copy of the UAT-MDR-02 steps. The registration page already applies the rules and the shortcuts when a laboratory has them.

HOW THE APPLICATION WILL DEAL WITH IT

Switch both entries to Release 1 in the next release (v0.21.0), under Setup › Catalogue; add the two pages to the Release-1 scope matrix of the SRS (CP-51, CP-52) and run their UAT scripts in the next session.

4. Proposed packaging

The points are grouped into change requests that can be built in parallel waves, each with its brief in `docs/build/`, its migration (where needed), tests, UAT script and release. Sizes include documentation.

PACKAGE	CONTENT	SIZE	NEEDS FIRST
`switch on`	A-04, A-05 — Test rules and Shortcut sets visible in the client portal	XS	—
`CR-007`	UI quick wins: C-01 bookmark strip, C-05 mobile input, C-06/C-10 horizontal actions, C-07 payment box first, C-08 range before save, C-09 proposed codes, C-11 microbiology naming + culture specimens, A-01 silent clients	≈ 1 week	—
`CR-008`	Addresses and samples: C-04 city / district / area on laboratory and branch (+ CSV import of the hierarchy), C-02 collected-outside per sample	≈ 1 week	D-2 (official locality list)
`CR-009`	Catalogue simplification and content: C-12 quick-add test and merged catalogue register, country-scoped global master data with import, C-13 seed packs and CSV import on every master-data page	2 weeks	D-1, D-2

PACKAGE	CONTENT	SIZE	NEEDS FIRST
CR-010	C-14 five report designs with per-laboratory / per-template / per-payer selection	2 weeks	design choice on the canvas
CR-011	C-15 cash ledger, cash-out entries and day close (CP-30 brought to Release 1)	1 week	—
CR-012	C-16 subscription and wallet reminders (job, banner, sign-in modal, templates, grace period)	1 week	D-3; SMS gateway for the SMS channel (B-01)
CR-013	C-17 announcements (Super Admin page, sign-in hero, welcome card, in-app strip)	1 week	D-4

Recommended order: switch-on + CR-007 first (visible in days, no decisions), then CR-008 and CR-011, then CR-012, with CR-009 / CR-010 / CR-013 once their decisions are taken.

5. Decisions needed from the business owner

ID	DECISION	RECOMMENDATION	UNBLOCKS
D-1	Keep the Test / Service two-level catalogue (hidden behind a quick-add form) or flatten to "test with price"?	Keep the two levels; profiles, packages and contract prices depend on them. Simplify the forms, not the model.	CR-009
D-2	Source of the reference content: official Egyptian locality list (markaz / district / village), units, specimens, antibiotics per country, and the pilot laboratory's LDM catalogue as the seed of tests and ranges.	National Technology supplies the LDM export and the locality list; engineering builds the importers and the packs.	CR-008, CR-009
D-3	What happens when a subscription expires: block sign-in at once, or a grace period with read-only reports?	7 days of grace with reminders, then sign-in blocked except the administrator's billing page.	CR-012
D-4	Advertisements: own / partner announcements only or third-party paid ads; allowed placements; can a laboratory opt out of in-app placements?	Own and partner announcements on sign-in and a welcome card; nothing inside working pages; opt-out for paying clients.	CR-013

6. Revision history

VERSION	DATE	AUTHOR	CHANGE
1.0	2026-10-24	Claude Code, for review by Mohamed Hashem	First response to the two V1 review documents (22 points, 8 packages, 4 decisions).

LIS-RC-001 v1.0 · 2026-10-24 · Sky LIS, National Technology · Written against the repository state at v0.20.0. Point ids C-nn / A-nn follow the order of the reviewer's documents; package ids CR-007…CR-013 are reserved for the change requests that will carry them.