


by etarr for KOBO SIBTT 2




and we call this project

AWAS AYAM LEPAS!





For this open submission at 97 KOB0 Lab, we want to involve a chicken-shaped balloon to measure spatial boundaries as it is guided to fly, using a sensor attached to a chicken-shaped balloon that reads its movement and flight direction.




Lately, we've been conducting a series of observations and explorations around chickens and their presence within everyday human life. Through these simple observations, we're trying to understand how their existence influences and shapes the imaginary spatial boundaries around them.

PHYSICAL TO DIGITAL SPATIAL INTERVENTION
OBJECT : HELIUM / CHICKEN SHAPED BALLOON
----> AUTONOMOUS DATA-GATHERING AGENT

- collecting:
- Roll
 - Tilting (pitch)
 - Turning (yaw)
 - Hit
 - Acceleration
- high upward tilt, low rotation --- sustained high tone
 - high rotation rate (turbulence) ---unstable sound
 - acceleration spike (collision/impact)) --- sharp sound
 - low tilt / low rotation (float) ---minimal, sparse





Sensors

- Accelerometer
- Gyroscope
- Gravity



Microcontroller


- WiFi IEEE
- USB C
- Bluetooth
- 3.3-6 v



Power

- 350 MAH
- 3.7v






DEMO



These recorded movements are then collected and catalogued to observe and interpret the movement patterns formed by the flying chicken.



Ultimately, these movement patterns are developed into an observational study that examines how the interaction between chickens and humans can measure the imaginary boundaries of a space, originating from a simulation of the way chickens fly.