

Evidence Collection Platform




Figure 1: Use-case overview of the evidence-collection platform.




Figure 2: Component architecture linking the operator console, backend, agent runtime, MCP tooling, persistence, and external services.




Figure 3: End-to-end agent architecture at workflow scale.




Figure 4: Sequence diagram for launching, executing, persisting, and reviewing a workflow run.




Figure 5: Agent interconnection graph showing orchestrator-owned routing and specialist responsibilities.




Figure 6: Prompt compilation and memory inputs for each browser-facing specialist.




Figure 7: Orchestrator-agent design card.




Figure 8: Sequence diagram for orchestrator handoff, trace recording, and route updates.




Figure 9: Classification-agent design card.




Figure 10: Classification-agent sequence: inspect page state and return a routing decision.




Figure 11: Landing-page-agent design card.




Figure 12: Landing-agent sequence: convert listing-page evidence into downstream queues.




Figure 13: Hosting-page-agent design card.




Figure 14: Hosting-agent sequence: activate watch pages and return stream or iframe evidence.




Figure 15: Embedded-page-agent design card.




Figure 16: Embedded-agent sequence: stay in the player context and harvest final media evidence.




Figure 17: Provider-analysis and email-generation design card.




Figure 18: Profile-scoped MCP browser tooling and runtime controls used by OWC agents.




Figure 19: Global browser-tool flow: inspect first, choose URL navigation or JavaScript action, then validate evidence.




Figure 20: Inspection and context-retrieval flow from rendered DOM observation to scoped targets.




Figure 21: Navigation flow split between direct URL navigation and JavaScript-driven page interaction.




Figure 22: Evidence and media-extraction flow from page state to reviewable artifacts.




Figure 23: Memory-tool flow showing hints as guidance that must be validated live.




Figure 24: Persistence model for run evidence, telemetry, and review outputs.