

QA Run Log

Printable sign-off sheet — one row per test case from `docs/QA_TEST_PLAN.md`. Mark each case **Pass** / **Fail** / **Blocked** / **N-A**. Run the Smoke suite first; if any Smoke case fails, stop and report.

Tester		Date	2026-10-05
Build / commit SHA		Branch	
Client(s) under test	Web [] Desktop [] Android [] iOS [] macOS []	Mail delivery	Mailpit [] Real email []

254 cases — • 34 Smoke • 152 Core • 68 Edge

§4 Smoke suite (run first — ~15 min)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SMK-01	Web: OTP sign-in happy path (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-SMK-02	Web: Google OAuth sign-in	• Smoke	Web	P / F / B / N-A	
QA-SMK-03	Web: Sign out (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-SMK-04	Web: Session persists across reload ("remember me")	• Smoke	Web	P / F / B / N-A	
QA-SMK-05	Desktop: OTP sign-in	• Smoke	— alias	P / F / B / N-A	
QA-SMK-06	Android: OTP sign-in	• Smoke	— alias	P / F / B / N-A	
QA-SMK-07	API health & readiness	• Smoke	Platform	P / F / B / N-A	

§5 Web — Authentication

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-AUTH-01	Magic-link sign-in happy path (Web) Automated in CI	• Core		P / F / B / N-A	
QA-AUTH-02	Microsoft OAuth sign-in	• Core	Web	P / F / B / N-A	
QA-AUTH-03	OTP wrong code is rejected	• Core	Web	P / F / B / N-A	
QA-AUTH-04	OTP cumulative lockout & code expiry	• Edge	Web	P / F / B / N-A	
QA-AUTH-11	Passwordless endpoints are rate-limited	• Core	Web	P / F / B / N-A	
QA-AUTH-05	Magic link is single-use (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-AUTH-06	Magic link expiry	• Edge	Web	P / F / B / N-A	
QA-AUTH-07	User-enumeration protection	• Core	Web	P / F / B / N-A	
QA-AUTH-08	Login error banners	• Edge	Web	P / F / B / N-A	
QA-AUTH-09	Email-format validation (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-AUTH-10	Magic link & OTP available on web; OAuth always	• Edge	Web	P / F / B / N-A	

§6 Web — Onboarding & new tenant

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ONB-01	First-ever sign-in auto-creates a household, user is owner	• Smoke	Web	P / F / B / N-A	
QA-ONB-02	Returning user keeps their household	• Core	Web	P / F / B / N-A	

§7 Web — Household management

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-HH-01	Owner renames the household	• Core	Web	P / F / B / N-A	
QA-HH-02	Member sees read-only household, no owner controls (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-03	Owner removes a member (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-04	Owner cannot remove themselves	• Edge	Web	P / F / B / N-A	
QA-HH-05	Transfer ownership (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-06	Owner with other members cannot directly leave/dissolve	• Edge	Web	P / F / B / N-A	
QA-HH-07	Sole owner dissolves the household (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-08	Member leaves the household (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-09	Owner promotes a member to admin (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-10	Owner demotes an admin to member (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-11	Admin sees management controls but not role/ownership controls (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-12	Member sees no management controls (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-HH-13	Owner exports household data	• Core	Web	P / F / B / N-A	
QA-HH-14	Seat quota blocks inviting past the plan limit (Web) Automated in CI	• Core		P / F / B / N-A	

§8 Web — Invitations & joining

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-INV-01	Owner invites by email; token revealed + email sent (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-INV-02	Invitee accepts and joins (two-user flow) (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-INV-03	Already-authenticated user accepts directly	• Core	Web	P / F / B / N-A	
QA-INV-04	Join page with no token offers manual code entry	• Edge	Web	P / F / B / N-A	
QA-INV-05	Join with invalid/expired/used token	• Core	Web	P / F / B / N-A	
QA-INV-06	Invite an existing member is rejected	• Core	Web	P / F / B / N-A	
QA-INV-07	Regenerate a pending invitation	• Core	Web	P / F / B / N-A	
QA-INV-08	Revoke a pending invitation (Web) Automated in CI	• Core		P / F / B / N-A	
QA-INV-09	Copy token button	• Edge	Web	P / F / B / N-A	
QA-INV-10	Accepting an invite after a downgrade is refused (seat re-check) (Web) Automated in CI	• Core		P / F / B / N-A	

§9 Web — Settings / linked accounts

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SET-01	View linked providers	• Core	Web	P / F / B / N-A	
QA-SET-02	Link a second provider	• Core	Web	P / F / B / N-A	
QA-SET-03	Linking a provider already used by another account is rejected	• Core	Web	P / F / B / N-A	
QA-SET-04	Unlink a provider	• Core	Web	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SET-05	Unlinking your only provider never locks you out	• Edge	Web	P / F / B / N-A	
QA-SET-06	Settings requires auth	• Edge	Web	P / F / B / N-A	
QA-SET-07	Delete my account (Web) Automated in CI	• Core		P / F / B / N-A	
QA-SET-08	Theme: dark mode applies, persists, and follows the user (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MFA-01	Enable two-factor (authenticator TOTP) (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MFA-02	Two-factor is required at sign-in (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MFA-03	Use a recovery code, then disable two-factor	• Core	Web	P / F / B / N-A	
QA-MFA-04	Redirect logins (OAuth / magic link) enforce the step-up	• Core	Web	P / F / B / N-A	
QA-MFA-05	Native (MAUI) sign-in enforces the step-up	• Core	Desktop/Android	P / F / B / N-A	
QA-NOTIF-01	Notification bell + list (Web) Automated in CI	• Core		P / F / B / N-A	
QA-NOTIF-02	Mark read / mark all read (Web) Automated in CI	• Core		P / F / B / N-A	
QA-NOTIF-04	Delete a notification / clear read / clear all	• Edge	Web	P / F / B / N-A	
QA-NOTIF-03	Delivery preferences (Web) Automated in CI	• Core		P / F / B / N-A	

§10 Web — Localization (i18n)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-I18N-01	Switch language on the login page (Web) Automated in CI	• Core		P / F / B / N-A	
QA-I18N-02	Language persists per user across sessions (Web) Automated in CI	• Core		P / F / B / N-A	
QA-I18N-03	In-app UI is fully translated (no English leaks)	• Edge	Web	P / F / B / N-A	
QA-I18N-04	Email language UI matches the requester's UI language	• Core	Web	P / F / B / N-A	

§10b Web — Admin console (platform staff)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ADMIN-01	Staff sees the console; non-staff don't (Web) Automated in CI	• Core		P / F / B / N-A	
QA-ADMIN-02	View a tenant is audited in that tenant	• Core	Web	P / F / B / N-A	
QA-ADMIN-03	Impersonate a user, then stop	• Core	Web	P / F / B / N-A	
QA-ADMIN-04	Staff announcement reaches a tenant's members (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-ADMIN-05	Platform-wide broadcast reaches every user	• Edge	Web	P / F / B / N-A	
QA-ADMIN-06	Comp a tenant to Pro and revert	• Edge	Web	P / F / B / N-A	
QA-ADMIN-07	Reset a locked-out user's MFA	• Edge	Web	P / F / B / N-A	

§10c Web — Billing page

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-BILL-01	Billing page shows plan + seats; owner-only (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-BILL-02	Upgrade via checkout + provider webhook lands on Pro (Web) Automated in CI	• Core		P / F / B / N-A	

§10d Web — The shelf (INV)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SHELF-01	The shelf lists the whole catalog, grouped (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-SHELF-02	Ticking is remembered (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-SHELF-03	Unticking puts it back (Web) Automated in CI	• Core		P / F / B / N-A	
QA-SHELF-04	A failed save rolls the tick back and says so	• Edge	Web	P / F / B / N-A	
QA-SHELF-05	"Only what I have" (Web) Automated in CI	• Core		P / F / B / N-A	
QA-SHELF-06	Search narrows by name and by category	• Edge	Web	P / F / B / N-A	
QA-SHELF-07	Add a custom ingredient inline (Web) Automated in CI	• Core		P / F / B / N-A	
QA-SHELF-08	A duplicate name is refused and points at the original (Web) Automated in CI	• Core		P / F / B / N-A	
QA-SHELF-09	Counts are honest, and the jump bar agrees	• Core	Web	P / F / B / N-A	
QA-SHELF-10	The jump bar stays on the shelf	• Core	Web	P / F / B / N-A	
QA-SHELF-11	The payoff footer moves as you tick	• Core	Web	P / F / B / N-A	
QA-SHELF-12	A pill is still a checkbox	• Edge	Web, accessibility	P / F / B / N-A	
QA-SHELF-13	Ice and water never appear	• Edge	Web	P / F / B / N-A	
QA-SHELF-14	Deleting a bottle I added, and the refusal while a recipe uses it	• Core	Web	P / F / B / N-A	

§10e Web — Browsing the catalog (CKTL, FILTER, PREFS-2, PREFS-3)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-CAT-01	The catalog is browsable, searchable and paged (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-CAT-02	A recipe opens with its lines, method and credit (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-CAT-03	A recipe that never stated a glass says nothing	• Edge	Web	P / F / B / N-A	
QA-CAT-04	Filtering by ingredient is wider than searching (Web) Automated in CI	• Core		P / F / B / N-A	
QA-CAT-05	Filters combine, and a dead end is an empty page (Web) Automated in CI	• Core		P / F / B / N-A	
QA-CAT-06	Every filter option returns something	• Edge	Web	P / F / B / N-A	
QA-CAT-07	Measurement preference changes what the recipe says (Web) Automated in CI	• Core		P / F / B / N-A	
QA-CAT-08	Another household's cocktail is not found (Web) Automated in CI	• Core		P / F / B / N-A	
QA-CAT-09	A search with no matches	• Edge	Web	P / F / B / N-A	
QA-CAT-10	Every amount reads as a pour, never as parts or glasses	• Core	Web	P / F / B / N-A	

§10f Web — What I can make (MAKE, ALMOST)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-MAKE-01	What I can make follows my shelf (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-MAKE-02	A drink shown thanks to a substitute says what you would pour (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MAKE-03	One ingredient away names the bottle (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-MAKE-04	Buying it moves the drink across (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MAKE-05	Both toggles at once is an empty page, not a winner	• Edge	Web	P / F / B / N-A	
QA-MAKE-06	The one-away list leads with the bottle that opens the most (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MAKE-07	The recipe says where it stands and which line is short (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MAKE-08	The home screen answers the question (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-MAKE-09	Nothing makeable points at the shelf	• Core	Web	P / F / B / N-A	
QA-MAKE-10	Nothing one away names a bottle to start from	• Core	Web	P / F / B / N-A	

§10g Web — Making it mine (FORK, AUTHORING)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-MINE-01	Forking opens my own copy (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MINE-02	The copy is a snapshot, not a reference	• Edge	Web	P / F / B / N-A	
QA-MINE-03	Writing my own cocktail (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MINE-04	A written drink joins makeable and filtering immediately (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MINE-05	The form refuses what it cannot store	• Edge	Web	P / F / B / N-A	
QA-MINE-06	The authoring form's lists are not the filter lists	• Edge	Web	P / F / B / N-A	
QA-MINE-07	The ingredient suggests the line's role (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-MINE-08	The ingredient is a searchable picker (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-MINE-09	Editing a cocktail I wrote or forked (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MINE-10	Deleting a cocktail I wrote or forked, and the actions row (Web) Automated in CI	• Core		P / F / B / N-A	

§10h Web — The first minute (ONBOARD)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-START-01	A new household is offered the guided route (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-START-02	The suggestions arrive ticked (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-START-03	Nothing is written until Finish (Web) Automated in CI	• Core		P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-START-04	Step two is the rest of the catalog	• Core	Web	P / F / B / N-A	
QA-START-05	Finish lands on something to pour (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-START-06	I can leave	• Core	Web	P / F / B / N-A	
QA-START-07	A member joining by invitation never sees it	• Core	Web	P / F / B / N-A	

§10i Web — Marga and the chrome (MARGA, SHELL)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-CHROME-01	Her number and the list beneath it agree	• Core	Web	P / F / B / N-A	
QA-CHROME-02	She is optional furniture	• Edge	Web	P / F / B / N-A	
QA-CHROME-03	She is decorative to a screen reader	• Edge	Web, accessibility	P / F / B / N-A	
QA-CHROME-10	She is where I spend my time	• Core	Web	P / F / B / N-A	
QA-CHROME-11	She reads the catalog's count against the shelf (Web) — MARGA-5, amended by MARGA-6	• Core		P / F / B / N-A	
QA-CHROME-12	She can say yes	• Edge	Web	P / F / B / N-A	
QA-CHROME-13	She says nothing rather than something empty	• Edge	Web	P / F / B / N-A	
QA-CHROME-26	She offers the fix on an empty search, and counts the shelf on the write form (Web) — MARGA-6	• Edge		P / F / B / N-A	
QA-CHROME-27	She pages through the next bottles (Web) — MARGA-7	• Core		P / F / B / N-A	
QA-CHROME-04	The destinations follow the width (Web) Automated in CI	• Core		P / F / B / N-A	
QA-CHROME-05	The current destination is obvious and announced	• Edge	Web, accessibility	P / F / B / N-A	
QA-CHROME-06	The tab bar does not cover the page	• Core	Web	P / F / B / N-A	
QA-CHROME-07	The boot state shows real progress	• Edge	Web	P / F / B / N-A	
QA-CHROME-08	Reduced motion is respected	• Edge	Web, accessibility	P / F / B / N-A	
QA-CHROME-14	The display face is the app's own, in both themes (Web) — BACKBAR-1	• Edge		P / F / B / N-A	
QA-CHROME-15	The chrome sits on the page, not on a copper band (Web) — BACKBAR-2	• Edge		P / F / B / N-A	
QA-CHROME-16	Home is rules, not cards, and never a zero (Web) — BACKBAR-3	• Core		P / F / B / N-A	
QA-CHROME-17	The shelf is sections, and the named bottle can be found (Web) — BACKBAR-3	• Core		P / F / B / N-A	
QA-CHROME-18	The catalog's three chips are one control (Web) — BACKBAR-4	• Core		P / F / B / N-A	
QA-CHROME-19	A recipe reads by its measures, and prints (Web) — BACKBAR-4	• Core		P / F / B / N-A	
QA-CHROME-20	Her two full appearances, and the two screens that borrow them (Web) — BACKBAR-5	• Core		P / F / B / N-A	
QA-CHROME-21	Writing a cocktail is two columns, and the amounts preview the recipe (Web) — BACKBAR-6	• Edge		P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-CHROME-22	Settings is two columns of rows, and the choices are visible (Web) — BACKBAR-7	• Core		P / F / B / N-A	
QA-CHROME-23	Household is four groups, and the owner is the only copper badge (Web) — BACKBAR-7	• Core		P / F / B / N-A	
QA-CHROME-24	The pages nobody drew look like the rest (Web) — BACKBAR-8	• Edge		P / F / B / N-A	
QA-CHROME-25	The sweep: nothing gives the old app away (Web) — BACKBAR-9	• Edge		P / F / B / N-A	
QA-CHROME-09	The app speaks Spanish throughout	• Core	Web	P / F / B / N-A	

§11 Emails (Mailpit) — branding & content

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-MAIL-01	OTP email is branded & correct	• Core		P / F / B / N-A	
QA-MAIL-02	Magic-link email	• Core		P / F / B / N-A	
QA-MAIL-03	Invitation email	• Core		P / F / B / N-A	
QA-MAIL-04	Logo renders in a real client	• Edge		P / F / B / N-A	
QA-MAIL-05	Marga is on the emails a person asked for, and only those	• Core		P / F / B / N-A	
QA-MAIL-06	Her email lines read as written Spanish	• Edge		P / F / B / N-A	
QA-MAIL-07	A client that blocks images loses only her	• Edge		P / F / B / N-A	

§12 Desktop — MAUI / Windows

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-DSK-01	OTP sign-in (Desktop) — CI covers boot-to-login only	• Smoke		P / F / B / N-A	
QA-DSK-02	Google OAuth via loopback	• Core	Desktop	P / F / B / N-A	
QA-DSK-03	"Remember me" across app restart	• Core	Desktop	P / F / B / N-A	
QA-DSK-04	Household & Settings load (authorized API calls)	• Core	Desktop	P / F / B / N-A	
QA-DSK-05	Link a provider from Settings	• Edge	Desktop	P / F / B / N-A	
QA-DSK-06	Sign out	• Edge	Desktop	P / F / B / N-A	
QA-DSK-07	Core household flows work on desktop	• Edge	Desktop	P / F / B / N-A	
QA-DSK-08	Join a household by pasted invite code	• Core	Desktop	P / F / B / N-A	
QA-DSK-09	Language choice survives an app restart	• Core	Desktop	P / F / B / N-A	
QA-DSK-10	Data export downloads via the OS	• Core	Desktop	P / F / B / N-A	
QA-DSK-11	Billing: checkout leaves, summary refreshes on return	• Core	Desktop	P / F / B / N-A	
QA-DSK-12	MFA: enroll and native step-up	• Core	Desktop	P / F / B / N-A	
QA-DSK-13	Notification bell & preferences	• Edge	Desktop	P / F / B / N-A	
QA-DSK-14	Admin console on desktop (staff only)	• Edge	Desktop	P / F / B / N-A	
QA-DSK-15	Theme: dark mode survives an app restart	• Edge	Desktop	P / F / B / N-A	

§13 Android — MAUI

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-AND-01	OTP sign-in (Android) Automated in CI	• Smoke		P / F / B / N-A	
QA-AND-02	Google OAuth via custom scheme	• Core	Android	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-AND-03	"Remember me" across app restart	• Core	Android	P / F / B / N-A	
QA-AND-04	Household & Settings load	• Core	Android	P / F / B / N-A	
QA-AND-05	Navigation drawer / header is reachable	• Edge	Android	P / F / B / N-A	
QA-AND-06	Core flows on Android	• Edge	Android	P / F / B / N-A	
QA-AND-07	Hardware back navigates in-app history	• Smoke	Android	P / F / B / N-A	
QA-AND-08	Join a household by pasted invite code	• Core	Android	P / F / B / N-A	
QA-AND-09	Language choice survives an app restart	• Core	Android	P / F / B / N-A	
QA-AND-10	Data export via the share sheet	• Core	Android	P / F / B / N-A	
QA-AND-11	Billing: checkout leaves, summary refreshes on return	• Core	Android	P / F / B / N-A	
QA-AND-12	MFA: enroll and native step-up	• Core	Android	P / F / B / N-A	
QA-AND-13	Edge-to-edge / status bar on Android 15	• Edge	Android	P / F / B / N-A	
QA-AND-14	Theme: dark mode survives an app restart	• Edge	Android	P / F / B / N-A	
QA-AND-15	OAuth sign-in survives process death (NATIVE-12)	• Core	Android	P / F / B / N-A	

§13b iOS + macCatalyst — first-run smoke

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-IOS-01	App boots to the login screen	• Smoke	iOS	P / F / B / N-A	
QA-IOS-02	OTP sign-in	• Smoke	iOS	P / F / B / N-A	
QA-IOS-03	Core flows spot-check	• Core	iOS	P / F / B / N-A	
QA-IOS-04	OAuth via ASWebAuthenticationSession	• Core	iOS	P / F / B / N-A	
QA-MAC-01	App launches at a usable window	• Smoke	macCatalyst	P / F / B / N-A	
QA-MAC-02	OTP sign-in	• Smoke	macCatalyst	P / F / B / N-A	
QA-MAC-03	Core flows + OAuth spot-check	• Core	macCatalyst	P / F / B / N-A	

§14 Cross-cutting security

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SEC-01	Tenant isolation	• Smoke		P / F / B / N-A	
QA-SEC-02	Protected pages require auth	• Core		P / F / B / N-A	
QA-SEC-03	Session is gone after sign-out Automated in CI	• Core		P / F / B / N-A	
QA-SEC-04	Native open-redirect guard	• Edge	Desktop/Android	P / F / B / N-A	
QA-SEC-05	Server-side hardening	• Edge		P / F / B / N-A	

§14a Adversarial & tenant-isolation (QA-ADV-*)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ADV-01	Tenant A cannot read/export/erase Tenant B via the API	• Smoke	curl	P / F / B / N-A	
QA-ADV-02	Cross-tenant isolation on the newer tables (PUBAPI/HOOKS on)	• Core	curl	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ADV-03	Export includes EVERY tenant-scoped table, secret-free	• Core	curl	P / F / B / N-A	
QA-ADV-04	Dissolve / erasure actually deletes api keys, webhook secrets, usage counters, delivery logs	• Core	curl + DB	P / F / B / N-A	
QA-ADV-05	Writes during impersonation are attributed to the acting staff	• Core	curl	P / F / B / N-A	
QA-ADV-06	An impersonation session cannot reach staff-only actions	• Core	curl	P / F / B / N-A	
QA-ADV-07	Impersonation cannot exceed the target's role	• Core	curl	P / F / B / N-A	
QA-ADV-08	Impersonation never rewrites target prefs; shared-device pref poisoning	• Core	curl + Web — two contexts	P / F / B / N-A	
QA-ADV-09	A staff MFA-reset notification cannot be silenced by target prefs	• Core	curl	P / F / B / N-A	
QA-ADV-10	MFA step-up locks out after repeated wrong codes	• Core	curl	P / F / B / N-A	
QA-ADV-11	A recovery code is single-use	• Core	Web	P / F / B / N-A	
QA-ADV-12	Webhook replay + out-of-order + same-second idempotency	• Core	curl	P / F / B / N-A	
QA-ADV-13	A first-ever webhook in a bad state does not false-notify	• Core	curl	P / F / B / N-A	
QA-ADV-14	Comp / revert a churned (canceled) tenant	• Core	curl	P / F / B / N-A	
QA-ADV-15	Concurrent acceptance of the last seat	• Core	Web — two contexts	P / F / B / N-A	
QA-ADV-16	Magic-link / OTP double-redemption issues exactly one session	• Core	Web — two contexts	P / F / B / N-A	
QA-ADV-17	Replaying a rotated refresh token revokes all sessions	• Core	curl	P / F / B / N-A	
QA-ADV-18	Spanish account on an English device accepts an invite (Web — two contexts) Automated in CI	• Smoke		P / F / B / N-A	
QA-ADV-19	Theme/locale doesn't revert after a soft (OTP/MFA) sign-in	• Core	Web	P / F / B / N-A	
QA-ADV-20	"Clear read" never deletes unread notifications	• Core	Web	P / F / B / N-A	
QA-ADV-21	Security headers on the single-origin host (staging / Environment B)	• Core	curl	P / F / B / N-A	
QA-ADV-22	Forged X-Forwarded-For cannot bypass the per-IP rate limit	• Core	curl	P / F / B / N-A	
QA-ADV-23	A Release native build points at a real HTTPS base URL, not cleartext localhost	• Core	Desktop/Android	P / F / B / N-A	
QA-ADV-24	Windows loopback OAuth binds state (login-CSRF guard)	• Edge	Desktop	P / F / B / N-A	

§14b API surfaces — PUBAPI + HOOKS (config-gated; curl / Postman)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-API-01	Config gate: surfaces are 404 when disabled	• Edge	curl	P / F / B / N-A	
QA-API-02	Mint an API key (shown once)	• Core	curl	P / F / B / N-A	
QA-API-03	Call the public API with the key; scopes + tenant-scoping	• Core	curl / Postman	P / F / B / N-A	
QA-API-04	Per-key rate limit	• Core	curl	P / F / B / N-A	
QA-API-05	Register a webhook + send test + verify signature	• Core	curl	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-API-06	Delivery log + replay	• Core	curl	P / F / B / N-A	

§14c Pre-launch gates — billing off + signup green list (GATES)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-GATE-01	Billing off: the surface does not exist	• Smoke	Web + curl	P / F / B / N-A	
QA-GATE-02	Billing off: nothing offers an upgrade	• Core	Web	P / F / B / N-A	
QA-GATE-03	Billing on: the surface comes back whole	• Core	Web	P / F / B / N-A	
QA-GATE-04	Green list: a stranger cannot create an account	• Smoke	Web	P / F / B / N-A	
QA-GATE-05	Green list: a listed person finds a household and can bring their family	• Core	Web	P / F / B / N-A	
QA-GATE-06	Green list never locks out an existing account	• Smoke	Web	P / F / B / N-A	

§14d v4 audit — adversarial, forge & regression (QA-ADV-25+, QA-DEP-*)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ADV-25	Joining another household wipes your old one completely	• Core	curl + DB	P / F / B / N-A	
QA-ADV-26	Dissolving a household leaves no queued email or attachment behind	• Core	curl + DB	P / F / B / N-A	
QA-ADV-27	Signing out while a background renewal is in flight really signs out	• Core	curl	P / F / B / N-A	
QA-ADV-28	A rotated token is forgiven once, not forever	• Core	curl	P / F / B / N-A	
QA-ADV-29	An expired impersonation never turns into the staff account mid-page	• Core	Web	P / F / B / N-A	
QA-ADV-30	A webhook endpoint that redirects is a failed delivery	• Core	curl	P / F / B / N-A	
QA-ADV-31	The delivery log never shows raw server exception text	• Edge	curl	P / F / B / N-A	
QA-ADV-32	Billing off leaves no billing-shaped surface anywhere	• Core	curl	P / F / B / N-A	
QA-ADV-33	Expired invitations stop holding seats	• Core	Web	P / F / B / N-A	
QA-ADV-34	The native export download never sends your sign-in token to the file host	• Edge	Android/Desktop	P / F / B / N-A	
QA-ADV-35	Exported logs carry no email addresses	• Edge	Ops	P / F / B / N-A	
QA-DEP-01	Deploy staging from GitHub	• Smoke	Operator	P / F / B / N-A	
QA-DEP-02	A deploy run on the wrong branch fails loudly	• Core	Operator	P / F / B / N-A	
QA-DEP-03	A red gate blocks the deploy	• Edge	Operator	P / F / B / N-A	
QA-DEP-04	The device legs run only when asked for	• Core	Operator	P / F / B / N-A	
QA-SET-09	A theme saved just before a reload survives the reload	• Core	Web + Android	P / F / B / N-A	
QA-AND-16	An API base configured with a trailing slash still signs in	• Edge	Android	P / F / B / N-A	

Release gate

All • **Smoke** + all • **Core** cases Pass on Web; • **Smoke** Pass on Desktop and Android; no open Critical/High defects. • **Edge** cases triaged (Pass or accepted-known-issue).

Overall verdict	PASS [] FAIL [] CONDITIONAL []	Signed	
-----------------	-----------------------------------	--------	--