QA Test Guide — Step by Step

Printable walkthrough generated from docs/QA_TEST_PLAN.md. Each case shows its Gherkin scenario and the plain-English steps. Record results on the companion QA Run Log sheet. Generated 2026-07-03.

> End-to-end manual test plan covering the **entire** functionality of the app across all three clients: **Web** (Blazor WASM), **Desktop** (MAUI / Windows), and **Android** (MAUI). Each case is written twice — a **Gherkin** scenario (Given/When/Then, matching this project's convention so it can later seed the automated `E2E.Tests` Playwright suite) and a **plain-English walkthrough** a manual tester can follow step by step.
>
> Brand in examples is "Perezosoft"; substitute your app's brand if rebranded.

How to use this document

- **Run the Smoke suite (§4) first.** It's the ~15-minute critical path. If any smoke case fails, stop and report — deeper suites will likely cascade.
- **Each case has an ID** (e.g. `QA-AUTH-03`). Record the result against the ID using the **sign-off sheet (§14)**: Pass / Fail / Blocked / N-A, plus tester, build/commit, date, notes.
- **Priority:** ● Smoke Smoke (critical path) · ● Core Core (run every regression) · ● Edge Edge (run on full regression or when the area changed).
- **■■ Automated in CI** on a case title means a Playwright journey in `tests/E2E.Tests` now exercises the same path on every push (the `e2e` job in `.github/workflows/ci.yml`). Human QA can **spot-check** these rather than run them in full each cycle; they still need a manual pass on Desktop/Android (the E2E job runs Web only) and whenever the area changes. See §15 for the exact list and §17 for the run procedure.
- **Both formats describe the same test.** Read whichever suits you; the Gherkin is the source of truth for automation.
- **"App" = whichever client the suite header names.** Most behavior is identical across clients (same API, same shared RCL UI); the per-client suites (§11–12) only cover what genuinely differs — the auth transport and session persistence.

1. Environment & prerequisites

1.1 Backing services + API (host machine)

```
docker compose up -d # Postgres + Mailpit
dotnet run --project src/Api --launch-profile https # binds https:7160 (web/desktop) AND http:5238 (android)
```

- API health/liveness check: `curl -k https://localhost:7160/health` → **200** (`Healthy`); `curl -k https://localhost:7160/health/ready` → **200** when the database is reachable (503 if not). *(The older `curl -k -X POST https://localhost:7160/api/auth/refresh` → **401** reachability check still works.)*
- **Mailpit UI: http://localhost:8025** — this is the dev mail trap. Every magic link, OTP code, and invitation email lands here. Keep it open in a tab throughout testing.

■■ **Email only reaches Mailpit if SMTP points at it.** If your repo-root `.env` has the `Email__Smtp__*` lines set to a real provider (e.g. Brevo), the API sends auth emails there and **Mailpit stays empty** — every email-based case below will appear to "fail." For QA, route mail to Mailpit by **either**:
- commenting out the `Email__Smtp__*` lines in `.env` (unset → defaults to Mailpit `localhost:1025`), **or**
- leaving `.env` untouched and overriding on the command line (command-line config beats `.env`):

```bash
dotnet run --project src/Api --launch-profile https -- \
--Email:Smtp:Host=localhost --Email:Smtp:Port=1025 --Email:Smtp:Username= --Email:Smtp:Password=
```

Verify by triggering one OTP (QA-SMK-01) and confirming it appears in Mailpit before running the suite.
■■ **Email delivery is now asynchronous.** Requesting a code/link/invite **enqueues** the email and a background dispatcher (the outbox) sends it — so it appears in Mailpit **a few seconds later, not instantly**. **Wait briefly before assuming failure. The send request now** always returns success** (reliability moved to the background): if an email never arrives while SMTP points at Mailpit, the message is retrying or dead-lettered in the `OutboxMessages` table — it is **no longer** surfaced as a request error.

- Web app: `dotnet run --project src/Web --launch-profile https` → **https://localhost:7008**.

■■ Always use the **https** profile for both web and API. Chrome treats `http://localhost` and `https://localhost` as different sites, so the refresh cookie is dropped over http and sign-in silently fails to persist. (See `docs/DECISIONS.md` / the schemeful-same-site note.)
■■ **The passwordless endpoints are rate-limited** (default **5 requests/minute per IP** on `/otp/send`, `/magic-link/send`, and `/otp/verify`). If you fire many code/link requests or verify attempts in quick succession you may get **HTTP 429** — that's the abuse guard working (QA-AUTH-11), **not** a bug. Pace requests, or wait ~1 minute for the window to reset.

1.2 Test accounts & data

Need	What to prepare
Two real Google accounts	e.g. `qa.owner@gmail.com`, `qa.member@gmail.com` — for OAuth + linking + multi-user household flows.
One Microsoft personal account	for the Microsoft OAuth path (provider pinned to the *consumers* tenant).
Throwaway email addresses	any address works for magic-link / OTP — mail is trapped by Mailpit, so the address need not be real. Use distinct ones per test to keep inboxes clean.
Two browser contexts	a normal window **and** an incognito/second-profile window. The household invite flow needs two *different* signed-in users at once; incognito gives you an isolated session + cookie jar.

Database reset between full runs (optional but recommended): to retest "new user" onboarding cleanly, you need users that don't yet exist. Either use fresh email addresses each run, or reset the dev DB: `docker compose down -v && docker compose up -d`, then re-apply migrations by starting the API. A volume wipe destroys all test data — only do it on the dev environment.

1.3 Desktop (MAUI Windows) — additional setup

- Run the app from Visual Studio (Windows Machine target) or `dotnet build src/Maui -t:Run -f net10.0-windows...`.
- API must be running on `https://localhost:7160` (the desktop client's base URL).
- OAuth uses a **loopback browser flow** — your default system browser will open a tab during OAuth.

1.4 Android (MAUI) — additional setup

Follow `docs/MOBILE_TESTING.md`. The essential bits:

- Emulator (AVD) or USB device running.
- **`adb reverse tcp:5238 tcp:5238` — re-run every time the device/emulator restarts** (it does not persist). Verify with `adb reverse --list`.

- API started with the **https** profile (binds the cleartext `:5238` leg the device uses).
- Provider redirect URIs registered: `http://localhost:5238/signin-google` and `http://localhost:5238/signin-microsoft`.

1.5 Environment B — deployed staging (DEPLOY, ADR-017)

Everything above is **Environment A** (local). The same suite also runs against the **deployed staging** environment — one Render container serving the API + WASM **single-origin** over real HTTPS, backed by Neon Postgres and Brevo email. Point the browser at the staging URL (e.g. `https://<app>-staging.onrender.com`) and execute the cases exactly as written. What differs from local:

- **One origin, real TLS.** Web + API share the host, so there's no separate API port and no CORS step.
- **Email is real (Brevo), not Mailpit.** Use **real or plus-addressed inboxes** you can open (e.g. `you+qa1@gmail.com`); there's no mail-trap UI. If a code/link doesn't arrive, check **Brevo** → **Transactional** → **Logs** (and that a verified sender + `Email__Smtp__FromAddress` are set). Email cases are therefore slower than local — pace them (the passwordless rate limit still applies).
- **Cold start.** Free instances sleep after ~15 min idle; the **first** request of a session can take ~30–60 s. That's expected, not a failure — retry once it wakes.
- **OAuth** buttons appear **only** for providers configured on staging (Google/Microsoft need their redirect URIs registered against the staging host). If unconfigured, the buttons are simply absent (by design) — record those provider cases **N-A** for this environment.
- **Billing** uses Stripe **test mode** — exercise webhooks with `stripe trigger …` against the staging `/api/billing/webhook`.

Auto-deploy + smoke gate. A merge to `develop` that passes CI auto-deploys staging, waits for the new build to be live (`/api/version` reports the pushed commit), and runs an automated post-deploy smoke (liveness/readiness, SPA shell + deep-link, `/api` returns an API-shaped 404, `/api/auth/providers`). A red smoke blocks — so a broken deploy is caught before manual QA starts. Manual QA on staging complements it (the human-only paths: real email, OAuth, billing, visual checks).

2. Scope

In scope: authentication (all methods, all clients), new-user onboarding, household/tenant management, invitations & joining, account settings (linked providers), localization (EN/ES), transactional emails, and cross-cutting security (tenant isolation, auth guards, token lifecycle).

Out of scope (per `docs/PROJECT_BRIEF.md` OUT list & current state): SMS OTP, OAuth providers beyond Google/Microsoft, FR/DE/PT languages (scaffolded but not translated — see `docs/LOCALIZATION.md`), and any app-specific domain features not yet built on this template.

Platform services with no client UI (API-/operational-level, not manually testable through the app yet): the billing API (`/api/billing/*`), the append-only audit log, OpenTelemetry telemetry, the health endpoints, the background outbox/inbox/scheduled-jobs, and **file storage** — the `IFileStorage` seam + the signed download endpoint `GET /api/files/{token}` (anonymous, the token *is* the authorization; local-disk only — cloud backends hand out native presigned URLs). These are **covered by automated tests** (`tests/Api.Tests`); E2E is pending. Health has a smoke check (QA-SMK-07); manual cases for the rest will be added when client UI exists. **GDPR data export** (`POST /api/household/export`) and **account erasure** (`DELETE /api/auth/me`) now **have a web UI** (UI-1: owner Household → Data, Settings → Danger zone) — covered by the manual cases QA-HH-13 + QA-SET-07. **RBAC role management now has a web UI** (RBAC-3) — covered by the household cases QA-HH-09..12. **MFA now has a web UI** (UI-2) — enrollment/ disable in Settings and the sign-in step-up on Login — covered by QA-MFA-01..03. The **in-app notification center now has a web UI** (UI-3) — the header bell (list, unread count, mark-read) and Settings delivery-preference switches — covered by QA-NOTIF-01..03. The **platform-staff admin surface now has a web UI** (UI-4) — a staff-only `/admin` console (tenant list/detail + impersonation) — covered by QA-ADMIN-01..03. The **public API (PUBAPI)** and **outbound webhooks (HOOKS)** are intentionally UI-less (they're for machines) and **config-gated off** — they have **manual curl/Postman cases in §14b** (QA-API-01..06), in addition to automated tests.

Automated in CI (Web): a Playwright/NUnit E2E suite (`tests/E2E.Tests`) now runs the core auth, MFA, and i18n journeys against the real booted stack on every push — the `e2e` job in `.github/workflows/ci.yml`. The cases it covers are marked ■■ **Automated in CI** (QA-SMK-01, QA-SMK-03, QA-AUTH-09, QA-MFA-01, QA-MFA-02,

QA-I18N-01; see the §15 note). Human QA can spot-check those on Web and focus effort on the un-automated cases and the Desktop/Android clients, which the CI job does not exercise.

3. Test data conventions

- **Owner user** = the account you sign in with first; it auto-creates and owns a household.
- **Member user** = a second account invited into the owner's household.
- Household auto-named on creation; rename it to something recognizable (e.g. "QA House") early so you can spot it in the header tenant badge.

4. Smoke suite ● Smoke (run first — ~15 min)

The critical path: can a user get in by each method, reach the app, and get out.

QA-SMK-01 — Web: OTP sign-in happy path ● Smoke (Web) ■■ Automated in CI

Gherkin

```
Given I am an anonymous user on the /login page of the web app
When I enter my email and request a 6-digit code
And I retrieve the code from Mailpit and submit it
Then I am signed in and land on the home page
And the header shows my household name and my display name
```

Walkthrough

1. Open https://localhost:7008 → you're redirected to `/login`.
2. In the email field enter `qa-smoke@example.com`; click **Email me a 6-digit code**.
3. **Expected:** the form switches to a code-entry view ("Enter the code we sent to…").
4. Open Mailpit (http://localhost:8025); open the newest mail; copy the 6-digit code.
5. Enter the code; click **Verify code**.
6. **Expected:** you land on the home page; the top header shows a tenant badge (household name) and your display name, plus **Household**, **Settings**, **Sign out** buttons.

QA-SMK-02 — Web: Google OAuth sign-in ● Smoke (Web)

Gherkin

```
Given I am on the /login page
When I click "Continue with Google" and complete Google consent
Then I am returned to the app, signed in, on the home page
```

Walkthrough

1. From `/login`, click **Continue with Google**.
2. **Expected:** full-page redirect to Google's consent screen.
3. Choose `qa.owner@gmail.com`, approve.
4. **Expected:** redirected back into the app, signed in, on the home page with the header chrome.

QA-SMK-03 — Web: Sign out ● Smoke (Web) ■■ Automated in CI

Gherkin

```
Given I am signed in to the web app
When I click "Sign out"
Then I am returned to the /login page
And navigating to /settings redirects me back to /login
```

Walkthrough

1. While signed in, click **Sign out** in the header.
2. **Expected:** you land on `/login`.

3. In the address bar go to `/settings`.
4. **Expected:** you're bounced back to `/login` (no access without a session).

QA-SMK-04 — Web: Session persists across reload ("remember me") ● Smoke (Web)

Gherkin

```
Given I am signed in to the web app
When I reload the page (or reopen the tab)
Then I am still signed in without re-authenticating
```

Walkthrough

1. Signed in, press F5 / reload.
2. **Expected:** brief load, then the app shell — still signed in, no trip to `/login`. (A silent refresh exchanges the refresh cookie for a new access token on load.)

QA-SMK-05 — Desktop: OTP sign-in ● Smoke (Desktop) — see QA-DSK-01

QA-SMK-06 — Android: OTP sign-in ● Smoke (Android) — see QA-AND-01

QA-SMK-07 — API health & readiness ● Smoke (Platform)

Gherkin

```
Given the API is running
When I GET /health and /health/ready
Then /health returns 200 "Healthy"
And /health/ready returns 200 when the database is reachable, 503 when it is not
```

Walkthrough

1. `curl -k https://localhost:7160/health` → **200**, body `Healthy` (liveness — process up).
2. `curl -k https://localhost:7160/health/ready` → **200** (readiness — Postgres reachable).
3. *(Optional)* stop the DB (`docker compose stop db`) and re-run step 2 → **503**; then `docker compose start db` and confirm it returns to **200**.

1. **Expected:** liveness is 200 whenever the process runs; readiness tracks DB reachability. Responses are **status-only** (no connection details leaked).

5. Web — Authentication ● Core

QA-AUTH-01 — Magic-link sign-in happy path ● Core (Web)

Gherkin

```
Given I am an anonymous user on /login
When I enter my email and request a magic link
And I open the emailed link from Mailpit
Then I am signed in and landed in the app
```

Walkthrough

1. On `/login` enter `qa-magic@example.com`; click **Send me a magic link**.
2. **Expected:** a success panel — "Check your inbox… we sent a link to qa-magic@example.com" — with a **Use a different email** link.

1. In Mailpit open the newest mail; click the sign-in link (or copy it into the same browser).
2. **Expected:** the link resolves and you end up signed in, in the app.

QA-AUTH-02 — Microsoft OAuth sign-in ● Core (Web)

Gherkin

```
Given I am on /login
When I click "Continue with Microsoft" and complete consent
Then I am returned signed in
```

> **Account resolution (read before testing):** signing in with a provider whose email matches an existing account links the provider to that account rather than creating a duplicate — but only when the email is **verified**. Google asserts this; Microsoft on the **`consumers`** (personal MSA) tenant is trusted to have a verified email even though it omits the claim (`IProviderEmailTrust`). For **work/school** tenants (`organizations`/`common`/a tenant GUID) and any other provider, a same-email auto-link is **refused** (fail-closed takeover guard, audit MITI-3) — the user signs in with their original method and links the provider from **Settings** instead (QA-SET-02). To test the plain first-time path below, use a Microsoft account whose email has **no** prior account.

Walkthrough

1. Click **Continue with Microsoft**; sign in with a **personal** Microsoft account.
2. **Expected:** returned to the app signed in. A brand-new email creates a new account; a personal Microsoft account whose email already exists auto-links to that account (consumers tenant). (If you see a tenant/reply-URL error, the provider registration is the cause — out of app scope, note it.)

QA-AUTH-03 — OTP wrong code is rejected ● Core (Web)

Gherkin

```
Given I requested an OTP code for my email
When I submit an incorrect 6-digit code
Then I see an "incorrect code" error and remain on the code-entry screen
```

Walkthrough

1. Request an OTP (as QA-SMK-01) but **do not** use the real code.
2. Enter `000000`; click **Verify code**.
3. **Expected:** inline error ("code is incorrect / verification failed"); you stay on the code-entry view and can retry. You are **not** signed in.

QA-AUTH-04 — OTP cumulative lockout & code expiry ● Edge (Web)

Gherkin

```
Given I requested an OTP code
When I submit wrong codes up to the cumulative limit (default 5 failures per email within a 15-min window)
Then the email is locked — further attempts, INCLUDING a freshly requested code, are rejected until the window elapses
And separately, an unused code is rejected once it passes its lifespan (default 10 minutes)
```

Walkthrough

1. Request an OTP for an email; enter a **wrong** 6-digit code until you hit the cumulative limit (default 5, `Auth:Otp:MaxAttempts`, counted **per email across the `Auth:Otp:LockoutWindowMinutes` = 15-min window**, not per code).
1. **Expected:** after the limit, a "too many attempts" lockout error.
2. Now request a **fresh** code and submit it — even the **correct** one.
3. **Expected:** still rejected — requesting a new code does **NOT** reset the budget (this is the brute-force defense; a resend can't hand the attacker another N guesses). The lock clears after the 15-min window.

1. **Expiry sub-case:** separately, request a code and wait past `Auth:Otp:CodeLifespanMinutes` (default 10) — the stale code is rejected.

> **Note (enumeration):** OTP verify returns the **same** generic "invalid code" error whether the code was wrong or there is no active code — it never reveals whether an address has an outstanding OTP. *(Long-wait cases — lower the config to test fast. Mind the per-IP rate limit, QA-AUTH-11: 5 wrong verifies in a minute also trips the 429 throttle.)*

QA-AUTH-11 — Passwordless endpoints are rate-limited ● Core (Web)

Gherkin

```
Given I rapidly request codes/links (or verify attempts) for the same client
When I exceed the per-IP limit (default 5 per minute)
Then further requests are rejected with HTTP 429 until the window resets
```

Walkthrough

1. From `/login`, request an OTP (or magic link) repeatedly in quick succession — more than 5 within a minute.
1. **Expected:** after the limit the request is throttled (**HTTP 429**, surfaced as a "try again shortly" / send-failed state). The same throttle applies to **OTP verify**.
1. Wait ~1 minute; requests succeed again.

> Protects against email-bombing and OTP brute-forcing. Expected behavior, not a defect — see the §1.1 pacing note.

QA-AUTH-05 — Magic link is single-use ● Edge (Web)

Gherkin

```
Given I signed in by clicking a magic link
When I click the same link a second time
Then it is no longer valid
```

Walkthrough

1. Complete QA-AUTH-01. Then revisit the *same* link from Mailpit.
2. **Expected:** it does not grant a second session — you're sent to `/login` with an invalid-link indication (or simply not signed in). The token is consumed on first use.

QA-AUTH-06 — Magic link expiry ● Edge (Web)

Walkthrough: request a link, wait past `Auth:MagicLink:TokenLifespanMinutes` (default 15), then open it.
Expected: rejected as expired; user lands on `/login`. *(Lower the config to test fast.)*

QA-AUTH-07 — User-enumeration protection ● Core (Web)

Gherkin

```
Given an email address that has no account
When I request a magic link or OTP for it
Then the UI shows the same success/"check your inbox" response as for a real account
```

Walkthrough

1. Request a magic link **and** an OTP for a never-before-used address.
2. **Expected:** identical success messaging to a known address — the app never reveals whether an account exists. (Mailpit will still show whatever the system chose to send.)

QA-AUTH-08 — Login error banners ● Edge (Web)

Gherkin

```
Given the login page is loaded with an error query parameter
Then a human-readable error banner is shown
```

Walkthrough — visit each URL and confirm a red banner with sensible copy:

- `/login?error=external_failed` → external sign-in failed message.
- `/login?error=email_unverified` → email-unverified message.
- `/login?error=invalid_link` → invalid/expired link message.
- `/login?error=somethingelse` → generic "something went wrong" fallback.

QA-AUTH-09 — Email-format validation ● Edge (Web) ■■ Automated in CI

Walkthrough: on `/login`, click a send button with an empty or malformed email (e.g. `abc`). **Expected:** inline "enter a valid email" validation; no request sent.

QA-AUTH-10 — Magic link & OTP available on web; OAuth always ● Edge (Web)

Walkthrough: confirm the web login page shows **both** "Send magic link" and "Email me a code", plus Google/Microsoft buttons. (Native clients hide magic link — covered in §11–12.)

6. Web — Onboarding & new tenant ● Core

QA-ONB-01 — First-ever sign-in auto-creates a household, user is owner ● Smoke (Web)

Gherkin

```
Given an email/account that has never signed in before
When I authenticate for the first time (any method)
Then a new household is created and I am its owner
And the header shows that household and my name
```

Walkthrough

1. Sign in with a brand-new account/email (fresh address or post-DB-reset).
2. **Expected:** you reach the app immediately (no "create household" prompt — provisioning is automatic). Open **Household**: you are listed with the **Owner** badge and are the only member.

QA-ONB-02 — Returning user keeps their household ● Core (Web)

Walkthrough: sign out and back in with the same account. **Expected:** same household, same role, data intact.

7. Web — Household management ● Core

> Roles: **owner** > **admin** > **member** (ADR-009). **Owner + admin** can rename and invite/remove members; **owner-only**: change member roles (promote/demote), transfer ownership, dissolve. Members see a read-only name and a **Leave** button. The owner's row never shows action buttons.

QA-HH-01 — Owner renames the household ● Core (Web)

Gherkin

```
Given I am the household owner on /household
When I change the name and click Rename
Then the new name is saved and reflected in the header tenant badge
```

Walkthrough

1. **Household** → edit the name field (e.g. "QA House") → **Rename**.
2. **Expected:** success banner; the header tenant badge updates to the new name (a silent refresh updates the claim).

QA-HH-02 — Member sees read-only household, no owner controls ● Core (Web)

Precondition: signed in as a *member* (use QA-INV flow to create one). **Walkthrough:** open **Household**. **Expected:** household name shown as read-only heading; no rename/invite/transfer controls; a **Leave** button is present.

QA-HH-03 — Owner removes a member ● Core (Web)

Gherkin

```
Given I am the owner and another member exists
When I click Remove next to that member and confirm
Then they are removed from the household member list
```

Walkthrough

1. As owner with a member present, click **Remove** by the member's row.
2. **Expected:** a confirm dialog ("Remove <name>?"); on confirm, success banner and the member disappears from the list. (The removed user is re-homed to a fresh solo household — verify by signing in as them: they now own an empty household — see QA-HH-08.)

QA-HH-04 — Owner cannot remove themselves ● Edge (Web)

Walkthrough: as owner, confirm there is **no Remove button on your own row**. (Owner departs via transfer or dissolve, not removal.)

QA-HH-05 — Transfer ownership ● Core (Web)

Gherkin

```
Given I am the owner and at least one other member exists
When I select that member and click Transfer
Then they become owner and I become a regular member
```

Walkthrough

1. As owner with ≥1 other member, in **Transfer ownership** pick the member → **Transfer**.
2. **Expected:** success banner. The chosen member now shows the **Owner** badge; your row shows **Member**. The owner-only controls (invite/transfer/dissolve) are no longer available to you, and a **Leave** button now is.

QA-HH-06 — Owner with other members cannot directly leave/dissolve ● Edge (Web)

Walkthrough: as owner **with** other members present, confirm the bottom card shows the **Transfer ownership** control (with "you must transfer before leaving" note) — **not** a leave/dissolve button. The single-owner invariant is enforced in the UI.

QA-HH-07 — Sole owner dissolves the household ● Core (Web)

Gherkin

```
Given I am the only member and owner of my household
When I click "Leave and delete household" and confirm
Then the household is dissolved and I am re-homed to a fresh solo household
```

Walkthrough

1. As sole owner (no other members), bottom card → **Leave & delete household**.
2. **Expected:** a confirm dialog warning the household will be deleted; on confirm, the app reloads and you land signed in with a **new empty household you own** (you're never left tenant-less).

QA-HH-08 — Member leaves the household ● Core (Web)

Gherkin

```
Given I am a non-owner member
When I click Leave and confirm
Then I leave the household and am re-homed to a fresh solo household I own
```

Walkthrough

1. As a member, **Household** → **Leave** → confirm.
2. **Expected:** app reloads; you now own a brand-new empty household. The household you left still exists for its remaining members (verify as the owner: the leaver is gone from the member list).

QA-HH-09 — Owner promotes a member to admin ● Core (Web)

Precondition: signed in as the owner with at least one **member** present (use the QA-INV flow). **Gherkin**

```
Given I am the owner and another member exists
When I click "Make admin" next to that member
Then their badge changes to Admin
```

Walkthrough

1. On **Household**, find a member's row → click **Make admin**.

2. **Expected:** success banner ("Role updated."); the member's badge flips from **Member** to **Admin**, and the button becomes **Make member**. (Verify as that user — see QA-HH-11.)

QA-HH-10 — Owner demotes an admin to member ● Core (Web)

Gherkin

```
Given I am the owner and an admin exists
When I click "Make member" next to that admin
Then their badge changes back to Member
```

Walkthrough

1. On **Household**, on an **Admin** row → click **Make member**.
2. **Expected:** success banner; the badge returns to **Member** and the button becomes **Make admin**.

QA-HH-11 — Admin sees management controls but not role/ownership controls ● Core (Web)

Precondition: signed in **as the admin** promoted in QA-HH-09. **Gherkin**

```
Given I am an admin (not the owner)
When I open Household
Then I can rename the household and invite/remove members
But I see no promote/demote (role) controls and no transfer/dissolve — only Leave
```

Walkthrough

1. As the admin, open **Household**.
2. **Expected:** the **rename** field and the **Invitations** card are available; member rows show a **Remove** button **but no Make admin/Make member** buttons (role changes are owner-only). The bottom card shows **Leave** (no Transfer ownership / Leave & delete). The owner's row shows **no** action buttons.

QA-HH-12 — Member sees no management controls ● Edge (Web)

Walkthrough: signed in as a plain **member**, open **Household**. **Expected:** read-only name, no Invitations card, no per-row action buttons (no Remove/role controls), only a **Leave** button — unchanged from QA-HH-02 (a member is never shown management controls regardless of the admin tier).

QA-HH-13 — Owner exports household data ● Core (Web)

Gherkin

```
Given I am the household owner on /household
When I click "Download household data"
Then I get a link to a JSON export of the household's data
```

Walkthrough

1. As owner, open **Household** → the **Data** card → **Download household data**.
2. **Expected:** a success row with a **Download** link; following it downloads a JSON bundle containing the tenant, members and invitations (and each feature's data). Members/admins don't see the Data card (owner-only). No secrets (invitation token hashes) appear in the file.

QA-HH-14 — Seat quota blocks inviting past the plan limit ● Core (Web)

Precondition: the template ships example seat caps (Free = 3 seats, counting members + pending invites; `PlanCatalog`). A Free household at its cap (e.g. 3 members, or 2 members + 1 pending invite). **Gherkin**

```
Given my Free plan's seats are all used (members + pending invites)
When I invite another member
Then I'm told my seat limit is reached and to upgrade (nothing is invited)
And raising the limit (Pro plan / editing PlanCatalog) lets the invite through
```

Walkthrough

1. As owner of a Free household at the seat cap, **Household** → invite a new email.
2. **Expected:** an error — "Your plan's seat limit is reached. Upgrade your plan to invite more members."

(HTTP **402**); no invitation is created and no email is sent.

1. Free up a seat (revoke a pending invite / remove a member) **or** move to a higher-seat plan — the next invite succeeds. (Seats count members **plus** pending invites, so invites can't over-provision.)

1. **Note:** limits are `PlanCatalog` data; `null`/absent = unlimited. Metered-usage caps (`IQuotaService.TryConsumeAsync`, monthly) are wired the same way where an app calls them.

8. Web — Invitations & joining ● Core

QA-INV-01 — Owner invites by email; token revealed + email sent ● Smoke (Web)

Gherkin

```
Given I am the household owner
When I invite an email address
Then an invitation appears in the pending list with an expiry date
And a one-time join token is revealed in the UI
And an invitation email with a /join link is delivered to Mailpit
```

Walkthrough

1. **Household** → Invitations → enter `qa.member@gmail.com` → **Invite**.
2. **Expected:** a green panel reveals the raw token + a **Copy** button and notes a join link was emailed; the address shows under **Pending** with an expiry date.

1. Check Mailpit: an invitation email addressed to that user, containing a `/join?token=…` link.

QA-INV-02 — Invitee accepts and joins (two-user flow) ● Smoke (Web)

Gherkin

```
Given an invitation exists for a second user
When that user opens the /join link, signs in, and accepts
Then they become a member of the inviter's household
```

Walkthrough

1. Copy the `/join?token=…` link from QA-INV-01.
2. In an **incognito window**, open the link.
3. **Expected:** "You've been invited… sign in to accept." Click **Sign in to accept**; complete any sign-in method as `qa.member@gmail.com`.

1. **Expected:** after sign-in you're returned to the join flow automatically, it processes, and you see **"You're in"** with a **Go to household** button.

1. Click it → **Household** shows you as a **Member** of "QA House".
2. Back in the owner window, reload **Household**: the new member appears and the pending invite is gone.

QA-INV-03 — Already-authenticated user accepts directly ● Core (Web)

Walkthrough: while already signed in as a *different* fresh user, open a valid `/join?token=…`. **Expected:** it accepts immediately (no sign-in step) and shows success. *(Note: a user already in a household who accepts another invite moves to the new household — verify their old membership is replaced, honoring the one-tenant invariant.)*

QA-INV-04 — Join link with missing token ● Edge (Web)

Walkthrough: open `/join` with no `?token=`. **Expected:** "invalid invitation / missing token" state, no crash.

QA-INV-05 — Join with invalid/expired/used token ● Core (Web)

Gherkin

```
Given an invitation token that is invalid, already used, or expired
When an authenticated user opens its /join link
Then they see an error state, not a successful join
```

Walkthrough: while signed in, open `/join?token=garbage123` (or reuse a token already accepted in QA-INV-02). **Expected:** the error state with a **Back to household** link; no membership change.

QA-INV-06 — Invite an existing member is rejected ● Core (Web)

Gherkin

```
Given a user is already a member of my household
When I invite their email again
Then I get an "already a member" error and no duplicate invite is created
```

Walkthrough: as owner, invite the email of someone already in the household. **Expected:** a red "already a member" status (HTTP 409); nothing added to pending.

QA-INV-07 — Regenerate a pending invitation ● Core (Web)

Gherkin

```
Given a pending invitation exists
When I click Regenerate
Then a new token is issued (revealed) and the old token no longer works
```

Walkthrough

1. On a pending invite, click **Regenerate**.
2. **Expected:** a new token is revealed. The **previous** token's `/join` link now fails (QA-INV-05), the new one works.

QA-INV-08 — Revoke a pending invitation ● Core (Web)

Gherkin

```
Given a pending invitation exists
When I click Revoke
Then it is removed from pending and its token no longer works
```

Walkthrough: click **Revoke** on a pending invite. **Expected:** "invitation revoked" status; it leaves the pending list; opening its old link gives the error state.

QA-INV-09 — Copy token button ● Edge (Web)

Walkthrough: click **Copy** on a revealed token; paste elsewhere. **Expected:** the token is on the clipboard. (If the browser blocks clipboard access, the token is still visible to copy manually — no error shown.)

9. Web — Settings / linked accounts ● Core

QA-SET-01 — View linked providers ● Core (Web)

Gherkin

```
Given I signed up with Google
When I open /settings
Then Google shows as "Connected" and Microsoft shows a "Link" button
```

Walkthrough: sign in with Google, open **Settings**. **Expected:** a row per provider; the one you used shows a **Connected** badge + **Unlink**; the other shows **Link**.

QA-SET-02 — Link a second provider ● Core (Web)

Gherkin

```
Given I am signed in and Microsoft is not linked
When I click Link on Microsoft and complete consent
Then Microsoft becomes Connected on my account (no new account is created)
```

Walkthrough

1. **Settings** → **Link** on Microsoft → complete consent with a Microsoft account **whose email

isn't already used by another app user**.

1. **Expected:** returned to Settings with a success banner ("Microsoft linked"); Microsoft now shows **Connected**. You can subsequently sign in with either provider into the *same* account.

QA-SET-03 — Linking a provider already used by another account is rejected ● Core (Web)

Gherkin

```
Given a provider identity is already linked to a different user
When I try to link it to my account
Then I get an "already in use" error and it is not linked
```

Walkthrough: try to **Link** a Google/Microsoft identity that another app user already owns. **Expected:** Settings shows an "already in use" banner (`?link_error=in_use`); no link made. *(Expired link-token path shows `?link_error=expired` — exercise if you can stall the flow past the token lifetime.)*

QA-SET-04 — Unlink a provider ● Core (Web)

Gherkin

```
Given two providers are linked to my account
When I click Unlink on one and confirm the dialog
Then it returns to a "Link" state
```

Walkthrough: with two providers connected, click **Unlink** on one. **Expected:** a confirm dialog ("Unlink this sign-in method?"); on **confirm** the row reverts to **Link**. **Cancelling** the dialog leaves it **Connected** — no change. *(The confirm fails closed: if the browser dialog can't run, the unlink is cancelled, never silently performed. The same guarded confirm protects remove-member / leave / dissolve in §7.)*

QA-SET-05 — Unlinking your only provider never locks you out ● Edge (Web)

Gherkin

```
Given Google is my only linked provider
When I unlink it
Then I can still sign in by email (magic link / OTP)
```

Walkthrough: unlink your sole provider, sign out, and sign back in with **OTP/magic link** using the same email. **Expected:** you reach the **same** account/household. (Email sign-in is always available by design, so provider removal can't lock you out.)

QA-SET-06 — Settings requires auth ● Edge (Web)

Walkthrough: signed out, navigate to `/settings`. **Expected:** redirect to `/login`.

QA-SET-07 — Delete my account ● Core (Web)

Precondition: use a **throwaway** account (this is destructive). Easiest: a member of another owner's household (so no dissolve). **Gherkin**

```
Given I am signed in on /settings
When I use the Danger zone "Delete my account" and confirm
Then my account and personal data are deleted and I'm signed out
```

Walkthrough

1. **Settings** → **Danger zone** → **Delete my account** → confirm the dialog.
2. **Expected (member):** account deleted; you're signed out and land on `/login`. Signing in again creates a brand-new account.

1. **Owner with other members:** an error tells you to **transfer ownership first** (nothing deleted).
2. **Sole owner:** a second confirm warns it also **dissolves the household**; on confirm, the account + household are deleted.

QA-MFA-01 — Enable two-factor (authenticator TOTP) ● Core (Web) ■■ Automated in CI

Precondition: signed in; an authenticator app (Google Authenticator, 1Password, Authy, …) to hand. **Gherkin**

```
Given I am signed in on /settings with two-factor Off
When I enable it, scan the QR (or enter the key) and confirm with a 6-digit code
Then two-factor turns On and I'm shown one-time recovery codes
```

Walkthrough

1. **Settings** → **Two-factor authentication** shows an **Off** badge → **Enable two-factor**.
2. A **QR code** renders next to a **manual key** (Base32). Scan it (or type the key) into the app.
3. Enter the app's current **6-digit code** → **Verify & enable**.
4. **Expected:** a success banner, the badge flips to **On**, and a grid of **recovery codes** appears (shown once). **I've saved my codes** returns to the On state.

1. **Wrong code:** an inline error ("that code is incorrect or has expired"); nothing changes.

QA-MFA-02 — Two-factor is required at sign-in ● Core (Web) ■■ Automated in CI

Precondition: an account with two-factor **On** (QA-MFA-01). **Gherkin**

```
Given my account has two-factor enabled
When I sign in with an email OTP
Then I'm asked for an authenticator code before the session starts
And entering a valid code completes sign-in
```

Walkthrough

1. Sign out. On `/login`, request an **email code**, enter it.
2. **Expected:** instead of landing signed-in, a **second prompt** asks for the authenticator code.
3. Enter the current 6-digit code → you're signed in (lands on `/`).
4. **Wrong/expired code:** an inline error; you stay on the step-up prompt (no session).
5. **Note:** OAuth and magic-link sign-ins enforce the step-up too (QA-MFA-04); native (MAUI) too (QA-MFA-05).

QA-MFA-03 — Use a recovery code, then disable two-factor ● Core (Web)

Gherkin

```
Given my account has two-factor enabled
When I sign in and enter a recovery code at the step-up
Then sign-in completes (that code is now spent)
And I can disable two-factor from Settings with a valid code
```

Walkthrough

1. Sign in as in QA-MFA-02; at the step-up, enter one **recovery code** instead of a TOTP → signs in.
2. **Settings** → **Two-factor authentication** (On) → **Disable two-factor** → enter a current TOTP (or another recovery code) → **Disable**.

1. **Expected:** the badge flips to **Off**; a subsequent sign-in no longer asks for a second step.

QA-MFA-04 — Redirect logins (OAuth / magic link) enforce the step-up ● Core (Web)

Precondition: an account with two-factor **On**, reachable via an OAuth provider and/or magic link. **Gherkin**

```
Given my account has two-factor enabled
When I sign in with Google/Microsoft or a magic link
Then I am redirected to the authenticator step-up before any session is issued
And entering a valid code completes sign-in
```

Walkthrough

1. Sign out. Sign in via **Google/Microsoft** (or click a **magic link**).
2. **Expected:** instead of landing signed-in, you arrive on `/login` showing the **authenticator code prompt** (the URL carries a one-time `?mfa=` challenge). No session exists yet.

1. Enter the current 6-digit code (or a recovery code) → you're signed in (`/auth-callback` → `/`).
2. **Security check:** confirm you are **not** signed in until the code is accepted — a wrong/expired code keeps you on the prompt with no session. (This closes the gap where redirect logins skipped MFA.)

QA-MFA-05 — Native (MAUI) sign-in enforces the step-up ● Core (Desktop/Android)

Precondition: an account with two-factor **On**; run the desktop/Android shell (see `docs/MOBILE_TESTING.md`). Native has no magic link — use **email OTP** or **OAuth**. **Gherkin**

```
Given my account has two-factor enabled
When I sign in on the native app with an email code or OAuth
Then the app shows the authenticator step-up in-app before completing sign-in
And a valid code (or recovery code) finishes sign-in
```

Walkthrough

1. In the native app, sign in with an **email code** (or a provider).
2. **Expected:** the app stays on the login screen and shows the **authenticator code prompt** (it does not sign in yet). No session/token is stored.

1. Enter the current 6-digit code (or a recovery code) → you're signed in (lands on `/`).
2. **Wrong/expired code:** inline error; you remain on the prompt (no session). Tokens arrive in the response body (native transport), same as a normal native login.

QA-NOTIF-01 — Notification bell + list ● Core (Web)

Note: the template has no built-in producer; to see items, a feature must call `INotificationService.NotifyAsync` (seed one in dev, or exercise a downstream feature that notifies). **Gherkin**

```
Given I am signed in
When I open the notification bell in the header
Then I see my notifications newest-first, with unread ones marked
And the bell shows an unread count when I have unread notifications
```

Walkthrough

1. In the header, click the **bell**. **Expected:** a dropdown opens; with none, it reads "You're all caught up."

1. With unread notifications present: a red **count badge** shows on the bell; unread rows carry a dot + bold title; each shows a relative time ("just now", "5m", "3h", "2d").

1. Click the backdrop (outside the panel) → it closes.

QA-NOTIF-02 — Mark read / mark all read ● Core (Web)

Precondition: at least one unread notification (see QA-NOTIF-01 note). **Gherkin**

```
Given I have unread notifications
When I click one (and, separately, "Mark all read")
Then that one clears its unread mark and the count drops
And "Mark all read" zeroes the count
```

Walkthrough

1. Open the bell → click an **unread** row. **Expected:** its dot/bold clears; the count decrements.
2. Click **Mark all read**. **Expected:** the count badge disappears; all rows show as read.
3. Reload the page → the counts/read state persist (server-side).

QA-NOTIF-03 — Delivery preferences ● Core (Web)

Gherkin

```
Given I am signed in on /settings
When I toggle the In-app or Email notification switches
Then the choice is saved and survives a reload
```

Walkthrough

1. **Settings** → **Notifications** card shows two switches (**In-app**, **Email**), both on by default.
2. Toggle one off. **Expected:** it saves immediately (optimistic; reverts with an error if it fails).
3. Reload → the switch keeps its new state. (Email-off suppresses the email channel on future notifies;

in-app-off suppresses the in-app row.)

10. Web — Localization (i18n) ● Core

QA-I18N-01 — Switch language on the login page ● Core (Web) ■■ Automated in CI

Gherkin

```
Given I am on /login in English
When I choose Español in the language switcher
Then the page text renders in Spanish
```

Walkthrough: on `/login`, use the language switcher (bottom of the card) → **Español**. **Expected:** titles, button labels, and prompts switch to Spanish; the choice persists on reload.

QA-I18N-02 — Language persists per user across sessions ● Core (Web)

Gherkin

```
Given I am signed in and set my language to Spanish
When I sign out and sign back in (even in a fresh browser)
Then the app loads in Spanish
```

Walkthrough

1 Signed in, switch to **Español**. (This saves the locale to your user record via `PUT /api/auth/locale` and into the JWT.)

1 Sign out; sign back in.

2 **Expected:** app comes up in Spanish — the preference followed the *user*, not just the browser.

QA-I18N-03 — In-app UI is fully translated (no English leaks) ● Edge (Web)

Walkthrough: in Spanish, walk Home → Household → Settings → invite flow. **Expected:** all visible labels/buttons/validation/status messages are Spanish; flag any English string that leaks.

QA-I18N-04 — Email language matches the requester's UI language ● Core (Web)

Gherkin

```
Given my UI language is Spanish
When I trigger an OTP / magic link / invitation email
Then the email arrives in Spanish
```

Walkthrough

1 Set UI to **Español**. Trigger an OTP (and a magic link, and send an invite).

2 In Mailpit, open each. **Expected:** subject + body in Spanish. Repeat in English to confirm both.

10b. Web — Admin console (platform staff) ● Core

Precondition: your account's email must be in the staff allowlist — set `Admin__StaffEmails__0` in the repo-root `.env` (see `.env.example`) and restart the API. Non-staff accounts must **not** see any of this.

QA-ADMIN-01 — Staff sees the console; non-staff don't ● Core (Web)

Gherkin

```
Given I am signed in as a platform-staff user
When I look at the header
Then I see an "Admin" link, and /admin lists every tenant with member counts
And a non-staff user sees no Admin link and is refused at /admin
```

Walkthrough

1 Signed in as **staff**: an **Admin** button shows in the header → open it (or go to `/admin`).

2. **Expected:** the **Tenants** list shows every tenant (name + member count). Click one → detail panel shows members (name/email + role), subscription status, created date, audit-event count.
1. Sign in as a **non-staff** user: **no Admin link**; navigating directly to `/admin` shows "You don't have access to the admin console."

QA-ADMIN-02 — View a tenant is audited in that tenant ● Core (Web)

Gherkin

```
Given I am staff viewing a tenant's detail in /admin
When the detail loads
Then an audit event (admin.tenant.viewed) is recorded in that tenant
```

Walkthrough

1. As staff, open a tenant's detail in `/admin`.
2. **Expected:** an `admin.tenant.viewed` event is written **in that tenant** (visible to that tenant's own audit trail) — the global tenant filter is never loosened; the read enters the target tenant.

QA-ADMIN-03 — Impersonate a user, then stop ● Core (Web)

Gherkin

```
Given I am staff on a tenant's detail
When I "Sign in as" a member and confirm
Then I browse the app as that user with a persistent impersonation banner
And "Stop impersonating" returns me to my own staff identity
```

Walkthrough

1. In a tenant detail, click **Sign in as** on a member → confirm the dialog.
2. **Expected:** you land on `/` **as that user** (their name/household in the header); a yellow **impersonation banner** is pinned at the top; the **Admin** link is hidden while impersonating.
1. Click **Stop impersonating**. **Expected:** you're back as yourself (staff); the banner is gone.
2. The impersonation token is **short-lived (15 min) and non-refreshable** — a full page reload also returns you to your own identity. Impersonation is **audited** in the target's tenant.

QA-ADMIN-04 — Staff announcement reaches a tenant's members ● Edge (Web) ■■ Automated in CI

Gherkin

```
Given I am staff on a tenant's detail in /admin
When I send an announcement (title + body) and confirm
Then every member of that tenant is notified through their preferred channels
And each member's bell shows the announcement; reading it clears the badge
And an admin.announcement.sent audit event is recorded in that tenant
```

Walkthrough

1. As staff, open a tenant's detail in `/admin` → fill **Send announcement** (title + message) → **Send to all members** → confirm. **Expected:** "Announcement sent to N member(s)."
1. Sign in as a member of that tenant. **Expected:** the bell badge shows the unread announcement; opening it shows title + message; clicking it marks it read and the badge clears. Members with email delivery on also get the email (Mailpit).
1. The send is audited **in that tenant** (`admin.announcement.sent`, with the member count).

10c. Web — Billing page ● Core

> With no Stripe keys configured (dev default) the **FakeBillingProvider** is active: checkout/portal return `https://billing.test/...` URLs (a dead domain — expected), and the webhook accepts the signature `valid`. With real Stripe test keys, use Stripe's hosted test checkout instead.

QA-BILL-01 — Billing page shows plan + seats; owner-only ● Edge (Web) ■■ Automated in CI

Gherkin

```
Given I am the household owner on /billing
Then I see my current plan, its status, and seat usage vs the plan limit
And a member opening /billing sees only the "ask your owner" notice
```

Walkthrough

1. As **owner**, open **Billing** in the header. **Expected:** current plan (e.g. `free`), status badge, and seats (e.g. `1 of 3 used`); an **Upgrade to Pro** button on the free plan; **Manage subscription** only when a subscription exists.
1. As a **member**, open `/billing`. **Expected:** no plan/usage — just the owner-only notice.

QA-BILL-02 — Upgrade via checkout + provider webhook lands on Pro ● Core (Web) ■■ Automated in CI

Gherkin

```
Given the owner on the free plan clicks Upgrade to Pro
When the checkout redirect fires and the provider webhook lands (subscription active)
Then /billing shows plan pro, status active, the pro seat limit, and the portal button
```

Walkthrough

1. Click **Upgrade to Pro**. **Expected:** redirect to the provider checkout (fake: `billing.test/checkout/{tenantId}/pro` — the page won't load, which is fine).
1. Simulate payment completion by POSTing the webhook (fake provider): `POST {api}/api/billing/webhook` with header `Stripe-Signature: valid` and a PascalCase JSON body (`EventId`, `TenantId`, `PlanKey: "pro"`, `Status: "active"`, `StripeCustomerId`, `OccurredAt`). **Expected:** 200.
1. Reload `/billing`. **Expected:** plan `pro` / status `active`, seats `x of 10`, **Manage subscription** now visible.

11. Emails (Mailpit) — branding & content ● Core

> **Delivery is asynchronous** (the outbox dispatcher) — emails land in Mailpit a few seconds after the triggering action, and the send request succeeds regardless (see §1.1). Wait briefly before opening Mailpit; a missing email is a delayed/retrying/dead-lettered outbox message, not a request failure.

QA-MAIL-01 — OTP email is branded & correct ● Core

Gherkin

```
Given I request an OTP code
When I open the email in Mailpit
Then it shows the brand logo, brand colours, the 6-digit code, and the tagline
```

Walkthrough: trigger an OTP; open it in Mailpit. **Expected:** the logo image renders (CID-embedded, not a broken image), brand-green styling, a clearly displayed code, footer wordmark + tagline.

QA-MAIL-02 — Magic-link email ● Core

Walkthrough: trigger a magic link; open in Mailpit. **Expected:** branded layout; a working sign-in button/link; sensible subject.

QA-MAIL-03 — Invitation email ● Core

Walkthrough: send an invite; open in Mailpit. **Expected:** branded layout; the recipient's address; a `/join?token=…` link that works (QA-INV-02).

QA-MAIL-04 — Logo renders in a real client ● Edge

Walkthrough (optional, deliverability): forward/inspect one email in a real Gmail/Outlook client. **Expected:** the CID logo still renders. *(Note: from a non-verified domain, real delivery may land in spam — a domain/DKIM concern, not an app bug.)*

12. Desktop — MAUI / Windows ● Core

> The desktop client reuses the same UI; only the **auth transport** (loopback browser flow, body token, OS secure storage) differs. Magic link is intentionally **absent** on native.

QA-DSK-01 — OTP sign-in ● Smoke (Desktop)

Gherkin

```
Given the desktop app is on the login screen
When I request an OTP and enter the code from Mailpit
Then I am signed in within the app (no browser)
```

Walkthrough

1. Launch the desktop app → login screen. **Expected:** Google/Microsoft buttons + email field with **Email me a code**; **no magic-link button** (native hides it).
1. Enter an email → request code → get it from Mailpit → enter it.
2. **Expected:** signed in, app shell shown, household + name in header.

QA-DSK-02 — Google OAuth via loopback ● Core (Desktop)

Gherkin

```
Given the desktop login screen
When I click Continue with Google and complete consent in the system browser
Then the browser shows a "you can close this" page and the app completes sign-in
```

Walkthrough

1. Click **Continue with Google**. **Expected:** your **system browser** opens to Google consent.
2. Approve. **Expected:** the browser tab shows a "you can close this tab" page; **focus returns to the app**, **now signed in. (Repeat for** Microsoft**.)

QA-DSK-03 — "Remember me" across app restart ● Core (Desktop)

Gherkin

```
Given I am signed in to the desktop app
When I fully close and reopen it
Then I am still signed in
```

Walkthrough: close the app completely; relaunch. **Expected:** lands signed in (refresh token held in Windows secure storage / DPAPI, silently exchanged on startup).

QA-DSK-04 — Household & Settings load (authorized API calls) ● Core (Desktop)

Gherkin

```
Given I am signed in to the desktop app
When I open Household and Settings
Then both load their data without an auth error
```

Walkthrough: open **Household** (members load) and **Settings** (linked providers load). **Expected:** both populate — no spinner-forever, no "couldn't load" error. *(This is the Bearer-token-handler path that previously failed on native; it must work.)*

QA-DSK-05 — Link a provider from Settings ● Edge (Desktop)

Walkthrough: Settings → **Link** Microsoft → system browser loopback flow → returns to app. **Expected:** Microsoft shows **Connected**; the app shell was never navigated away.

QA-DSK-06 — Sign out ● Edge (Desktop)

Walkthrough: Sign out. **Expected:** back to the login screen; reopening the app does **not** auto-sign-in (secure storage cleared).

QA-DSK-07 — Core household flows work on desktop ● Edge (Desktop)

Walkthrough: spot-check rename, invite (token revealed), and leave on desktop. **Expected:** same behavior as web (§7–8) — the UI is shared.

13. Android — MAUI ● Core

> Prereq every run: **`adb reverse tcp:5238 tcp:5238`** + API on the https profile. See `docs/MOBILE_TESTING.md`.

QA-AND-01 — OTP sign-in ● Smoke (Android)

Gherkin

```
Given the Android app is on the login screen with adb reverse set
When I request an OTP and enter the code from Mailpit
Then I am signed in
```

Walkthrough

1. Confirm `adb reverse --list` shows `tcp:5238`. Launch the app.
2. Login screen: email field + **Email me a 6-digit code**; Google/Microsoft buttons; **no magic link**.
1. Enter an email → request code → read it in Mailpit (host) → enter it.
2. **Expected:** signed in, app shell shown.

QA-AND-02 — Google OAuth via custom scheme ● Core (Android)

Gherkin

```
Given the Android login screen
When I tap Continue with Google and complete consent
Then the in-app browser returns to the app via the perezosoft:// scheme, signed in
```

Walkthrough

1. Tap **Continue with Google**. **Expected:** a browser tab opens to Google consent.
2. Approve. **Expected:** the tab returns control to the app (`perezosoft://auth` intent), now signed in. (Repeat **Microsoft** if its `:5238` redirect is registered.)

QA-AND-03 — "Remember me" across app restart ● Core (Android)

Walkthrough: swipe-close the app; reopen. **Expected:** still signed in (refresh token in the Android Keystore). *(If `adb reverse` was lost on a device reboot, re-run it first — a startup failure after reboot is an environment issue, not an app bug.)*

QA-AND-04 — Household & Settings load ● Core (Android)

Walkthrough: open **Household** and **Settings**. **Expected:** both load their data (the native Bearer path works), same as desktop QA-DSK-04.

QA-AND-05 — Navigation drawer / header is reachable ● Edge (Android)

Gherkin

```
Given I am signed in on Android
When I open the navigation (hamburger)
Then the menu is tappable and not hidden under the status bar
```

Walkthrough: tap the hamburger; use **Household/Settings/Sign out**. **Expected:** the header sits below the status bar (safe-area padding) and every item is tappable.

QA-AND-06 — Core flows on Android ● Edge (Android)

Walkthrough: spot-check language switch, invite (token revealed), and leave. **Expected:** parity with web.

14. Cross-cutting security ● Core

QA-SEC-01 — Tenant isolation ● Smoke

Gherkin

```
Given two households owned by two different users
When user A is signed in
Then A can only ever see A's household, members, and invitations — never B's
```

Walkthrough

1. Create household A (owner A) and a separate household B (owner B, different account/incognito).
2. As A, open **Household**. **Expected:** only A's members/invites. Confirm B's data never appears.

(Deeper API-level probing — e.g. requesting another tenant's resource id — belongs in automated `Api.Tests`; this manual case verifies the UI never cross-contaminates.)

QA-SEC-02 — Protected pages require auth ● Core

Walkthrough: signed out, directly visit `/household`, `/settings`. **Expected:** each redirects to `/login`.

QA-SEC-03 — Session is gone after sign-out ● Core

Gherkin

```
Given I sign out
When I press the browser Back button or reload a protected page
Then I am not able to access it — I am sent to /login
```

Walkthrough: sign out, press **Back** to a protected page / reload it. **Expected:** bounced to `/login`; no stale authenticated view.

QA-SEC-04 — Native open-redirect guard ● Edge (Desktop/Android)

Context/Expected: the native OAuth flow only honors loopback `http` callbacks or the configured `perezosoft://` scheme; arbitrary redirect targets are rejected. This is unit-tested (`NativeRedirectPolicyTests`); no manual action needed unless probing the API directly — record as **covered by automated tests**.

QA-SEC-05 — Server-side hardening (automated) ● Edge

Context/Expected: several invariants are enforced at the API/data layer and verified by `tests/Api.Tests`, not by manual UI steps — record as **covered by automated tests** unless probing the API directly:

- **Tenant write-stamping** — a new tenant-scoped row is stamped with the caller's tenant and a foreign-tenant write is rejected (`TenantStampingInterceptorTests`), so reads *and* writes are tenant-isolated.
- **Refresh-token reuse detection** — replaying an already-rotated refresh token revokes all the user's sessions (`RefreshTokenServiceTests`). Manually observable only by capturing and replaying a refresh cookie/token; out of scope for routine QA.
- **Unverified-email takeover guard** fails closed (`ClaimsExtractorTests` / `UserServiceTests`).
- **Legacy refresh-cookie self-heal** — a stale `Path=/` refresh cookie left by an older build can shadow the live `Path=/api/auth` cookie and wedge sign-in into a `/refresh` 401 → "Authentication Failed" loop (seen in Firefox, due to cookie send-order). Setting the refresh cookie now also emits an expiry for the orphan, so the next successful sign-in / refresh sweeps it automatically — no manual cookie-clearing, and upgraded deployments

self-heal (`CookieServiceTests`). *Manual repro needs a planted `Path=/` cookie; record as covered by automated tests. If a tester hits a stuck `/refresh` 401 loop in Firefox after a deploy, a single re-sign-in clears it.*

14b. API surfaces — PUBAPI + HOOKS (config-gated; curl / Postman) ● Core

> These two surfaces are **off by default** and have **no web UI** by design — they're for machines, so they're QA'd with an HTTP client. Any client works; the steps use `curl`. **Postman:** import `GET /api/public/openapi.json` (once PUBAPI is on) to get a ready collection for the public routes.
>
> **Preconditions (do once):** in the repo-root `.env` set `PublicApi__Enabled=true` and `Webhooks__Enabled=true`, then restart the API. Management of keys/webhooks is **owner-only**, so sign in as an owner and grab a JWT access token from `POST /api/auth/refresh` (the Swagger "Authorize" button shows one) to call the `/api/apikeys` and `/api/webhooks` management routes below. Base URL in these steps is `https://localhost:7160` (use `-k` for the dev cert).

QA-API-01 — Config gate: surfaces are 404 when disabled ● Edge (curl)

Gherkin

```
Given PublicApi:Enabled and Webhooks:Enabled are false (the default)
When I call any /api/public, /api/apikeys or /api/webhooks route
Then it does not exist (404) — the routes aren't mapped and the API-key scheme isn't added
```

Walkthrough

1. With both flags **unset/false**, restart the API and call `curl -k https://localhost:7160/api/public/openapi.json` and `.../api/apikeys` (with a JWT).
1. **Expected: 404** for both. Now set the two flags true, restart, and re-check — they become live (401/200). Leave them **on** for the rest of this section.

QA-API-02 — Mint an API key (shown once) ● Core (curl)

Gherkin

```
Given I am the owner with PUBAPI enabled
When I create an API key
Then I receive the raw pk_… key exactly once, and listing later shows only its prefix/metadata
```

Walkthrough

1. `curl -k -X POST https://localhost:7160/api/apikeys -H "Authorization: Bearer <JWT>" -H "Content-Type: application/json" -d '{"name":"qa","scopes":["read"]}'`
2. **Expected: 201** with a `key` field like `pk_…` — **copy it now** (never shown again). `GET /api/apikeys` lists it with `prefix`/`scopes` but **no** `key`.
1. **Non-owner:** repeat as a member/admin → **403**.

QA-API-03 — Call the public API with the key; scopes + tenant-scoping ● Core (curl / Postman)

Gherkin

```
Given a read-only API key for my tenant
When I call the public API with it
Then whoami returns my tenant, and a write-scoped route is refused (403 insufficient_scope)
```

Walkthrough

1. `curl -k https://localhost:7160/api/public/whoami -H "X-Api-Key: pk_…"` → **200**, body shows my `tenant_id`, the key name, and `["read"]`.

1. `curl -k -X POST https://localhost:7160/api/public/echo -H "X-Api-Key: pk_…" -d '{"message":"hi"}'`

with the **read-only** key → **403 `insufficient_scope`**. (A key created with `"write"` succeeds.)

1. **No/blank/garbage key** → **401**. **Revoked key** (`DELETE /api/apikeys/{id}`) → **401** afterwards.
2. **Postman:** import `/api/public/openapi.json`, set an `X-Api-Key` header on the collection, run `whoami`.

QA-API-04 — Per-key rate limit ● Core (curl)

Walkthrough

1. Fire `whoami` with one key ~65 times in a minute (`for i in $(seq 1 65); do curl -k -s -o /dev/null -w "%{http_code}\n" https://localhost:7160/api/public/whoami -H "X-Api-Key: pk_…"; done`).
2. **Expected:** the first 60 are **200**, then **429**. A **second** key still returns **200** (budgets are

per key, not shared).

QA-API-05 — Register a webhook + send test + verify signature ● Core (curl)

Precondition: a receiver URL that echoes requests — e.g. create one at **https://webhook.site** and copy it. **Gherkin**

```
Given HOOKS is enabled and I own the tenant
When I register my receiver and send a test event
Then my endpoint receives a signed POST I can verify with the secret
```

Walkthrough

1. `POST /api/webhooks` (JWT) with `{"url":"<webhook.site URL>","event_types":["ping"]}` → **201** with a

`secret` (`whsec_…`) **shown once** — copy it.

1. `POST /api/webhooks/{id}/test` (JWT) → **200** `{ "delivered": true, "status_code": 200 }`.
2. On webhook.site, confirm the request has headers **`X-Webhook-Id`, `X-Webhook-Event: ping`**, and

`X-Webhook-Signature: sha256=…`. Verify: HMAC-SHA256 of the raw body** with your `whsec_…` secret equals the signature (any HMAC tool, or the app's `WebhookSignature.Compute`).

1. **Non-owner** management → **403**. **Bad URL / no event types** on create → **400**.

QA-API-06 — Delivery log + replay ● Core (curl)

Gherkin

```
Given I've sent test deliveries to my subscription
When I view its delivery log and replay one
Then I see per-attempt rows, and replay re-POSTs the same event to my endpoint
```

Walkthrough

1. `GET /api/webhooks/{id}/deliveries` (JWT) → a list of attempts, newest first, each with `success`, `status_code`, `error`, `event_id`.

1. `POST /api/webhooks/deliveries/{deliveryId}/replay` (JWT) → **202**; webhook.site receives the **same** event again (same `X-Webhook-Id`, so a real receiver can dedup).

1. **Failure path (optional):** point the subscription at a URL that returns 500, send a test → the log

shows `success:false` and the outbox retries with backoff (watch the API logs), dead-lettering after the cap. Replay of an unknown/other-tenant delivery id → **404**.

15. Traceability matrix (feature → cases → API)

	Key API endpoints		
UTH-02, DSK-02, AND-02	`GET /api/auth/login/{provider}`, `GET /api/auth/callback/{provider}`, native `login/callback/exchange`		

	Key API endpoints		
5, 06, MAIL-02	`POST /api/auth/magic-link/send`, `GET /api/auth/magic-link/verify`		
06, AUTH-03/04, DSK-01, AIL-01	`POST /api/auth/otp/send`, `POST /api/auth/otp/verify`		
	`POST /api/auth/otp/send`, `…/magic-link/send`, `…/otp/verify` (429)		
DSK-03/06, AND-03, SEC-03, gacy-cookie self-heal)	`POST /api/auth/refresh`, `POST /api/auth/logout`, `GET /api/auth/me`		
7/08/09	(send + verify endpoints; `/login` query states)		
SMK-01	(provisioned on first auth)		
	`GET /api/household`, `PUT /api/household`		
	`DELETE /api/household/members/{id}`, `POST /api/household/leave`, `POST /api/household/transfer-ownership`		
7/08, MAIL-03	`POST /api/household/invitations`, `GET /api/household/invitations`, `POST …/{id}/regenerate`, `DELETE …/{id}`		
4/05	`POST /api/household/invitations/accept`		
DSK-05	`GET /api/auth/logins`, `POST /api/auth/link/{provider}`, `DELETE /api/auth/logins/{provider}`		
	`PUT /api/auth/locale` (+ resx)		
4, I18N-04	(SMTP via Mailpit)		
	(all `[Authorize]` endpoints; write-stamping + reuse detection are automated)		
	`GET /health`, `GET /health/ready`		
ses)	async via the outbox dispatcher (`OutboxMessages`)		
`Api.Tests` (Billing*/Entitlement* pending	`POST /api/billing/checkout`, `…/portal`, `…/webhook`		
t limit blocks invite → 402 upgrade `Api.Tests` viceTests)	seats (members + pending invites vs `Plan.SeatLimit`) enforced on `POST /api/household/invitations` → 402 `seat_limit_reached`; metered usage via `IQuotaService.TryConsumeAsync` (monthly `UsageCounter`). Limits in `PlanCatalog` (null = unlimited).		
`Api.Tests` ebhookHandlerTests, ionLapseSweepJobTests); Stripe test triggers	webhook transition into `past_due`/`canceled` → owner **notification** (in-app bell + outbox email, NOTIFY) once; `SubscriptionLapseSweepJob` (6h) nudges the owner once when a paid period lapses without a webhook (`LapseNotifiedAt`). Verify with `stripe trigger invoice.payment_failed` (test mode) → owner sees a billing notification in the bell.		

	Key API endpoints		
`Api.Tests` `issolveTests`)	on tenant dissolve, `BillingDataContributor` wipes the `Subscription` projection **and** enqueues a `"billing.cancel"` outbox message → `IB illingProvider.CancelSubscriptionA sync` (a deleted tenant stops being billed). `HasDataAsync`=false (billing never blocks leaving); export gains a `billing` section (plan/status/period, no Stripe ids). Manual (Stripe test mode): subscribe a throwaway tenant, delete the account, confirm the Stripe subscription is canceled.		
.04 (curl/Postman) + `Api.Tests` `rviceTests`, `ingTests`); boot-verified on/off	`PublicApi:Enabled` toggles it. Owner-only `/api/apikeys` (create → raw `pk_…` once, list, revoke; `Permission.ManageApiKeys`); API-key auth scheme mints a `tenant_id`-scoped principal; demo `/api/public/whoami` (read scope) + `/api/public/echo` (write scope) via `.RequireApiScope`. **PUBAPI-2:** per-key rate limit (60/min, isolated per key → 429) + a leak-free public OpenAPI doc at `/api/public/openapi.json` (only the public routes). **Off (default) ⇒ routes 404.** Manual: `PublicApi__Enabled=true`, mint a key, `curl -H "X-Api-Key: pk_…" /api/public/whoami`; fetch `/api/public/openapi.json`.		
05, 06 (curl/webhook.site) + `ubscriptionServiceTests`, `liveryTests`, `liveryLogTests`) + `s` (`WebhookSignatureTests`); d on/off	`Webhooks:Enabled` toggles it. Owner-only `/api/webhooks` (register → signing secret `whsec_…` once, list, delete, **send test**; `Permission.ManageWebhooks`). `IWebhookPublisher.PublishAsync` fans out to matching active subs → one `"webhook"` **outbox** message each → signed POST (`X-Webhook-Signature`), retry/dead-letter via the outbox. **HOOKS-2:** a delivery log (`GET /api/webhooks/{id}/deliveries` — one row per attempt, success/status/error) + **replay** (`POST /api/webhooks/deliveries/{id}/replay` — re-enqueue the exact payload). **Off (default) ⇒ routes 404.** Manual: `Webhooks__Enabled=true`, register a receiver (e.g. a webhook.site URL), hit **send test**, view deliveries, replay one.		
`Api.Tests` (`AuditLogTests`)	append-only `IAuditLog` + interceptor		
1/12 (web roster promote/demote pability/limits); `Api.Tests` `issionsTests`, `nServiceTests`, `leManagementTests`)	`PUT /api/household/members/{id}/role` (owner-only; admin↔member, owner via transfer only); permission seam gates tenant writes		
`Api.Tests` `kFileStorageTests`, `oadTokenizerTests`, `rollerTests`, `rageMinioTests` [real MinIO], `geRegistrationTests`)	`IFileStorage` (tenant-scoped keys; local disk / S3-compatible — AWS/MinIO/R2/B2, config-gated); local signed `GET /api/files/{token}` (expiring, single-key, tenant-checked → 404 on any failure); S3 native presigned URLs		
er Household → Data → + `Api.Tests` `portTests`)	`POST /api/household/export` (owner-only `ExportData` → 403 else; JSON bundle via `IFileStorage`, signed URL; secret-free, tenant-scoped, audited)		
ttings → Danger zone) + s (`AccountErasureTests`)	`DELETE /api/auth/me` (wipes identity/PII in one tx; owner-with-members → 400, solo owner → 409 without `confirm_dissolve`; member removed not re-homed; audited; audit trail survives)		

	Key API endpoints		
(Settings onfirm/recovery + disable; step-up uth/magic-link, **and** native logins) ts (`MfaServiceTests`, ngeServiceTests, erviceTests)	`GET	POST /api/auth/mfa[/enroll	/confirm
03 (header bell: count/mark-read; Settings ference switches) + `Api.Tests` tionServiceTests, ionFanOutTests)	`GET /api/notifications` (+ `?before=&limit=`), `/unread-count`, `POST /{id}/read`, `/read-all`, and `GET	PUT /api/notifications/preferences — `**per-user** (scoped to the caller).` NotifyAsync` fans out to in-app + email (outbox-backed) per prefs (default both on).	
03 (staff `/admin` console: tenant mpersonate w/ banner + stop) + `StaffServiceTests`, rollerTests)	`GET /api/admin/me` (staff probe, 200 `{is_staff}` for any caller — drives the nav/gate), `GET /api/admin/tenants` (+ `/{id}`) inspection, `POST /api/admin/impersonate/{userId}` — **platform-staff only** (config `Admin:StaffEmails`; non-staff → 403). Detail enters the target tenant (filter never loosened); impersonation returns a **short-lived, non-refreshable** token with an `impersonated_by` claim, **audited in the target's tenant**.		

Per-client coverage: Web = full (all suites). Desktop = DSK-01..07 + shared-UI spot checks. Android = AND-01..06 + shared-UI spot checks. Magic link is **web-only** by design.

Automated (E2E CI ■■): the following manual cases have an equivalent Playwright/NUnit journey in `tests/E2E.Tests`, run on every push by the `e2e` job (`.github/workflows/ci.yml`) against a booted Postgres + Mailpit + API + Web stack — so they are continuously regression-guarded on **Web**:

Manual case	E2E test
QA-SMK-01 (OTP sign-in happy path)	`AuthFlowTests.Otp_SignIn_LandsInTheApp` (+ `Login_Page_Renders`)
QA-SMK-03 (sign out)	`AuthFlowTests.SignOut_ReturnsToLogin`
QA-AUTH-09 (email-format validation)	`AuthFlowTests.Invalid_Email_IsRejected_NoCodeStep`
QA-MFA-01 (enable TOTP)	`MfaJourneyTests.Enroll_ThenStepUp_OnNextSignIn` (enroll leg)
QA-MFA-02 (step-up enforced at sign-in)	`MfaJourneyTests.Enroll_ThenStepUp_OnNextSignIn` + `StepUp_WithWrongCode_DoesNotSignIn`
QA-I18N-01 (switch language on login)	`I18nTests.Switching_Language_ReRendersTheUi`

These still need a manual pass on **Desktop/Android** (the CI job runs Web only) and whenever the area changes. All other cases remain manual-only or API-test-backed as noted per row.

16. Sign-off sheet

Record one row per executed case. Build = API/web commit SHA (`git rev-parse --short HEAD`).

Case ID	Client	Result (P/F/Blocked/N-A)	Tester	Build (SHA)	Date	Notes / defect link
QA-SMK-01	Web					
QA-SMK-02	Web					
…						

Release gate (suggested): all ● Smoke Smoke + all ● Core Core cases Pass on Web; ● Smoke Smoke Pass on Desktop and Android; no open Critical/High defects. ● Edge Edge cases triaged (Pass or accepted-known-issue).

17. Notes for maintainers

- This plan is the manual counterpart to the automated `tests/E2E.Tests` (Playwright/NUnit) suite.

That suite now covers the **OTP auth happy-path + guards** (`AuthFlowTests`), the **MFA enroll** → **step-up** journey incl. the wrong-code negative (`MfaJourneyTests`), and the **language switch** (`I18nTests`) — all over the page objects in `Pages/`, reading codes from Mailpit via the `Mailpit` REST client, and **run in CI** by the `e2e` job (`.github/workflows/ci.yml`, Web only). See `tests/E2E.Tests/README.md` for the run procedure (it documents the same Mailpit SMTP override noted in §1.1). The cases these journeys mirror are marked ■■ **Automated in CI** and listed in §15. The Gherkin blocks here are written to be lifted directly into new E2E scenarios — keep the two in sync as automation grows.

- When you add an app-specific domain feature on top of this template, add a matching suite here and

a row in the traceability matrix (§15) so "entire functionality" stays honest.

- `docs/FEATURES.md` describes the same JWT-based flows at the design level; this plan is their

step-by-step verification. Keep the two in sync when behavior changes.

- **Updated 2026-06-22** for the security/quality remediation: OTP lockout is now **cumulative per

email **and resend-proof (QA-AUTH-04); passwordless send/verify are** rate-limited **(QA-AUTH-11); the Settings** Unlink** now requires a fail-closed confirmation (QA-SET-04); and server-side hardening (write-stamping, refresh-reuse detection, fail-closed takeover guard) is captured as automated coverage (QA-SEC-05).

- **Updated 2026-06-23:** QA-AUTH-02 now documents the **tenant-gated same-email auto-link** rule

(Microsoft trusted only on the `consumers` tenant; work/school + unknown providers fail closed — audit MITI-3); and QA-SEC-05 adds the **legacy refresh-cookie self-heal** as automated coverage (`CookieServiceTests`).

- **Updated 2026-06-26** for the platform-foundation work (JOBS/BILLING/OBS, ADR-006/007/008):
- **Transactional email is now delivered asynchronously** via the outbox dispatcher — a few-second

delay, and the send request always succeeds (reliability moved to the background). Affects every email-based case; see the §1.1 and §11 notes. The E2E `AuthFlowTests` (which reads OTP codes from Mailpit) now traverses this async path — confirm it waits/polls for the email rather than assuming instant delivery.

- Added **API health/readiness** endpoints + smoke case **QA-SMK-07** (`/health`, `/health/ready`).
- The **billing API** (checkout/portal/webhook), the **append-only audit log**, and **OpenTelemetry**

telemetry are API-/operational-level with **no client UI** — covered by `tests/Api.Tests`, E2E pending; manual cases will follow when UI exists (see §2 + §15).

- **Updated 2026-06-30** for RBAC (ADR-009): the tenant role model gains an **`admin`** tier behind a

permission seam (owner > admin > member). RBAC-1 added the seam (no behavior change); RBAC-2 added the **owner-only role-change endpoint** (`PUT /api/household/members/{id}/role`, admin↔member; owner is conferred only via transfer) and hardened member-removal so the **owner can't be removed**. This was API-only at first; **RBAC-3 added the web UI** — the Household roster now has owner-only **Make admin / Make member** controls, and the page is admin-aware (admin can rename + invite/remove members, but sees no role/transfer/dissolve controls). New web cases **QA-HH-09..12**; §7 intro updated for the three-tier model. API coverage stays automated (`tests/Api.Tests`).

- **Updated 2026-06-30** for file storage (ADR-010): an `IFileStorage` seam (tenant-scoped keys,

local-disk dev default / S3-compatible prod) with a signed, time-limited download endpoint `GET /api/files/{token}`. **API-only** (no UI consumer yet) — covered by `tests/Api.Tests` (`LocalDiskFileStorageTests`, `FileDownloadTokenizerTests`, `FilesControllerTests`); see §2 + §15. Manual cases will follow when a feature (avatars/attachments) wires it to UI. FILES-3 added the **S3-compatible** backend (AWS/MinIO/R2/B2, config-gated by `Storage:S3:Bucket`), tested against a real **MinIO** container (`S3FileStorageMinioTests`); prod config is documented in `.env.example`. **This completes Wave 1** (RBAC + File storage).

- **Updated 2026-07-01** for GDPR data export (ADR-011, Wave 2): owner-only `POST /api/household/export`

assembles the tenant's data (core + each feature's contributor section) into a JSON bundle stored via file storage and returns a **signed download URL**; **secret-free** (no token hashes), tenant-scoped, audited. **API-only** (no UI button yet) — covered by `Api.Tests` (`TenantExportTests`); see §2 + §15.

- **Updated 2026-07-01** for GDPR account erasure (ADR-011): `DELETE /api/auth/me` ("delete my account") wipes the caller's identity/PII (`User`/`UserLogin`/`RefreshToken`/`LoginToken`) in one transaction, single-owner-safe (owner-with-members → transfer first; solo owner → confirm to dissolve; member removed, not re-homed), audited (the audit trail survives — actor ids, never PII). **API-only** — covered by `Api.Tests` (`AccountErasureTests`). **GDPR epic complete (export + erasure).**
- **Updated 2026-07-01** for MFA enrollment (ADR-012, Wave 2): authenticator-app **TOTP** (Otp.NET) — `/api/auth/mfa/*` (enroll → provisioning URI/QR; confirm with a code → enable + one-time recovery codes; disable; status). Secret **encrypted at rest** (Data Protection); recovery codes **hashed + single-use**; MFA rows wiped by account erasure. **API-only** (MFA-1) — covered by `Api.Tests` (`MfaServiceTests`). **MFA-2 (login step-up):** an MFA-on login returns a **signed challenge** instead of a session; `POST /api/auth/mfa/verify` completes it with a TOTP/recovery code. Wired into **OTP-verify + native-exchange**; the OAuth/magic-link **redirect** paths route to a client `/mfa` page (needs the MFA UI) and are a flagged **follow-up** — no template-web user can enable MFA via those paths today (no enrollment UI). Covered by `MfaChallengeServiceTests` + `MfaLoginServiceTests`. **This completes Wave 2** (GDPR + MFA).
- **Updated 2026-07-01** for in-app notifications (ADR-013, Wave 3): a **per-user** notification center — `GET /api/notifications` (paginated), `/unread-count`, `POST /{id}/read`, `/read-all` — scoped to the caller (never cross-user); features produce via `NotifyAsync` (staged in-app row). Notifications are user PII (wiped by account erasure). **API-only** — covered by `Api.Tests` (`NotificationServiceTests`). **NOTIFY-2:** per-user **delivery preferences** (`GET|PUT /api/notifications/preferences`, default both on) + `NotifyAsync` **fan-out** — in-app row + email via the outbox-backed `IEmailSender`, gated by prefs. Covered by `NotificationFanOutTests`. Bell-menu UI is an API-first follow-up. **NOTIFY epic + Wave 3's first item complete.**
- **Updated 2026-07-01** for the platform-staff admin surface (ADR-014, Wave 3): `GET /api/admin/tenants` (+ `/{id}`) — **staff-only** (config allowlist `Admin:StaffEmails`, out-of-band; non-staff → 403). Read-only cross-tenant inspection; the per-tenant detail **enters the target tenant** (the global filter is never loosened) and is **audited in that tenant**. **API-only** — covered by `Api.Tests` (`PlatformStaffServiceTests`, `AdminControllerTests`).
- **Updated 2026-07-01** for admin **impersonation** (ADR-014, ADMIN-2): `POST /api/admin/impersonate/{userId}` (staff-only) returns a **short-lived (15-min), non-refreshable** access token carrying the target's identity + an `impersonated_by` claim; **loudly audited in the target's tenant**. Unknown target → 404. Covered by `AdminControllerTests`. **This completes the ADMIN epic — and the planned platform** (nine epics, ADRs 006–014).
- **Updated 2026-07-01** — UI pass (putting a face on the API-first surfaces). **UI-1 (GDPR):** the owner **Data** → **Download household data** button on Household (**QA-HH-13**) and **Settings** → **Danger zone** → **Delete my account** (**QA-SET-07**) — wired to `POST /api/household/export` and `DELETE /api/auth/me` (single-owner-safe, with the dissolve second-confirm). EN/ES localized.
- **Updated 2026-07-01** — **UI-2 (MFA):** a **Two-factor authentication** card in Settings (`MfaCard` component) — enroll (`POST /api/auth/mfa/enroll`) renders a **client-side QR** of the `otpauth://` URI (vendored `qrcode-generator`, MIT, in `Shared.Ui/wwwroot/js/`; the secret never leaves the browser) alongside a manual key, confirm (`/confirm`) reveals one-time **recovery codes**, and **disable** (`/disable`) needs a live code. The **Login** page now handles the OTP-verify `mfa_required` response with a **step-up code prompt** → `POST /api/auth/mfa/verify` (TOTP or recovery code) → `/auth-callback`. **QA-MFA-01..03**; EN/ES localized. Native OTP + OAuth/magic-link step-up remain follow-ups (web-first).
- **Updated 2026-07-01** — **UI-3 (Notifications):** a **header bell** (`NotificationBell` component) — unread-count badge (polled ~60s), a dropdown list (newest-first, unread dot + relative time), click-to-mark-read and **Mark all read** via `GET /api/notifications[/unread-count]`, `POST /{id}/read`, `/read-all`. A **Notifications** card in Settings (`NotificationPrefsCard`) with **In-app**/**Email** switches (optimistic save, reverts on error) via `GET|PUT /api/notifications/preferences`. **QA-NOTIF-01..03**; EN/ES localized. (No built-in producer — items appear once a feature calls `NotifyAsync`.)
- **Updated 2026-07-01** — **UI-4 (Admin console):** a staff-only `/admin` page (`AdminConsole`) — tenant

list + detail (members/subscription/audit count) and **Sign in as** (impersonation). Staff detection uses a new **non-gating** probe `GET /api/admin/me` (`{is_staff}` for any authenticated caller — the only API addition in the UI pass; the allowlist stays config-only, actions still 403 for non-staff), so the header shows an **Admin** link only to staff. Impersonation swaps the in-memory session to the short-lived token (`AuthService.BeginImpersonation`), pins an **impersonation banner** in `MainLayout` (reads the `impersonated_by` claim), and **Stop impersonating** restores the staff identity from the refresh cookie; a reload also reverts (the token is non-refreshable). **QA-ADMIN-01..03**; EN/ES localized. **This completes the UI pass (UI-1..4).**

- **Updated 2026-07-01** — **MFA-3 (redirect step-up, security fix):** OAuth callback and magic-link

verify now route through `IMfaLoginService.CompleteOrChallengeAsync` (like the OTP path) instead of issuing a session directly — closing the gap where an MFA-enabled user could sign in via Google/ magic link and **skip the second factor**. When MFA is on, the server redirects to `/login?mfa=<challenge>` (a signed, single-use, 5-min Data-Protection token — no secret), and `Login.razor` reuses the UI-2 step-up prompt → `POST /api/auth/mfa/verify` → `/auth-callback`. Property covered by `MfaLoginServiceTests` (MFA-on → challenge, never a session); **QA-MFA-04**. The dead `IssueRefreshCookieAsync` helper was removed.

- **Updated 2026-07-01** — **MFA-4 (native step-up):** the MAUI client now handles the

`{mfa_required, challenge}` response on the native **OTP** and **OAuth-exchange** paths. `AuthService.VerifyOtpAsync`/`SignInWithOAuthAsync` now return a `SignInResult` (Success / Failed / MfaRequired+challenge) and a new `VerifyMfaAsync` completes the step-up (tokens in the body, native transport); `Login.razor`'s native branches reuse the same code prompt. Client-only — no API change; build-verified (native is E2E/manual per `MOBILE_TESTING.md`); **QA-MFA-05**. **MFA is now enforced on every sign-in path, web and native — the epic is fully closed, no open gaps.**

- **Updated 2026-07-01** — **BILLING-5 (quotas):** `IQuotaService` adds plan **seat** limits (members +

pending invites vs `Plan.SeatLimit`, enforced on the invite path → **402 `seat_limit_reached`**, with an upgrade message in the Household invite UI) and** metered usage** (`TryConsumeAsync` against a monthly, self-resetting `UsageCounter`). Limits are `PlanCatalog` data — `null`/absent = unlimited, so it's inert until set (template ships example caps: Free 3/3, Pro 10/100). New entity + migration `AddUsageCounter`. Covered by `QuotaServiceTests` (10 cases); **QA-HH-14**; EN/ES. Only **BILLING-6** (trial/dunning) and a billing-dissolve contributor remain from the BILLING epic.

- **Updated 2026-07-01** — **BILLING-6 (trial/dunning):** the owner-facing reaction to the subscription

lifecycle. `IBillingNotifier` notifies the tenant **owner** via the notification center (in-app bell + outbox email). The **webhook** notifies once on a transition into `past_due`/`canceled` (no spam; inbox dedups). A **`SubscriptionLapseSweepJob`** (6h) nudges once when a paid period lapses without a webhook, recording `Subscription.LapseNotifiedAt` (migration `AddSubscriptionLapseNotifiedAt`) — Stripe stays source of truth, no fabricated status. Covered by `BillingWebhookHandlerTests` + `SubscriptionLapseSweepJobTests`; manual via `stripe trigger`. **The BILLING epic is now complete** (1–6); only optional follow-ups remain (advance trial nudge; billing-dissolve contributor).

- **Updated 2026-07-01** — **PUBAPI-1 (public API + API keys, config-gated OFF):** a programmatic surface

for machines (the user reversed the earlier "no public API" stance). `ApiKey` (hash-only, `pk_…` revealed once; migration `AddApiKey`); a second **API-key auth scheme** mints a `tenant_id`-scoped principal (so tenant isolation applies for free); owner-only `/api/apikeys` management (`Permission.ManageApiKeys`); demo `/api/public/whoami` (read) + `/echo` (write) gated by `.RequireApiScope`. **`PublicApi:Enabled` (default false) — strong gating: off ⇒ the scheme isn't added and the routes 404.** Covered by `ApiKeyServiceTests` (9); boot-verified on (401 without a key) and off (404). HOOKS (outbound webhooks) is the companion outbound half — next.

- **Updated 2026-07-01** — **HOOKS-1 (outbound webhooks, config-gated OFF):** the outbound integration

half. `WebhookSubscription` (url + event types + **encrypted** signing secret, revealed once; migration `AddWebhookSubscription`); `IWebhookPublisher.PublishAsync` fans out to matching active subs → one `"webhook"` **outbox** message each (durable, retried, atomic with the change); `WebhookOutboxHandler` signs (HMAC-SHA256, `X-Webhook-Signature`) + POSTs, throwing on non-2xx so the outbox retries/dead-letters. Owner-only `/api/webhooks` (`Permission.ManageWebhooks`) with a synchronous **send test**. **`Webhooks:Enabled` (default false) — off ⇒ routes 404.** Covered by `WebhookSignatureTests` (3) + `WebhookSubscriptionServiceTests` + `WebhookDeliveryTests` (11 in `Webhooks/`); boot-verified on (401) and off (404). **This completes the integration story (PUBAPI inbound + HOOKS outbound), both default-off.**

- **Updated 2026-07-01** — **PUBAPI-2 (hardening): per-key rate limiting** (`RateLimiting.PublicApiPolicy`

partitions on the key id — 60/min, one key can't exhaust another's budget → 429; `RateLimitingTests` proves per-key isolation) and a **leak-free public OpenAPI doc** (`GET /api/public/openapi.json`, anonymous, emits only the `/api/public` routes so the internal `v1` surface is never exposed; boot-verified it serves in Production when enabled and 404s when off).

- **Updated 2026-07-01** — **HOOKS-2 (delivery log + replay):** a tenant-facing debug trail. `WebhookDelivery` records **one row per delivery attempt** (event, success, status/error, and the sent body; not `ITenantScoped` — written from the tenant-less dispatcher, read side filters by `TenantId`; migration `AddWebhookDelivery`). Owner routes `GET /api/webhooks/{id}/deliveries` + `POST /api/webhooks/deliveries/{id}/replay` (re-enqueue the exact stored payload, same event id). Covered by `WebhookDeliveryLogTests`. **Candidate HOOKS-3 (not built):** a Blazor management UI for webhooks/API keys.

- **Updated 2026-07-01** — **BILLING-7 (dissolve cleanup):** closed the one real gap — deleting a billing-enabled tenant left the Stripe subscription active (still charging). `BillingDataContributor` now wipes the `Subscription` projection on dissolve and **cancels the provider subscription** via a `"billing.cancel"` outbox message (`BillingCancelOutboxHandler` → new idempotent `IBillingProvider.CancelSubscriptionAsync`) — out-of-band, not an external call inside the teardown tx. `HasDataAsync`=false so billing never blocks leaving; export gains a secret-free `billing` section. Covered by `BillingDissolveTests` (6). **Closes the BILLING epic (1–7).**

- **Updated 2026-07-01** — added **§14b — manual QA for the API surfaces (PUBAPI + HOOKS)**: curl/Postman cases (QA-API-01..06) for the config gate, minting/using API keys (scopes, tenant-scoping, rate limit), and registering webhooks (send-test, signature verification, delivery log, replay). These surfaces have **no web UI by design** (they're for machines), so this is the human-testable complement to the automated tests — the Postman path is one import of `/api/public/openapi.json` away. Referenced from the §15 PUBAPI/HOOKS rows and the §2 "no client UI" note.

- **Updated 2026-07-02** — **E2E-in-CI (v2 audit B8-5/B8-6):** the Playwright suite is now booted and run on every push (the `e2e` job in `.github/workflows/ci.yml` — Postgres + Mailpit + API + Web) and was expanded beyond the auth happy-path to the **MFA enroll → step-up** journey (`MfaJourneyTests`, incl. a wrong-code negative) and the **login-page language switch** (`I18nTests`). Six manual cases now have a continuously-run Web equivalent and are marked ■■ **Automated in CI**: QA-SMK-01, QA-SMK-03, QA-AUTH-09, QA-MFA-01, QA-MFA-02, QA-I18N-01 (mapping table added under §15; how-to note in §2/§1 "How to use"). These stay in the manual plan for **Desktop/Android** (CI runs Web only) and area-change re-runs; human QA can spot-check them on Web rather than run them in full each cycle. `data-testid` hooks were added to `MfaCard` and `LanguageSwitcher` to keep the selectors stable.