

QA Run Log

Printable sign-off sheet — one row per test case from `docs/QA_TEST_PLAN.md`. Mark each case **Pass** / **Fail** / **Blocked** / **N-A**. Run the Smoke suite first; if any Smoke case fails, stop and report.

Tester		Date	2026-07-03
Build / commit SHA		Branch	
Client(s) under test	Web ☐ Desktop ☐ Android ☐	Mail → Mailpit?	Yes ☐ No ☐

96 cases — ● 13 Smoke ● 58 Core ● 25 Edge

§4 Smoke suite

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SMK-01	Web: OTP sign-in happy path (Web) ☐ ☐ Automated in CI	● Smoke		P / F / B / N-A	
QA-SMK-02	Web: Google OAuth sign-in	● Smoke	Web	P / F / B / N-A	
QA-SMK-03	Web: Sign out (Web) ☐ ☐ Automated in CI	● Smoke		P / F / B / N-A	
QA-SMK-04	Web: Session persists across reload ("remember me")	● Smoke	Web	P / F / B / N-A	
QA-SMK-05	Desktop: OTP sign-in	● Smoke	— alias	P / F / B / N-A	
QA-SMK-06	Android: OTP sign-in	● Smoke	— alias	P / F / B / N-A	
QA-SMK-07	API health & readiness	● Smoke	Platform	P / F / B / N-A	

§5 Web — Authentication

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-AUTH-01	Magic-link sign-in happy path (Web) ☐ ☐ Automated in CI	● Core		P / F / B / N-A	
QA-AUTH-02	Microsoft OAuth sign-in	● Core	Web	P / F / B / N-A	
QA-AUTH-03	OTP wrong code is rejected	● Core	Web	P / F / B / N-A	
QA-AUTH-04	OTP cumulative lockout & code expiry	● Edge	Web	P / F / B / N-A	
QA-AUTH-11	Passwordless endpoints are rate-limited	● Core	Web	P / F / B / N-A	
QA-AUTH-05	Magic link is single-use (Web) ☐ ☐ Automated in CI	● Edge		P / F / B / N-A	
QA-AUTH-06	Magic link expiry	● Edge	Web	P / F / B / N-A	
QA-AUTH-07	User-enumeration protection	● Core	Web	P / F / B / N-A	
QA-AUTH-08	Login error banners	● Edge	Web	P / F / B / N-A	
QA-AUTH-09	Email-format validation (Web) ☐ ☐ Automated in CI	● Edge		P / F / B / N-A	
QA-AUTH-10	Magic link & OTP available on web; OAuth always	● Edge	Web	P / F / B / N-A	

§6 Web — Onboarding & new tenant

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ONB-01	First-ever sign-in auto-creates a household, user is owner	● Smoke	Web	P / F / B / N-A	
QA-ONB-02	Returning user keeps their household	● Core	Web	P / F / B / N-A	

§7 Web — Household management

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-HH-01	Owner renames the household	● Core	Web	P / F / B / N-A	
QA-HH-02	Member sees read-only household, no owner controls (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-HH-03	Owner removes a member (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-HH-04	Owner cannot remove themselves	● Edge	Web	P / F / B / N-A	
QA-HH-05	Transfer ownership (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-HH-06	Owner with other members cannot directly leave/dissolve	● Edge	Web	P / F / B / N-A	
QA-HH-07	Sole owner dissolves the household (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-HH-08	Member leaves the household (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-HH-09	Owner promotes a member to admin (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-HH-10	Owner demotes an admin to member (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-HH-11	Admin sees management controls but not role/ownership controls (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-HH-12	Member sees no management controls (Web) ■■ Automated in CI	● Edge		P / F / B / N-A	
QA-HH-13	Owner exports household data	● Core	Web	P / F / B / N-A	
QA-HH-14	Seat quota blocks inviting past the plan limit (Web) ■■ Automated in CI	● Core		P / F / B / N-A	

§8 Web — Invitations & joining

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-INV-01	Owner invites by email; token revealed + email sent (Web) ■■ Automated in CI	● Smoke		P / F / B / N-A	
QA-INV-02	Invitee accepts and joins (two-user flow) (Web) ■■ Automated in CI	● Smoke		P / F / B / N-A	
QA-INV-03	Already-authenticated user accepts directly	● Core	Web	P / F / B / N-A	
QA-INV-04	Join link with missing token	● Edge	Web	P / F / B / N-A	
QA-INV-05	Join with invalid/expired/used token	● Core	Web	P / F / B / N-A	
QA-INV-06	Invite an existing member is rejected	● Core	Web	P / F / B / N-A	
QA-INV-07	Regenerate a pending invitation	● Core	Web	P / F / B / N-A	
QA-INV-08	Revoke a pending invitation (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-INV-09	Copy token button	● Edge	Web	P / F / B / N-A	

§9 Web — Settings / linked accounts

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SET-01	View linked providers	● Core	Web	P / F / B / N-A	
QA-SET-02	Link a second provider	● Core	Web	P / F / B / N-A	
QA-SET-03	Linking a provider already used by another account is rejected	● Core	Web	P / F / B / N-A	
QA-SET-04	Unlink a provider	● Core	Web	P / F / B / N-A	
QA-SET-05	Unlinking your only provider never locks you out	● Edge	Web	P / F / B / N-A	
QA-SET-06	Settings requires auth	● Edge	Web	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SET-07	Delete my account (Web) ■■ Automated in CI	● Core		P / F / B / N-A	

§? Other

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-MFA-01	Enable two-factor (authenticator TOTP) (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-MFA-02	Two-factor is required at sign-in (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-MFA-03	Use a recovery code, then disable two-factor	● Core	Web	P / F / B / N-A	
QA-MFA-04	Redirect logins (OAuth / magic link) enforce the step-up	● Core	Web	P / F / B / N-A	
QA-MFA-05	Native (MAUI) sign-in enforces the step-up	● Core	Desktop/Android	P / F / B / N-A	
QA-NOTIF-01	Notification bell + list (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-NOTIF-02	Mark read / mark all read (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-NOTIF-03	Delivery preferences (Web) ■■ Automated in CI	● Core		P / F / B / N-A	

§10 Web — Localization (i18n)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-I18N-01	Switch language on the login page (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-I18N-02	Language persists per user across sessions	● Core	Web	P / F / B / N-A	
QA-I18N-03	In-app UI is fully translated (no English leaks)	● Edge	Web	P / F / B / N-A	
QA-I18N-04	Email language matches the requester's UI language	● Core	Web	P / F / B / N-A	

§? Other

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ADMIN-01	Staff sees the console; non-staff don't (Web) ■■ Automated in CI	● Core		P / F / B / N-A	
QA-ADMIN-02	View a tenant is audited in that tenant	● Core	Web	P / F / B / N-A	
QA-ADMIN-03	Impersonate a user, then stop	● Core	Web	P / F / B / N-A	
QA-ADMIN-04	Staff announcement reaches a tenant's members (Web) ■■ Automated in CI	● Edge		P / F / B / N-A	
QA-BILL-01	Billing page shows plan + seats; owner-only (Web) ■■ Automated in CI	● Edge		P / F / B / N-A	
QA-BILL-02	Upgrade via checkout + provider webhook lands on Pro (Web) ■■ Automated in CI	● Core		P / F / B / N-A	

§11 Emails (Mailpit)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-MAIL-01	OTP email is branded & correct	● Core		P / F / B / N-A	
QA-MAIL-02	Magic-link email	● Core		P / F / B / N-A	
QA-MAIL-03	Invitation email	● Core		P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-MAIL-04	Logo renders in a real client	● Edge		P / F / B / N-A	

§12 Desktop — MAUI / Windows

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-DSK-01	OTP sign-in	● Smoke	Desktop	P / F / B / N-A	
QA-DSK-02	Google OAuth via loopback	● Core	Desktop	P / F / B / N-A	
QA-DSK-03	"Remember me" across app restart	● Core	Desktop	P / F / B / N-A	
QA-DSK-04	Household & Settings load (authorized API calls)	● Core	Desktop	P / F / B / N-A	
QA-DSK-05	Link a provider from Settings	● Edge	Desktop	P / F / B / N-A	
QA-DSK-06	Sign out	● Edge	Desktop	P / F / B / N-A	
QA-DSK-07	Core household flows work on desktop	● Edge	Desktop	P / F / B / N-A	

§13 Android — MAUI

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-AND-01	OTP sign-in	● Smoke	Android	P / F / B / N-A	
QA-AND-02	Google OAuth via custom scheme	● Core	Android	P / F / B / N-A	
QA-AND-03	"Remember me" across app restart	● Core	Android	P / F / B / N-A	
QA-AND-04	Household & Settings load	● Core	Android	P / F / B / N-A	
QA-AND-05	Navigation drawer / header is reachable	● Edge	Android	P / F / B / N-A	
QA-AND-06	Core flows on Android	● Edge	Android	P / F / B / N-A	

§14 Cross-cutting security

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SEC-01	Tenant isolation	● Smoke		P / F / B / N-A	
QA-SEC-02	Protected pages require auth	● Core		P / F / B / N-A	
QA-SEC-03	Session is gone after sign-out	● Core		P / F / B / N-A	
QA-SEC-04	Native open-redirect guard	● Edge	Desktop/Android	P / F / B / N-A	
QA-SEC-05	Server-side hardening	● Edge		P / F / B / N-A	

§? Other

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-API-01	Config gate: surfaces are 404 when disabled	● Edge	curl	P / F / B / N-A	
QA-API-02	Mint an API key (shown once)	● Core	curl	P / F / B / N-A	
QA-API-03	Call the public API with the key; scopes + tenant-scoping	● Core	curl / Postman	P / F / B / N-A	
QA-API-04	Per-key rate limit	● Core	curl	P / F / B / N-A	
QA-API-05	Register a webhook + send test + verify signature	● Core	curl	P / F / B / N-A	
QA-API-06	Delivery log + replay	● Core	curl	P / F / B / N-A	

Release gate

All ● **Smoke** + all ● **Core** cases Pass on Web; ● Smoke Pass on Desktop and Android; no open Critical/High defects. ● Edge cases triaged (Pass or accepted-known-issue).

Overall verdict	PASS ■ FAIL ■ CONDITIONAL ■	Signed	
-----------------	-----------------------------	--------	--