

# QA Run Log

Printable sign-off sheet — one row per test case from `docs/QA_TEST_PLAN.md`. Mark each case **Pass** / **Fail** / **Blocked** / **N-A**. Run the Smoke suite first; if any Smoke case fails, stop and report.

|                      |                                                   |               |                            |
|----------------------|---------------------------------------------------|---------------|----------------------------|
| Tester               |                                                   | Date          | 2026-07-09                 |
| Build / commit SHA   |                                                   | Branch        |                            |
| Client(s) under test | Web [ ] Desktop [ ] Android [ ] iOS [ ] macOS [ ] | Mail delivery | Mailpit [ ] Real email [ ] |

120 cases — • 18 Smoke • 71 Core • 31 Edge

## §4 Smoke suite (run first — ~15 min)

| Case ID   | Title                                               | Pri     | Client   | Result (circle one) | Notes / defect link |
|-----------|-----------------------------------------------------|---------|----------|---------------------|---------------------|
| QA-SMK-01 | Web: OTP sign-in happy path (Web) Automated in CI   | • Smoke |          | P / F / B / N-A     |                     |
| QA-SMK-02 | Web: Google OAuth sign-in                           | • Smoke | Web      | P / F / B / N-A     |                     |
| QA-SMK-03 | Web: Sign out (Web) Automated in CI                 | • Smoke |          | P / F / B / N-A     |                     |
| QA-SMK-04 | Web: Session persists across reload ("remember me") | • Smoke | Web      | P / F / B / N-A     |                     |
| QA-SMK-05 | Desktop: OTP sign-in                                | • Smoke | — alias  | P / F / B / N-A     |                     |
| QA-SMK-06 | Android: OTP sign-in                                | • Smoke | — alias  | P / F / B / N-A     |                     |
| QA-SMK-07 | API health & readiness                              | • Smoke | Platform | P / F / B / N-A     |                     |

## §5 Web — Authentication

| Case ID    | Title                                               | Pri    | Client | Result (circle one) | Notes / defect link |
|------------|-----------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-AUTH-01 | Magic-link sign-in happy path (Web) Automated in CI | • Core |        | P / F / B / N-A     |                     |
| QA-AUTH-02 | Microsoft OAuth sign-in                             | • Core | Web    | P / F / B / N-A     |                     |
| QA-AUTH-03 | OTP wrong code is rejected                          | • Core | Web    | P / F / B / N-A     |                     |
| QA-AUTH-04 | OTP cumulative lockout & code expiry                | • Edge | Web    | P / F / B / N-A     |                     |
| QA-AUTH-11 | Passwordless endpoints are rate-limited             | • Core | Web    | P / F / B / N-A     |                     |
| QA-AUTH-05 | Magic link is single-use (Web) Automated in CI      | • Edge |        | P / F / B / N-A     |                     |
| QA-AUTH-06 | Magic link expiry                                   | • Edge | Web    | P / F / B / N-A     |                     |
| QA-AUTH-07 | User-enumeration protection                         | • Core | Web    | P / F / B / N-A     |                     |
| QA-AUTH-08 | Login error banners                                 | • Edge | Web    | P / F / B / N-A     |                     |
| QA-AUTH-09 | Email-format validation (Web) Automated in CI       | • Edge |        | P / F / B / N-A     |                     |
| QA-AUTH-10 | Magic link & OTP available on web; OAuth always     | • Edge | Web    | P / F / B / N-A     |                     |

## §6 Web — Onboarding & new tenant

| Case ID   | Title                                                      | Pri     | Client | Result (circle one) | Notes / defect link |
|-----------|------------------------------------------------------------|---------|--------|---------------------|---------------------|
| QA-ONB-01 | First-ever sign-in auto-creates a household, user is owner | • Smoke | Web    | P / F / B / N-A     |                     |
| QA-ONB-02 | Returning user keeps their household                       | • Core  | Web    | P / F / B / N-A     |                     |

## §7 Web — Household management

| Case ID  | Title                                                                                | Pri    | Client | Result (circle one) | Notes / defect link |
|----------|--------------------------------------------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-HH-01 | Owner renames the household                                                          | • Core | Web    | P / F / B / N-A     |                     |
| QA-HH-02 | Member sees read-only household, no owner controls (Web) Automated in CI             | • Core |        | P / F / B / N-A     |                     |
| QA-HH-03 | Owner removes a member (Web) Automated in CI                                         | • Core |        | P / F / B / N-A     |                     |
| QA-HH-04 | Owner cannot remove themselves                                                       | • Edge | Web    | P / F / B / N-A     |                     |
| QA-HH-05 | Transfer ownership (Web) Automated in CI                                             | • Core |        | P / F / B / N-A     |                     |
| QA-HH-06 | Owner with other members cannot directly leave/dissolve                              | • Edge | Web    | P / F / B / N-A     |                     |
| QA-HH-07 | Sole owner dissolves the household (Web) Automated in CI                             | • Core |        | P / F / B / N-A     |                     |
| QA-HH-08 | Member leaves the household (Web) Automated in CI                                    | • Core |        | P / F / B / N-A     |                     |
| QA-HH-09 | Owner promotes a member to admin (Web) Automated in CI                               | • Core |        | P / F / B / N-A     |                     |
| QA-HH-10 | Owner demotes an admin to member (Web) Automated in CI                               | • Core |        | P / F / B / N-A     |                     |
| QA-HH-11 | Admin sees management controls but not role/ownership controls (Web) Automated in CI | • Core |        | P / F / B / N-A     |                     |
| QA-HH-12 | Member sees no management controls (Web) Automated in CI                             | • Edge |        | P / F / B / N-A     |                     |
| QA-HH-13 | Owner exports household data                                                         | • Core | Web    | P / F / B / N-A     |                     |
| QA-HH-14 | Seat quota blocks inviting past the plan limit (Web) Automated in CI                 | • Core |        | P / F / B / N-A     |                     |

## §8 Web — Invitations & joining

| Case ID   | Title                                                                     | Pri     | Client | Result (circle one) | Notes / defect link |
|-----------|---------------------------------------------------------------------------|---------|--------|---------------------|---------------------|
| QA-INV-01 | Owner invites by email; token revealed + email sent (Web) Automated in CI | • Smoke |        | P / F / B / N-A     |                     |
| QA-INV-02 | Invitee accepts and joins (two-user flow) (Web) Automated in CI           | • Smoke |        | P / F / B / N-A     |                     |
| QA-INV-03 | Already-authenticated user accepts directly                               | • Core  | Web    | P / F / B / N-A     |                     |
| QA-INV-04 | Join link with missing token                                              | • Edge  | Web    | P / F / B / N-A     |                     |
| QA-INV-05 | Join with invalid/expired/used token                                      | • Core  | Web    | P / F / B / N-A     |                     |
| QA-INV-06 | Invite an existing member is rejected                                     | • Core  | Web    | P / F / B / N-A     |                     |
| QA-INV-07 | Regenerate a pending invitation                                           | • Core  | Web    | P / F / B / N-A     |                     |
| QA-INV-08 | Revoke a pending invitation (Web) Automated in CI                         | • Core  |        | P / F / B / N-A     |                     |
| QA-INV-09 | Copy token button                                                         | • Edge  | Web    | P / F / B / N-A     |                     |

## §9 Web — Settings / linked accounts

| Case ID   | Title                                                          | Pri    | Client | Result (circle one) | Notes / defect link |
|-----------|----------------------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-SET-01 | View linked providers                                          | • Core | Web    | P / F / B / N-A     |                     |
| QA-SET-02 | Link a second provider                                         | • Core | Web    | P / F / B / N-A     |                     |
| QA-SET-03 | Linking a provider already used by another account is rejected | • Core | Web    | P / F / B / N-A     |                     |
| QA-SET-04 | Unlink a provider                                              | • Core | Web    | P / F / B / N-A     |                     |
| QA-SET-05 | Unlinking your only provider never locks you out               | • Edge | Web    | P / F / B / N-A     |                     |
| QA-SET-06 | Settings requires auth                                         | • Edge | Web    | P / F / B / N-A     |                     |

| Case ID     | Title                                                        | Pri    | Client          | Result (circle one) | Notes / defect link |
|-------------|--------------------------------------------------------------|--------|-----------------|---------------------|---------------------|
| QA-SET-07   | Delete my account (Web) Automated in CI                      | • Core |                 | P / F / B / N-A     |                     |
| QA-MFA-01   | Enable two-factor (authenticator TOTP) (Web) Automated in CI | • Core |                 | P / F / B / N-A     |                     |
| QA-MFA-02   | Two-factor is required at sign-in (Web) Automated in CI      | • Core |                 | P / F / B / N-A     |                     |
| QA-MFA-03   | Use a recovery code, then disable two-factor                 | • Core | Web             | P / F / B / N-A     |                     |
| QA-MFA-04   | Redirect logins (OAuth / magic link) enforce the step-up     | • Core | Web             | P / F / B / N-A     |                     |
| QA-MFA-05   | Native (MAUI) sign-in enforces the step-up                   | • Core | Desktop/Android | P / F / B / N-A     |                     |
| QA-NOTIF-01 | Notification bell + list (Web) Automated in CI               | • Core |                 | P / F / B / N-A     |                     |
| QA-NOTIF-02 | Mark read / mark all read (Web) Automated in CI              | • Core |                 | P / F / B / N-A     |                     |
| QA-NOTIF-04 | Delete a notification / clear read / clear all               | • Edge | Web             | P / F / B / N-A     |                     |
| QA-NOTIF-03 | Delivery preferences (Web) Automated in CI                   | • Core |                 | P / F / B / N-A     |                     |

## §10 Web — Localization (i18n)

| Case ID    | Title                                                   | Pri    | Client | Result (circle one) | Notes / defect link |
|------------|---------------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-I18N-01 | Switch language on the login page (Web) Automated in CI | • Core |        | P / F / B / N-A     |                     |
| QA-I18N-02 | Language persists per user across sessions              | • Core | Web    | P / F / B / N-A     |                     |
| QA-I18N-03 | In-app UI is fully translated (no English leaks)        | • Edge | Web    | P / F / B / N-A     |                     |
| QA-I18N-04 | Email language matches the requester's UI language      | • Core | Web    | P / F / B / N-A     |                     |

## §10b Web — Admin console (platform staff)

| Case ID     | Title                                                               | Pri    | Client | Result (circle one) | Notes / defect link |
|-------------|---------------------------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-ADMIN-01 | Staff sees the console; non-staff don't (Web) Automated in CI       | • Core |        | P / F / B / N-A     |                     |
| QA-ADMIN-02 | View a tenant is audited in that tenant                             | • Core | Web    | P / F / B / N-A     |                     |
| QA-ADMIN-03 | Impersonate a user, then stop                                       | • Core | Web    | P / F / B / N-A     |                     |
| QA-ADMIN-04 | Staff announcement reaches a tenant's members (Web) Automated in CI | • Edge |        | P / F / B / N-A     |                     |
| QA-ADMIN-05 | Platform-wide broadcast reaches every user                          | • Edge | Web    | P / F / B / N-A     |                     |
| QA-ADMIN-06 | Comp a tenant to Pro and revert                                     | • Edge | Web    | P / F / B / N-A     |                     |

## §10c Web — Billing page

| Case ID    | Title                                                                      | Pri    | Client | Result (circle one) | Notes / defect link |
|------------|----------------------------------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-BILL-01 | Billing page shows plan + seats; owner-only (Web) Automated in CI          | • Edge |        | P / F / B / N-A     |                     |
| QA-BILL-02 | Upgrade via checkout + provider webhook lands on Pro (Web) Automated in CI | • Core |        | P / F / B / N-A     |                     |

## §11 Emails (Mailpit) — branding & content

| Case ID    | Title                          | Pri    | Client | Result (circle one) | Notes / defect link |
|------------|--------------------------------|--------|--------|---------------------|---------------------|
| QA-MAIL-01 | OTP email is branded & correct | • Core |        | P / F / B / N-A     |                     |
| QA-MAIL-02 | Magic-link email               | • Core |        | P / F / B / N-A     |                     |
| QA-MAIL-03 | Invitation email               | • Core |        | P / F / B / N-A     |                     |
| QA-MAIL-04 | Logo renders in a real client  | • Edge |        | P / F / B / N-A     |                     |

## §12 Desktop — MAUI / Windows

| Case ID   | Title                                                 | Pri     | Client  | Result (circle one) | Notes / defect link |
|-----------|-------------------------------------------------------|---------|---------|---------------------|---------------------|
| QA-DSK-01 | OTP sign-in (Desktop) Automated in CI                 | • Smoke |         | P / F / B / N-A     |                     |
| QA-DSK-02 | Google OAuth via loopback                             | • Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-03 | "Remember me" across app restart                      | • Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-04 | Household & Settings load (authorized API calls)      | • Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-05 | Link a provider from Settings                         | • Edge  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-06 | Sign out                                              | • Edge  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-07 | Core household flows work on desktop                  | • Edge  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-08 | Join a household by pasted invite code                | • Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-09 | Language choice survives an app restart               | • Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-10 | Data export downloads via the OS                      | • Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-11 | Billing: checkout leaves, summary refreshes on return | • Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-12 | MFA: enroll and native step-up                        | • Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-13 | Notification bell & preferences                       | • Edge  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-14 | Admin console on desktop (staff only)                 | • Edge  | Desktop | P / F / B / N-A     |                     |

## §13 Android — MAUI

| Case ID   | Title                                                 | Pri     | Client  | Result (circle one) | Notes / defect link |
|-----------|-------------------------------------------------------|---------|---------|---------------------|---------------------|
| QA-AND-01 | OTP sign-in (Android) Automated in CI                 | • Smoke |         | P / F / B / N-A     |                     |
| QA-AND-02 | Google OAuth via custom scheme                        | • Core  | Android | P / F / B / N-A     |                     |
| QA-AND-03 | "Remember me" across app restart                      | • Core  | Android | P / F / B / N-A     |                     |
| QA-AND-04 | Household & Settings load                             | • Core  | Android | P / F / B / N-A     |                     |
| QA-AND-05 | Navigation drawer / header is reachable               | • Edge  | Android | P / F / B / N-A     |                     |
| QA-AND-06 | Core flows on Android                                 | • Edge  | Android | P / F / B / N-A     |                     |
| QA-AND-07 | Hardware back navigates in-app history                | • Smoke | Android | P / F / B / N-A     |                     |
| QA-AND-08 | Join a household by pasted invite code                | • Core  | Android | P / F / B / N-A     |                     |
| QA-AND-09 | Language choice survives an app restart               | • Core  | Android | P / F / B / N-A     |                     |
| QA-AND-10 | Data export via the share sheet                       | • Core  | Android | P / F / B / N-A     |                     |
| QA-AND-11 | Billing: checkout leaves, summary refreshes on return | • Core  | Android | P / F / B / N-A     |                     |
| QA-AND-12 | MFA: enroll and native step-up                        | • Core  | Android | P / F / B / N-A     |                     |
| QA-AND-13 | Edge-to-edge / status bar on Android 15               | • Edge  | Android | P / F / B / N-A     |                     |

## §13b iOS + macCatalyst — first-run smoke

| Case ID   | Title                         | Pri     | Client | Result (circle one) | Notes / defect link |
|-----------|-------------------------------|---------|--------|---------------------|---------------------|
| QA-IOS-01 | App boots to the login screen | • Smoke | iOS    | P / F / B / N-A     |                     |

| Case ID   | Title                                | Pri     | Client      | Result (circle one) | Notes / defect link |
|-----------|--------------------------------------|---------|-------------|---------------------|---------------------|
| QA-IOS-02 | OTP sign-in                          | • Smoke | iOS         | P / F / B / N-A     |                     |
| QA-IOS-03 | Core flows spot-check                | • Core  | iOS         | P / F / B / N-A     |                     |
| QA-IOS-04 | OAuth via ASWebAuthenticationSession | • Core  | iOS         | P / F / B / N-A     |                     |
| QA-MAC-01 | App launches at a usable window      | • Smoke | macCatalyst | P / F / B / N-A     |                     |
| QA-MAC-02 | OTP sign-in                          | • Smoke | macCatalyst | P / F / B / N-A     |                     |
| QA-MAC-03 | Core flows + OAuth spot-check        | • Core  | macCatalyst | P / F / B / N-A     |                     |

## §14 Cross-cutting security

| Case ID   | Title                          | Pri     | Client          | Result (circle one) | Notes / defect link |
|-----------|--------------------------------|---------|-----------------|---------------------|---------------------|
| QA-SEC-01 | Tenant isolation               | • Smoke |                 | P / F / B / N-A     |                     |
| QA-SEC-02 | Protected pages require auth   | • Core  |                 | P / F / B / N-A     |                     |
| QA-SEC-03 | Session is gone after sign-out | • Core  |                 | P / F / B / N-A     |                     |
| QA-SEC-04 | Native open-redirect guard     | • Edge  | Desktop/Android | P / F / B / N-A     |                     |
| QA-SEC-05 | Server-side hardening          | • Edge  |                 | P / F / B / N-A     |                     |

## §14b API surfaces — PUBAPI + HOOKS (config-gated; curl / Postman)

| Case ID   | Title                                                     | Pri    | Client         | Result (circle one) | Notes / defect link |
|-----------|-----------------------------------------------------------|--------|----------------|---------------------|---------------------|
| QA-API-01 | Config gate: surfaces are 404 when disabled               | • Edge | curl           | P / F / B / N-A     |                     |
| QA-API-02 | Mint an API key (shown once)                              | • Core | curl           | P / F / B / N-A     |                     |
| QA-API-03 | Call the public API with the key; scopes + tenant-scoping | • Core | curl / Postman | P / F / B / N-A     |                     |
| QA-API-04 | Per-key rate limit                                        | • Core | curl           | P / F / B / N-A     |                     |
| QA-API-05 | Register a webhook + send test + verify signature         | • Core | curl           | P / F / B / N-A     |                     |
| QA-API-06 | Delivery log + replay                                     | • Core | curl           | P / F / B / N-A     |                     |

## Release gate

All • **Smoke** + all • **Core** cases Pass on Web; • **Smoke** Pass on Desktop and Android; no open Critical/High defects. • **Edge** cases triaged (Pass or accepted-known-issue).

|                        |                                   |               |  |
|------------------------|-----------------------------------|---------------|--|
| <b>Overall verdict</b> | PASS [ ] FAIL [ ] CONDITIONAL [ ] | <b>Signed</b> |  |
|------------------------|-----------------------------------|---------------|--|