

# QA Run Log

Printable sign-off sheet — one row per test case from `docs/QA_TEST_PLAN.md`. Mark each case **Pass** / **Fail** / **Blocked** / **N-A**. Run the Smoke suite first; if any Smoke case fails, stop and report.

|                      |                                                                                                |                 |                                                          |
|----------------------|------------------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------|
| Tester               |                                                                                                | Date            | 2026-07-01                                               |
| Build / commit SHA   |                                                                                                | Branch          |                                                          |
| Client(s) under test | Web <input type="checkbox"/> Desktop <input type="checkbox"/> Android <input type="checkbox"/> | Mail → Mailpit? | Yes <input type="checkbox"/> No <input type="checkbox"/> |

85 cases — ● 13 Smoke ● 50 Core ● 22 Edge

## §4 Smoke suite

| Case ID   | Title                                               | Pri                                      | Client   | Result (circle one) | Notes / defect link |
|-----------|-----------------------------------------------------|------------------------------------------|----------|---------------------|---------------------|
| QA-SMK-01 | Web: OTP sign-in happy path                         | <span style="color: red;">●</span> Smoke | Web      | P / F / B / N-A     |                     |
| QA-SMK-02 | Web: Google OAuth sign-in                           | <span style="color: red;">●</span> Smoke | Web      | P / F / B / N-A     |                     |
| QA-SMK-03 | Web: Sign out                                       | <span style="color: red;">●</span> Smoke | Web      | P / F / B / N-A     |                     |
| QA-SMK-04 | Web: Session persists across reload ("remember me") | <span style="color: red;">●</span> Smoke | Web      | P / F / B / N-A     |                     |
| QA-SMK-05 | Desktop: OTP sign-in                                | <span style="color: red;">●</span> Smoke | — alias  | P / F / B / N-A     |                     |
| QA-SMK-06 | Android: OTP sign-in                                | <span style="color: red;">●</span> Smoke | — alias  | P / F / B / N-A     |                     |
| QA-SMK-07 | API health & readiness                              | <span style="color: red;">●</span> Smoke | Platform | P / F / B / N-A     |                     |

## §5 Web — Authentication

| Case ID    | Title                                           | Pri                                        | Client | Result (circle one) | Notes / defect link |
|------------|-------------------------------------------------|--------------------------------------------|--------|---------------------|---------------------|
| QA-AUTH-01 | Magic-link sign-in happy path                   | <span style="color: orange;">●</span> Core | Web    | P / F / B / N-A     |                     |
| QA-AUTH-02 | Microsoft OAuth sign-in                         | <span style="color: orange;">●</span> Core | Web    | P / F / B / N-A     |                     |
| QA-AUTH-03 | OTP wrong code is rejected                      | <span style="color: orange;">●</span> Core | Web    | P / F / B / N-A     |                     |
| QA-AUTH-04 | OTP cumulative lockout & code expiry            | <span style="color: green;">●</span> Edge  | Web    | P / F / B / N-A     |                     |
| QA-AUTH-11 | Passwordless endpoints are rate-limited         | <span style="color: orange;">●</span> Core | Web    | P / F / B / N-A     |                     |
| QA-AUTH-05 | Magic link is single-use                        | <span style="color: green;">●</span> Edge  | Web    | P / F / B / N-A     |                     |
| QA-AUTH-06 | Magic link expiry                               | <span style="color: green;">●</span> Edge  | Web    | P / F / B / N-A     |                     |
| QA-AUTH-07 | User-enumeration protection                     | <span style="color: orange;">●</span> Core | Web    | P / F / B / N-A     |                     |
| QA-AUTH-08 | Login error banners                             | <span style="color: green;">●</span> Edge  | Web    | P / F / B / N-A     |                     |
| QA-AUTH-09 | Email-format validation                         | <span style="color: green;">●</span> Edge  | Web    | P / F / B / N-A     |                     |
| QA-AUTH-10 | Magic link & OTP available on web; OAuth always | <span style="color: green;">●</span> Edge  | Web    | P / F / B / N-A     |                     |

## §6 Web — Onboarding & new tenant

| Case ID   | Title                                                      | Pri                                        | Client | Result (circle one) | Notes / defect link |
|-----------|------------------------------------------------------------|--------------------------------------------|--------|---------------------|---------------------|
| QA-ONB-01 | First-ever sign-in auto-creates a household, user is owner | <span style="color: red;">●</span> Smoke   | Web    | P / F / B / N-A     |                     |
| QA-ONB-02 | Returning user keeps their household                       | <span style="color: orange;">●</span> Core | Web    | P / F / B / N-A     |                     |

## §7 Web — Household management

| Case ID  | Title                                                          | Pri    | Client | Result (circle one) | Notes / defect link |
|----------|----------------------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-HH-01 | Owner renames the household                                    | ● Core | Web    | P / F / B / N-A     |                     |
| QA-HH-02 | Member sees read-only household, no owner controls             | ● Core | Web    | P / F / B / N-A     |                     |
| QA-HH-03 | Owner removes a member                                         | ● Core | Web    | P / F / B / N-A     |                     |
| QA-HH-04 | Owner cannot remove themselves                                 | ● Edge | Web    | P / F / B / N-A     |                     |
| QA-HH-05 | Transfer ownership                                             | ● Core | Web    | P / F / B / N-A     |                     |
| QA-HH-06 | Owner with other members cannot directly leave/dissolve        | ● Edge | Web    | P / F / B / N-A     |                     |
| QA-HH-07 | Sole owner dissolves the household                             | ● Core | Web    | P / F / B / N-A     |                     |
| QA-HH-08 | Member leaves the household                                    | ● Core | Web    | P / F / B / N-A     |                     |
| QA-HH-09 | Owner promotes a member to admin                               | ● Core | Web    | P / F / B / N-A     |                     |
| QA-HH-10 | Owner demotes an admin to member                               | ● Core | Web    | P / F / B / N-A     |                     |
| QA-HH-11 | Admin sees management controls but not role/ownership controls | ● Core | Web    | P / F / B / N-A     |                     |
| QA-HH-12 | Member sees no management controls                             | ● Edge | Web    | P / F / B / N-A     |                     |
| QA-HH-13 | Owner exports household data                                   | ● Core | Web    | P / F / B / N-A     |                     |

## §8 Web — Invitations & joining

| Case ID   | Title                                               | Pri     | Client | Result (circle one) | Notes / defect link |
|-----------|-----------------------------------------------------|---------|--------|---------------------|---------------------|
| QA-INV-01 | Owner invites by email; token revealed + email sent | ● Smoke | Web    | P / F / B / N-A     |                     |
| QA-INV-02 | Invitee accepts and joins (two-user flow)           | ● Smoke | Web    | P / F / B / N-A     |                     |
| QA-INV-03 | Already-authenticated user accepts directly         | ● Core  | Web    | P / F / B / N-A     |                     |
| QA-INV-04 | Join link with missing token                        | ● Edge  | Web    | P / F / B / N-A     |                     |
| QA-INV-05 | Join with invalid/expired/used token                | ● Core  | Web    | P / F / B / N-A     |                     |
| QA-INV-06 | Invite an existing member is rejected               | ● Core  | Web    | P / F / B / N-A     |                     |
| QA-INV-07 | Regenerate a pending invitation                     | ● Core  | Web    | P / F / B / N-A     |                     |
| QA-INV-08 | Revoke a pending invitation                         | ● Core  | Web    | P / F / B / N-A     |                     |
| QA-INV-09 | Copy token button                                   | ● Edge  | Web    | P / F / B / N-A     |                     |

## §9 Web — Settings / linked accounts

| Case ID   | Title                                                          | Pri    | Client | Result (circle one) | Notes / defect link |
|-----------|----------------------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-SET-01 | View linked providers                                          | ● Core | Web    | P / F / B / N-A     |                     |
| QA-SET-02 | Link a second provider                                         | ● Core | Web    | P / F / B / N-A     |                     |
| QA-SET-03 | Linking a provider already used by another account is rejected | ● Core | Web    | P / F / B / N-A     |                     |
| QA-SET-04 | Unlink a provider                                              | ● Core | Web    | P / F / B / N-A     |                     |
| QA-SET-05 | Unlinking your only provider never locks you out               | ● Edge | Web    | P / F / B / N-A     |                     |
| QA-SET-06 | Settings requires auth                                         | ● Edge | Web    | P / F / B / N-A     |                     |
| QA-SET-07 | Delete my account                                              | ● Core | Web    | P / F / B / N-A     |                     |

## §? Other

| Case ID   | Title                                        | Pri    | Client | Result (circle one) | Notes / defect link |
|-----------|----------------------------------------------|--------|--------|---------------------|---------------------|
| QA-MFA-01 | Enable two-factor (authenticator TOTP)       | ● Core | Web    | P / F / B / N-A     |                     |
| QA-MFA-02 | Two-factor is required at sign-in            | ● Core | Web    | P / F / B / N-A     |                     |
| QA-MFA-03 | Use a recovery code, then disable two-factor | ● Core | Web    | P / F / B / N-A     |                     |

| Case ID     | Title                                                    | Pri    | Client | Result (circle one) | Notes / defect link |
|-------------|----------------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-MFA-04   | Redirect logins (OAuth / magic link) enforce the step-up | ● Core | Web    | P / F / B / N-A     |                     |
| QA-NOTIF-01 | Notification bell + list                                 | ● Core | Web    | P / F / B / N-A     |                     |
| QA-NOTIF-02 | Mark read / mark all read                                | ● Core | Web    | P / F / B / N-A     |                     |
| QA-NOTIF-03 | Delivery preferences                                     | ● Core | Web    | P / F / B / N-A     |                     |

## §10 Web — Localization (i18n)

| Case ID    | Title                                              | Pri    | Client | Result (circle one) | Notes / defect link |
|------------|----------------------------------------------------|--------|--------|---------------------|---------------------|
| QA-I18N-01 | Switch language on the login page                  | ● Core | Web    | P / F / B / N-A     |                     |
| QA-I18N-02 | Language persists per user across sessions         | ● Core | Web    | P / F / B / N-A     |                     |
| QA-I18N-03 | In-app UI is fully translated (no English leaks)   | ● Edge | Web    | P / F / B / N-A     |                     |
| QA-I18N-04 | Email language matches the requester's UI language | ● Core | Web    | P / F / B / N-A     |                     |

## §? Other

| Case ID     | Title                                   | Pri    | Client | Result (circle one) | Notes / defect link |
|-------------|-----------------------------------------|--------|--------|---------------------|---------------------|
| QA-ADMIN-01 | Staff sees the console; non-staff don't | ● Core | Web    | P / F / B / N-A     |                     |
| QA-ADMIN-02 | View a tenant is audited in that tenant | ● Core | Web    | P / F / B / N-A     |                     |
| QA-ADMIN-03 | Impersonate a user, then stop           | ● Core | Web    | P / F / B / N-A     |                     |

## §11 Emails (Mailpit)

| Case ID    | Title                          | Pri    | Client | Result (circle one) | Notes / defect link |
|------------|--------------------------------|--------|--------|---------------------|---------------------|
| QA-MAIL-01 | OTP email is branded & correct | ● Core |        | P / F / B / N-A     |                     |
| QA-MAIL-02 | Magic-link email               | ● Core |        | P / F / B / N-A     |                     |
| QA-MAIL-03 | Invitation email               | ● Core |        | P / F / B / N-A     |                     |
| QA-MAIL-04 | Logo renders in a real client  | ● Edge |        | P / F / B / N-A     |                     |

## §12 Desktop — MAUI / Windows

| Case ID   | Title                                            | Pri     | Client  | Result (circle one) | Notes / defect link |
|-----------|--------------------------------------------------|---------|---------|---------------------|---------------------|
| QA-DSK-01 | OTP sign-in                                      | ● Smoke | Desktop | P / F / B / N-A     |                     |
| QA-DSK-02 | Google OAuth via loopback                        | ● Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-03 | "Remember me" across app restart                 | ● Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-04 | Household & Settings load (authorized API calls) | ● Core  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-05 | Link a provider from Settings                    | ● Edge  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-06 | Sign out                                         | ● Edge  | Desktop | P / F / B / N-A     |                     |
| QA-DSK-07 | Core household flows work on desktop             | ● Edge  | Desktop | P / F / B / N-A     |                     |

## §13 Android — MAUI

| Case ID   | Title       | Pri     | Client  | Result (circle one) | Notes / defect link |
|-----------|-------------|---------|---------|---------------------|---------------------|
| QA-AND-01 | OTP sign-in | ● Smoke | Android | P / F / B / N-A     |                     |

| Case ID   | Title                                   | Pri    | Client  | Result (circle one) | Notes / defect link |
|-----------|-----------------------------------------|--------|---------|---------------------|---------------------|
| QA-AND-02 | Google OAuth via custom scheme          | ● Core | Android | P / F / B / N-A     |                     |
| QA-AND-03 | "Remember me" across app restart        | ● Core | Android | P / F / B / N-A     |                     |
| QA-AND-04 | Household & Settings load               | ● Core | Android | P / F / B / N-A     |                     |
| QA-AND-05 | Navigation drawer / header is reachable | ● Edge | Android | P / F / B / N-A     |                     |
| QA-AND-06 | Core flows on Android                   | ● Edge | Android | P / F / B / N-A     |                     |

## §14 Cross-cutting security

| Case ID   | Title                          | Pri     | Client          | Result (circle one) | Notes / defect link |
|-----------|--------------------------------|---------|-----------------|---------------------|---------------------|
| QA-SEC-01 | Tenant isolation               | ● Smoke |                 | P / F / B / N-A     |                     |
| QA-SEC-02 | Protected pages require auth   | ● Core  |                 | P / F / B / N-A     |                     |
| QA-SEC-03 | Session is gone after sign-out | ● Core  |                 | P / F / B / N-A     |                     |
| QA-SEC-04 | Native open-redirect guard     | ● Edge  | Desktop/Android | P / F / B / N-A     |                     |
| QA-SEC-05 | Server-side hardening          | ● Edge  |                 | P / F / B / N-A     |                     |

## Release gate

All ● **Smoke** + all ● **Core** cases Pass on Web; ● Smoke Pass on Desktop and Android; no open Critical/High defects. ● Edge cases triaged (Pass or accepted-known-issue).

|                        |                             |               |  |
|------------------------|-----------------------------|---------------|--|
| <b>Overall verdict</b> | PASS ■ FAIL ■ CONDITIONAL ■ | <b>Signed</b> |  |
|------------------------|-----------------------------|---------------|--|