

QA Run Log

Printable sign-off sheet — one row per test case from `docs/QA_TEST_PLAN.md`. Mark each case **Pass** / **Fail** / **Blocked** / **N-A**. Run the Smoke suite first; if any Smoke case fails, stop and report.

Tester		Date	2026-10-04
Build / commit SHA		Branch	
Client(s) under test	Web [] Desktop [] Android [] iOS [] macOS []	Mail delivery	Mailpit [] Real email []

204 cases — • 24 Smoke • 143 Core • 37 Edge

§4 Smoke suite (run first — ~15 min)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SMK-01	Web: OTP sign-in happy path (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-SMK-02	Web: Google OAuth sign-in	• Smoke	Web	P / F / B / N-A	
QA-SMK-03	Web: Sign out (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-SMK-04	Web: Session persists across reload ("remember me")	• Smoke	Web	P / F / B / N-A	
QA-SMK-05	Desktop: OTP sign-in	• Smoke	— alias	P / F / B / N-A	
QA-SMK-06	Android: OTP sign-in	• Smoke	— alias	P / F / B / N-A	
QA-SMK-07	API health & readiness	• Smoke	Platform	P / F / B / N-A	

§5 Web — Authentication

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-AUTH-01	Magic-link sign-in happy path (Web) Automated in CI	• Core		P / F / B / N-A	
QA-AUTH-02	Microsoft OAuth sign-in	• Core	Web	P / F / B / N-A	
QA-AUTH-03	OTP wrong code is rejected	• Core	Web	P / F / B / N-A	
QA-AUTH-04	OTP cumulative lockout & code expiry	• Edge	Web	P / F / B / N-A	
QA-AUTH-11	Passwordless endpoints are rate-limited	• Core	Web	P / F / B / N-A	
QA-AUTH-05	Magic link is single-use (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-AUTH-06	Magic link expiry	• Edge	Web	P / F / B / N-A	
QA-AUTH-07	User-enumeration protection	• Core	Web	P / F / B / N-A	
QA-AUTH-08	Login error banners	• Edge	Web	P / F / B / N-A	
QA-AUTH-09	Email-format validation (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-AUTH-10	Magic link & OTP available on web; OAuth always	• Edge	Web	P / F / B / N-A	

§6 Web — Onboarding & new tenant

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ONB-01	First-ever sign-in auto-creates a household, user is owner	• Smoke	Web	P / F / B / N-A	
QA-ONB-02	Returning user keeps their household	• Core	Web	P / F / B / N-A	

§7 Web — Household management

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-HH-01	Owner renames the household	• Core	Web	P / F / B / N-A	
QA-HH-02	Member sees read-only household, no owner controls (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-03	Owner removes a member (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-04	Owner cannot remove themselves	• Edge	Web	P / F / B / N-A	
QA-HH-05	Transfer ownership (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-06	Owner with other members cannot directly leave/dissolve	• Edge	Web	P / F / B / N-A	
QA-HH-07	Sole owner dissolves the household (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-08	Member leaves the household (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-09	Owner promotes a member to admin (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-10	Owner demotes an admin to member (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-11	Admin sees management controls but not role/ownership controls (Web) Automated in CI	• Core		P / F / B / N-A	
QA-HH-12	Member sees no management controls (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-HH-13	Owner exports household data	• Core	Web	P / F / B / N-A	
QA-HH-14	Seat quota blocks inviting past the plan limit (Web) Automated in CI	• Core		P / F / B / N-A	

§8 Web — Invitations & joining

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-INV-01	Owner invites by email; token revealed + email sent (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-INV-02	Invitee accepts and joins (two-user flow) (Web) Automated in CI	• Smoke		P / F / B / N-A	
QA-INV-03	Already-authenticated user accepts directly	• Core	Web	P / F / B / N-A	
QA-INV-04	Join page with no token offers manual code entry	• Edge	Web	P / F / B / N-A	
QA-INV-05	Join with invalid/expired/used token	• Core	Web	P / F / B / N-A	
QA-INV-06	Invite an existing member is rejected	• Core	Web	P / F / B / N-A	
QA-INV-07	Regenerate a pending invitation	• Core	Web	P / F / B / N-A	
QA-INV-08	Revoke a pending invitation (Web) Automated in CI	• Core		P / F / B / N-A	
QA-INV-09	Copy token button	• Edge	Web	P / F / B / N-A	
QA-INV-10	Accepting an invite after a downgrade is refused (seat re-check) (Web) Automated in CI	• Core		P / F / B / N-A	

§9 Web — Settings / linked accounts

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SET-01	View linked providers	• Core	Web	P / F / B / N-A	
QA-SET-02	Link a second provider	• Core	Web	P / F / B / N-A	
QA-SET-03	Linking a provider already used by another account is rejected	• Core	Web	P / F / B / N-A	
QA-SET-04	Unlink a provider	• Core	Web	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SET-05	Unlinking your only provider never locks you out	• Edge	Web	P / F / B / N-A	
QA-SET-06	Settings requires auth	• Edge	Web	P / F / B / N-A	
QA-SET-07	Delete my account (Web) Automated in CI	• Core		P / F / B / N-A	
QA-SET-08	Theme: dark mode applies, persists, and follows the user (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MFA-01	Enable two-factor (authenticator TOTP) (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MFA-02	Two-factor is required at sign-in (Web) Automated in CI	• Core		P / F / B / N-A	
QA-MFA-03	Use a recovery code, then disable two-factor	• Core	Web	P / F / B / N-A	
QA-MFA-04	Redirect logins (OAuth / magic link) enforce the step-up	• Core	Web	P / F / B / N-A	
QA-MFA-05	Native (MAUI) sign-in enforces the step-up	• Core	Desktop/Android	P / F / B / N-A	
QA-NOTIF-01	Notification bell + list (Web) Automated in CI	• Core		P / F / B / N-A	
QA-NOTIF-02	Mark read / mark all read (Web) Automated in CI	• Core		P / F / B / N-A	
QA-NOTIF-04	Delete a notification / clear read / clear all	• Edge	Web	P / F / B / N-A	
QA-NOTIF-03	Delivery preferences (Web) Automated in CI	• Core		P / F / B / N-A	

§10 Web — Localization (i18n)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-I18N-01	Switch language on the login page (Web) Automated in CI	• Core		P / F / B / N-A	
QA-I18N-02	Language persists per user across sessions (Web) Automated in CI	• Core		P / F / B / N-A	
QA-I18N-03	In-app UI is fully translated (no English leaks)	• Edge	Web	P / F / B / N-A	
QA-I18N-04	Email language UI matches the requester's UI language	• Core	Web	P / F / B / N-A	

§10b Web — Admin console (platform staff)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ADMIN-01	Staff sees the console; non-staff don't (Web) Automated in CI	• Core		P / F / B / N-A	
QA-ADMIN-02	View a tenant is audited in that tenant	• Core	Web	P / F / B / N-A	
QA-ADMIN-03	Impersonate a user, then stop	• Core	Web	P / F / B / N-A	
QA-ADMIN-04	Staff announcement reaches a tenant's members (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-ADMIN-05	Platform-wide broadcast reaches every user	• Edge	Web	P / F / B / N-A	
QA-ADMIN-06	Comp a tenant to Pro and revert	• Edge	Web	P / F / B / N-A	
QA-ADMIN-07	Reset a locked-out user's MFA	• Edge	Web	P / F / B / N-A	

§10c Web — Billing page

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-BILL-01	Billing page shows plan + seats; owner-only (Web) Automated in CI	• Edge		P / F / B / N-A	
QA-BILL-02	Upgrade via checkout + provider webhook lands on Pro (Web) Automated in CI	• Core		P / F / B / N-A	

§10d Web — Budget settings (app slice BUDGET-1)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-BUD-01	A new household sees the budget defaults	• Core	Web	P / F / B / N-A	
QA-BUD-02	Save the household's budget structure and see it persist	• Core	Web	P / F / B / N-A	
QA-BUD-03	Invalid values are refused and nothing changes	• Core	Web / API	P / F / B / N-A	

§10e Web — Catalog: categories & banks (app slice CATALOG-1/2)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-CAT-01	A new household's first visit seeds the defaults in its language	• Core	Web	P / F / B / N-A	
QA-CAT-02	Create a category; a duplicate name is refused case-insensitively	• Core	Web	P / F / B / N-A	
QA-CAT-03	Deactivate, then the inactive clash offers Reactivate	• Core	Web	P / F / B / N-A	
QA-CAT-04	Banks behave the same and are household-wide	• Core	Web / API	P / F / B / N-A	
QA-CAT-05	Cards: a voucher names the card, the household renames it, manual entry may pick it	• Core	Web / API	P / F / B / N-A	
QA-CAT-06	A renewed card is the same card: merge keeps the history	• Core	Web / API	P / F / B / N-A	
QA-CAT-07	Credit or debit lives on the card and decides the payment method	• Core	Web / API	P / F / B / N-A	

§10f Web — Exchange rate (app slice FX-1)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-FX-01	The dashboard shows today's BCCR buy/sell pair, and each currency freezes its own side	• Core	Web / API	P / F / B / N-A	
QA-FX-02	No provider -> the honest "unavailable" state, never a fabricated rate	• Core	Web / API	P / F / B / N-A	

§10g Web — Envelopes (app slice ENV-1)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ENV-01	Create an envelope with targets and a reminder; duplicates are refused	• Core	Web / API	P / F / B / N-A	
QA-ENV-02	Edit, deactivate, then the inactive clash restores it	• Core	Web / API	P / F / B / N-A	
QA-INC-01	Add, order, deactivate and reactivate income lines; the catalog rules hold Automated in CI	• Core	Web / API	P / F / B / N-A	
QA-INC-02	A new month starts with the lines' plan; one month is corrected without touching the lines Automated in CI	• Core	Web / API	P / F / B / N-A	
QA-INC-03	The income migration keeps every month's income (rehearsal and after deploy)	• Smoke	API / DB	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-INC-04	The month report says whose the income is	• Core	Web / API	P / F / B / N-A	

§10h Web — Months & transactions (app slice LEDGER-1/2)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-LED-01	The first transaction creates its month with weeks and an income snapshot	• Core	Web / API	P / F / B / N-A	
QA-LED-02	Edit keeps the frozen rate; a date fix moves the transaction	• Core	Web / API	P / F / B / N-A	
QA-LED-03	Deleting the last transaction removes the month	• Core	Web / API	P / F / B / N-A	
QA-LED-04	Month income is editable; invalid input and foreign ids are refused	• Core	Web / API	P / F / B / N-A	
QA-LED-05	An unplanned essential can expect a refund; the refund follows the transaction	• Core	Web / API	P / F / B / N-A	
QA-LED-06	Marking a refund received books an inflow; reverting removes it	• Core	Web / API	P / F / B / N-A	
QA-LED-07	A transaction can carry a short note; the month page shows it as an icon	• Edge	Web / API	P / F / B / N-A	
QA-EMAIL-07	Clearing the review queue re-reads those emails and spares everything else	• Core	Web / API	P / F / B / N-A	
QA-LED-08	A refund carries its notes, and edits do not wipe them	• Core	Web / API	P / F / B / N-A	

§10i Web — Budget lines: fixed & variable (app slice EXPENSES-1)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-EXP-01	Create fixed and variable lines; the single-currency and category rules hold	• Core	Web / API	P / F / B / N-A	
QA-EXP-02	Reorder by drag or the handle's move menu; inactive lines stay out of the order	• Core	Web / API	P / F / B / N-A	
QA-EXP-03	Duplicate names per list; the inactive clash restores the line; foreign ids are 404	• Core	Web / API	P / F / B / N-A	

§10j Web — Dashboard (app slice DASH-1)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-DASH-01	The dashboard reflects income, lines vs actuals, and the unbudgeted spend	• Core	Web / API	P / F / B / N-A	
QA-DASH-02	Month selector, entry points, empty state, and the blocked projections when no rate resolves	• Core	Web / API	P / F / B / N-A	

§10k Web — Reports: category analysis & CSV export (app slice REPORTS-1/2)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-DASH-03	"Show in" follows the account, and a first choice on a device follows you	• Core	Web / API	P / F / B / N-A	
QA-DASH-04	One verdict, the pace, and the four-step month	• Core	Web	P / F / B / N-A	
QA-DASH-05	Where it went: one panel, four cuts, and the envelope strip	• Core	Web	P / F / B / N-A	
QA-REP-01	Category analysis by month shows budgets; a date range doesn't	• Core	Web / API	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-REP-02	Export CSV downloads the shown period; the file has the fixed columns and 4-decimal rate	• Core	Web / API	P / F / B / N-A	
QA-REP-03	Chart view: the class bars and the three donuts	• Core	Web	P / F / B / N-A	
QA-REP-04	Pace against the plan, month by month, and where the money left from	• Core	Web	P / F / B / N-A	
QA-REP-05	Download the report as a PDF: same figures, same charts, the transactions appended Automated in CI	• Core	Web / API	P / F / B / N-A	
QA-REP-06	Email me this report: the same PDF, attached, to my own inbox, in my saved language Automated in CI	• Core	Web / API	P / F / B / N-A	
QA-REP-07	Choose the transaction columns the PDF prints Automated in CI	• Edge	Web / API	P / F / B / N-A	

§10l Web — Email inboxes: connect, filters & readers (app slice EMAIL-2/3)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-EMAIL-01	The Email settings page without credentials: honest errors, no dead ends	• Core	Web / API	P / F / B / N-A	
QA-EMAIL-02	Live consent round-trip (IdP boundary) and the pre-seeded connection	• Core	Web	P / F / B / N-A	
QA-EMAIL-03	Edit with real folders, backfill rule, disconnect, and nothing leaks across users	• Core	Web / API	P / F / B / N-A	

§10m Web — Email ingestion: staging & dedup (app slice EMAIL-4)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-EMAIL-04	Sync now stages drafts once, dedups re-fetches, and a dead inbox says so	• Core	Web / API	P / F / B / N-A	

§10n Web — Email ingestion: suggestions & review queue (app slice EMAIL-5/6)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-EMAIL-05	Merchant rules suggest, never apply, and are unique per household	• Core	Web / API	P / F / B / N-A	
QA-EMAIL-06	Review queue: confirm books the transaction once, discard never reverts a confirm	• Core	Web / API	P / F / B / N-A	

§11 Emails (Mailpit) — branding & content

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-MAIL-01	OTP email is branded & correct	• Core		P / F / B / N-A	
QA-MAIL-02	Magic-link email	• Core		P / F / B / N-A	
QA-MAIL-03	Invitation email	• Core		P / F / B / N-A	
QA-MAIL-04	Logo renders in a real client	• Edge		P / F / B / N-A	

§12 Desktop — MAUI / Windows

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-DSK-01	OTP sign-in (Desktop) — CI covers boot-to-login only	• Smoke		P / F / B / N-A	
QA-DSK-02	Google OAuth via loopback	• Core	Desktop	P / F / B / N-A	
QA-DSK-03	"Remember me" across app restart	• Core	Desktop	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-DSK-04	Household & Settings load (authorized API calls)	• Core	Desktop	P / F / B / N-A	
QA-DSK-05	Link a provider from Settings	• Edge	Desktop	P / F / B / N-A	
QA-DSK-06	Sign out	• Edge	Desktop	P / F / B / N-A	
QA-DSK-07	Core household flows work on desktop	• Edge	Desktop	P / F / B / N-A	
QA-DSK-08	Join a household by pasted invite code	• Core	Desktop	P / F / B / N-A	
QA-DSK-09	Language choice survives an app restart	• Core	Desktop	P / F / B / N-A	
QA-DSK-10	Data export downloads via the OS	• Core	Desktop	P / F / B / N-A	
QA-DSK-11	Billing: checkout leaves, summary refreshes on return	• Core	Desktop	P / F / B / N-A	
QA-DSK-12	MFA: enroll and native step-up	• Core	Desktop	P / F / B / N-A	
QA-DSK-13	Notification bell & preferences	• Edge	Desktop	P / F / B / N-A	
QA-DSK-14	Admin console on desktop (staff only)	• Edge	Desktop	P / F / B / N-A	
QA-DSK-15	Theme: dark mode survives an app restart	• Edge	Desktop	P / F / B / N-A	

§13 Android — MAUI

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-AND-01	OTP sign-in (Android) Automated in CI	• Smoke		P / F / B / N-A	
QA-AND-02	Google OAuth via custom scheme	• Core	Android	P / F / B / N-A	
QA-AND-03	"Remember me" across app restart	• Core	Android	P / F / B / N-A	
QA-AND-04	Household & Settings load	• Core	Android	P / F / B / N-A	
QA-AND-05	Navigation drawer / header is reachable	• Edge	Android	P / F / B / N-A	
QA-AND-06	Core flows on Android	• Edge	Android	P / F / B / N-A	
QA-AND-07	Hardware back navigates in-app history	• Smoke	Android	P / F / B / N-A	
QA-AND-08	Join a household by pasted invite code	• Core	Android	P / F / B / N-A	
QA-AND-09	Language choice survives an app restart	• Core	Android	P / F / B / N-A	
QA-AND-10	Data export via the share sheet	• Core	Android	P / F / B / N-A	
QA-AND-11	Billing: checkout leaves, summary refreshes on return	• Core	Android	P / F / B / N-A	
QA-AND-12	MFA: enroll and native step-up	• Core	Android	P / F / B / N-A	
QA-AND-13	Edge-to-edge / status bar on Android 15	• Edge	Android	P / F / B / N-A	
QA-AND-14	Theme: dark mode survives an app restart	• Edge	Android	P / F / B / N-A	
QA-AND-15	OAuth sign-in survives process death (NATIVE-12)	• Core	Android	P / F / B / N-A	

§13b iOS + macCatalyst — first-run smoke

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-IOS-01	App boots to the login screen	• Smoke	iOS	P / F / B / N-A	
QA-IOS-02	OTP sign-in	• Smoke	iOS	P / F / B / N-A	
QA-IOS-03	Core flows spot-check	• Core	iOS	P / F / B / N-A	
QA-IOS-04	OAuth via ASWebAuthenticationSession	• Core	iOS	P / F / B / N-A	
QA-MAC-01	App launches at a usable window	• Smoke	macCatalyst	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-MAC-02	OTP sign-in	• Smoke	macCatalyst	P / F / B / N-A	
QA-MAC-03	Core flows + OAuth spot-check	• Core	macCatalyst	P / F / B / N-A	

§14 Cross-cutting security

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-SEC-01	Tenant isolation	• Smoke		P / F / B / N-A	
QA-SEC-02	Protected pages require auth	• Core		P / F / B / N-A	
QA-SEC-03	Session is gone after sign-out	• Core		P / F / B / N-A	
QA-SEC-04	Native open-redirect guard	• Edge	Desktop/Android	P / F / B / N-A	
QA-SEC-05	Server-side hardening	• Edge		P / F / B / N-A	

§14a Adversarial & tenant-isolation (QA-ADV-*)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ADV-01	Tenant A cannot read/export/erase Tenant B via the API	• Smoke	curl	P / F / B / N-A	
QA-ADV-02	Cross-tenant isolation on the newer tables (PUBAPI/HOOKS on)	• Core	curl	P / F / B / N-A	
QA-ADV-03	Export includes EVERY tenant-scoped table, secret-free	• Core	curl	P / F / B / N-A	
QA-ADV-04	Dissolve / erasure actually deletes api keys, webhook secrets, usage counters, delivery logs	• Core	curl + DB	P / F / B / N-A	
QA-ADV-05	Writes during impersonation are attributed to the acting staff	• Core	curl	P / F / B / N-A	
QA-ADV-06	An impersonation session cannot reach staff-only actions	• Core	curl	P / F / B / N-A	
QA-ADV-07	Impersonation cannot exceed the target's role	• Core	curl	P / F / B / N-A	
QA-ADV-08	Impersonation never rewrites target prefs; shared-device pref poisoning	• Core	curl + Web — two contexts	P / F / B / N-A	
QA-ADV-09	A staff MFA-reset notification cannot be silenced by target prefs	• Core	curl	P / F / B / N-A	
QA-ADV-10	MFA step-up locks out after repeated wrong codes	• Core	curl	P / F / B / N-A	
QA-ADV-11	A recovery code is single-use	• Core	Web	P / F / B / N-A	
QA-ADV-12	Webhook replay + out-of-order + same-second idempotency	• Core	curl	P / F / B / N-A	
QA-ADV-13	A first-ever webhook in a bad state does not false-notify	• Core	curl	P / F / B / N-A	
QA-ADV-14	Comp / revert a churned (canceled) tenant	• Core	curl	P / F / B / N-A	
QA-ADV-15	Concurrent acceptance of the last seat	• Core	Web — two contexts	P / F / B / N-A	
QA-ADV-16	Magic-link / OTP double-redemption issues exactly one session	• Core	Web — two contexts	P / F / B / N-A	
QA-ADV-17	Replaying a rotated refresh token revokes all sessions	• Core	curl	P / F / B / N-A	
QA-ADV-18	Spanish account on an English device accepts an invite (Web — two contexts) Automated in CI	• Smoke		P / F / B / N-A	
QA-ADV-19	Theme/locale doesn't revert after a soft (OTP/MFA) sign-in	• Core	Web	P / F / B / N-A	

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-ADV-20	"Clear read" never deletes unread notifications	• Core	Web	P / F / B / N-A	
QA-ADV-21	Security headers on the single-origin host (staging / Environment B)	• Core	curl	P / F / B / N-A	
QA-ADV-22	Forged X-Forwarded-For cannot bypass the per-IP rate limit	• Core	curl	P / F / B / N-A	
QA-ADV-23	A Release native build points at a real HTTPS base URL, not cleartext localhost	• Core	Desktop/Android	P / F / B / N-A	
QA-ADV-24	Windows loopback OAuth binds state (login-CSRF guard)	• Edge	Desktop	P / F / B / N-A	

§14b API surfaces — PUBAPI + HOOKS (config-gated; curl / Postman)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-API-01	Config gate: surfaces are 404 when disabled	• Edge	curl	P / F / B / N-A	
QA-API-02	Mint an API key (shown once)	• Core	curl	P / F / B / N-A	
QA-API-03	Call the public API with the key; scopes + tenant-scoping	• Core	curl / Postman	P / F / B / N-A	
QA-API-04	Per-key rate limit	• Core	curl	P / F / B / N-A	
QA-API-05	Register a webhook + send test + verify signature	• Core	curl	P / F / B / N-A	
QA-API-06	Delivery log + replay	• Core	curl	P / F / B / N-A	

§14c Pre-launch gates — billing off + signup green list (GATES)

Case ID	Title	Pri	Client	Result (circle one)	Notes / defect link
QA-GATE-01	Billing off: the surface does not exist	• Smoke	Web + curl	P / F / B / N-A	
QA-GATE-02	Billing off: nothing offers an upgrade	• Core	Web	P / F / B / N-A	
QA-GATE-03	Billing on: the surface comes back whole	• Core	Web	P / F / B / N-A	
QA-GATE-04	Green list: a stranger cannot create an account	• Smoke	Web	P / F / B / N-A	
QA-GATE-05	Green list: a listed person finds a household and can bring their family	• Core	Web	P / F / B / N-A	
QA-GATE-06	Green list never locks out an existing account	• Smoke	Web	P / F / B / N-A	

Release gate

All • **Smoke** + all • **Core** cases Pass on Web; • **Smoke** Pass on Desktop and Android; no open Critical/High defects. • **Edge** cases triaged (Pass or accepted-known-issue).

Overall verdict	PASS [] FAIL [] CONDITIONAL []	Signed	
------------------------	-----------------------------------	---------------	--