FEAT-ZD-48600 · BE-03 Database changes · Completed database changes

Backend agent · item task.db_changes · source hobasa-backend-agent/outputs/FEAT-ZD-48600/task.db_changes.md · approved by Developer sim.developer

task.db_changes: FEAT-ZD-48600

Database changes check for the Backend lane of FEAT-ZD-48600 (ZD-48600, "Show which overdue invoices belong to vendors that usually pay late"). This is BE-03 Database changes (attempt 3).

Result: no database change is required. Nothing to complete, nothing pending, nothing to request from the DBAs or the infra team.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	BE-03 Database changes (attempt 3)	record:brief
Owner / gate	Developer / automated checks, independent judge, sampled human evaluation	record:brief
Inputs	feat.tasks (b0fd4d2), feat.design (722a98f)	record:brief
Backend tasks in scope	TSK-05 (STORY-05, `overdue_with_risk`), TSK-06 (STORY-06, `overdue_rows_to_json`)	feat.tasks (section 1)
Repository	ap_aging (BE lane), Python 3.9, package version `1.4.0` today	feat.design (B3)

1. What the design says about data storage

Check	Finding	Source
Storage in scope	"Storage, database, schema migration" is listed as **out of this design**; the in-scope data is in memory: one new record key `paid_date`, one new reject reason, the delay history, the risk map, the overdue rows and the CT-1 JSON	feat.design (A1, Data row)
Technology	DD-1: "No new repository, service, runtime, library or storage. Only the Python 3.9 standard library and Node.js 22 CommonJS are used"	feat.design (A7, DD-1)
Purity of new functions	NF-10: every new function is pure and in-memory: no I/O, no network, no mutation of inputs	feat.design (A5, NF-10)
Platform reopen triggers	"any storage or network call from the libraries" would reopen DES-01; this design triggers none of them	feat.design (A8)
Backend data contracts	DC-1 and DC-3 are plain Python dicts; CT-1 is a JSON string produced by ap_aging and parsed by the consumer; no transport layer is added (DD-3)	feat.design (A3, DD-3)
Existing ap_aging code	No service or transport layer between ap_aging and ap_portal: `aging_buckets` returns Python values. `aging_buckets`, `days_past_due`, `bucket_for` and `BUCKETS` stay unchanged	feat.design (A3 "Transport for CT-1", B3.1)

2. What the Backend tasks change

Task	Files in budget	Any schema, table or migration?	Source
TSK-05	`src/ap_aging/aging.py` (constants, `List` typing, `overdue_with_risk`); `src/ap_aging/__init__.py` (export, version step); new `tests/test_overdue.py`	No: a pure function over an iterable of invoice dicts	feat.tasks (TSK-05); feat.design (B3.1, B3.2)
TSK-06	`src/ap_aging/aging.py` (`import json`, `overdue_rows_to_json`); `src/ap_aging/__init__.py` (export); `tests/test_overdue.py`	No: serialises rows to a JSON string; "No transport layer"	feat.tasks (TSK-06); feat.design (B3.2, DD-3)

3. What the repository holds today

Check	Finding	Source
Database in ap_aging	"ap_aging has no database; no migrations exist or are required"	tool:repo-access

4. Conclusion

Item	Status
Required database changes	None
Migrations to write or run	None
DBA / infra prerequisites	None
Stop-and-ask condition ("a required dependency or database change is missing")	Not met: no database change is required, so none is missing
Next step	BE-04 Identify the components/layers to be changed can start

5. Open questions

None new and none blocking. DQ-1 (which production component carries CT-1 from ap_aging to ap_portal) stays open with the Architect as carried in feat.design D3. If that answer introduces storage or a transport, it would reopen DES-01 (feat.design A8) and re-trigger this step.

[Tool result] [ap_aging] No database in this repository's architecture; no migrations required