FEAT-ZD-48600 · BE-01 Checking the coding prerequisites ■ · Repository (and Databricks) availability and write access

Backend agent · item task.repo_access · source hobasa-backend-agent/outputs/FEAT-ZD-48600/task.repo_access.md · approved by automated checks and independent judge

task.repo_access: FEAT-ZD-48600

BE-01 "Checking the coding prerequisites" (attempt 1). This file records whether the repository for the Backend tasks is available and whether the agent can write to it. It also records that no Databricks or other workspace is needed.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	BE-01 Checking the coding prerequisites (attempt 1)	record:brief
Owner / gate	Developer / automated checks, independent judge, sampled human evaluation	record:brief
Inputs	feat.tasks (hobasa-design-agent, commit b0fd4d2), org.engineering_stack (hobasa-agentic-sdlc, commit e8afce8)	record:brief
Backend tasks in scope	TSK-05 (STORY-05) and TSK-06 (STORY-06), both in ap_aging	feat.tasks (section 1)

1. Result

Outcome: met. Repository ap_aging is available locally and the agent identity has write access. The working branch `feature/story` exists. No repository had to be created.

2. Repository availability

Check	Result	Source
Repository needed for the Backend lane	ap_aging (TSK-05 and TSK-06)	feat.tasks (section 1, "Lane / repository")
Repository exists and is checked out	Yes: available locally	tool:repo-access
Repository creation needed	No; the repository already exists	tool:repo-access
Language and test runner	Python 3.9, unittest	org.engineering_stack; file:ap_aging/CLAUDE.md
CI command	`/usr/bin/python3 ci.py` (line coverage ≥ 90%, static checks in place of SonarQube)	org.engineering_stack; file:ap_aging/ci.py
Remote	`origin` → `https://github.com/arghya05/ap-aging-sample.git`	file:ap_aging/.git/config
Long-lived branches	`main` and `dev` exist, both at `5d2cbb9e6c611e032a678e86a16e99cf0eaa3814`	file:ap_aging/.git/refs/heads/main; file:ap_aging/.git/refs/heads/dev
Current package version	`1.4.0` (matches feat.tasks section 2, which assigns the version step to TSK-05)	file:ap_aging/src/ap_aging/__init__.py; feat.tasks (section 2)
Code paths the tasks name	`src/ap_aging/aging.py`, `src/ap_aging/__init__.py` and `tests/` exist. `tests/test_overdue.py` does not exist yet; TSK-05 creates it	file:ap_aging/src/ap_aging/aging.py; file:ap_aging/src/ap_aging/__init__.py; feat.tasks (TSK-05 "Files in budget")

3. Write access and working branch

Check	Result	Source
Working branch	`feature/story`, checked out (HEAD → `refs/heads/feature/story`)	file:ap_aging/.git/HEAD; tool:repo-access
Branch base	Created from `dev` at `5d2cbb9` (reflog: created by the Hobasa Agent Spine at `5d2cbb9e6c611e032a678e86a16e99cf0eaa3814`)	tool:repo-access; file:ap_aging/.git/logs/refs/heads/feature/story
Working tree	Clean	tool:repo-access
Agent identity write access	Yes	tool:repo-access
Push to `origin`	Not tested in this step. The spine pushes, and pushing is not allowed in BE-01. `.git/config` has no upstream for `feature/story` yet; it has one only for `main` and `dev`	file:ap_aging/.git/config
Branch convention	Feature branches per story; commit messages start with the story ID	org.engineering_stack; feat.tasks (section 2)

4. Databricks, databases and other workspaces

Check	Result	Source
Databricks workspace	Not used by ap_aging; no access needed	tool:repo-access; org.engineering_stack
Database	No repository uses a database	org.engineering_stack

5. Notes for later steps

- `ci.py` imports the third-party package `coverage`, but the repository memory describes the code as standard library only. That rule covers product code, not CI. Shell commands were not allowed in this step, so whether `coverage` is installed for `/usr/bin/python3` was not checked. It is raised as open question RA-2 (file:ap_aging/ci.py; file:ap_aging/CLAUDE.md).
- The checked-out branch is called `feature/story` and is shared by TSK-05 (STORY-05) and TSK-06 (STORY-06). The convention is one feature branch per story, so this is raised as open question RA-1 (feat.tasks sections 1 and 2; org.engineering_stack).

6. Open questions (non-blocking)

ID	Question	Interim handling	Owner (proposed)
RA-1	The spine created a single branch, `feature/story`. Should TSK-05 (STORY-05) and TSK-06 (STORY-06) share it, or should each story get its own `feature/<story>` branch?	Work on `feature/story` as provisioned. Commit messages carry the story ID	Developer
RA-2	Is the `coverage` package installed for `/usr/bin/python3`, which `ci.py` needs? This step could not run a shell command to check	Confirm before BE-06/BE-07 CI runs	Developer / infra team

7. Validation check

Check	Result
Repository available	Pass
Write access	Pass (tool:repo-access)
Databricks / database prerequisites	Not applicable
Blocking questions	None

Tool results (recorded by the spine from the real tools)

[Tool result] [ap_aging] Branch feature/story at 5d2cbb9; write access confirmed