FEAT-ZD-48600 · BE-03 Database changes · Completed database changes

Backend agent · item task.db_changes · source hobasa-backend-agent/outputs/FEAT-ZD-48600/task.db_changes.md · approved by Developer sim.developer

task.db_changes: FEAT-ZD-48600

Database-changes check for the Backend lane of FEAT-ZD-48600 (ZD-48600, "Show which overdue invoices belong to vendors that usually pay late"). This is BE-03 Database changes.

Result: no database change is required for this feature, so there is nothing to complete. The Backend tasks TSK-05 and TSK-06 are not blocked by any database prerequisite.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	BE-03 Database changes	record:brief
Workbook action	Check the required database changes are completed	record:brief
Owner / gate	Developer / automated checks, independent judge, sampled human evaluation	record:brief
Inputs	feat.tasks (b0fd4d2), feat.design (722a98f)	record:brief
Backend tasks in scope	TSK-05 (STORY-05, `overdue_with_risk`), TSK-06 (STORY-06, `overdue_rows_to_json`), both in ap_aging	feat.tasks (section 1)
Repository checked	ap_aging	tool:repo-access

1. What the design asks for

Check	Finding	Source
Storage in scope of the design	"Storage, database, schema migration" is listed as **out of this design**; the data in scope is one new record key `paid_date`, one new reject reason, in-memory delay history, risk map, overdue rows, and CT-1 JSON	feat.design (A1, Data boundary)
New technology / storage	DD-1: "No new repository, service, runtime, library or storage"	feat.design (A7, DD-1)
Purity of new functions	NF-10: every new function is pure and in-memory, with no I/O, no network and no mutation of inputs	feat.design (A5, NF-10)
What would reopen the platform	"any storage or network call from the libraries" would re-trigger DES-01; the design "triggers none of them"	feat.design (A8)
Backend files in budget	TSK-05: `src/ap_aging/aging.py`, `src/ap_aging/__init__.py`, new `tests/test_overdue.py`. TSK-06: `src/ap_aging/aging.py`, `src/ap_aging/__init__.py`, `tests/test_overdue.py`. No schema, migration or database file is listed	feat.tasks (TSK-05, TSK-06)
ap_aging changes in the LLD	Add `OVERDUE_AFTER_DAYS`, `TWO_PLACES`, `overdue_with_risk`, `overdue_rows_to_json`, `import json` and `List` typing to `aging.py`; exports and version step in `__init__.py`	feat.design (B3.1)

Check	Finding	Source
Data contracts the Backend consumes and produces	DC-1 invoice records are plain Python `dicts`; DC-3 risk map is a `Dict[str, str]`; CT-1 is a serialised JSON string, with no transport layer added	feat.design (A3, DC-1, DC-3, CT-1, DD-3)

2. What the repository holds

Check	Finding	Source
Database in ap_aging	"ap_aging has no database; no migrations exist or are required."	tool:repo-access
Imports of the module the Backend tasks change	`aging.py` imports only `datetime.date`, `decimal.Decimal` and `typing` (`Dict`, `Iterable`); no database driver is imported	file:ap_aging/src/ap_aging/aging.py
How the existing code gets its data	`aging_buckets(invoices, as_of)` works on an in-memory iterable of invoice dicts passed in by the caller	file:ap_aging/src/ap_aging/aging.py
Package exports	`__init__.py` imports `aging_buckets` from `.aging` and exports it; nothing else is imported	file:ap_aging/src/ap_aging/__init__.py
Language and stack	Python 3.9, standard library	file:ap_aging/CLAUDE.md

3. Database changes required and their status

Change	Required?	Status	Source
New table, column or index	No	Not applicable	feat.design (A1, DD-1); tool:repo-access
Schema migration	No	Not applicable	feat.design (A1); tool:repo-access
Data backfill or seed	No	Not applicable	feat.design (A1, NF-10)
New database connection, credentials or secret	No	Not applicable	feat.design (DD-1, A6 SE-4)

No DBA or infra-team action is needed for TSK-05 or TSK-06. The `paid_date` key is added in memory by the Data Engineering lane (TSK-01, `transform.to_model`), not by a database change (feat.tasks TSK-01; feat.design HC-1, DC-1).

4. Re-entry conditions

This check must be re-run (BE-03 re-entry) if any of these happen, because each would bring storage into scope:

Condition	Source
A transport or service is added between ap_aging and ap_portal (TQ-3 / DQ-1 answered with a component that persists data)	feat.design (A8, DD-3, D3 DQ-1)
Any storage or network call is added to the libraries	feat.design (A8)
A change request adds a database, schema or storage to ap_aging	feat.design (A1, DD-1)

5. Open questions

None. The inputs and the repository agree that no database change is needed. Open questions carried from feat.tasks (TKQ-1 to TKQ-3) and feat.design (DQ-1 to DQ-5) are not about database changes and are unchanged.

6. Validation check

Check	Result	Source
Inputs read in full	Pass: feat.tasks, feat.design	record:brief
Design and repository agree	Pass: both state no storage or database	feat.design (A1, DD-1); tool:repo-access
Conflict with an approved output	None	feat.tasks (section 8); feat.design (D2)
Blocking questions	None	—
Code changed in this step	None (check only)	record:brief

Tool results (recorded by the spine from the real tools)

[Tool result] [ap_aging] No database in this repository's architecture; no migrations required