FEAT-ZD-48600 · BE-01 Checking the coding prerequisites ■ · Repository (and Databricks) availability and write access

Backend agent · item task.repo_access · source hobasa-backend-agent/outputs/FEAT-ZD-48600/task.repo_access.md · approved by automated checks and independent judge

task.repo_access: FEAT-ZD-48600

Coding prerequisites for the Backend lane of FEAT-ZD-48600: is the repository available, does the Backend agent have write access, and is any other workspace (Databricks, database) needed? This is step BE-01. There is no gate: automated checks, the independent judge and sampled human evaluation review it (record:brief).

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	BE-01 Checking the coding prerequisites	record:brief
Inputs	feat.tasks (b0fd4d2), org.engineering_stack (3b03f15)	record:brief
Backend tasks	TSK-05 (STORY-05) and TSK-06 (STORY-06), both in ap_aging	feat.tasks (section 1)
Result	**Ready.** ap_aging is available locally, a feature branch exists, and the agent identity has write access. No Databricks or database is needed. No repository has to be created	tool:repo-access; org.engineering_stack

1. Which repositories the Backend lane needs

Task	Story	Repository	Files in budget	Source
TSK-05	STORY-05	ap_aging	`src/ap_aging/aging.py`, `src/ap_aging/__init__.py` (export, version step), new `tests/test_overdue.py`	feat.tasks (TSK-05)
TSK-06	STORY-06	ap_aging	`src/ap_aging/aging.py`, `src/ap_aging/__init__.py` (export), `tests/test_overdue.py`	feat.tasks (TSK-06)

The Backend lane uses only ap_aging. The other tasks belong to other lanes: TSK-01 and TSK-02 to Data Engineering (ap_pipeline), TSK-03 and TSK-04 to Data Science (ap_forecast), TSK-07 to Frontend (ap_portal) and TSK-08 to the Testing Agent (feat.tasks, section 1).

2. Repository availability and write access

Check	Result	Source
Repository exists locally	Yes: ap_aging, Python 3.9 (standard library)	tool:repo-access; file:ap_aging/CLAUDE.md
Remote	`origin` points to the GitHub repository `ap-aging-sample`	file:ap_aging/.git/config

Check	Result	Source
Branches	`main` (released) and `dev` (integration) both exist; remote-tracking `origin/main`, `origin/dev` and `origin/feature/story` all point to commit `5d2cbb9`	file:ap_aging/.git/packed-refs; file:ap_aging/.git/refs/heads/main; file:ap_aging/.git/logs/refs/heads/dev; file:ap_aging/CLAUDE.md
Feature branch	`feature/story`, created from `dev` at `5d2cbb9`; it is the checked-out branch (HEAD)	tool:repo-access; file:ap_aging/.git/HEAD; file:ap_aging/.git/logs/refs/heads/feature/story
Working tree	Clean	tool:repo-access
Write access for the agent identity	Yes	tool:repo-access
Repository creation needed	No: the repository already exists	tool:repo-access
Databricks or other workspace	None used by this repository	tool:repo-access; org.engineering_stack
Database	None. No repository uses a database	org.engineering_stack

The Backend agent's guardrails allow branch, commit and PR actions, but no merge and no protected-main push (file:hobasa-backend-agent/.claude/agents/backend.md). This step does not push, so the write-access result rests on the tool view (tool:repo-access).

3. Repository baseline the coding steps start from

Item	Value	Source
Package version today	`1.4.0` in `src/ap_aging/__init__.py`. TSK-05 owns the minor version step	file:ap_aging/src/ap_aging/__init__.py; file:ap_aging/CLAUDE.md; feat.tasks (section 2)
Public exports today	`__all__ = ["aging_buckets"]`	file:ap_aging/src/ap_aging/__init__.py
Existing source module	`src/ap_aging/aging.py` holds `BUCKETS`, `days_past_due`, `bucket_for` and `aging_buckets`. TSK-05 and TSK-06 must leave all four unchanged	file:ap_aging/src/ap_aging/aging.py; feat.tasks (TSK-05 "Must not change")
Existing tests	`tests/test_aging.py` (tests `days_past_due`, `bucket_for` and `aging_buckets`)	file:ap_aging/tests/test_aging.py
New test file	`tests/test_overdue.py` is a new file for TSK-05 and TSK-06	feat.tasks (section 2, TSK-05)
CI command	`/usr/bin/python3 ci.py`	org.engineering_stack; file:ap_aging/README.md; file:ap_aging/CLAUDE.md
CI checks	Compile, unit tests (unittest discovery in `tests/`), line coverage of at least 90% (`COVERAGE_MIN = 90.0`), and static checks that stand in for SonarQube: no `print`, `eval` or `exec`, no bare `except`, lines at most 140 characters	file:ap_aging/ci.py; org.engineering_stack
Branch and commit convention	Feature branches per story (`feature/<story>`); commit messages start with the story ID (`STORY-05`, `STORY-06`), and the task ID may follow	org.engineering_stack; file:ap_aging/CLAUDE.md; feat.tasks (section 2); record:memory
Repository rule	Keep existing public signatures; add new functions for new behaviour	file:ap_aging/CLAUDE.md; feat.tasks (section 2)

4. Prerequisite status

Prerequisite	Status	Source
Repository available	Met	tool:repo-access
Write access	Met (from the tool view)	tool:repo-access

Prerequisite	Status	Source
Feature branch from dev	Met (`feature/story`)	tool:repo-access
Repository creation	Not needed	tool:repo-access
Databricks or database access	Not needed	tool:repo-access; org.engineering_stack
Secrets	Not part of this step; step BE-02 "Access to secrets" checks them	file:hobasa-backend-agent/.claude/skills/backend-steps/SKILL.md

5. Open questions (non-blocking)

ID	Question	Interim answer	Owner (proposed)
RAQ-1	The convention is one feature branch per story (`feature/<story>`, file:ap_aging/CLAUDE.md), but the checkout has a single branch, `feature/story`, and the Backend lane has two stories (STORY-05, STORY-06). Should each story get its own branch, such as `feature/STORY-05`?	Use `feature/story` for both tasks. Prefix each commit with its own story ID so the commits still trace to their stories	Developer / spine owner
RAQ-2	`ci.py` imports the third-party `coverage` package, but the repository is described as standard library only (file:ap_aging/ci.py; file:ap_aging/CLAUDE.md). This step does not run commands, so it could not confirm that `coverage` is installed for `/usr/bin/python3`	Treat it as a CI tool dependency, not a runtime one. The first CI run in the coding steps confirms it	Infra team
RAQ-3	Write access comes from the tool view. Push permission is not tested in this step	Accept the tool view. The push in step BE-07 "Commit & Push" confirms it (file:hobasa-backend-agent/.claude/skills/backend-steps/SKILL.md)	Spine owner

No blocking questions.

[Tool result] [ap_aging] Branch feature/story at 5d2cbb9; write access confirmed