FEAT-ZD-48600 · DE-01 Checking the coding prerequisites ■ · Repository (and Databricks) availability and write access

Data Engineering agent · item task.repo_access · source hobasa-data-engineering-agent/outputs/FEAT-ZD-48600/task.repo_access.md · approved by Data engineer sim.data_engineer

task.repo_access: FEAT-ZD-48600

Coding prerequisites for the Data Engineering lane of FEAT-ZD-48600 ("Show which overdue invoices belong to vendors that usually pay late"). The step is DE-01, Checking the coding prerequisites. It has no human gate. Automated checks, the independent judge and sampled human evaluation review it.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	DE-01 Checking the coding prerequisites	record:brief
Trigger	Task creation (feat.tasks from DES-04)	record:brief; feat.tasks
Owner	Data engineer	record:brief
Inputs	feat.tasks (hobasa-design-agent, commit b0fd4d2), org.engineering_stack (hobasa-agentic-sdlc, commit e8afce8)	record:brief
Lane tasks in scope	TSK-01 (STORY-01, size M) and TSK-02 (STORY-02, size S), both in ap_pipeline	feat.tasks (section 1)

1. Result

Prerequisite (workbook action)	Status	Evidence	Source
Databricks access	**Not applicable.** No repository uses Databricks or a database, and ap_pipeline uses no Databricks or other workspace	org.engineering_stack: "No repository uses Databricks or a database"; tool view: "No Databricks or other workspace is used by this repository"	org.engineering_stack; tool:repo-access
Repository availability	**Available.** ap_pipeline is checked out locally. It was cloned from `https://github.com/arghya05/ap-pipeline-sample.git`	`.git/config` remote `origin`; `.git/logs/HEAD` clone entry	tool:repo-access; file:ap_pipeline/.git/config; file:ap_pipeline/.git/logs/HEAD
Repository creation	**Not needed.** The repository already exists, with branches `main` and `dev` that track `origin`. `dev` was created from `origin/dev`	`.git/config` branch entries; `dev` reflog	file:ap_pipeline/.git/config; file:ap_pipeline/.git/logs/refs/heads/dev; org.engineering_stack
Working branch	**Ready.** `feature/story` is checked out at commit `3fcbe1b`. It was created from `dev`, which is also at `3fcbe1b`	`.git/HEAD` = `ref: refs/heads/feature/story`; HEAD log "checkout: moving from dev to feature/story"	tool:repo-access; file:ap_pipeline/.git/HEAD; file:ap_pipeline/.git/logs/HEAD; file:ap_pipeline/.git/logs/refs/heads/feature/story
Write access	**Granted.** The agent identity has write access, and the working tree is clean	Tool view	tool:repo-access
Push to remote	**Spine only.** The spine commits and pushes after checks and evaluation; agents do not push	Step brief	record:brief

Outcome: the repository is available on `feature/story`, and the agent has write access. Databricks is not part of this lane's stack, so no Databricks access is required (org.engineering_stack; tool:repo-access).

2. Repository baseline for TSK-01 and TSK-02

Item	Observed	Matches feat.tasks / org.engineering_stack	Source
Language	Python 3.9 (standard library)	Yes	file:ap_pipeline/CLAUDE.md; org.engineering_stack; tool:repo-access
CI command	`/usr/bin/python3 ci.py` runs compile, unittest, a coverage gate (`COVERAGE_MIN = 90.0`) and static checks. The static checks reject `print`, `eval`, `exec` and bare `except`, and lines longer than 140 characters	Yes (CI bar in feat.tasks section 2)	file:ap_pipeline/ci.py; file:ap_pipeline/README.md; org.engineering_stack; feat.tasks
Package version	`__version__ = "0.4.0"` in `src/ap_pipeline/__init__.py`	Yes. feat.tasks gives ap_pipeline `0.4.0` today and assigns the version step to TSK-01	file:ap_pipeline/src/ap_pipeline/__init__.py; feat.tasks (section 2)
TSK-01 target function	`to_model(rows: List[Dict[str, str]]) -> Tuple[List[Dict], List[Dict]]` returns `(records, rejected)`. A single `try` block builds `id`, `vendor`, `due_date`, `amount` and `paid`, and the rejection reason is the exception class name. The function does not handle `paid_date`	Yes. This is the signature and return shape that TSK-01 must keep	file:ap_pipeline/src/ap_pipeline/transform.py; feat.tasks (TSK-01)
TSK-01 test file	`tests/test_pipeline.py` exists with `test_run_maps_and_rejects`, `test_paid_flag` and `test_missing_column_rejected`. It calls `ap_pipeline.pipeline.run`	Yes. It is the test file assigned to TSK-01	file:ap_pipeline/tests/test_pipeline.py; feat.tasks (section 2)
TSK-02 files in budget	New `src/ap_pipeline/delays.py` and new `tests/test_delays.py`	Created by TSK-02 as planned	feat.tasks (TSK-02)
Must-not-change files	`ingest.py` (`parse_feed`), `dq.py` (`quality_report`), `pipeline.py` (`run`: ingest, then transform, then the data-quality report) and `schedule.json` (daily, `02:00`, `Asia/Kolkata`)	Yes. These files are on the TSK-01 must-not-change list	file:ap_pipeline/src/ap_pipeline/ingest.py; file:ap_pipeline/src/ap_pipeline/dq.py; file:ap_pipeline/src/ap_pipeline/pipeline.py; file:ap_pipeline/src/ap_pipeline/schedule.json; feat.tasks (TSK-01)

3. Open questions (non-blocking)

ID	Question	Interim answer	Owner (proposed)
RAQ-1	feat.tasks and org.engineering_stack call for one feature branch per story (`feature/<story>`). The checkout has a single branch, literally named `feature/story`, for both lane stories (STORY-01 and STORY-02). Should the lane use one branch per story, or keep the single `feature/story` branch?	Work on `feature/story` as provided. Commit messages start with the story ID, so both stories stay traceable	Data engineering lead / spine operator
RAQ-2	`ci.py` imports `coverage`, which is not in the Python standard library. This step allows no shell commands, so it could not confirm that `coverage` is installed for `/usr/bin/python3`	Confirm at the first CI run (DE-08 / DE-09)	Data engineering lead
RAQ-3	`.git/config` sets an upstream only for `main` and `dev`. `feature/story` has none. Will the spine set the upstream when it pushes (DE-10)?	The spine pushes and sets the upstream	Spine operator

No blocking questions.

Tool results (recorded by the spine from the real tools)

[Tool result] [ap_pipeline] Branch feature/story at 3fcbe1b; write access confirmed