FEAT-ZD-48600 · DE-02 Access to secrets · Secrets granted for the task's environments (names only)

Data Engineering agent · item task.secrets_scope · source hobasa-data-engineering-agent/outputs/FEAT-ZD-48600/task.secrets_scope.md · approved by Data engineer sim.data_engineer

task.secrets_scope: FEAT-ZD-48600

Secrets scope for the Data Engineering lane of FEAT-ZD-48600 ("Show which overdue invoices belong to vendors that usually pay late"). This is DE-02, Access to secrets (attempt 2). The step checks which secrets the lane's tasks need and whether they are available with access permissions, and asks for access where needed. Only secret **names** are recorded here, never values. There is no gate: automated checks, the independent judge and sampled human evaluation review this output.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	DE-02 Access to secrets (attempt 2)	record:brief
Trigger	Task creation (feat.tasks from DES-04 Task Creation)	record:brief; feat.tasks
Inputs	feat.tasks (b0fd4d2); org.permission_table (restricted, passed by reference only, not opened)	record:brief
Repository	ap_pipeline, branch `feature/story`	journey:task.repo_access; tool:repo-access
Data Engineering tasks in scope	TSK-01 (STORY-01, optional `paid_date`), TSK-02 (STORY-02, `delays_by_vendor`)	feat.tasks (section 1)
Result	**Ready. No secrets are required, none are granted, and no access request is needed.**	tool:repo-access; feat.tasks

1. Secrets needed per task

Task	What the task does	External system or credential touched	Secrets needed	Source
TSK-01	`to_model` in `src/ap_pipeline/transform.py` reads an optional `paid_date` and rejects invalid values with reason `'paid_date'`	None. `ingest.py`, `pipeline.py` and `schedule.json` are on the "Must not change" list; coding builds on synthetic v3 rows	None	feat.tasks (TSK-01)
TSK-02	New pure function `delays_by_vendor` in new `src/ap_pipeline/delays.py`	None. "No I/O; do not change `records`"	None	feat.tasks (TSK-02)

Both tasks use only the Python 3.9 standard library and choose no new technology (feat.tasks, introduction: feat.design DD-1). Databricks is not applicable to ap_pipeline, and DE-01 found no workspace credential to check (journey:task.repo_access, P-1 and section 2).

2. Secrets scope by environment (names only)

Environment	Secret names granted	Secret names required	Gap	Source
Local development and CI (`/usr/bin/python3 ci.py` on `feature/story`)	None	None	None	tool:repo-access; journey:task.repo_access (P-5, P-7)
Integration (`dev`) and released (`main`) branches	None	None	None	tool:repo-access; feat.tasks (section 2)

The permission table states that no secrets are required or granted for ap_pipeline (tool:repo-access, which reports the permission table). This output does not open or quote org.permission_table, because it is restricted and passed by reference only (record:brief).

3. Access requests

#	Secret name	Environment	Requested from	Status
—	None	—	—	No request raised: no task in scope needs a secret (sections 1 and 2)

4. Observations (non-blocking)

ID	Observation	Interim handling	Source
SS-1	Feed v3 in production (PQ-6) gates the release of TSK-01, not its coding. Coding builds on synthetic v3 rows, so it needs no feed credential.	No secret for coding. If the release needs a feed credential, DE-02 runs again on that re-entry trigger.	feat.tasks (TSK-01 "Depends on"); record:brief (trigger: "Task creation, or any re-entry trigger")
SS-2	No input names a secret for any later step of this lane.	None granted now. If a later step needs a secret, DE-02 runs again on that re-entry trigger.	tool:repo-access; record:brief (trigger: "Task creation, or any re-entry trigger")

5. Validation check

Check	Result
Every Data Engineering task checked for secret needs	Pass (TSK-01, TSK-02; section 1)
Secrets required vs. granted, per environment	Pass: none required, none granted, no gap (section 2)
Secret values in this output	None. Names only, and there are no names to list
Restricted input handled by reference	Pass: org.permission_table not opened (section 2)
Data read by this step	feat.tasks, journey:task.repo_access and the tool view only
Blocking questions	None

[Tool result] [ap_pipeline] Tool registry: no secrets required or granted (permission table)

[Tool result] [ap_pipeline] Tool registry: no secrets required or granted (permission table)