FEAT-ZD-48600 · DS-01 Checking the coding prerequisites ■ · Repository (and Databricks) availability and write access

Data Science agent · item task.repo_access · source hobasa-data-science-agent/outputs/FEAT-ZD-48600/task.repo_access.md · approved by automated checks and independent judge

task.repo_access: FEAT-ZD-48600

Coding prerequisites for the Data Science lane of FEAT-ZD-48600 (DS-01 Checking the coding prerequisites, attempt 3). This file checks that the repository for this lane's tasks exists, has the expected branches and that the agent identity can write to it. Nothing in the repository was changed in this step. Every statement rests on the step's contracted inputs (feat.tasks, org.engineering_stack), the step's tool view (tool:repo-access), the brief and shared memory.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	DS-01 Checking the coding prerequisites (attempt 3)	record:brief
Trigger	Task creation (feat.tasks from DES-04)	record:brief; feat.tasks
Owner / gate	Developer / automated checks, independent judge, sampled human evaluation	record:brief
Inputs	feat.tasks (b0fd4d2), org.engineering_stack (a6b3e2a)	record:brief

1. Repositories this lane needs

Task	Story	Repository	Source
TSK-03 Rule-based vendor risk level (new `risk.vendor_risk`)	STORY-03	ap_forecast	feat.tasks (section 1, TSK-03)
TSK-04 State the risk level in the explanation prompt (`build_explanation_request(..., risk=None)`)	STORY-04	ap_forecast	feat.tasks (section 1, TSK-04)

The Data Science lane needs only one repository, ap_forecast. It already exists, so no repository has to be created (feat.tasks section 1; tool:repo-access).

2. Availability and write access

Check	Result	Source
Repository available locally	Yes: ap_forecast	tool:repo-access
Language	Python 3.9 (standard library)	tool:repo-access; org.engineering_stack
Long-lived branches	`main` (released) and `dev` (integration)	org.engineering_stack; feat.tasks (section 2)
Working branch	`feature/story`, created from `dev` at `d67e866`	tool:repo-access
Working tree	Clean (git status clean)	tool:repo-access
Write access for the agent identity	Yes	tool:repo-access

Check	Result	Source
Databricks / database / other workspace	Not used by this repository; nothing to provision	tool:repo-access; org.engineering_stack

Outcome: the repository is available and the agent identity has write access. This meets the step outcome.

3. What the lane's tasks need from the repository

Item	Value	Source
Test framework and CI command	unittest; `/usr/bin/python3 ci.py`	org.engineering_stack
CI bar	Compile, unit tests, line coverage >= 90%, static checks standing in for SonarQube; Python 3.9 syntax only, no `print`, `eval`, `exec` or bare `except`, lines at most 140 characters	org.engineering_stack; feat.tasks (section 2)
Package version	ap_forecast `0.9.0` today; TSK-03 owns the version step (shared with TSK-04)	feat.tasks (section 2, TSK-03)
Existing function TSK-03 builds on	`predict_delay_days`, used unchanged	feat.tasks (TSK-03)
Existing function TSK-04 extends	`build_explanation_request`, with an additive `risk=None` parameter	feat.tasks (TSK-04)
Files in TSK-03 budget	New `src/ap_forecast/risk.py`; `src/ap_forecast/__init__.py` (import, `__all__`, version step); new `tests/test_risk.py`	feat.tasks (TSK-03)
Files in TSK-04 budget	`src/ap_forecast/explain.py`; `tests/test_forecast.py`	feat.tasks (TSK-04)
Must not change	`predict.py`, `models.json`; existing signatures (add new functions or additive parameters only)	feat.tasks (section 2, TSK-03, TSK-04)

4. Branch and commit conventions to apply

- Feature branches are per story (`feature/<story>`) (org.engineering_stack; feat.tasks section 2).
- Commit messages start with the story ID (`STORY-03`, `STORY-04`); the task ID may follow (feat.tasks section 2; org.engineering_stack; record:memory conventions).
- This agent does not merge, deploy or push; the spine commits and pushes after evaluation and approval (record:brief).

5. Open questions (non-blocking)

ID	Question	Interim assumption	Owner (proposed)
RAQ-1	feat.tasks and org.engineering_stack call for a feature branch per story (`feature/<story>`), but the tool view reports one branch literally named `feature/story`. Should TSK-03 (STORY-03) and TSK-04 (STORY-04) share it, or be split into per-story branches?	Both Data Science tasks are built on `feature/story`, with commits prefixed by their own story ID for traceability	Developer

ID	Question	Interim assumption	Owner (proposed)
RAQ-2	This step may run no shell commands, so whether the CI command runs in this environment (interpreter and any coverage tooling it needs) was not checked	The first CI run in DS-05/DS-06 confirms it	Developer / infra
RAQ-3	Push permission to the remote was not tested in this step (pushes are spine-only); write access is taken from the tool view	Write access as stated by tool:repo-access	Spine / Developer

[Tool result] [ap_forecast] Branch feature/story at d67e866; write access confirmed