FEAT-ZD-48600 · DS-01 Checking the coding prerequisites ■ · Repository (and Databricks) availability and write access

Data Science agent · item task.repo_access · source hobasa-data-science-agent/outputs/FEAT-ZD-48600/task.repo_access.md · approved by automated checks and independent judge

task.repo_access: FEAT-ZD-48600

This record covers repository availability and write access for the Data Science lane of FEAT-ZD-48600 ("Show which overdue invoices belong to vendors that usually pay late"). It is step DS-01, Checking the coding prerequisites. The step has no gate: automated checks, the independent judge and sampled human evaluation review it.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	DS-01 Checking the coding prerequisites	record:brief
Inputs	feat.tasks (b0fd4d2), org.engineering_stack (76d03ce)	record:brief
Lane tasks	TSK-03 (STORY-03, `vendor_risk`), TSK-04 (STORY-04, `build_explanation_request(..., risk=None)`)	feat.tasks (section 1)

1. Result

Outcome: met. The repository `ap_forecast` is available locally, and the agent identity has write access to it. The working branch is `feature/story`, created from `dev`. No repository needs to be created, and this lane uses no Databricks or other workspace.

2. Repository availability

Check	Result	Source
Repository needed by the lane	`ap_forecast` (Data Science lane, TSK-03 and TSK-04)	feat.tasks (section 1)
Available locally	Yes	tool:repo-access
Repository creation needed	No. The repository already exists and has the branches `main` and `dev`	tool:repo-access; file:ap_forecast/.git/refs/heads/main; file:ap_forecast/.git/refs/heads/dev
Remote	`origin` points to GitHub repository `arghya05/ap-forecast-sample`	file:ap_forecast/.git/config
Language and runtime	Python 3.9, standard library; tests use unittest	tool:repo-access; org.engineering_stack; file:ap_forecast/CLAUDE.md
CI command	`/usr/bin/python3 ci.py`: compile, unit tests, line coverage of at least 90%, and static checks in place of SonarQube	org.engineering_stack; file:ap_forecast/ci.py; file:ap_forecast/README.md
Current package version	`0.9.0` (`src/ap_forecast/__init__.py`), which matches feat.tasks section 2	file:ap_forecast/src/ap_forecast/__init__.py ; feat.tasks (section 2)
Existing code the lane builds on	`src/ap_forecast/predict.py` defines `predict_delay_days`	file:ap_forecast/src/ap_forecast/predict.py

Check	Result	Source
	`src/ap_forecast/explain.py` defines `build_explanation_request` and reads its provider and model from `models.json`	file:ap_forecast/src/ap_forecast/explain.py
	`tests/test_forecast.py` holds `test_predict`, `test_request_uses_config` and `test_request_with_explicit_config`	file:ap_forecast/tests/test_forecast.py

3. Branch and write access

Check	Result	Source
Checked-out branch	`feature/story` (HEAD)	file:ap_forecast/.git/HEAD; tool:repo-access
Branch base	Created from `dev` at `d67e866`. Today `dev` and `main` point to the same commit	tool:repo-access; file:ap_forecast/.git/logs/refs/heads/feature/story; file:ap_forecast/.git/refs/heads/dev; file:ap_forecast/.git/refs/heads/main
Working tree	Clean	tool:repo-access
Write access for the agent identity	Yes	tool:repo-access
Branch convention	`feature/<story>` branches. Commit messages start with the story ID (`STORY-03` or `STORY-04`), and the task ID may follow	feat.tasks (section 2); org.engineering_stack; record:memory

4. Databricks and database

Check	Result	Source
Databricks workspace	Not used by `ap_forecast`, so no access is needed	tool:repo-access; org.engineering_stack
Database	None. No repository uses a database	org.engineering_stack

5. Readiness for the lane tasks

Task	Files in budget	Repository ready	Source
TSK-03 (STORY-03)	New `src/ap_forecast/risk.py`; `src/ap_forecast/__init__.py` (import, `__all__`, version step); new `tests/test_risk.py`	Yes. `src/ap_forecast/__init__.py` exists, and so do the folders `src/ap_forecast/` and `tests/` that the new files go into	feat.tasks (TSK-03); file:ap_forecast/src/ap_forecast/__init__.py; file:ap_forecast/tests/test_forecast.py
TSK-04 (STORY-04)	`src/ap_forecast/explain.py`; `tests/test_forecast.py`	Yes. Both files exist	feat.tasks (TSK-04); file:ap_forecast/src/ap_forecast/explain.py; file:ap_forecast/tests/test_forecast.py

6. Observations (non-blocking)

ID	Observation	Interim handling	Source
RA-1	The working branch is `feature/story`, not a story-specific name such as `feature/STORY-03`. TSK-03 and TSK-04 would share one branch	Use `feature/story`. The commit prefixes `STORY-03` and `STORY-04` keep each commit traceable	tool:repo-access; feat.tasks (section 2)

ID	Observation	Interim handling	Source
RA-2	`ci.py` imports the third-party package `coverage`, while the library code uses only the standard library. CI was not run in this step, so it is not confirmed that `coverage` is installed for `/usr/bin/python3`	Confirm at the first CI run (DS-06 or DS-07)	file:ap_forecast/ci.py; file:ap_forecast/CLAUDE.md

7. Open questions

None are blocking. RA-1 and RA-2 are listed for the Developer to confirm.

Tool results (recorded by the spine from the real tools)

[Tool result] [ap_forecast] Branch feature/story at d67e866; write access confirmed