FEAT-ZD-48600 · DS-01 Checking the coding prerequisites ■ · Repository (and Databricks) availability and write access

Data Science agent · item task.repo_access · source hobasa-data-science-agent/outputs/FEAT-ZD-48600/task.repo_access.md · approved by automated checks and independent judge

task.repo_access: FEAT-ZD-48600

Repository and workspace check for the Data Science lane of FEAT-ZD-48600 ("Show which overdue invoices belong to vendors that usually pay late"). This is DS-01 Checking the coding prerequisites. The workbook outcome is that the repository is available with write access.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	DS-01 Checking the coding prerequisites	record:brief
Owner / gate	Developer / no gate: automated checks, the independent judge and sampled human evaluation	record:brief
Inputs	feat.tasks (b0fd4d2), org.engineering_stack (e8afce8)	record:brief
Lane tasks	TSK-03 (STORY-03, `risk.vendor_risk`) and TSK-04 (STORY-04, `explain.build_explanation_request(..., risk=None)`)	feat.tasks (sections 1, 3)

1. Result

The repository is available with write access. No repository creation is needed. No Databricks or other workspace is required.

Check	Result	Source
Repository needed by the lane	`ap_forecast`, the only repository for TSK-03 and TSK-04	feat.tasks (section 1)
Repository exists	Yes, available locally. Existing package `src/ap_forecast/` (`__init__.py`, `predict.py`, `explain.py`, `models.json`), tests in `tests/test_forecast.py`, and `ci.py`	tool:repo-access; file:ap_forecast/src/ap_forecast/__init__.py; file:ap_forecast/tests/test_forecast.py; file:ap_forecast/ci.py
Repository creation needed	No. The repository exists. TSK-03 adds new files (`risk.py`, `tests/test_risk.py`) inside it	tool:repo-access; feat.tasks (TSK-03)
Remote	`origin` is configured, and local `main` and `dev` track it	file:ap_forecast/.git/config
Branches	`main` and `dev` exist, plus the working branch `feature/story`. HEAD is on `feature/story`	file:ap_forecast/.git/HEAD; tool:repo-access
Working branch base	`feature/story` was created from `dev` at `d67e866`. Locally `main` and `dev` point to the same commit	tool:repo-access; file:ap_forecast/.git/refs/heads/dev; file:ap_forecast/.git/refs/heads/main
Write access	The agent identity has write access, and `git status` is clean	tool:repo-access
Language / runtime	Python 3.9 (standard library)	tool:repo-access; org.engineering_stack

Check	Result	Source
CI command	`/usr/bin/python3 ci.py`: compile, unit tests, line coverage >= 90% and static checks that stand in for SonarQube	org.engineering_stack; file:ap_forecast/ci.py
Package version today	`0.9.0` (TSK-03 owns the version step)	file:ap_forecast/src/ap_forecast/__init__.py ; feat.tasks (section 2)
Databricks / database	Not used. No repository uses Databricks or a database	org.engineering_stack; tool:repo-access

2. Repository conventions for the lane

Item	Value	Source
Branch convention	`main` (released), `dev` (integration), `feature/<story>`	org.engineering_stack; feat.tasks (section 2)
Commit message	Starts with the story ID (for example `STORY-03`). The task ID may follow it	org.engineering_stack; feat.tasks (section 2); record:memory
Signatures	Keep the existing public signatures and add new functions for new behaviour	file:ap_forecast/CLAUDE.md; feat.tasks (section 2)
Static checks in CI	No `print`, `eval` or `exec` calls and no bare `except` in `src/ap_forecast/*.py`. Lines are at most 140 characters	file:ap_forecast/ci.py

3. Open questions (none blocking)

ID	Question	Interim answer	Owner (proposed)
RAQ-1	The working branch is literally named `feature/story`. The convention is `feature/<story>`, and this lane covers STORY-03 and STORY-04 in one repository. Should the branch keep this name, or be split or renamed per story?	Use the existing `feature/story` branch. Keep the story ID as the commit prefix for traceability	Developer
RAQ-2	`ci.py` imports the `coverage` package, which is not part of the standard library. This step ran no shell commands, so it did not check that `coverage` is installed for `/usr/bin/python3`	The first CI run in DS-05 or DS-06 confirms it	Developer / infra
RAQ-3	`.git/config` has no upstream entry for `feature/story`. Push rights on `origin` rest on the tool view's write-access statement	Accept the tool view's write-access statement	Developer

4. Validation check

Check	Result	Source
Repository available	Pass	tool:repo-access
Write access	Pass	tool:repo-access
Databricks or other workspace needed	Not applicable	org.engineering_stack; tool:repo-access
Blocking questions	None	—

Tool results (recorded by the spine from the real tools)

[Tool result] [ap_forecast] Branch feature/story at d67e866; write access confirmed