FEAT-ZD-48600 · DES-01 Platform Architecture Update [1] · Platform architecture change (when flagged)

Design agent · item feat.platform_update · source hobasa-design-agent/outputs/FEAT-ZD-48600/checks/DES-01_feat.platform_update.md · approved by automated checks and independent judge

feat.platform_update: FEAT-ZD-48600 (DES-01 check record)

Step DES-01 "Platform Architecture Update" ran in **check mode**. The spine reported that its condition is not met: "condition not met: TRD flags a platform-level change" (record:intake). This record checks that against the approved TRD and the platform architecture. No architecture document, code, configuration, test or environment was changed.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief; feat.trd
Workbook action	"If the feature needs an architectural change at the platform level, so firstly it gets updated in the platform architectural level document"	record:brief
Mode	Check: say whether the action is needed now. Change nothing	record:brief; record:intake
Inputs read	feat.trd (from hobasa-requirement-agent at commit 3637e51); org.architecture (feature override, at commit 70aad33)	record:brief
Other files read	`org/org.architecture.md` (org-level base document); `org/org.decision_log.md`	file:hobasa-agentic-sdlc/org/org.architecture.md; file:hobasa-agentic-sdlc/org/org.decision_log.md

1. Conclusion

No platform-level architecture update is needed now. The TRD (the step brief lists it as the "Approved TRD") does not flag a platform-level change. None of its changes alters the platform architecture as org.architecture describes it:

- The repositories stay the same.
- The runtimes stay the same.
- The order of the four repositories in the flow stays the same. One new in-library serialisation step, CT-1, goes between ap_aging and ap_portal. Who owns its transport is still open (TQ-3; see O-1 and TR-1).
- The JSON rules stay the same.
- The signature rule stays the same.
- Authentication, tenancy, finance posting and payment execution are not added or changed (S-1).
- Two feature-level security items are still open, and neither changes the platform architecture:
- output encoding in ap_portal (S-4);
- the risk label added to the existing LLM prompt (S-5, TQ-8; see TR-4).

Every change is either a new function or an additive change inside an existing repository. That is what the platform rule "Keep every existing signature; add new functions" allows. The feature-level contract CT-1 and the new functions belong in the feature's own design and TRD, not in the platform architecture document.

2. What was checked, and the evidence

#	Platform aspect (org.architecture)	What the TRD does	Platform change?	Source
K-1	Four repositories in one flow: ap_pipeline → ap_forecast → ap_aging → ap_portal	Changes only these four repositories (C-1 to C-10). It adds no repository or service. The end-to-end wiring (IF-8) follows the same flow	No, pending TQ-3. The new CT-1 serialiser (C-7) is a function inside ap_aging; its transport is open (TR-1)	org.architecture; feat.trd (section 1, IF-6, IF-8, TQ-3)
K-2	Runtimes: Python 3.9 for three repositories; Node.js 22 CommonJS for ap_portal	Keeps them. F-15 says new Python code must not use syntax newer than 3.9	No	org.architecture; feat.trd (F-15)
K-3	"Keep every existing signature; add new functions"	New functions: `delays_by_vendor`, `vendor_risk`, `overdue_with_risk`, `overdue_rows_to_json`, `renderOverdueRisk`. Two existing functions change additively: `to_model` behaviour (signature unchanged) and `build_explanation_request` (new optional `risk=None` as the last parameter). The TRD validation check records "Pass" for this rule	No. This is the change type the rule allows	org.architecture; feat.trd (section 1; IF-1; IF-4.1; section 9)
K-4	"JSON between services carries amounts as strings with two decimals and dates as ISO strings"	CT-1 sends `amount` as a two-decimal string and has no date field. It says any date added later must be an ISO string	No. CT-1 follows the existing rule	org.architecture; feat.trd (IF-6)
K-5	Data shape: Invoice records from ap_pipeline	Adds one key, `paid_date` (date or None), to the record dict. Existing keys and values do not change. No storage, schema migration or new persistent data	No platform change. This is a field-level change to the feature's data	feat.trd (IF-1.6; D-2; section 3 data rules)
K-6	Base org document: ap_aging is a pure library with "No database, no network, no secrets", and existing signatures and return shapes must not change	`overdue_with_risk` and `overdue_rows_to_json` are pure and in-memory. `aging_buckets`, `days_past_due` and `bucket_for` do not change	No	file:hobasa-agentic-sdlc/org/org.architecture.md; feat.trd (IF-5.8; section 3 data rules)
K-7	Tenancy and security	"No finance posting, authentication, tenancy or payment execution is added or changed; tier T2." The risk label is advisory only	No	feat.trd (S-1, S-2; section 1 "Not affected")
K-8	LLM provider and model (ap_forecast `models.json`)	Provider and model stay the same (IF-4.4). `vendor_risk` uses no LLM (IF-3.2)	No	feat.trd (IF-3.2, IF-4.4; section 1 "Not affected")
K-9	Platform decisions D-2026-031, D-2026-044, D-2026-050	TRD section 9 records new code as consistent with all three	No decision change	file:hobasa-agentic-sdlc/org/org.decision_log.md; feat.trd (section 9); record:memory

3. Observations for the Architect (not platform changes in this item)

#	Observation	Why it is not a platform update now	Source
O-1	The transport between ap_aging and ap_portal is open (TQ-3). The TRD found no service or transport layer in the code it read, and proposes a serialiser in ap_aging (C-7). The org-level base document says ap_aging is "used by the AP API", but no AP API code or contract is among this step's inputs.	C-7 is a pure function inside ap_aging and follows the existing JSON rule. It adds no service, endpoint or transport. If TQ-3 is answered with a new or changed service/API, see trigger TR-1.	feat.trd (IF-6, C-7, R-7, TQ-3); file:hobasa-agentic-sdlc/org/org.architecture.md
O-2	The function lists in org.architecture will be out of date after this feature: the new exported functions and the optional `risk` parameter are not listed.	The platform rule allows new functions. A catalogue refresh after release is housekeeping, not an architectural change. It is offered as a non-blocking question.	org.architecture; feat.trd (section 1; IF-4)
O-3	The two architecture documents do not have the same scope. The feature override describes all four repositories. The org-level base document describes only ap_aging.	This does not affect the conclusion, because both documents allow additive new functions. It is noted so that any later platform update edits the correct document.	org.architecture; file:hobasa-agentic-sdlc/org/org.architecture.md
O-4	Existing code has two issues the TRD found. First, `formatAmount` formats through a float, against decision D-2026-044 (TQ-2). Second, `bucket_for(30)` returns `"31-60"`, which does not match its own "1-30" label or the `> 30` overdue rule (TQ-1).	These are defects in existing code and the TRD raises them as separate decisions. They are not architecture changes, and this feature does not touch either helper (C-9, IF-5.3).	feat.trd (F-10, F-12, TQ-1, TQ-2, C-9)

4. What would trigger the action (re-run DES-01 as a full update)

#	Trigger	Linked open item
TR-1	The answer to TQ-3 adds or changes a service, API or transport between ap_aging and ap_portal (for example, CT-1 served through the AP API)	feat.trd (TQ-3, R-7)
TR-2	CT-1, or any other inter-service JSON, needs a format other than two-decimal amount strings and ISO date strings	org.architecture; feat.trd (IF-6)
TR-3	Any change breaks or replaces an existing signature or return shape. This includes rejecting an unpaid row with a `paid_date` (OQ-B6) if that changed `to_model`'s return shape (today the TRD says only IF-1 changes)	org.architecture; feat.trd (IF-1.7, R-11)
TR-4	The answer to TQ-8 (sending the vendor's risk label to the external LLM provider) requires a platform-wide data-flow or provider policy, or a change of provider or model	feat.trd (S-5, TQ-8)
TR-5	A new repository, runtime, storage or persistent data, or an authentication or tenancy change, is added to the scope	feat.trd (S-1; section 3 data rules)

#	Trigger	Linked open item
TR-6	The TRD is revised and flags a platform-level change	record:intake

5. Assumptions and open questions (non-blocking)

- PU-Q1: Should org.architecture's function lists be updated after release with the new exported functions and the `risk` parameter (O-2)? This is catalogue housekeeping, not an architectural change.
- PU-Q2: Is the "AP API" in the org-level base document the transport for CT-1 (O-1, TQ-3)? If it is, TR-1 applies and DES-01 should run as a full update.
- PU-Q3: Which document is the platform architecture of record: the four-repository feature override or the ap_aging-only org-level base document (O-3)?