FEAT-ZD-48600 · FE-02 Access to secrets · Secrets granted for the task's environments (names only)

Frontend agent · item task.secrets_scope · source hobasa-frontend-agent/outputs/FEAT-ZD-48600/task.secrets_scope.md · approved by automated checks and independent judge

task.secrets_scope: FEAT-ZD-48600 (Frontend, ap_portal)

Secrets scope for the Frontend task TSK-07 "Render the overdue risk table" (STORY-07). This is FE-02 Access to secrets (attempt 1). The step checks which secrets the task needs, which ones the permission table grants, and whether access must be requested.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	FE-02 Access to secrets (attempt 1)	record:brief
Owner / gate	Developer / no gate: automated checks, the independent judge and sampled human evaluation	record:brief
Inputs	feat.tasks (revision b0fd4d2, from DES-04); org.permission_table (restricted, passed by reference only)	record:brief; feat.tasks
Task in scope	TSK-07 / STORY-07, Frontend lane, repository ap_portal	feat.tasks (sections 1, 3 TSK-07)

1. Result

No secrets are required, and none are granted, for TSK-07 in ap_portal. No access request is needed.

Secret name	Environment	Needed by TSK-07	Granted (permission table)	Action
None	None	No	No: "no secrets are required or granted for this repository"	None. No access request raised

Sources: tool:repo-access (permission table summary for ap_portal); feat.tasks (TSK-07).

2. Why the task needs no secret

TSK-07 is a pure rendering change inside the ap_portal package. Nothing in its scope reads a credential, calls a service or opens a connection.

Check	Finding	Source
What the task builds	Exported `renderOverdueRisk(rows)` that returns an HTML `<table class="overdue-risk">` string, or `''` for missing, `null` or `[]`	feat.tasks (TSK-07 Goal)
Files in budget	`src/ap_portal/index.js`, `package.json` (version only), `tests/portal.test.js`	feat.tasks (TSK-07 Files in budget)
Technology	No new technology; only the Node.js 22 CommonJS runtime for this lane	feat.tasks (preamble, DD-1 carried)
Data source	Takes the CT-1 rows as an argument; it depends on the CT-1 field list only, not on TSK-06 code	feat.tasks (TSK-07 Depends on)

Check	Finding	Source
Transport / network	None. CT-1 has no transport layer; adding one would re-trigger DES-01	feat.tasks (TSK-06 Must not change)
External services or LLM	None in the Frontend lane. The only LLM-related task is TSK-04 in ap_forecast, which is not part of this lane	feat.tasks (sections 1, 3 TSK-04)
Tests and CI	`node:test` with `NODE_PATH=src`; CI bar is compile, unit tests, coverage of at least 90% and static checks	feat.tasks (TSK-07 Tests to add; section 2 CI bar)
End-to-end proof	TSK-08 uses a synthetic feed only (`SYN-INV-*`) and is the Testing Agent's test asset, not deployed	feat.tasks (TSK-08)

3. Environments

Environment	Use by TSK-07	Secrets
Local / CI (feature branch `feature/<story>`)	Compile, unit tests, coverage and static checks	None
dev (integration), main (released)	Not touched by this task, which works on its feature branch	None granted for ap_portal

Sources: feat.tasks (section 2 Branch and commit, CI bar); tool:repo-access.

4. Access requests

None raised. The permission table grants nothing for ap_portal and the task needs nothing, so the scope matches and there is no excess access to flag.

5. Guardrails carried to FE-04 Coding

- Do not add any secret, token, key or environment-variable read to `src/ap_portal/` for TSK-07. If one ever looks necessary, stop and return to FE-02. It would be outside the files in budget and outside the design (feat.tasks section 2: a task that needs a file outside its budget goes back to the Architect).
- Test data stays synthetic (feat.tasks TSK-08).

6. Open questions

None blocking. None new.

[Tool result] [ap_portal] Tool registry: no secrets required or granted (permission table)