FEAT-ZD-48600 · FE-01 Checking the coding prerequisites ■ · Repository (and Databricks) availability and write access

Frontend agent · item task.repo_access · source hobasa-frontend-agent/outputs/FEAT-ZD-48600/task.repo_access.md · approved by automated checks and independent judge

task.repo_access: FEAT-ZD-48600

Repository availability and write access for the Frontend lane of FEAT-ZD-48600 (ZD-48600, "Show which overdue invoices belong to vendors that usually pay late"). This is FE-01 Checking the coding prerequisites. The Frontend lane owns one task, TSK-07 (STORY-07, "Render the overdue risk table"), in the ap_portal repository (feat.tasks, sections 1 and 3).

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	FE-01 Checking the coding prerequisites	record:brief
Trigger	Task creation, or any re-entry trigger	record:brief
Owner / gate	Developer / automated checks, the independent judge and sampled human evaluation	record:brief
Inputs	feat.tasks (from DES-04, commit b0fd4d2), org.engineering_stack (commit b6a392f)	record:brief
Task in scope	TSK-07 / STORY-07 / Frontend / ap_portal	feat.tasks (section 1)

1. Result

Outcome: the repository is available with write access. No repository has to be created, and no Databricks workspace or database is needed.

Check	Result	Source
Repository needed by the lane	ap_portal (the only Frontend repository; TSK-07)	feat.tasks (section 1, TSK-07)
Repository exists and is checked out	Yes: available locally	tool:repo-access; file:ap_portal/.git/HEAD
Repository creation needed	No: the repository already exists	tool:repo-access
Working branch	`feature/story`, checked out (HEAD is `refs/heads/feature/story`)	tool:repo-access; file:ap_portal/.git/HEAD
Branch base	Created from `dev` at commit `ff761ee`	tool:repo-access; file:ap_portal/.git/logs/refs/heads/feature/story
Branch model	`main` (released), `dev` (integration), `feature/<story>`	file:ap_portal/CLAUDE.md; org.engineering_stack
Working tree	Clean	tool:repo-access
Write access for the agent identity	Yes	tool:repo-access
Databricks / database	Not used by this repository	tool:repo-access; org.engineering_stack

2. Stack and CI binding for ap_portal

Item	Value	Source
Language / runtime	Node.js 22, CommonJS	org.engineering_stack; file:ap_portal/CLAUDE.md

Item	Value	Source
Test framework	`node:test`	org.engineering_stack; file:ap_portal/CLAUDE.md
CI command	`node ci.mjs` (also `npm run ci` via `package.json`)	org.engineering_stack; file:ap_portal/package.json
CI checks	Syntax check (`node --check`) of every `src/ap_portal/*.js`, unit tests with coverage (`NODE_PATH=src`), line coverage >= 90%, no line matching `console.log` or `eval(`, lines at most 140 characters	file:ap_portal/ci.mjs
Code / tests location	`src/ap_portal/` / `tests/` (`tests/portal.test.js` today)	file:ap_portal/CLAUDE.md; file:ap_portal/tests/portal.test.js
Current version	`2.3.0` in `src/ap_portal/index.js` (`VERSION`) and in `package.json` (`"version"`)	file:ap_portal/src/ap_portal/index.js; file:ap_portal/package.json; feat.tasks (section 2)
Current exports	`VERSION`, `LABELS`, `formatAmount`, `renderAgingSummary` (to be kept unchanged)	file:ap_portal/src/ap_portal/index.js; feat.tasks (TSK-07 "Must not change")
Commit message rule	Starts with the story ID (STORY-07; the task ID TSK-07 may follow)	org.engineering_stack; feat.tasks (section 2, TA-5)

3. Files TSK-07 will change (all inside the checked-out repository)

File	Change allowed	Source
`src/ap_portal/index.js`	Constants, private helpers, the `renderOverdueRisk` export, `VERSION` step	feat.tasks (TSK-07 "Files in budget")
`package.json`	Version only	feat.tasks (TSK-07)
`tests/portal.test.js`	New tests; existing tests unchanged	feat.tasks (TSK-07)

All three files exist on `feature/story` (file:ap_portal/src/ap_portal/index.js; file:ap_portal/package.json; file:ap_portal/tests/portal.test.js), so no new file or directory is needed for TSK-07.

4. Dependencies affecting access

TSK-07 depends on the CT-1 field list only, not on TSK-06 code, so no access to the ap_aging repository is required for the Frontend lane (feat.tasks, TSK-07 "Depends on"). No secret is needed by this step; secrets are checked in FE-02.

5. Actions not taken (bounded by G9)

This step reads only. It did not push, merge, create a remote branch or run CI; the spine commits and pushes after evaluation. Shell commands are not permitted in FE-01, so the access facts come from the step's tool view and the repository files read above.

6. Open questions (non-blocking)

ID	Question	Interim answer	Owner (proposed)
RAQ-1	feat.tasks and the repository's CLAUDE.md name the branch pattern `feature/<story>`; the branch provided is `feature/story`, not `feature/STORY-07`. Should the lane work on `feature/story` or on a story-named branch?	Work on `feature/story` as provided by the spine; commit messages carry `STORY-07` for traceability	Developer

Tool results (recorded by the spine from the real tools)

[Tool result] [ap_portal] Branch feature/story at ff761ee; write access confirmed