FEAT-ZD-48600 · FE-01 Checking the coding prerequisites ■ · Repository (and Databricks) availability and write access

Frontend agent · item task.repo_access · source hobasa-frontend-agent/outputs/FEAT-ZD-48600/task.repo_access.md · approved by automated checks and independent judge

task.repo_access: FEAT-ZD-48600 (Frontend lane)

This file records the coding prerequisites for the Frontend task of FEAT-ZD-48600. It answers three questions: is the repository available, does it need to be created, and can the agent identity write to it. Step: FE-01, Checking the coding prerequisites.

Field	Value	Source
Trace ID	FEAT-ZD-48600	record:brief
Step	FE-01 Checking the coding prerequisites	record:brief
Owner / gate	Developer / automated checks, independent judge, sampled human evaluation	record:brief
Task in scope	TSK-07 (STORY-07): render the overdue risk table SC-1 with `renderOverdueRisk`	feat.tasks (sections 1 and 3, TSK-07)
Inputs	feat.tasks (design-agent output at b0fd4d2); org.engineering_stack (at 3b03f15)	record:brief

1. Result

Outcome: the repository is available and the agent identity can write to it. No repository needs to be created. No Databricks workspace or database is needed.

Check	Result	Evidence
Repository named by the task	`ap_portal` (Frontend lane)	feat.tasks (section 1, TSK-07)
Repository available locally	Yes	tool:repo-access; file:ap_portal/.git/HEAD
Repository creation needed	No. It already exists and has history at commit `ff761ee`	tool:repo-access; file:ap_portal/.git/refs/heads/dev
Long-lived branches	`main` (released) and `dev` (integration) both exist and both point at `ff761ee`	file:ap_portal/.git/refs/heads/main; file:ap_portal/.git/refs/heads/dev; file:ap_portal/CLAUDE.md
Working branch	`feature/story`, created from `dev` at `ff761ee`; it is checked out	tool:repo-access; file:ap_portal/.git/HEAD; file:ap_portal/.git/logs/refs/heads/feature/story
Write access for the agent identity	Yes. The working tree is clean	tool:repo-access
Databricks or other workspace	Not used by this repository	tool:repo-access; org.engineering_stack
Database	None used	org.engineering_stack

2. Stack and CI, as found in the repository

Item	Value	Source
Language / test runner	Node.js 22, CommonJS, `node:test`	org.engineering_stack; file:ap_portal/CLAUDE.md

Item	Value	Source
CI command	`node ci.mjs`	org.engineering_stack; file:ap_portal/CLAUDE.md; file:ap_portal/ci.mjs
CI checks	Runs `node --check` on every `src/ap_portal/*.js` file, then the tests with `--experimental-test-coverage` and `NODE_PATH=src`. CI passes only if coverage is >= 90, no test fails, at least one test runs and there are no static issues	file:ap_portal/ci.mjs
Static checks (stand-in for SonarQube)	No line matching `console.log` or `eval(`; no line longer than 140 characters	file:ap_portal/ci.mjs; feat.tasks (section 2, CI bar)
Code and test folders	Code in `src/ap_portal/`, tests in `tests/`; the files are `src/ap_portal/index.js` and `tests/portal.test.js`	file:ap_portal/CLAUDE.md; file:ap_portal/src/ap_portal/index.js; file:ap_portal/tests/portal.test.js
Current version	`2.3.0`, in both `src/ap_portal/index.js` (`VERSION`) and `package.json`	file:ap_portal/src/ap_portal/index.js; file:ap_portal/package.json; feat.tasks (section 2)
Current exports	`VERSION`, `LABELS`, `formatAmount`, `renderAgingSummary`	file:ap_portal/src/ap_portal/index.js
Existing tests	`formats amounts with two decimals`; `renders every bucket in order`	file:ap_portal/tests/portal.test.js

3. Files and rules for the Frontend lane (from the task budget)

Item	Value	Source
Files in budget	`src/ap_portal/index.js`, `package.json` (version only), `tests/portal.test.js`	feat.tasks (TSK-07)
Must not change	`LABELS`, `formatAmount`, `renderAgingSummary` and their tests	feat.tasks (TSK-07)
Signature rule	Keep the existing public signatures and add new functions for new behaviour	file:ap_portal/CLAUDE.md; feat.tasks (section 2)
Commit messages	Start with the story ID (`STORY-07`); the task ID may follow	feat.tasks (section 2); org.engineering_stack; record:memory
Version step	Owned by TSK-07. `VERSION` and `"version"` change together, and the lane confirms the next number	feat.tasks (section 2, TSK-07)

All three files in the budget exist in the repository (file:ap_portal/package.json; file:ap_portal/src/ap_portal/index.js; file:ap_portal/tests/portal.test.js).

4. Notes and open questions (non-blocking)

ID	Note or question	Interim answer
RA-1	The branch convention is `feature/<story>` (file:ap_portal/CLAUDE.md; feat.tasks section 2), but the working branch is named `feature/story`, not `feature/STORY-07` (tool:repo-access). Should it be renamed?	Use `feature/story` and start every commit message with the story ID. The Developer confirms whether to rename it
RA-2	Shell commands are not allowed in FE-01, so `git status` and CI were not run in this step. Write access and the clean tree come from the step's tool view, and the branch refs were read from the `.git` files	Accept the tool view. CI first runs in the coding steps

ID	Note or question	Interim answer
RA-3	`dev` and `main` both point at commit `ff761ee`	No action needed. This records the starting point for later rebases

[Tool result] [ap_portal] Branch feature/story at ff761ee; write access confirmed