

SUKINO HEALTHCARE

Transitional & Continuing Care | Bengaluru, Karnataka, India | +91 80 4718 8888

SUKINO HEALTHCARE — OUTPATIENT PRESCRIPTION

Patient: Ramesh Iyer, 58 M | UHID: SK-44192

Date: 12 March 2026 | Consultant: Dr. A. Nair, MD (Gen. Med.)

Diagnosis: Type 2 Diabetes Mellitus (uncontrolled), HbA1c 8.4%

Rx

- Tab. Metformin SR 500 mg — 1 tablet ORALLY, TWICE DAILY, after food (morning and night). Duration: 30 days.
- Tab. Glimepiride 1 mg — 1 tablet ORALLY, ONCE DAILY before breakfast. Duration: 30 days.

Nursing notes:

- Administer after meals to reduce GI upset.
- Monitor fasting and post-prandial blood glucose twice weekly.
- Withhold Metformin 48 hours before any contrast imaging study.
- Watch for signs of lactic acidosis: muscle pain, breathlessness, vomiting.

Review after 4 weeks with repeat FBS/PPBS and renal function tests.



Dr.A. Nair

Dr. A. Nair, MD (Gen. Med.)

KMC Reg. No. KA/34000

Signature of the treating doctor