Tables (3)

Name	Type	Schema
jobs		CREATE TABLE "jobs" ("id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE, "user_id" INTEGER NOT NULL, "is_recurring" INTEGER, "run_every" TEXT, "run_at" TEXT, "request_type" TEXT NOT NULL, "webhook" TEXT NOT NULL, "payload" TEXT, "is_multipart" INTEGER)
id	INTEGER	"id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE
user_id	INTEGER	"user_id" INTEGER NOT NULL
is_recurring	INTEGER	"is_recurring" INTEGER
run_every	TEXT	"run_every" TEXT
run_at	TEXT	"run_at" TEXT
request_type	TEXT	"request_type" TEXT NOT NULL
webhook	TEXT	"webhook" TEXT NOT NULL
payload	TEXT	"payload" TEXT
is_multipart	INTEGER	"is_multipart" INTEGER
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name	TEXT	"name" TEXT
seq	TEXT	"seq" TEXT
users		CREATE TABLE "users" ("id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE, "email" TEXT NOT NULL, "code" TEXT, "code_created" TEXT, "requests_made" INTEGER DEFAULT 0, "api_key" TEXT UNIQUE, "first_name" TEXT, "last_name" TEXT, "company" TEXT, "vat_number" TEXT, "address" TEXT, "postal_code" TEXT, "town" TEXT, "country" TEXT, "validated" INTEGER DEFAULT 0)
id	INTEGER	"id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE
email	TEXT	"email" TEXT NOT NULL
code	TEXT	"code" TEXT
code_created	TEXT	"code_created" TEXT
requests_made	INTEGER	"requests_made" INTEGER DEFAULT 0
api_key	TEXT	"api_key" TEXT UNIQUE
first_name	TEXT	"first_name" TEXT
last_name	TEXT	"last_name" TEXT
company	TEXT	"company" TEXT
vat_number	TEXT	"vat_number" TEXT
address	TEXT	"address" TEXT
postal_code	TEXT	"postal_code" TEXT
town	TEXT	"town" TEXT
country	TEXT	"country" TEXT
validated	INTEGER	"validated" INTEGER DEFAULT 0

Indices (0)

Name	Type	Schema

Views (0)

Name	Type	Schema

Triggers (0)

Name	Type	Schema