

CoolSculpting Treatment Protocol

V-Unite Aesthetic Clinic · Clinical SOP · Version 2.0 · Review date: June 2026

1. Indications & contraindications

CoolSculpting (cryolipolysis) is for reduction of localised, pinchable subcutaneous fat in a client at or near a stable target weight. It is **not** a weight-loss treatment.

Do not treat if any of the following apply

- Cryoglobulinaemia, cold agglutinin disease, or paroxysmal cold haemoglobinuria.
- Pregnancy or breastfeeding.
- Hernia at or near the proposed treatment site.
- Recent surgery or significant scarring in the area.

2. Consultation & expectation setting

- 2.1 Perform and document a pinch test; only areas with a clear pinch are suitable.
- 2.2 Take standardised before photographs (front, both obliques) under fixed lighting.
- 2.3 State the expected outcome clearly: **approximately 20–25% reduction of the fat layer in the treated area per cycle**, with visible results at **8–12 weeks**.
- 2.4 Most areas require **two cycles**, spaced 8–12 weeks apart, for the full result. Quote both cycles at consultation.
- 2.5 Issue the written plan and quote before the client leaves (Consultation SOP 3.2).

3. Treatment session

- 3.1 Confirm consent and re-confirm the marked area with the client standing.
- 3.2 Apply gel pad; position applicator; confirm adequate tissue draw.
- 3.3 Cycle time per applicator: 35–45 minutes depending on applicator.
- 3.4 On removal, massage the treated area firmly for 2–3 minutes — this materially improves the result.

4. Aftercare (give to every client in writing)

- Expect redness, firmness, swelling, tingling or numbness for days to a few weeks.
- Transient numbness in the area can last up to 6–8 weeks; this is normal.
- Normal activity and exercise can resume the same day.
- Contact the clinic if there is severe or worsening pain after the first week.

5. Follow-up

- 5.1 48-hour check-in call (Consultation SOP section 6).
- 5.2 Review appointment with standardised photographs at **12 weeks**.
- 5.3 Book the second cycle at the 12-week review if indicated.

6. Why conversion on this treatment is monitored

CoolSculpting has the clinic's highest consultation volume and, historically, its lowest consultation-to-purchase conversion. Providers must follow sections 2 and 4 of this protocol and section 4 of the Consultation SOP without exception, and every non-converting consultation is reviewed weekly.