













# HTML TAG REFERENCE

[http://www.tutorialspoint.com/html/html\\_tags\\_reference.htm](http://www.tutorialspoint.com/html/html_tags_reference.htm)

Copyright © tutorialspoint.com

Following tags have been introduced in older versions of HTML but all the tags marked with  are part of HTML-5.

Tag	Description	Version
<a href="#"><u>&lt;!--...--&gt;</u></a>	Specifies a comment	
<a href="#"><u>&lt;!DOCTYPE&gt;</u></a>	Specifies the document type	
<a href="#"><u>&lt;a&gt;</u></a>	Specifies an anchor	
<a href="#"><u>&lt;abbr&gt;</u></a>	Specifies an abbreviation	
<a href="#"><u>&lt;acronym&gt;</u></a>	Specifies an acronym	
<a href="#"><u>&lt;address&gt;</u></a>	Specifies an address element	
<a href="#"><u>&lt;applet&gt;</u></a>	Deprecated. Specifies an applet	
<a href="#"><u>&lt;area&gt;</u></a>	Specifies an area inside an image map	
<a href="#"><u>&lt;article&gt;</u></a>	Specifies an article	
<a href="#"><u>&lt;aside&gt;</u></a>	Specifies some content loosely related to the page content. If it is removed, the remaining content still makes sense	
<a href="#"><u>&lt;audio&gt;</u></a>	Specifies a sound content	
<a href="#"><u>&lt;b&gt;</u></a>	Specifies bold text	
<a href="#"><u>&lt;base&gt;</u></a>	Specifies a base URL for all the links in a page	
<a href="#"><u>&lt;basefont&gt;</u></a>	Deprecated. Specifies a base font	
<a href="#"><u>&lt;bdo&gt;</u></a>	Specifies the direction of text display	
<a href="#"><u>&lt;bdi&gt;</u></a>	Represents text that must be isolated from its surrounding for bidirectional text formatting. It allows embedding a span of text with a different, or unknown, directionality	
<a href="#"><u>&lt;bgsound&gt;</u></a>	Specifies background music	
<a href="#"><u>&lt;big&gt;</u></a>	Specifies big text	
<a href="#"><u>&lt;blink&gt;</u></a>	Specifies a text which blinks	
<a href="#"><u>&lt;blockquote&gt;</u></a>	Specifies a long quotation	
<a href="#"><u>&lt;body&gt;</u></a>	Specifies the body element	
<a href="#"><u>&lt;br&gt;</u></a>	Inserts a single line break	
<a href="#"><u>&lt;button&gt;</u></a>	Specifies a push button	
<a href="#"><u>&lt;canvas&gt;</u></a>	For making graphics with a script	
<a href="#"><u>&lt;caption&gt;</u></a>	Specifies a table caption	
<a href="#"><u>&lt;center&gt;</u></a>	Deprecated. Specifies centered text	
<a href="#"><u>&lt;cite&gt;</u></a>	Specifies a citation	

<a href="#"><u>&lt;code&gt;</u></a>	Specifies computer code text	
<a href="#"><u>&lt;col&gt;</u></a>	Specifies attributes for table columns	
<a href="#"><u>&lt;colgroup&gt;</u></a>	Specifies groups of table columns	
<a href="#"><u>&lt;comment&gt;</u></a>	Puts a comment in the document	
<a href="#"><u>&lt;datalist&gt;</u></a>	A list of options for input values	
<a href="#"><u>&lt;dd&gt;</u></a>	Specifies a definition description	
<a href="#"><u>&lt;del&gt;</u></a>	Specifies deleted text	
<a href="#"><u>&lt;dfn&gt;</u></a>	Specifies a definition term	
<a href="#"><u>&lt;dialog&gt;</u></a>	Specifies a dialog box or window	
<a href="#"><u>&lt;dir&gt;</u></a>	Deprecated. Specifies a directory list	
<a href="#"><u>&lt;div&gt;</u></a>	Specifies a section in a document	
<a href="#"><u>&lt;dl&gt;</u></a>	Specifies a definition list	
<a href="#"><u>&lt;dt&gt;</u></a>	Specifies a definition term	
<a href="#"><u>&lt;em&gt;</u></a>	Specifies emphasized text	
<a href="#"><u>&lt;embed&gt;</u></a>	Specifies a container for an external <i>non – HTML</i> application	
<a href="#"><u>&lt;fieldset&gt;</u></a>	Specifies a fieldset	
<a href="#"><u>&lt;figcaption&gt;</u></a>	Specifies a caption for a <figure> element	
<a href="#"><u>&lt;figure&gt;</u></a>	Specifies self-contained content	
<a href="#"><u>&lt;font&gt;</u></a>	Deprecated. Specifies text font, size, and color	
<a href="#"><u>&lt;footer&gt;</u></a>	Specifies a footer for a document or section	
<a href="#"><u>&lt;form&gt;</u></a>	Specifies a form	
<a href="#"><u>&lt;frame&gt;</u></a>	Specifies a sub window <i>aframe</i>	
<a href="#"><u>&lt;frameset&gt;</u></a>	Specifies a set of frames	
<a href="#"><u>&lt;h1&gt; to &lt;h6&gt;</u></a>	Specifies header 1 to header 6	
<a href="#"><u>&lt;head&gt;</u></a>	Specifies information about the document	
<a href="#"><u>&lt;header&gt;</u></a>	Specifies a header for a document or section	
<a href="#"><u>&lt;hr&gt;</u></a>	Specifies a horizontal rule	
<a href="#"><u>&lt;html&gt;</u></a>	Specifies an html document	
<a href="#"><u>&lt;i&gt;</u></a>	Specifies italic text	
<a href="#"><u>&lt;iframe&gt;</u></a>	Specifies an inline sub window <i>frame</i>	
<a href="#"><u>&lt;ilayer&gt;</u></a>	Specifies an inline layer	
<a href="#"><u>&lt;img&gt;</u></a>	Specifies an image	
<a href="#"><u>&lt;input&gt;</u></a>	Specifies an input field	
<a href="#"><u>&lt;ins&gt;</u></a>	Specifies inserted text	

<a href="#"><u>&lt;isindex&gt;</u></a>	Deprecated. Specifies a single-line input field	
<a href="#"><u>&lt;kbd&gt;</u></a>	Specifies keyboard text	
<a href="#"><u>&lt;keygen&gt;</u></a>	Generate key information in a form	5
<a href="#"><u>&lt;label&gt;</u></a>	Specifies a label for a form control	
<a href="#"><u>&lt;layer&gt;</u></a>	Specifies a layer	
<a href="#"><u>&lt;legend&gt;</u></a>	Specifies a title in a fieldset	
<a href="#"><u>&lt;li&gt;</u></a>	Specifies a list item	
<a href="#"><u>&lt;link&gt;</u></a>	Specifies a resource reference	
<a href="#"><u>&lt;main&gt;</u></a>	Specifies the main or important content in the document. There is only one element in the document	5
<a href="#"><u>&lt;map&gt;</u></a>	Specifies an image map	
<a href="#"><u>&lt;mark&gt;</u></a>	Specifies a text highlighted for reference purposes, that is for its relevance in another context	5
<a href="#"><u>&lt;marquee&gt;</u></a>	Creates a scrolling-text marquee	
<a href="#"><u>&lt;menu&gt;</u></a>	Deprecated. Specifies a menu list	
<a href="#"><u>&lt;menuitem&gt;</u></a>	Specifies a command/menu item that the user can invoke from a popup menu	5
<a href="#"><u>&lt;meta&gt;</u></a>	Specifies meta data of an html document which is not displayed on the page	
<a href="#"><u>&lt;meter&gt;</u></a>	Specifies a scalar measurement within a known range <i>agauge</i>	
<a href="#"><u>&lt;multicol&gt;</u></a>	Specifies a multicolumn text flow	
<a href="#"><u>&lt;nav&gt;</u></a>	Specifies a section that contains only navigation links	5
<a href="#"><u>&lt;nobr&gt;</u></a>	No breaks allowed in the enclosed text	
<a href="#"><u>&lt;noembed&gt;</u></a>	Specifies content to be presented by browsers that do not support the <embed> tag	
<a href="#"><u>&lt;noframes&gt;</u></a>	Specifies a noframe section	
<a href="#"><u>&lt;noscript&gt;</u></a>	Specifies a noscript section	
<a href="#"><u>&lt;object&gt;</u></a>	Specifies an embedded object	
<a href="#"><u>&lt;ol&gt;</u></a>	Specifies an ordered list	
<a href="#"><u>&lt;optgroup&gt;</u></a>	Specifies an option group	
<a href="#"><u>&lt;option&gt;</u></a>	Specifies an option in a drop-down list	
<a href="#"><u>&lt;output&gt;</u></a>	Specifies the result of a calculation	5
<a href="#"><u>&lt;p&gt;</u></a>	Specifies a paragraph	
<a href="#"><u>&lt;param&gt;</u></a>	Specifies a parameter for an object	
<a href="#"><u>&lt;plaintext&gt;</u></a>	Deprecated. Render the remainder of the document as preformatted plain text	
<a href="#"><u>&lt;pre&gt;</u></a>	Specifies preformatted text	
<a href="#"><u>&lt;progress&gt;</u></a>	Specifies a completion progress of a task	5

<a href="#"><u>&lt;q&gt;</u></a>	Specifies a short quotation	
<a href="#"><u>&lt;rp&gt;</u></a>	Specifies to show browsers that do not support the ruby element	
<a href="#"><u>&lt;rt&gt;</u></a>	Specifies an text ruby annotation	
<a href="#"><u>&lt;ruby&gt;</u></a>	Specifies an ruby annotation	
<a href="#"><u>&lt;s&gt;</u></a>	Deprecated. Specifies strikethrough text	
<a href="#"><u>&lt;samp&gt;</u></a>	Specifies sample computer code	
<a href="#"><u>&lt;script&gt;</u></a>	Specifies a script	
<a href="#"><u>&lt;section&gt;</u></a>	Specifies a section in a document	
<a href="#"><u>&lt;select&gt;</u></a>	Specifies a selectable list	
<a href="#"><u>&lt;spacer&gt;</u></a>	Specifies a white space	
<a href="#"><u>&lt;small&gt;</u></a>	Specifies small text	
<a href="#"><u>&lt;source&gt;</u></a>	Specifies a media resources for media elements, defined inside video or audio elements	
<a href="#"><u>&lt;span&gt;</u></a>	Specifies a section in a document	
<a href="#"><u>&lt;strike&gt;</u></a>	Deprecated. Specifies strikethrough text	
<a href="#"><u>&lt;strong&gt;</u></a>	Specifies strong text	
<a href="#"><u>&lt;style&gt;</u></a>	Specifies a style definition	
<a href="#"><u>&lt;sub&gt;</u></a>	Specifies subscripted text	
<a href="#"><u>&lt;summary&gt;</u></a>	Specifies a summary, caption, or legend for a given <details>	
<a href="#"><u>&lt;sup&gt;</u></a>	Specifies superscripted text	
<a href="#"><u>&lt;table&gt;</u></a>	Specifies a table	
<a href="#"><u>&lt;tbody&gt;</u></a>	Specifies a table body	
<a href="#"><u>&lt;td&gt;</u></a>	Specifies a table cell	
<a href="#"><u>&lt;textarea&gt;</u></a>	Specifies a text area	
<a href="#"><u>&lt;tfoot&gt;</u></a>	Specifies a table footer	
<a href="#"><u>&lt;th&gt;</u></a>	Specifies a table heading	
<a href="#"><u>&lt;thead&gt;</u></a>	Specifies a table header	
<a href="#"><u>&lt;time&gt;</u></a>	Specifies a date and time <details>	
<a href="#"><u>&lt;title&gt;</u></a>	Specifies the document title	
<a href="#"><u>&lt;tr&gt;</u></a>	Specifies a table row	
<a href="#"><u>&lt;track&gt;</u></a>	Specifies a text tracks used in mediaplayers	
<a href="#"><u>&lt;tt&gt;</u></a>	Specifies teletype text	
<a href="#"><u>&lt;u&gt;</u></a>	Deprecated. Specifies underlined text	
<a href="#"><u>&lt;ul&gt;</u></a>	Specifies an unordered list	

**<var>**

Specifies a variable

**<video>**

Specifies a text tracks used in mediaplayers



**<wbr>**

Indicates a potential word break point within a <nobr> section

**<xmp>**

Deprecated. Specifies preformatted text

Loading [MathJax]/jax/output/HTML-CSS/jax.js