


■ DISTRIBUTED ENERGY PLATFORM · SEED

# kwhelectric

Switching on the grid we already built.

Full stack · hardware gateway + SaaS · north star: megawatts under management



# The megawatts already exist. They're just stranded.

- ⬡ Millions of batteries, solar arrays and EV chargers are already installed behind the meter.
- ⬡ Obsolete protocols, no monitoring, no grid-program eligibility.
- ⬡ Depreciating on a lender's balance sheet, earning nothing.

**80%** of DER fleets still lack dispatchability — capped at pilots, leaking margin into custom integration work.



# The ugliness is the moat.

Everyone is fighting over next year's hardware. The installed base is bigger and untouched, because every vendor's protocol differs and every site is its own project.

Do that work once, and you own ground nobody wants to fight for.

# Two curves just crossed.

DER growth has outrun the infrastructure built to carry it, and interconnection rules just made dispatchability mandatory.

INSTALLED DER CAPACITY — ILLUSTRATIVE



## IEEE 2030.5


is becoming the utility-mandated interconnection standard, and there is no cheap way to speak it at the edge.




## Under \$50 BOM

means edge hardware is finally cheap enough to put a gateway on every asset, not just the biggest ones.

# One translation layer. Any application on one side, any asset on the other.




one integration, either direction – nothing behind it has to change



The cloud decides strategy. The gateway executes and stays inside each asset's safe limits on its own.

# Control flows down. Data flows up. One layer carries both.



— control, cloud to asset    — data, asset to cloud

# Palm sized. Under \$50 BOM.

PROTOCOL STACK

IEEE 2030.5, SunSpec, Modbus, MQTT, Zigbee

DEVICES UNDER MANAGEMENT

solar inverters, batteries, EV chargers, smart meters, flexible loads

BUSINESS MODEL

\$150 one-time gateway license  
plus recurring SaaS



hardware gateway or software-only license – same core either way. discovers, monitors and dispatches without a cloud round trip.

# Four layers, one stack.

|    |                      |                                                                                                                                                  |
|----|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 01 | Edge Gateway         | Discovers, monitors and dispatches DERs locally — no cloud round trip.                                                                           |
| 02 | Protocol Translation | Speaks IEEE 2030.5 fluently to utilities and aggregators, regardless of device OEM.                                                              |
| 03 | Cloud Platform       | Fleet management, provisioning, telemetry and analytics across every deployed gateway.                                                           |
| 04 | Application Layer    | Forecasting, P2P trading, demand flexibility, asset securitisation, asset health. Sold on top of the gateway — and each one sells more gateways. |

# Legacy BESS retrofit

PAIN

A commissioned battery, Modbus only — invisible and ineligible.

CONTROL FLOW

Optimiser sets a schedule → translation maps it to that vendor's registers → gateway executes and holds.

DATA FLOW

Registers polled and normalised → platform sees state of charge, power, faults, health.

RESULT

[X] MW online in [Y] days.

# Financier portfolio

## PAIN

Hundreds of financed assets, no independent telemetry — residual value unknown.

## DATA FLOW

Mixed fleet reports in — via gateway and via OEM cloud — normalised into one asset model. The financier sees one portfolio view of health, cycles, output, degradation.

## RESULT

**The entire book onboarded —  
not the connected fraction.**

# OEM compliance

## PAIN

Needs grid-program eligibility without building a standards stack.

## CONTROL FLOW

Utility issues a 2030.5 control → our server receives it → translation converts to the OEM's native API → device responds.

## DATA FLOW

Telemetry returns as conformant reporting.

## RESULT

**The OEM keeps brand, cloud and customer. We supply compliance.**

# VPP aggregation

## PAIN

Scattered assets cannot be dispatched as one resource.

## CONTROL FLOW

Grid signal arrives → optimiser allocates across the fleet →  
translation fans out per-asset commands in each native protocol  
→ gateways execute in parallel.


## RESULT

**Portfolio-level co-optimisation  
— structurally impossible for  
edge-only competitors.**

# Real telemetry, real dispatch, running today.

**340ms** dispatch latency,  
measured live

-  **Fleet dispatch map** — real-time view of every gateway, asset state and active dispatch signal.
-  **Forecasting and flexibility** — demand and generation forecasts driving automated flexibility offers.



# Stranded megawatts in one beachhead: [named market].



Beachhead: India DISCOMs via Beckn DEG, expanding to U.S. utilities and aggregators on IEEE 2030.5.  
Multi-market expansion is on the roadmap – not this slide.

# Three revenue lines. Cost per MW falls as the cloud path scales.

## 01 • ONE-TIME

Gateway hardware

## 02 • RECURRING

SaaS per asset and per MW

## 03 • UPSIDE

Share of grid-program and market revenue

## BLENDED COST PER MW ONBOARDED



[\$/MW] declines as cloud onboarding outgrows hardware

# Five advantages that compound.

01

Device-profile library compounds — build once, unlock a whole model class forever.

02

Retrofit reach nobody else has.

03

Autonomous edge safety layer lets us command hardware we never installed.

04


Standards-native, so grid programs accept us.

05

Translation in cloud and edge — we onboard mixed portfolios competitors cannot.

Each profile built and each site retrofit widens a lead nobody else is chasing.

# A live channel into DISCOMs.



## Zodiac Energy

NSE & BSE LISTED GENERATOR

Data sharing live — generation records feeding model training, gateway telemetry pilot in setup.

## Kintech Synergy

BESS OPERATOR

Live BESS assets streaming gateway telemetry, state of charge and dispatch validation.

[X] device profiles built      [X] sites live      [X] MW under management      2030.5 – [status]

# Built by practitioners.

## Arham Shah

FOUNDER & CEO

M.S. Energy, Stanford  
B.S. Industrial Engineering, UIUC  
Ex-Tesla, Rivian, Beckn

## Advisors

INDUSTRY LEADERS

-  **Sujith Nair**  
Co-Founder, Beckn
-  **Vish Ganti**  
President, DER Security · ex-VP AutoGrid

## Engineering

FOUNDING BUILDERS

- Sudheer Kumar**  
Deployment Engineer
- Yuvaraju Meenuga**  
Integrations Engineer

Four founding engineers, zero attrition, production PCB already in fabrication. The team that shipped the pilot is the team building the company.

# Financeable megawatts.

Verified telemetry — normalised and timestamped — consumed by financing rails as ground truth.

We don't do securitisation. We're the measurement layer that makes it possible.

18-MONTH MILESTONE

**[X] MW**  
under management


**[X]**  
device profiles shipped


Everyone else is chasing next year's assets. We're switching on the ones already in the ground.

THE ASK

**[\$ amount]**


SAFE, [\$ cap] cap.





The translation band sits between the software you own and the hardware you don't. That placement is the whole argument.

# Same core, four ways in.



Each asset is onboarded by whichever path is cheapest.

# Economics in the cloud. Safety at the edge.

## CLOUD

### Economic dispatch

Price-aware scheduling and portfolio allocation — strategy decided centrally.

boundary

## EDGE

### Protective + grid-support

Runs autonomously and stays inside each asset's safe limits — even if the link drops.