

# CompTIA Security+ Cheat Sheet (Updated for Latest Exam)

February 2, 2023 / By Cassandra Lee



• Listen to the article

You've made a great choice pursuing the CompTIA Security+ certification if you aspire to work in cyber security. It makes you a catch to employers, but the huge amount of study materials can make this a challenging exam.

This CompTIA Security+ Cheat Sheet is a brief roadmap in your preparation for this crucial exam. It gives you a bird's-eye view of key concepts and abbreviations in Security+. Owing to Security+'s overlap with Network+, CCNA, and other networking-related certifications, this cheat sheet excludes material on networking, which we encourage you to review separately.

Download this CompTIA Security+ Cheat Sheet **here**. When you're ready, let's dive in.

#### What Is the CompTIA Security+ Certification?

The <u>CompTIA Security+</u> certification shows employers that you've mastered the fundamental skills to perform essential cyber security functions and pursue a relevant career. Hence, the CompTIA Security+ exam focuses on the day-to-day real-time application of IT security knowledge at work.

You'll need to answer at most 90 questions in this 90-minute examination and complete a survey after it ends. The passing score is 750 on a scale of 100–900.

The latest CompTIA Security+ exam code is SY0-601. The associated exam is available from November 2020 to sometime in 2023–2024. New topics include supply chain management and the Internet of Things (IoT).

#### Security+ Domains (SY0-601)

The following illustration shows the assessment criteria and the weighting in this examination:

This cheat sheet arranges concepts according to the subtopics in <u>our Total Seminars Security+</u> <u>course</u>, and some topics span several Security+ domains. Hence, we've provided you a key to finding items according to Security+ domain:

HASHTAG (REMEMBER TO TYPE THE # SYMBOL)	DOMAIN (SY0-601)
#ATV	Attacks, Threats, and Vulnerabilities
#AD	Architecture and Design
#practical	Implementation
#op	Operations and Incident Response
#risk	Governance, Risk, and Compliance

Type these tags into the search bar to find key points related to a specific domain.

Search cheats here

#### Risk Management

The following topics pertain to real-life applications of cyber security. When you review the abbreviations, think: "Do I comprehend the ideas encapsulated by them?"

DOMAIN	CONCEPT	ELABORATION
#ATV	Threat Actor	Vulnerability exploiter
#ATV	TTP	(Adversary) tactics, techniques, and procedures
#ATV	Hacker	IT infrastructure penetrator
#ATV	Hacktivist	Politically motivated agent
#ATV	Script kiddie	Executor of pre-made programs
#ATV	Insider	Saboteur inside an organization
#ATV	Competitor/Rival	Saboteur outside an organization but in the same industry

DOMAIN	CONCEPT	ELABORATION
#ATV	Shadow IT	IT systems deployed without the central IT department's oversight
#ATV	Criminal syndicate (organized crime)	Profit-driven agent with intent to blackmail
#ATV	State actor	Foreign government agent
#ATV	APT	Advanced persistent threat: long-term intelligence-mining hacking
#ATV	OSINT	Open-source intelligence  • Government reports  • Media  • Academic papers
#ATV	CVEs	Common Vulnerabilities and Exposures
#ATV	AIS	Automated Indicator Sharing
#ATV	STIX	Structured Threat Information Expression
#ATV	TAXII	Trusted Automated Exchange of Intelligence Information
#risk	GDPR	General Data Protection Regulation
#risk	PCI DSS	Payment Card Industry Data Security Standard
#risk	ISO	International Organization for Standardization
#risk	CSA	Cloud Security Alliance
#risk	AV	Asset Value
#risk	EF	Exposure Factor
#risk	SLE	Single Loss Expectancy = AV × EF
#risk	ARO	Annualized Rate of Occurrence
#risk	ALE	Annualized Loss Expectancy = SLE × ARO

DOMAIN	CONCEPT	ELABORATION
#risk	BIA	Business impact analysis
#risk	MTBF	Mean time between failures
#risk	MTTF	Mean time to failure
#risk	MTTR	Mean time to repair
#risk	RTO	Recovery time objective
#risk	RPO	Recovery point objective
#risk	Residual risk	Remaining risk after mitigation
#ATV #risk	Supply chain attack	Targets insecure elements in the supply chain

The primary colors red, blue, and yellow refer to attackers, defenders, and builders of a system

What do terms like "red team" and "blue team" mean in penetration testing?

respectively. The secondary colors are combinations of these roles. For example, purple team members have dual attack/defense roles. The white team supervises the hack.

#### Cryptography

The following concepts are about obfuscating data from attackers and restoring them once they reach the intended destination.

DOMAIN	CONCEPT	ELABORATION
#ATV	Cryptographic attack/cryptanalysis	Finding weaknesses in the cryptosystem
#AD	Data at rest	On computer storage

DOMAIN	CONCEPT	ELABORATION
#AD	Data in use/processing	In RAM being accessed
#AD	Data in transit/motion	Traveling along cables or broadcasting wirelessly
#AD	Symmetric cipher	Streaming:  RC4  Block: DES Blowfish 3DES  Considerations: key length block size number of rounds
#AD	Asymmetric cipher	Examples:Diffie-Hellman key exchangeRSAElliptic-curve cryptography
#AD	Hashing	One-way, deterministic process of transforming a string of characters into another
#AD	Salting	Characters appended to a string (e.g., password) before hashing
#AD	Steganography	Hide data inside other data
#AD	Quantum	Exploit quantum mechanics
#AD	Post-quantum	Secure against cryptanalysis by quantum computer
#AD	Lightweight cryptography	Small footprint, low computational complexity
#AD	Homomorphic encryption	Makes performing operations on encrypted data possible
#AD #practical	CA	Certificate authority
#AD #practical	CRL	Certificate revocation list

DOMAIN	CONCEPT	ELABORATION
#AD #practical	Stapling	Checks regularly for certificate invalidity
#AD #practical	Pinning	Associates certificate against known copy
#AD #practical	Trust model	<ul><li>Direct</li><li>Third-party</li><li>Hierarchical</li><li>Distributed</li></ul>
#AD #practical	Key escrow	Third party safeguarding private keys
#AD #practical	Certificate chaining	Top-down CA trust model
#AD #practical	Digital signature	Public key sender verified to own corresponding private key
#practical	P7B	√ certificate √ chain certificates × private key
#practical	P12	√ certificate √ chain certificates √ private key
#practical	PKI	Public Key Infrastructure
#practical	PKCS	Public Key Cryptography Standards
#ATV #AD	Brute-force attack	Trying character combinations  Variant: spraying (trying the same password across different accounts)
#ATV #AD	Dictionary attack	Using lists of probable passwords
#ATV #AD	Rainbow tables	Using pre-calculated password hashes

DOMAIN	CONCEPT	ELABORATION
#ATV #AD	Key stretching	Method that strengthens weak passwords

# **Identity and Account Management**

The following concepts deal with methods showing that you are the legitimate owner of an account.

DOMAIN	CONCEPT	ELABORATION
		Factors:
		Something you know
		Something you have
#practical	Multi-factor	Something you are
#AD	Authentication (MFA)	Attributes:
#AD	Authentication (MIA)	Something you do
		Something you exhibit
		Someone you know
		Somewhere you are
	Efficacy rate	False acceptance
#AD		False rejection
		Crossover error rate
	Access control schemes	Attribute-based access control (ABAC)
		Role-based access control
		Rule-based access control
#AD		• MAC
#practical		<ul> <li>Discretionary access control (DAC)</li> </ul>
		Conditional access
		Privileged access management
		Filesystem permissions
#practical	PAP	Password AuthenticationProtocol
#practical	СНАР	Challenge-HandshakeAuthentication Protocol
		Example: MS-CHAP-v2

DOMAIN	CONCEPT	ELABORATION
#practical	Sandboxing	Limiting access privileges of an application to minimize its impact on the rest of the system
#AD #practical	Identity federation	Delegate authentication to trusted third party

#### **Tools of the Trade**

We omit terminal commands because practice is more important than rote memorization for performance-based questions on Security+.

DOMAIN	CONCEPT	KEY POINTS TO REVIEW
#op	SPAN	Switch port analyzer
#op	loC	Indicators of Compromise
#op	SNMP	Simple Network Management Protocol
#op	NXLog	Open-source log collection tool
#op #ATV	SIEM	Security Information and Event Management

#### **Securing Individual Systems**

The table below lists vital security concepts.

DOMAIN	CONCEPT	ELABORATION
#ATV	Malware	• Virus
		Polymorphic virus
		• Fileless virus
		• Worm
		• Trojan
		• Rootkit
		Keylogger
		• Adware
		<ul> <li>Spyware</li> </ul>

DOMAIN	CONCEPT	ELABORATION	
		Ransomware	
		• Bots	
		• Remote access Trojan (RAT)	
		• Logic bomb	
		Cryptomalware	
		<ul> <li>Potentially unwanted programs (PUPs)</li> </ul>	
		<ul> <li>Command and control (C2/C&amp;C)</li> </ul>	
		Keyloggers	
		• Backdoor	
#ATV	Zero-day attack (ZDI)	Previously unknown vulnerability	
#ATV	DNS Sinkholing	Give certain domain names invalid addresses	
#ATV	Replay attack	Intercept data and replay later	
// A == > /	Pointer/object dereference	Using a null-value pointer as if its value is valid to bypass	
#ATV	attack	security logic	
#ATV	Dynamic-link Library (DLL) injection	Force-run code in place of other code	
		Attacks using up bandwidth	
#ATV	Resource exhaustion	Examples: DoS, DDoS	
#ATV	Race conditions	Trying to perform two or more operations that should	
00:00		00:00 1 <b>/</b> =	
// \ \ •	Direct accord	Driver refactoring	
# A T\ /	Occasion III	Integer overflow	
#ATV Overflow attacks		Buffer overflow	
#ATV #AD Securing hardware		• TPM	
#practical		Hardware redundancy	
		• UPS	

DOMAIN	CONCEPT	ELABORATION
		• PDU
		Cloud redundancy
		Antivirus/Anti-malware
		• EDR
		• HIDS
,, ,,		• HIPS
#practical	Securing endpoints	• NGFW
		Allowlist/whitelist
		Block/deny lists,
		• blacklist
		Combination of hardware and software for a specific
		purpose
		Examples:
#AD	Embedded system	• Raspberry Pi
		<ul> <li>Field-programmable gate array (FPGA)</li> </ul>
		• Arduino
		Combination of mechanical and digital interfaces for
		specific purposes
<b>#45</b>		Examples:
#AD	Specialized system	Medicine
		• Aviation
00.00		00:00
00:00		00:00 1 <b>X</b>

#AD	SCADA	Supervisory control and data acquisition
#AD	ICS	Industrial control system

# The Basic LAN, Securing Wireless LANs, Securing Public Servers

We omit networking topics such as the above in this cheat sheet, and we encourage you to review them independently.

#### **Physical Security**

The best security measures are real-world limitations imposed on digital access. Here are a few concepts worth reviewing:

DOMAIN	CONCEPT	ELABORATION
#AD	Air gap	Physical isolation of secure computer network from unsecured networks
#AD	Protected cable distribution (Protected Distribution System)	Wired communications system with sufficient physical protection to carry unencrypted classified information without leakage
#AD	Screened subnet (demilitarized zone)	Five components:  • External network  • External router  • Perimeter network  • Internal router  • Internal network
#AD	Hot and cold aisles	Draw in cool air to equipment, and draw out hot air from equipment
#AD	Two-person integrity/control	Continuous monitoring by at least two authorized individuals, each capable of detecting incorrect or unauthorized security procedures
		Burning

	00:00	Ç	00:00 1 🗲	×
		<ul><li>Degaussing</li><li>Third-party solutions</li></ul>		
#AD	Monitoring sensors	<ul><li> Motion detection</li><li> Noise detection</li><li> Proximity reader</li><li> Moisture detection</li></ul>		

DOMAIN CONCEPT	ELABORATION
	• Cards
	Temperature

# Secure Protocols and Applications

This table excludes material overlapping with the **Network+ exam objectives**.

DOMAIN	CONCERT	FLADODATION		
DOMAIN	CONCEPT	ELABORATION		
#practical	S/MIME	Secure/Multipurpose Internet Mail Extensions		
#ATV	Cross-site request forgery (CSRF/XSRF)	Hijack authenticated sessions		
#ATV	Server-side request forgery (SSRF)	Cause servers to make outbound HTTP requests		
#ATV	Cross-site scripting (XSS) attack	Inject malicious scripts into otherwise benign and trusted websites		
#ATV #AD #practical	Injection attack	Affects:  • SQL  • LDAP  • XML		
#AT\/ #AD		<ul><li>Input validation, sanitation</li><li>Secure Web browser cookies</li></ul>		
00:00		00:00 1 <b> ×</b>		
		Irusted components and APIs		
		<ul><li>Planning</li><li>Defining</li></ul>		
#ATV #AD	Software development life cycle	Designing		
#practical	(SDLC)	Building		
		• Testing		
		Deployment		

### **Testing Infrastructure**

This section is about social engineering and penetration testing. Manipulating perception leads to much damage because humans are the weakest link in cyber security.

DOMAIN	CONCEPT	ELABORATION	
		Principles (reasons for effectiveness):	
		<ul><li>Authority</li></ul>	
		<ul><li>Intimidation</li></ul>	
#ATV	Social engineering	• Consensus	
# <i>F</i> (1 V	Social engineering	• Scarcity	
		• Familiarity	
		• Trust	
		• Urgency	
		Propaganda:	
#ATV	Influence campaign	Hybrid warfare	
		Social media	
#ATV	Watering hole attack	Infect a trusted website	
// A = T /	Coore	Mass mailing of unsolicited messages	
#ATV	Spam	Variation: Spam over instant messaging (SPIM)	
#ATV	Phishing	Attack by email; single target	
#ATV	Smishina	Attack by SMS text message	
00	0:00	00:00 1 <b> ×</b>	
#ATV	Spear phishing	Attack by email; multiple targets	
# <b>\</b> T\ /	\M/haline	Phishing that targets high-ranking people, such as C-suite	
#ATV	Whaling	executives	
// A T \ /	Invoice con-	Solicit payment from fraudulent invoice, often paired with	
#ATV	Invoice scam	whaling	
#ATV	Dumpster diving	Recover information from trash	

DOMAIN	CONCEPT	ELABORATION	
#ATV	Shoulder surfing	Look over someone's shoulder, often with a recording device	
#ATV	Tailgating	Unauthorized entity follows authorized party into secured premises	
#ATV	Piggybacking	Tailgating with the authorized party's consent	
#ATV	Credential harvesting (farming)	Attacks to obtain credentials or personal information	
#ATV	Pharming	Phishing + farming; making and redirecting users to a fake website	
#ATV	Prepending	Adding username mentions to social media posts	
#ATV	Pretexting	Digital gunpoint with the ransom being one's private information	
#ATV	Impersonation,identity fraud/theft	Attacks using stolen credentials or personal information	
#ATV	Eliciting information	Strategic casual conversation without coercion to extract information from targets	
#ATV	Reconnaissance	Covert information-gathering	
#ATV	Ноах	False alarm	
00	0:00	00:00 1 <b> ×</b>	
#ATV	<u>Vulnerability scanning</u>	<ul> <li>Passive (monitoring)</li> <li>Active</li> <li>Credentialed</li> <li>Non-credentialed</li> </ul>	
#ATV	Penetration testing (pentesting)	Actively exploit vulnerabilities	
#ATV	Intrusive scan	Damage-causing pentesting	

DOMAIN	CONCEPT	ELABORATION
#ATV	Black box	Zero-knowledge pentesting
#ATV	White box	Extensive-knowledge pentesting
#ATV	Gray box	Partial-knowledge pentesting
#ATV #practical	Fuzzing	Input random characters and expect spurious results
#ATV	Pivot	Access network through vulnerable host—then attack
#ATV	Privilege escalation	Get administrator access

# **Dealing With Incidents**

#ор

The following is a list of paradigms for handling, preventing, and mitigating cyber security breaches.

DOMAIN	CONCEPT	ELABORATION			
#ор	ВСР	Business continuity plan			
#ор	COOP	Continuity of operations			
#op #risk	DRP	Disaster Recovery Plan			
#ор	IRP	Incident Response Plan			
#op	InC	Indicators of Compromise			
	00:00		00:00	1 %	×
#op	MITRE ATT&CK Framework	Identify attacker techniques			
	Diamond Model of Intrusion Analysis				

Show how threat actors (adversaries) exploit capabilities

in infrastructure against victims

DOMAIN	CONCEPT	ELABORATION
#op #ATV	Security Orchestration, Automation, and Response (SOAR)	Automate incident responses, thus reducing response time
#AD #op	Legal hold	Process to preserve all forms of potentially relevant information for potential litigation
#AD #op	Chain of custody (CoC)	Paper trail of physical and electronic evidence
#AD #op	Disaster Recovery Sites	<ul><li>Hot</li><li>Warm</li><li>Cold</li></ul>
#AD	RAID	Redundant array of inexpensive disks
#AD	UPS	Uninterruptiblepower supply
#AD	PDUs	Power distribution units
#AD	NAS	Network-attached storage
#AD	Multipath	Having multiple physical paths between devices
#AD	Network interface card (NIC) teaming	Physical network adapters grouped together
#AD	Load balancer	Distributes traffic across servers
#AD	Scalability	Ease of growing and managing increased demand on infrastructure
0	00:00	00:00 1 <b> ×</b>
#AD	Backup types	<ul><li>Differential</li><li>Incremental</li></ul>

### Conclusion

This CompTIA Security+ Cheat Sheet is a checklist covering the examination syllabus, and we hope it gives you a bird's-eye view of non-networking key topics to remember.

• Snapshot

Remember that we offer <u>a complete course to passing the Security+ exam</u> and <u>practice exams</u> to test your abilities. No matter how you prepare for it, we wish you success.


#### **Frequently Asked Questions**

Is the CompTIA Security+ exam hard?

Yes. This exam is challenging and encompasses a lot of material, but it's fair for this entry-level certification into cyber security. The better prepared you are, the faster and more accurately you can answer the questions. You'll need to exert yourself to answer up to 90 questions in 90 minutes, so read each question carefully.

- + How can I pass my Security+ fast?
- + Can you skip questions on the Security+ exam?
- + How long should you study for CompTIA Security+?
- (+) What is the passing score for the Security+ exam?







#### Cassandra Lee

I make connections across disciplines: cyber security, writing/journalism, art/design, music, mathematics, technology, education, psychology, and more. I've been advocating for girls and women in STEM since the 2010s, having written for Huffington Post, International Mathematical Olympiad 2016, and Ada Lovelace Day, and I'm honored to join StationX. You can find me on **LinkedIn** and **Linktree**.

#### **Related Articles**





Wireshark Cheat Sheet: All the **Commands, Filters & Syntax** 

Read More »



**Common Ports Cheat Sheet: The Ultimate Ports & Protocols List** 

Read More »

INFO

Affiliates

Legal Notices

Privacy Policy

Site Map

SECURITY ASSESSME NT

Penetration

Testing

Vulnerability

**CONSULTI** 

NG

Audit &

Compliance

Incident

Response



00:00

Review

Social Engineering Security Training

00:00

1 %

X



00:00 1**5 X**