

Multi-Agent Claude Code in Production: What the Docs Miss

Five requirements that separate demos from systems that hold.

VERYDIAN AI



02

02

SDK Sessions Are Ephemeral. Your State Isn't Safe.

Orchestrator crashes, session disappears, subagent work vanishes. External state storage isn't optional. Redis, Postgres, pick one.




SYS.METRIC

03

03 ·

Circuit Breakers: One Flaky API Can Drain Your Budget

Without explicit failure thresholds, a subagent retrying a bad endpoint runs until the bill alerts you. Set hard limits. Fail fast.



SYS.NETWORK

04

04 ·

Scope Tool Permissions Per Subagent, Not Per System

Research agents don't need write access. Write agents don't need external APIs. Smaller blast radius when something goes wrong.




PIPELINE

05

05

Cost Caps with Hard Stops. Not Soft Warnings.

Per-run and per-subagent budget limits. When you hit the cap, the system stops and reports. It doesn't keep going.



06

06 ·

Agent-Level Observability: Know Which Agent Did What

System logs aren't enough. You need per-subagent decision traces. When a client asks why something broke, logs answer it.



EXEC.BRIEF / AI INFRASTRUCTURE



Follow me — I build in public

Build Infrastructure That Holds. Follow for More.

ARHEM