

TRIAGE LAYER

Anthropic's Barclays post has usage, not savings. Copy the routing.

No savings figure appears on the page. The email triage mechanism inside it still transfers to a 10 to 200 person company.


UNROLL THE DRAWING

SECTION 02 · THE ROUTING STEP

About 120,000 emails a day pass through the platform

Per Anthropic's post, Global Markets teams use Claude models to classify, enrich, and help determine the optimal processing route for incoming emails.

FIG. 2



SCALE · PRODUCTION


VERYDIAN

SECTION 03 · WHAT TO COPY

The mechanism: classify, enrich, route, hand off

The page names the first three steps. The hand-off is my addition: a person receives a request that already has what they need.

FIG. 3



SCALE · PRODUCTION


VERYDIAN

SECTION 04 · PUBLISHED VS ABSENT

The page publishes usage and tooling, with no savings figure

More than 16,000 colleagues and over one million searches on the assistant. A 50% Claude Code adoption expectation for 2026. No savings, ROI or productivity figure.

FIG. 4



SCALE · PRODUCTION

VERYDIAN

SECTION 05 · METRIC FIRST

Set one outcome metric before you build

The page offers none to borrow. For a small team: time to first touch on an inbound lead, or follow-ups that depend on someone remembering.

FIG. 5

FOLLOW-UPS
FROM MEMORY

ONE METRIC
OUTCOME

LEADS SITTING
UNTOUCHED

TIME TO FIRST
TOUCH

SCALE · PRODUCTION

VERYDIAN

SECTION 06 · SMALL-SCALE TRIAGE

My version: a queue sorted by what needs action

The /crm view in Agentic OS sorts needs-action leads into overdue, today and upcoming. The first screen is a decision list, not a database.

FIG. 6

L3

OVERDUE

L2


TODAY

L1

UPCOMING

SCALE · PRODUCTION

VERYDIAN



Pick one metric, then build the router

One outcome number decides whether the triage layer ships.

NAME THE METRIC FIRST