



A plugin can now approve your permission requests


Claude Code 2.1.287 shipped Mods. They run with the
same access to your machine as Claude Code.

SWIPE 

■ NO. 02 · WHAT A MOD CAN TOUCH

A mod can touch the approval step itself

Mods are small TypeScript functions that run before, after or instead of an event. They can rewrite prompts, block or rewrite tool calls, approve or deny permissions, and redact secrets.



■ NO. 03 · TRUST BOUNDARY

Not sandboxed means the same reach as Claude Code

Anthropic's own post: mods aren't sandboxed, and you should only install mods from sources you trust. A plugin that approves tool calls is code with your access.

IF SANDBOXED

— LIMITED REACH

— CONTAINED MISTAKES

VS

MODS TODAY


● CLAUDE CODE'S OWN ACCESS

● NOT SANDBOXED



sec-default is a real guardrail, where it applies



On Team and Enterprise plans and machines with managed settings, sec-default loads first and stops user-installed mods from doing risky things, like overriding deny rules.




■ NO. 05 · OPERATOR REVIEW

Review a mod like you'd review a vendor

Part of the layer that decides what the agent may do is now a dependency. Ask the vendor questions before it loads, not after.





Treat every mod like a new hire

Read what it hooks and who wrote it before it loads.

AUDIT YOUR MODS